

ZAP by Checkmarx Scanning Report

Generated with  ZAP on Tue 19 May 2026, at 20:03:39

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)

- [Insights](#)
- [Alerts](#)
 - [Risk=Medium, Confidence=High \(2\)](#)
 - [Risk=Medium, Confidence=Medium \(1\)](#)
 - [Risk=Low, Confidence=High \(1\)](#)
 - [Risk=Low, Confidence=Medium \(2\)](#)
 - [Risk=Low, Confidence=Low \(1\)](#)
 - [Risk=Informational, Confidence=High \(3\)](#)
 - [Risk=Informational, Confidence=Medium \(1\)](#)
 - [Risk=Informational, Confidence=Low \(2\)](#)
- [Appendix](#)
 - [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <https://s-gke-usc1-nssi4-7.firebaseio.com>
- <https://linguplay-2d2ae-default-rtdb.firebaseio.com>
- <https://identitytoolkit.googleapis.com>
- <http://localhost:8081>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: [High](#), [Medium](#), [Low](#), [Informational](#)

Excluded: None

Confidence levels

Included: [User Confirmed](#), [High](#), [Medium](#), [Low](#)

Excluded: [User Confirmed](#), [High](#), [Medium](#), [Low](#), [False Positive](#)

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
Risk		User Confirmed	High	Medium	Low	Total
	High	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	Medium	0 (0.0%)	2 (15.4%)	1 (7.7%)	0 (0.0%)	3 (23.1%)
	Low	0 (0.0%)	1 (7.7%)	2 (15.4%)	1 (7.7%)	4 (30.8%)
	Informational	0 (0.0%)	3 (23.1%)	1 (7.7%)	2 (15.4%)	6 (46.2%)
	Total	0 (0.0%)	6 (46.2%)	4 (30.8%)	3 (23.1%)	13 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

	Risk			
	High (= High)	Medium (>= Medium)	Low (>= Low)	Informational (Informational)
Site https://s-gke-usc1-nssi4-7.firebaseio.com	0 (0)	0 (0)	0 (0)	1 (1)
https://linguplay-2d2ae-default-rtdb.firebaseio.com	0 (0)	0 (0)	0 (0)	1 (1)
https://identitytoolkit.googleapis.com	0 (0)	0 (0)	1 (1)	1 (2)
http://localhost:8081	0 (0)	3 (3)	3 (6)	3 (9)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
Content Security Policy (CSP) Header Not Set	Medium	5 (38.5%)
Information Disclosure - JWT in Browser localStorage	Medium	1 (7.7%)
Missing Anti-clickjacking Header	Medium	2 (15.4%)
Information Disclosure - Sensitive Information in Browser localStorage	Low	1 (7.7%)
Strict-Transport-Security Header Not Set	Low	4 (30.8%)
Timestamp Disclosure - Unix	Low	7 (53.8%)
X-Content-Type-Options Header Missing	Low	6 (46.2%)
Total		13

Alert type	Risk	Count
Authentication Request Identified	Informational	1 (7.7%)
Email address found in WebSocket message	Informational	1 (7.7%)
Information Disclosure - Information in Browser localStorage	Informational	5 (38.5%)
Information Disclosure - Suspicious Comments	Informational	1 (7.7%)
Modern Web Application	Informational	3 (23.1%)
Re-examine Cache-control Directives	Informational	1 (7.7%)
Total		13

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Reason	Site	Description	Statistic
-------	--------	------	-------------	-----------

Level	Reason	Site	Description	Statistic
Medium	Exceeded Low		Percentage of memory used	90
Medium	Exceeded High		Percentage of network failures	81 %
Low	Warning		ZAP errors logged - see the zap.log file for details	1
Low	Warning		ZAP warnings logged - see the zap.log file for details	222
Info	Informational	http://localhost:8081	Percentage of responses with status code 1xx	5 %
Info	Informational	http://localhost:8081	Percentage of responses with status code 2xx	63 %
Info	Informational	http://localhost:8081	Percentage of responses with status code 4xx	28 %
Info	Informational	http://localhost:8081	Percentage of responses with status code 5xx	2 %
Info	Informational	http://localhost:8081	Percentage of endpoints with content type application/javascript	14 %

Level	Reason	Site	Description	Statistic
Info	Informational	http://localhost:8081	Percentage of endpoints with content type image/jpeg	14 %
Info	Informational	http://localhost:8081	Percentage of endpoints with content type text/html	42 %
Info	Informational	http://localhost:8081	Percentage of endpoints with method GET	85 %
Info	Informational	http://localhost:8081	Percentage of endpoints with method HEAD	14 %
Info	Informational	http://localhost:8081	Count of total endpoints	7
Info	Informational	http://localhost:8081	Percentage of slow responses	30 %
Info	Informational	https://identitytoolkit.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://identitytoolkit.googleapis.com	Percentage of endpoints with content type application/json	50 %
Info	Informational	https://identitytoolkit.googleapis.com	Percentage of endpoints with content type text/html	50 %

Level	Reason	Site	Description	Statistic
Info	Informational	https://identitytoolkit.googleapis.com	Percentage of endpoints with method OPTIONS	50 %
Info	Informational	https://identitytoolkit.googleapis.com	Percentage of endpoints with method POST	50 %
Info	Informational	https://identitytoolkit.googleapis.com	Count of total endpoints	4
Info	Informational	https://identitytoolkit.googleapis.com	Percentage of slow responses	80 %
Info	Informational	https://linguplay-2d2ae-default-rtdb.firebaseio.com	Percentage of responses with status code 1xx	100 %
Info	Informational	https://linguplay-2d2ae-default-rtdb.firebaseio.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://linguplay-2d2ae-default-rtdb.firebaseio.com	Count of total endpoints	1
Info	Informational	https://linguplay-2d2ae-default-rtdb.firebaseio.com	Percentage of slow responses	100 %

Level	Reason	Site	Description	Statistic
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Percentage of responses with status code 1xx	15 %
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Percentage of responses with status code 2xx	85 %
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Percentage of endpoints with content type application/javascript	66 %
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Percentage of endpoints with content type text/html	11 %
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Count of total endpoints	9
Info	Informational	https://s-gke-uscl-nssi4-7.firebaseio.com	Percentage of slow responses	85 %

Alerts

Risk=Medium, Confidence=High (2)

<http://localhost:8081> (2)

Content Security Policy (CSP) Header Not Set (1)

► GET <http://localhost:8081/>

Information Disclosure - JWT in Browser localStorage (1)

► GET <http://localhost:8081/>

Risk=Medium, Confidence=Medium (1)

<http://localhost:8081> (1)

Missing Anti-clickjacking Header (1)

► GET <http://localhost:8081/>

Risk=Low, Confidence=High (1)

<https://identitytoolkit.googleapis.com> (1)

Strict-Transport-Security Header Not Set (1)

► OPTIONS https://identitytoolkit.googleapis.com/v1/accounts:signInWithPassword?key=AIzaSyCPGF5AZhy8Cwr-Zqu_OjcxRE63Y05LAGo

Risk=Low, Confidence=Medium (2)

<http://localhost:8081> (2)

Information Disclosure - Sensitive Information in Browser localStorage (1)

► GET <http://localhost:8081/>

X-Content-Type-Options Header Missing (1)

► GET <http://localhost:8081/>

Risk=Low, Confidence=Low (1)

<http://localhost:8081> (1)

Timestamp Disclosure - Unix (1)

► GET http://localhost:8081/node_modules/expo/AppEntry.bundle?platform=web&dev=true&hot=false&lazy=true&transform.engine=hermes&transform.routerRoot=app&unstable_transformProfile=hermes-stable

Risk=Informational, Confidence=High (3)

<https://linguplay-2d2ae-default-rtdb.firebaseio.com> (1)

Email address found in WebSocket message (1)

► GET <https://linguplay-2d2ae-default-rtdb.firebaseio.com/.ws?v=5&p=1:59070765265:web:b70d73c991720ffc450df0>

<https://identitytoolkit.googleapis.com> (1)

Authentication Request Identified (1)

► POST https://identitytoolkit.googleapis.com/v1/accounts:signInWithPassword?key=AIzaSyCPGF5AZhy8Cwr-Zqu_OjcxRE63Y05LAGo

<http://localhost:8081> (1)

Information Disclosure - Information in Browser localStorage (1)

► GET http://localhost:8081/

Risk=Informational, Confidence=Medium (1)

http://localhost:8081 (1)

Modern Web Application (1)

► GET http://localhost:8081/

Risk=Informational, Confidence=Low (2)

https://s-gke-usc1-nssi4-7.firebaseio.com (1)

Re-examine Cache-control Directives (1)

► GET https://s-gke-usc1-nssi4-7.firebaseio.com/.lp?
dframe=t&id=11766780&pw=gTFeP00Fwi&ns=linguplay-2d2ae-default-rtdb

http://localhost:8081 (1)

Information Disclosure - Suspicious Comments (1)

```
► GET http://localhost:8081/node_modules/expo/AppEntry.bundle?
platform=web&dev=true&hot=false&lazy=true&transform.engine=hermes&transform.routerRoo
t=app&unstable_transformProfile=hermes-stable
```

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

Content Security Policy (CSP) Header Not Set

Source	raised by a passive scanner (Content Security Policy (CSP) Header Not Set)
CWE ID	693
WASC ID	15
Reference	▪ https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP ▪ https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html

- <https://www.w3.org/TR/CSP/>
- <https://w3c.github.io/webappsec-csp/>
- <https://web.dev/articles/csp>
- <https://caniuse.com/#feat=contentsecuritypolicy>
- <https://content-security-policy.com/>

Information Disclosure - JWT in Browser localStorage

Source	raised by a passive scanner (plugin ID: 120002)
CWE ID	922
WASC ID	13
Reference	▪ https://www.zaproxy.org/blog/2020-09-03-zap-jwt-scanner/

Missing Anti-clickjacking Header

Source	raised by a passive scanner (Anti-clickjacking Header)
CWE ID	1021
WASC ID	15

Reference

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options>

Information Disclosure - Sensitive Information in Browser localStorage**Source**

raised by a passive scanner ([plugin ID: 120001](#))

CWE ID

[359](#)

WASC ID

13

Strict-Transport-Security Header Not Set**Source**

raised by a passive scanner ([Strict-Transport-Security Header](#))

CWE ID

[319](#)

WASC ID

15

Reference

- https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html
- https://owasp.org/www-community/Security_Headers
- https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security
- <https://caniuse.com/stricttransportsecurity>

- <https://datatracker.ietf.org/doc/html/rfc6797>

Timestamp Disclosure - Unix

Source	raised by a passive scanner (Timestamp Disclosure)
CWE ID	497
WASC ID	13
Reference	▪ https://cwe.mitre.org/data/definitions/200.html

X-Content-Type-Options Header Missing

Source	raised by a passive scanner (X-Content-Type-Options Header Missing)
CWE ID	693
WASC ID	15
Reference	▪ https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) ▪ https://owasp.org/www-community/Security-Headers

Authentication Request Identified

Source	raised by a passive scanner (Authentication Request Identified)
Reference	▪ https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/

Email address found in WebSocket message

Source	raised by a passive scanner (plugin ID: 110004)
CWE ID	359
WASC ID	13

Information Disclosure - Information in Browser localStorage

Source	raised by a passive scanner (plugin ID: 120000)
CWE ID	359
WASC ID	13

Information Disclosure - Suspicious Comments

Source	raised by a passive scanner (Information Disclosure - Suspicious Comments)
--------	--

CWE ID [615](#)

WASC ID 13

Modern Web Application

Source raised by a passive scanner ([Modern Web Application](#))

Re-examine Cache-control Directives

Source raised by a passive scanner ([Re-examine Cache-control Directives](#))

CWE ID [525](#)

WASC ID 13

Reference

- https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control>
- <https://grayduck.mn/2021/09/13/cache-control-recommendations/>

