Generated by Scopus AI, Sat Oct 10 2026

Factory cost visibility and demand metrics

Integrated Visualization and Reporting of Cost Visibility, Peak-Hour Usage, and Maximum Demand in Factory Energy Management

Quick Reference

Key Findings Table

Theme	Methodologies	Visualization	Optimization	Gaps
Data Filtering	Clustering, Extreme Value Analysis (EVA), Regression, Ensemble ML	Dashboards, AR, Digital Twins, Real-time	Genetic Algorithms, DSM, Load Shifting	Lack of unified, scalable frameworks
Reporting	Statistical, Data-driven, Explainable AI, Automated Thresholding	Integrated dashboards, AR overlays, Digital Twin	Cost-reflective pricing, Storage integration	Standardization, real-time integration
Practical Impact	Case studies, Operator engagement, Incentive programs	VEM, Factory EMS, AR shop floor	Peak reduction, Cost savings	Data heterogeneity, usability

Direct Answer

To show results using only records where the factory has cost visibility, peak-hour usage, and maximum demand, practitioners should:

- **Filter records** using clustering, extreme value analysis, or regression-based models to select only those with all three parameters.
- **Visualize and report** using integrated frameworks (e.g., real-time dashboards, augmented reality, digital twin systems) that consolidate filtered data, enabling operators to identify peak periods, cost drivers, and maximum load events.
- **Present actionable insights** through interactive interfaces, ensuring only relevant records are analyzed and displayed, thus supporting decision-making and peak reduction strategies [1] [2] [3] [4] [5].

Study Scope

- **Time Period:** Recent literature (last 10 years), with emphasis on post-Industry 4.0 developments.
- **Disciplines:** Industrial engineering, energy management, data science, human-computer interaction.

- **Methods:** Meta-analysis, case study review, synthesis of statistical and machine learning approaches, visualization technology assessment.

Assumptions & Limitations

- Assumes availability of records with all three parameters (cost visibility, peak-hour usage, maximum demand).
- Literature is biased toward advanced manufacturing and digitally enabled factories.
- Real-time integration and scalability remain challenging; most frameworks are not fully standardized or universally adopted.
- Operator engagement and usability are often underreported.

Suggested Further Research

- Develop unified, scalable platforms integrating cost, peak-hour, and demand data with real-time analytics and operator feedback.
- Standardize data collection and visualization frameworks for industrial energy management.
- Explore AI-driven, AR-enhanced dashboards for contextual decision support.

1. Introduction

Context and Motivation

The integration of cost visibility, peak-hour usage, and maximum demand data is increasingly vital for factory energy management. These parameters underpin operational efficiency, cost optimization, and demand-side management, enabling factories to respond proactively to energy market dynamics and internal production constraints. The growing complexity of industrial energy systems, driven by digitalization and the adoption of smart grid technologies, necessitates robust methodologies for filtering, analyzing, and visualizing energy data [6] [7].

Synthesis: The literature reveals a strong trend toward leveraging advanced data analytics and visualization to empower factory operators and managers, with the ultimate goal of reducing peak demand, optimizing costs, and improving sustainability [4] [7].

2. Theoretical Frameworks

2.1 Integrated Data Filtering and Selection

Statistical and Data-Driven Filtering Techniques

- **Clustering and Regression:** Statistical clustering (e.g., K-means, Gaussian mixture models) and regression-based algorithms are used to isolate records with cost visibility, peak-hour usage, and maximum demand. Ensemble models (Random Forest, XGBoost) outperform linear regression in capturing complex relationships [1] [8] [9] [10].

- **Extreme Value Analysis (EVA):** EVA, especially when combined with clustering (C-EVA), is effective for identifying peak demand days and estimating worst-case scenarios, supporting robust filtering [11] [12] [13] [14].
- **Demand Side Management (DSM):** DSM techniques, including load shifting and time-of-use pricing, are used to select records relevant for energy optimization, focusing on those with actionable peak-hour and cost data [15] [16] [17].
- **Explainable AI (XAI):** Integration of XAI with EVA frameworks (e.g., EVDBM) enhances interpretability and transparency, allowing dynamic weighting and feature selection for filtering records [18] [19] [20] [21].

Synthesis: The combination of statistical, machine learning, and explainable AI methods provides a powerful toolkit for filtering factory records, ensuring only those with comprehensive energy data are analyzed [1] [12] [18].

2.2 Optimization Algorithms and Demand Forecasting

- **Genetic Algorithms & Load Shifting:** Optimization algorithms are applied to regulate and reduce peak demand, often coupled with DSM and energy storage solutions for cost savings [17] [22] [23].
- **Forecasting Models:** Time series (ARIMA, LSTM), hybrid neural networks, and ensemble ML models are used for short-term and long-term peak demand forecasting, achieving high accuracy with metering data [9] [24] [25].
- **Threshold Selection:** Automated thresholding (e.g., MCDM, genetic algorithms) optimizes peaks-over-threshold models for accurate event detection, critical for identifying cost and demand extremes [20] [21] [26].

Synthesis: Optimization and forecasting methodologies are central to actionable energy management, enabling factories to anticipate and mitigate peak demand events while maintaining cost visibility [17] [22].

3. Methods & Data Transparency

3.1 Data Selection and Filtering

- **Filtering Criteria:** Only records with explicit cost visibility, peak-hour usage, and maximum demand are selected. Filtering is performed using clustering, EVA, regression, and DSM-based criteria [1] [12] [17].
- **Data Sources:** Factory metering data, maximum demand indicators (MDI), and real-time monitoring systems are primary sources [6] [7].
- **Automated Thresholding:** Multi-criteria decision-making and genetic algorithms are used to optimize threshold selection for event detection [20] [26].

3.2 Visualization and Reporting

- **Dashboards:** Real-time dashboards (Power BI, Grafana, Tableau) consolidate filtered data, presenting cost, peak-hour, and demand metrics interactively [27] [28] [29].

- **Augmented Reality (AR):** AR overlays provide immersive visualization on the shop floor, highlighting critical load points and cost drivers [4] [5] [30].
- **Digital Twins:** Digital twin systems integrate real-time data, enabling dynamic visualization and contextual decision support [5] [31].
- **Integrated Frameworks:** Factory energy management systems (e.g., VEM, IEC 63376-based EMS) unify monitoring, forecasting, and visualization [32] [33].

Synthesis: Data transparency is achieved through rigorous filtering and advanced visualization, ensuring only relevant records are presented and analyzed [1] [33].

4. Critical Analysis of Findings

4.1 Visualization and Real-Time Reporting Techniques

- **Traditional Methods:** Dashboards and seasonality plots provide clear, actionable insights into energy consumption and peak demand [27] [34] [35].
- **Advanced Methods:** AR and digital twins enhance operator engagement, offering real-time, contextual visualization of energy data [5] [30].
- **Integrated Frameworks:** Systems like VEM and factory EMS combine cost, peak-hour, and demand data, supporting unified reporting and decision-making [32] [33].
- **Scalability:** Real-time integration and scalability are addressed through lightweight IoT protocols, hybrid clustering, and AI-driven dashboards [36] [37].

Comparative Table: Visualization Frameworks

Framework	Data Integration	Real-Time	Operator Engagement	Scalability
Power BI / Grafana	High	Yes	Moderate	High
AR Overlays	Moderate	Yes	High	Moderate
Digital Twin	High	Yes	High	Moderate
VEM / EMS	High	Yes	High	High

Synthesis: Visualization frameworks are evolving toward immersive, real-time, and integrated platforms, but gaps remain in standardization and scalability [5] [33].

4.2 Case Studies and Practical Applications

- **Cost Savings:** Integrated energy management systems reduce maximum demand charges by up to 20% and energy costs by over 24%, with substantial CO2 emission reductions [7] [32].

- **Operator Engagement:** Real-time dashboards and incentive programs enable operators to achieve peak demand reductions (up to 21%) without disrupting production [30] [38] [39].
- **Optimization Algorithms:** Genetic algorithms and DSM strategies facilitate strategic power dispatch, balancing cost and reliability [17] [23].
- **Energy Storage Integration:** Coupling storage with renewables enhances peak demand management but faces challenges in reliability, cost, and regulatory barriers [40] [41] [42].

Synthesis: Practical applications demonstrate the value of integrated monitoring and reporting, but highlight persistent challenges in data integration, operator usability, and system scalability [7] [33].

5. Real-world Implications

- **Operational Efficiency:** Factories leveraging integrated data filtering and visualization achieve significant cost savings and operational improvements, with enhanced ability to respond to peak demand events [7] [33].
- **Decision Support:** Real-time dashboards and AR interfaces empower operators, facilitating proactive load management and cost optimization [5] [30].
- **Scalability:** Adoption of scalable visualization tools and integrated frameworks is critical for large-scale industrial environments, but requires further development and standardization [36] [37].
- **Sustainability:** Integration with renewables and energy storage supports sustainability goals, though technical and economic challenges persist [40] [41].

Synthesis: The real-world impact of integrated energy data management is substantial, but achieving holistic, scalable solutions remains an ongoing challenge [7] [33].

6. Future Research Directions

- **Unified Frameworks:** Develop holistic platforms integrating cost visibility, peak-hour usage, and maximum demand with real-time analytics and operator feedback [27] [43] [44].
- **Standardization:** Establish standardized data collection and visualization protocols for industrial energy management [44] [45].
- **AI-Driven Dashboards:** Explore AI-enhanced, AR-integrated dashboards for contextual, actionable decision support [5] [30].
- **Operator Usability:** Focus on human-centric design, usability, and cognitive workload in visualization tools [30] [46].
- **Scalability and Real-Time Integration:** Address challenges in scaling visualization tools and integrating real-time analytics for large industrial environments [36] [37].

Synthesis: Future research should bridge methodological advances with practical usability, aiming for scalable, real-time, and operator-friendly energy management solutions [43] [44].

Conclusion

Presenting results using only records with cost visibility, peak-hour usage, and maximum demand requires a rigorous, multi-step approach: advanced filtering (clustering, EVA, regression), integrated visualization (dashboards, AR, digital twins), and actionable reporting. While significant progress has been made, the field faces persistent gaps in unified frameworks, scalability, and operator usability. Addressing these challenges through standardized, AI-driven, and human-centric platforms will unlock further operational and economic benefits for factory energy management.

References

1. Explanatory variable selection using the MARSplines method on the example of forecasting the daily 15-minute peak power load in the national power system Czapaj, R., Benalcazar, P., Kamiński, J. Przeglad Elektrotechniczny, 2019 https://www.scopus.com/pages/publications/85071644635?origin=scopusAI

2. Development of methods for determining demand-limiting setpoint trajectories in buildings using short-term measurements Lee, K.-h., Braun, J.E. Building and Environment, 2008 https://www.scopus.com/pages/publications/46149086385?origin=scopusAI

3. Electricity Demand, Forecasting the Peaks: Development and Implementation of C-EVA Method Theodorou, P., Christopoulos, D.T. Green and Low-Carbon Economy, 2024 https://www.scopus.com/pages/publications/105030687720?origin=scopusAI

4. Augmented reality for machine monitoring in industrial manufacturing: framework and application development Schmitt, T., Viklund, P., Sjölander, M., (...), Moris, M.U. Procedia CIRP, 2023 https://www.scopus.com/pages/publications/85184584712?origin=scopusAI

5. Development of digital twin interface for Industry 4.0 production line Skorenkyy, Y., Voroshchuk, V., Vitenko, T., Kramar, O. CEUR Workshop Proceedings, 2024 https://www.scopus.com/pages/publications/85201933271?origin=scopusAI

6. MAXIMUM DEMAND CONTROL AND ENERGY MANAGEMENT. McDougall, John, Dewis, Chris Process Engineering (Sydney), 1983 https://www.scopus.com/pages/publications/0020853326?origin=scopusAI

7. Maximum Demand Management: An overlooked energy saving opportunity in industries Ayyappan, P., Kumar, J., Kumar Venkiteswaran, V. IOP Conference Series: Earth and Environmental Science, 2019 https://www.scopus.com/pages/publications/85068707645?origin=scopusAI

8. Methods for data analysis in National Grid Company (UK) reactive and active demand research Li, F., Bryan, U., Ball, R. POWERCON 1998 - 1998 International Conference on Power System Technology, Proceedings, 1998 https://www.scopus.com/pages/publications/85048976983?origin=scopusAI

9. Analyzing Predictive Algorithms for Demand Forecasting in Industrial Supply System Lohan, P., Vashisth, R., Sindhwani, N., Kumar, P. Lecture Notes in Electrical Engineering, 2026 https://www.scopus.com/pages/publications/105035526803?origin=scopusAI

10. Research on AGM Decision Fusion Based on LSTM Model and RF Model for Industrial Machine Demand Forecasting Fu, Y., Ma, X., Zhang, L., Shen, F. Proceedings of the 2nd International Conference on Artificial Intelligence of Things and Computing, AITC 2025, 2025 https://www.scopus.com/pages/publications/105020386400?origin=scopusAI

11. Extreme value analysis (EVA) of inspection data and its uncertainties Benstock, D., Cegla, F. NDT and E International, 2017 https://www.scopus.com/pages/publications/85011266602?origin=scopusAI

12. Data clustering and imputing using a two-level multi-objective genetic algorithm (GA): A case study of maintenance cost data for tunnel fans Aldouri, Y.K., Al-Chalabi, H., Zhang, L. Cogent Engineering, 2018 https://www.scopus.com/pages/publications/85052696347?origin=scopusAI

13. Quantitative assessment of automated threshold selection methods for Generalized Pareto Distribution for modeling precipitation extremes in the Indian subcontinent Sree Anusha, G., Maheswaran, R. Journal of Hydrology, 2025 https://www.scopus.com/pages/publications/105017680728?origin=scopusAI

14. Automatic clustering based on crow search algorithm-kmeans (CSA-kmeans) and data envelopment analysis (DEA) Balavand, A., Kashan, A.H., Saghaei, A. International Journal of Computational Intelligence Systems, 2018 https://www.scopus.com/pages/publications/85062709908?origin=scopusAI

15. A compendious study on demand side management-An Indian perspective Garg, S., Arya, A., Paliwal, P. e-Energy 2015 - Proceedings of the 2015 ACM 6th International Conference on Future Energy Systems, 2015 https://www.scopus.com/pages/publications/84961262733?origin=scopusAI

16. A demand side management scheme for optimal power scheduling of industrial loads Sardar, A., Khan, S.U., Hassan, M.A., Qureshi, I.M. Energy Systems, 2023 https://www.scopus.com/pages/publications/85128172766?origin=scopusAI

17. Price-based demand-side management model for industrial and large electricity consumers Dzyuba, A., Solovyeva, I. International Journal of Energy Economics and Policy, 2020 https://www.scopus.com/pages/publications/85085169959?origin=scopusAI

18. Explainable Optimization of Extreme Value Analysis for Photovoltaic Prediction: Introducing Dynamic Correlation Shifts and Weighted Benchmarking Panagoulias, D.P., Sarmas, E., Marinakis, V., (...), Tsihrintzis, G.A. Electronics (Switzerland), 2025 https://www.scopus.com/pages/publications/105023080873?origin=scopusAI

19. Harnessing eXplainable artificial intelligence for feature selection in time series energy forecasting: A comparative analysis of Grad-CAM and SHAP van Zyl, C., Ye, X., Naidoo, R. Applied Energy, 2024 https://www.scopus.com/pages/publications/85174182653?origin=scopusAI

20. Determination of the threshold for extreme load extrapolation based on multi-criteria decision-making technology Wang, J., Zhai, X., Liu, C., Zhang, Y. Strojniski Vestnik/Journal of Mechanical Engineering, 2017 https://www.scopus.com/pages/publications/85016295470?origin=scopusAI

21. Adaptive threshold event detection method based on standard deviation Pan, G., Qian, J., Ouyang, J., (...), Wang, H. Measurement Science and Technology, 2023 https://www.scopus.com/pages/publications/85152140128?origin=scopusAI

22. Development of an algorithm for regulating the load schedule of educational institutions based on the forecast of electric consumption within the framework of application of the demand response Zhukovskiy, Y.L., Kovalchuk, M.S., Batueva, D.E., Senchilo, N.D. Sustainability (Switzerland), 2021 https://www.scopus.com/pages/publications/85121277932?origin=scopusAI

23. A comprehensive review of demand side management in distributed grids based on real estate perspectives Dahiru, A.T., Daud, D., Tan, C.W., (...), Dobi, A.M. Environmental Science and Pollution Research, 2023 https://www.scopus.com/pages/publications/85146839463?origin=scopusAI

24. Time Series Analysis in Electrical Load Forecasting Chavan, M., Joshi, S.V., Patil, D.B., (...), Kasar, M. Panamerican Mathematical Journal, 2025 https://www.scopus.com/pages/publications/85211330958?origin=scopusAI

25. A cross-dimensional analysis of data-driven short-term load forecasting methods with large-scale smart meter data Li, H., Heleno, M., Zhang, W., (...), Hong, T. Energy and Buildings, 2025 https://www.scopus.com/pages/publications/105007307305?origin=scopusAI

26. Time-domain extrapolation of vehicle durability load spectrum based on load decomposition and POT model threshold preference Yang, Y., Zhang, J., Zhang, Z., (...), Lin, W. Mechanical Systems and Signal Processing, 2025 https://www.scopus.com/pages/publications/85206347139?origin=scopusAI

27. Visualizing Energy Demand: Enhancing Power Forecasting Through Time-Series and Machine Learning Techniques Bachu, G. 2025 5th Asian Conference on Innovation in Technology, ASIANCON 2025, 2025 https://www.scopus.com/pages/publications/105031443261?origin=scopusAI

28. Charting the Future: An in-Depth Review of Cuttingedge Big Data Visualization Tools for 2025 Negi, A., Tripathi, L., Prabha, S., Azad, C. Proceedings of the 2025 12th International Conference on Computing for Sustainable Global Development, INDIACom 2025, 2025 https://www.scopus.com/pages/publications/105016252176?origin=scopusAI

29. Data Visualization Techniques for Real-Time Data Using Power BI Sudrania, S., Singh, R., Keshari, S., (...), Buri, R.B. Lecture Notes in Networks and Systems, 2025 https://www.scopus.com/pages/publications/105018912351?origin=scopusAI

30. Implementation and evaluation of an Augmented Reality framework for sustainable practices in Industry 5.0 Rega, A., Ciampi, F.G., Zanella, A., (...), Patalano, S. Advances in Industrial and Manufacturing Engineering, 2025 https://www.scopus.com/pages/publications/105007693899?origin=scopusAI

31. Adaptive Digital Twin Systems with AR Interaction for Resilient and Sustainable Industrial Operations Gayathri, G., Fathima, G. Proceedings of the 6th International Conference on Electronics and Sustainable Communication Systems, ICESC 2025, 2025 https://www.scopus.com/pages/publications/105022636974?origin=scopusAI

32. A study for Implementing Smart Industrial Energy Management System in a Factory Based on IEC63376 Takiguchi, H., Yagi, H. Proceedings of the 2025 SICE Festival with Annual Conference, SICE FES 2025, 2025 https://www.scopus.com/pages/publications/105033892627?origin=scopusAI

33. From Data to Decisions: Enhancing Customer Experience with Data Driven Energy Insights Abdullah, N.S., Sibeperegasam, M., Rozman, M.I., (...), Nazren, M.F. 2025 25th Conference of the Electric Power Supply Industry, CEPSI 2025, 2025 https://www.scopus.com/pages/publications/105036499054?origin=scopusAI

34. BIM-based building dashboard Attar, R., Hailemariam, E., Glueck, M., (...), Khan, A. Spring Simulation Multiconference 2010, SpringSim'10, 2010 https://www.scopus.com/pages/publications/78650628110?origin=scopusAI

35. Strategy for Visual Measurement of Power Quality Based on Higher-Order Statistics and Exploratory Big Data Analysis González-de-la-Rosa, J.-J., Florencias-Oliveros, O., Remigio-Carmona, P. Applied Sciences (Switzerland), 2025 https://www.scopus.com/pages/publications/105008956185?origin=scopusAI

36. Integrating IoT and blockchain for smart urban energy management: enhancing sustainability through real-time monitoring and optimization Elhajj, M., Attar, A.E., Mikati, A. Cluster Computing, 2025 https://www.scopus.com/pages/publications/105018668433?origin=scopusAI

37. Clustering electricity consumption patterns using functional data analysis Seo, K., Na, H.S., Lee, W., (...), Kumara, S. Sustainable Energy, Grids and Networks, 2025 https://www.scopus.com/pages/publications/105005252248?origin=scopusAI

38. Managing peak electric demand provides considerable economy at spring manufacturer Watters, James, Delp, Robert, Francoeur, James Industrial Heating, 1995 https://www.scopus.com/pages/publications/0029248768?origin=scopusAI

39. The effect of utility time-varying pricing and load control strategies on residential summer peak electricity use: A review Newsham, G.R., Bowker, B.G. Energy Policy, 2010 https://www.scopus.com/pages/publications/77953685988?origin=scopusAI

40. Techno-economic analysis and life cycle assessment of energy storage technologies: A comprehensive review Khan, M.F.H., Biswas, A.K., Ahmed, I., (...), Rahman, W. International Journal of Green Energy, 2026 https://www.scopus.com/pages/publications/105018773863?origin=scopusAI

41. Assessment of energy storage technologies: A review Rahman, M.M., Oni, A.O., Gemechu, E., Kumar, A. Energy Conversion and Management, 2020 https://www.scopus.com/pages/publications/85089265095?origin=scopusAI

42. A comprehensive review on techno-economic assessment of hybrid energy storage systems integrated with renewable energy Emrani, A., Berrada, A. Journal of Energy Storage, 2024 https://www.scopus.com/pages/publications/85185554935?origin=scopusAI

43. Data visualization for Industry 4.0: A stepping-stone toward a digital future, bridging the gap between academia and industry Allen, L., Atkinson, J., Jayasundara, D., (...), Moghadam, P.Z. Patterns, 2021 https://www.scopus.com/pages/publications/85105721117?origin=scopusAI

44. ESTIMATION OF THE TIME OF OCCURRENCE OF THE MAXIMUM ELECTRICAL DEMAND BY SELECTING THE OPTIMAL CLASSIFICATION MODEL AND MAKING USE OF UNBALANCED DATA Yajure Ramírez, C.A., Fuenzalida Sánchez, V.M. Journal of Engineering and Technology for Industrial Applications, 2024 https://www.scopus.com/pages/publications/85214515567?origin=scopusAI

45. Forecasting peak demand - What do we need to know? Day, D., Howe, C. Water Science and Technology: Water Supply, 2003 https://www.scopus.com/pages/publications/0038262833?origin=scopusAI

46. Designwise: Design principles for multimodal interfaces with augmented reality in internet of things-enabled smart regions Kim, J.C., Mitra, K., Saguna, S., (...), Laine, T.H. International Journal of Human Computer Studies, 2026 https://www.scopus.com/pages/publications/105021063526?origin=scopusAI