Energy cost reduction for manufacturers

"How can small manufacturers cut electricity costs by scheduling machines away from costly peak hours, without reducing production?" *Generated by LeapSpace*

Peak-Hour Scheduling for Small Manufacturers: Quick Insights

Key Findings Table

Key finding	What it means for small manufacturers	Relevant setting/population	Citations
Tariff-aware rescheduling can reduce electricity cost without lowering output	Keep throughput, quotas, or completion targets fixed, and move flexible machine time away from expensive hours	Flow lines, manufacturing schedules under TOU or real-time pricing	[1] [2] [3] [4]
Savings depend on operational flexibility	The more freedom a plant has in job timing, machine idling, inventory buffering, and routing, the more load it can shift	SMEs and generic shop-floor scheduling studies	[5] [6] [7] [8]
Delivery performance must be treated as a hard constraint or co-objective	Cost-only scheduling can harm tardiness or makespan, so practical models jointly optimize electricity cost and service performance	Flow shops, job shops, flexible job shops	[5] [9] [10] [11] [12]
Exact models are strong for structured small problems; heuristics are often better for daily use	MILP/IP works when the plant and planning horizon are manageable; heuristics/metaheuristics help when sequencing becomes too complex	Time-indexed, MILP, heuristic, and metaheuristic scheduling	[1] [13] [14] [15] [16] [17] [18] [19] [20]
Buffers and storage expand off-peak options	Intermediate inventory, finished-goods stock, or storage can decouple production from peak-price periods	Continuous and discrete manufacturing, demand response	[21] [22] [23] [24] [25] [26]
Real cases show measurable savings	Reported examples include 3.6%, 12%, and about 30% savings depending on tariff and flexibility	Fixed-throughput line, plastics, single-machine TOU case	[2] [3] [27]

Key finding	What it means for small manufacturers	Relevant setting/population	Citations
SME-specific field evidence is promising but still limited	There are sector cases, but many studies still use generic testbeds rather than full SME operating conditions	Food processing, carpentry, wood processing, plastics, generic job shops	[3] [6] [7] [28] [29]

Direct Answer

Small manufacturers can cut electricity costs without reducing production by **treating output, due dates, and bottleneck capacity as fixed constraints**, then **shifting only flexible machine operations out of peak-price hours** under time-of-use or real-time tariffs [1] [2] [3] [30]. In practice, the strongest recurring playbook is:

1. **Identify movable loads**: non-urgent, energy-intensive jobs, optional idle periods, machine on/off timing, and sequence choices that do not threaten throughput or delivery [1] [20] [31] [32].
2. **Protect production performance**: keep daily throughput, order due dates, and bottleneck utilization as hard constraints or service-floor targets [5] [7] [10] [33].
3. **Use a simple scheduler**: for small plants, a MILP/APS-style tool or even a rule-based heuristic can choose start times and short pauses to avoid the most expensive hours [13] [14] [17] [19].
4. **Use buffers if available**: build intermediate or finished inventory during cheap hours and draw it down during expensive periods to preserve output [21] [22] [23] [24].
5. **Pilot on a few high-kWh machines first**: the evidence suggests this is more practical than plant-wide optimization from day one, especially in SMEs with limited planning resources [7] [8] [34].

Reported outcomes support this approach: a fixed-throughput line achieved **3.6% lower electricity cost** while keeping 60 parts/day constant, a plastic-bottle case achieved **12% lower total cost** under constant production constraints, and a single-machine TOU case reported **about 30% electricity-cost savings** versus an empirical schedule [2] [3] [27].

Confidence level: High - the core conclusion is directly supported by multiple studies and the meta-synthesis, though the exact savings depend strongly on plant flexibility and tariff structure [1] [2] [3] [27].

Study Scope

This report covers research on **time-of-use, dynamic, and real-time electricity pricing**, with emphasis on **production scheduling, demand response, and energy-aware manufacturing control** in flow shops, job shops, hybrid flow shops, flexible job shops, and SME case settings [5] [9] [14] [16] [18]. The evidence includes **exact optimization models, heuristics, metaheuristics, and case studies**, spanning foundational models through more recent work on forecast-aware and market-aware scheduling [15] [34] [35] [36].

Assumptions & Limitations

- The evidence consistently supports cost reduction without output loss, but **not all machine time is movable**; due dates, fixed makespan, necessary activities, and disturbance handling limit shiftable load [6] [7] [33] [37].
- Much of the optimization literature uses **generic scheduling testbeds rather than full SME deployments**, so transfer to small plants requires local validation [7] [8] [28] [29].
- Several cited formulations confirm joint treatment of tariffs and production constraints, but the retrieved excerpts often **do not expose full variable-by-variable model algebra**, which limits direct implementation from these summaries alone [29] [32] [38] [39].
- A system-level caution appears in the literature: if many factories independently chase the same off-peak windows, **new aggregate peaks can emerge** [16] [40] [41] [42] [43].

Suggested Further Research

- Compare **simple rule-based scheduling vs. MILP vs. metaheuristics** in real small plants with limited planning staff [17] [19] [20].
- Test tariff-aware scheduling jointly with **labor shifts, maintenance windows, and sequence-dependent changeovers** in SME deployments [8] [44] [45].
- Build more sector-specific case evidence reporting **both bill savings and unchanged throughput/delivery performance** [6] [7] [28].
- Evaluate when **inventory buffering or battery storage** is economically justified for smaller manufacturers [24] [25] [26].
- Study **coordinated or aggregator-led scheduling** so individual savings do not create new local peaks [16] [40] [42] [43].

Full Report

Foundational Context: Why Peak-Hour Scheduling Can Lower Bills Without Cutting Output

Electricity-aware production scheduling works because many industrial tariffs vary by time: under time-of-use and related schemes, electricity is more expensive during peak periods and cheaper during off-peak periods, so the same production volume can cost less if flexible operations are shifted into cheaper windows [1] [5] [16] [21] [41] [42]. The key managerial idea is not to produce less, but to **produce at different times**, subject to hard production constraints [1] [30].

The literature repeatedly frames this as a constrained scheduling problem with two classes of variables:

- **Non-negotiable production requirements**: throughput, quotas, due dates, order fulfillment, makespan limits, and delivery performance [2] [10] [29] [38].
- **Flexible scheduling choices**: job start times, sequence, temporary idle periods, machine on/off decisions, routing, and inventory buffering [1] [20] [32] [46].

That distinction matters for small manufacturers because it turns an abstract energy objective into an operational rule: **shift only the work that is movable after service commitments are protected** [5] [6] [7]. Taken together, these findings suggest that the practical question is less “Can the factory avoid peak hours entirely?” and more “Which loads can move without hurting output?” [5] [7].

Confidence level: High - this framing is consistent across the synthesis and multiple scheduling studies [1] [5] [30].

Why Peak-Hour Scheduling Works

Time-of-use pricing and cost shifting

Studies directly support the proposition that tariff-aware rescheduling can cut electricity cost while preserving production targets [1] [2] [3]. One fixed-throughput example rescheduled a 3-process line hourly under real-time pricing, maintained **60 parts/day**, and reduced electricity cost by **3.6%** relative to a day-ahead-price schedule [2]. A Belgian plastic-bottle blow-molding case held production constraints constant and achieved **12% lower total cost** versus an energy-minimizing schedule and **5% lower total cost** versus a labor-minimizing schedule [3]. A single-machine TOU model with release dates and a bounded completion time reported **about 30% electricity-cost savings** versus an empirical schedule [27].

The underlying mechanism is simple: if a process can wait, speed up, or build stock during cheap hours, the plant reduces exposure to expensive tariff intervals without lowering total output [1] [21] [22]. In continuous or semi-continuous settings, varying production rates and using product storage can deliver “significant operating cost savings” by moving energy use away from peak periods [21].

What must stay constant

The evidence is equally clear that successful implementations do **not** relax core production-performance requirements [2] [10] [29]. Models frequently keep throughput fixed, impose due-date constraints, or optimize tardiness jointly with electricity cost [9] [10] [11] [12]. In other words, the literature supports cost reduction **under a service floor**, not at the expense of delivery reliability [5] [10].

For small manufacturers, this means the correct objective is usually "minimize electricity cost subject to output and delivery constraints," or a bi-objective variant that bounds tardiness while minimizing cost [5] [9] [10] [47].

Confidence level: High - both the mechanism and the constraint logic are directly evidenced across case studies and scheduling models [1] [2] [3] [5].

Scheduling Models That Preserve Output

Mixed-integer and integer programming models

Exact formulations are common when tariffs, start times, sequencing, and output constraints must be represented rigorously [1] [16] [18] [41] [48]. The clearest fixed-output tariff-aware formulation in the retrieved material is a **time-indexed integer programming model** for a flow shop that minimizes electricity cost and carbon footprint under TOU tariffs while preserving production throughput [29]. A more recent MILP under implicit demand response and carbon policy explicitly decides job sequence on each machine and each job's start and finish times under time-varying tariffs [32]. A 2017 energy-flexibility model uses binary programming over a 24-hour horizon with mandatory production requirements and buffer capacity, building inventory off-peak to reduce peak-period electricity cost [22].

For small plants, the practical implication is that exact models are strongest when the number of machines, jobs, and time periods is still manageable, because they make production guarantees explicit [14] [15] [32]. The limitation is computational and implementation complexity: several retrieved studies confirm the joint modeling of throughput, sequencing, and peak-hour avoidance, but do not expose full algebra in the excerpts [29] [32] [38] [39].

Heuristic and metaheuristic approaches

When the scheduling space becomes too large or too detailed for routine exact optimization, the literature turns to heuristics and metaheuristics [17] [19] [20]. Reported methods include simulated annealing, genetic algorithms, particle swarm optimization, harmony search, tabu search, and hybrid methods [47] [49] [50] [51] [52].

The practical evidence is favorable. In food-production scheduling with changeover time, PSO produced the most cost-effective schedules, though at the highest computational expense; SSO was close in quality [51]. Harmony search with random-keys encoding outperformed GA, SA, and FCFS in a shared-resource job shop on real facility data [50]. A GA-based order scheduler achieved the lowest energy consumption while also showing favorable total processing time and delay performance [47]. A metaheuristic with a swap heuristic reduced energy costs without altering existing processes under time-varying prices [52].

Taken together, these findings suggest a practical SME pattern: use exact models to design the policy or validate small instances, but deploy lighter heuristics or APS-style rules for daily scheduling [13] [14] [17] [19].

Multi-objective trade-offs

Many studies frame the problem as explicitly multi-objective [5] [9] [10] [11] [12]. Flow-shop and flexible job-shop models often minimize electricity cost together with tardiness, makespan, or other service-related criteria [10] [11] [12]. A many-objective flexible job shop study under dynamic electricity pricing found a tailored NSGA-III effective and efficient against NSGA-II benchmarking [53]. Another study reported a SPEA2-based bi-objective flow-shop approach outperforming NSGA-II [9].

For small manufacturers, the important managerial lesson is that the best scheduling solution is not the one with the lowest energy bill in isolation; it is the one that minimizes the bill **while preserving agreed service performance** [5] [10]. That is especially important in smaller plants where a missed due date can outweigh modest electricity savings [7].

Confidence level: High - strong support exists for both exact and heuristic families, and for multi-objective trade-offs as the dominant formulation [9] [16] [17] [18].

Implementation Constraints in Small Plants

Machine flexibility, changeovers, and sequencing

The literature consistently shows that flexibility constraints determine how much electricity cost can be cut [5] [6] [8]. Flexible routing, machine assignment, and sequencing widen the feasible set for off-peak production [1] [17] [18] [19]. Conversely, sequence-dependent setups and line changeovers can reduce the value of frequent time shifts because each shift may create extra lost time or cost [49] [51].

This implies a practical rule: small plants should preferentially move jobs that are both **energy-intensive and sequence-flexible**, while avoiding rescheduling that disrupts setup-efficient runs [49] [51]. If a plant has one clear bottleneck, that bottleneck should usually remain on a service-protected schedule, while more flexible upstream or non-bottleneck operations absorb the tariff response [7] [46].

Due dates, labor shifts, and maintenance windows

Case evidence identifies due dates, fixed makespan, demand conformance, and disturbance handling as important limits on shifting [7] [33] [37]. One explicit insight from the small manufacturing cases is that only “necessary activities” were movable in practice, so full peak avoidance was not possible [6].

A notable gap is that the retrieved dynamic-pricing studies generally **do not explicitly model labor shifts, maintenance windows, or sequence-dependent setup times as core constraints in the same pricing framework** [8] [44] [45]. For SMEs, that means an internal pilot should include these real-world limits even if the published model does not.

Practical decision rules for small manufacturers

The evidence supports a simple three-part rule set for SMEs:

1. **Shift only flexible jobs**: prioritize non-urgent, high-kWh operations with slack in release or completion timing [1] [20] [31].
2. **Protect bottlenecks and due dates**: keep the capacity-constraining resource on a schedule that secures throughput and customer commitments [5] [7].
3. **Use short buffers across peak periods**: if inventory or intermediate storage is possible, produce ahead in cheap windows and cover peak intervals from stock [21] [22] [23] [24].

A lightweight implementation path is also supported by the evidence: combine ERP due dates with a tariff calendar and a rule-based scheduler before adopting more advanced optimization [13] [34]. This is an inference from the literature’s repeated distinction between rigorous modeling and practical rollout, so it should be treated as **Inferred:** a staged implementation path is likely better suited to SMEs than immediate full-scale optimization deployment [13] [19] [34]. **Confidence level: Low** - this is a cross-source inference rather than a directly tested intervention.

Confidence level: Medium-High - the constraints are well supported, but the SME implementation guidance is partly synthesized from mixed case and generic scheduling studies [6] [7] [8].

Evidence from Real Manufacturing Cases

Small manufacturing sector examples

The retrieved evidence includes several sector-specific cases relevant to SMEs. A cured-meat plant with 16 machines reduced energy cost by rescheduling machine work away from daily peaks [28]. Three Swedish carpentry factories achieved savings by shifting necessary activities into lower-tariff periods, and one could also reduce cost by changing its supply agreement because its subscribed peak power exceeded actual needs [6]. A wood-processing SME used an APS/knapsack approach to reduce electricity-related costs while respecting varying customer orders and electricity demand [7]. The plastics case under real-time pricing offers another concrete industrial example with maintained production constraints and lower total cost [3].

These studies show that the concept is not confined to stylized benchmarks; it can be applied in smaller, order-driven production settings [6] [7] [28].

Measured electricity-cost savings

The strongest numeric evidence in the retrieved set includes:

- **3.6% electricity-cost reduction** in a fixed-throughput 3-process line while keeping **60 parts/day** constant [2].
- **12% lower total cost** versus an energy-minimizing schedule and **5% lower total cost** versus a labor-minimizing schedule in Belgian plastic-bottle blow molding under real-time pricing [3].
- **About 30% electricity-cost savings** in a single-machine TOU study with release dates and bounded completion time [27].

These results indicate a wide savings range, which is consistent with the broader synthesis that tightly constrained lines yield modest savings while simpler or more flexible setups can save more [1] [2] [3] [27]. This pattern implies flexibility, not tariff response alone, is the main determinant of savings magnitude [5] [6] [8].

Buffers, storage, and demand response

Storage and buffering repeatedly appear as enablers of production-preserving load shifting [21] [22] [23] [24]. Buffer warehouses in cement production can absorb mismatches between stages under demand response while satisfying storage constraints and daily production tasks [23]. Industrial load scheduling studies use interim warehouses for intermediate products to coordinate machines with different takt times [54]. Product inventory can function as indirect energy storage by moving energy-intensive work to low-price periods, though this requires adequate flexibility and inventory capacity [24]. Battery storage studies likewise show the general buffering logic of charging off-peak and discharging at peak, although those examples are not SME manufacturing cases per se [25] [26] [55].

For small manufacturers, the practical message is clear: when direct machine shifting is limited, **inventory can become the flexibility mechanism** [21] [22] [24].

Confidence level: Medium-High - the case evidence is directly relevant, but the number of SME-specific implementations with full operational detail remains limited [7] [8] [28].

Decision Framework for Small Manufacturers

A practical decision framework supported by the evidence is:

1) Screen for opportunity

Focus first on machines or lines that are both electricity-intensive and schedulable under tariff variation [1] [20]. Good candidates are operations with slack in timing, opportunities for short idle periods, or the ability to pre-build stock [21] [22].

2) Define hard constraints

Lock in daily/weekly output, due dates, minimum service levels, and bottleneck protection before optimizing cost [5] [7] [10].

3) Choose the right scheduling method

- Use **MILP/IP** when the problem is small and stable enough for rigorous optimization [16] [29].
- Use **heuristics/metaheuristics** when sequencing, flexibility, or changeovers make exact optimization too heavy for daily planning [17] [19] [20].
- Use a **forecast-aware APS-style process** when quick decisions matter more than exact optimality [34].

4) Add buffers if economically justified

Intermediate storage, finished goods, or battery storage can widen off-peak options and reduce peak exposure [23] [24] [25].

5) Pilot and scale

Start with a few high-kWh assets, validate no loss in throughput or delivery, then expand [7] [34]. **Inferred:** this phased approach is likely to reduce implementation risk for SMEs with limited digital infrastructure [7] [34]. **Confidence level: Low** - plausible synthesis, not directly tested as a staged program.

Strategic Caveat: Individual Savings vs. New Aggregate Peaks

One important conflict in the literature is that plant-level TOU optimization can lower an individual factory's bill while shifting demand into the same cheaper windows used by others, potentially creating new peaks [16] [40] [41] [42] [43]. Some studies therefore argue for coordinated pricing or collaborative mechanisms rather than isolated optimization [16] [40] [43].

For a single small manufacturer, this does not invalidate tariff-aware scheduling; it simply means future tariffs or aggregator programs may reward more coordinated flexibility rather than uniform off-peak shifting [16] [42].

Confidence level: Medium - the concern is explicitly raised, but the evidence base here is more conceptual and system-level than SME-specific [16] [40] [43].

Conclusion

The research supports a clear answer: **small manufacturers can reduce electricity bills without cutting production by rescheduling flexible machine activity away from peak-price hours while treating throughput, due dates, and bottleneck capacity as hard constraints** [1] [2] [3] [30]. The most reliable enabling mechanisms are tariff-aware job timing, sequence changes, short idle/on-off decisions, and inventory or buffer use [20] [21] [22] [46]. Exact optimization is useful for structured small problems, but heuristics and APS-style scheduling appear more practical for routine SME use [13] [14] [17] [19]. Measured savings are real but variable, with reported examples from **3.6% to about 30%** depending on operational flexibility and tariff context [2] [3] [27].

For a small plant, the evidence-backed starting point is simple: **identify a few flexible high-energy operations, protect delivery performance, use tariff calendars in scheduling, and add buffers where possible** [1] [7] [24]. That is the most credible route to lower electricity cost without reducing output [1] [2] [3].

Overall confidence level: High - the central conclusion is strongly supported across multiple studies and the meta-synthesis, although savings magnitude and ease of implementation vary with plant flexibility and the realism of local constraints [1] [5] [7] [8].

References

1. https://www.scopus.com/pages/publications/84902550696
2. Zhai, Y., Zhao, F., Wang, H., Sutherland, J.W. (2017) Dynamic manufacturing scheduling under real-time electricity pricing based on milp and arima. *ASME 2017 12th International Manufacturing Science and Engineering Conference, MSEC 2017 collocated with the JSME/ASME 2017 6th International Conference on Materials and Processing*. https://doi.org/10.1115/MSEC20172930
3. Gong, X., van der Wee, M., de Pessemier, T., (...), Joseph, W. (2017) Energy- and Labor-aware Production Scheduling for Sustainable Manufacturing: A Case Study on Plastic Bottle Manufacturing. *Procedia CIRP*. https://doi.org/10.1016/j.procir.2016.11.136
4. Long, Y., Chen, Q., Chen, J., (...), Liu, J. (2026) Optimizing multi-stage stochastic charging schedules for an airport bridge battery energy storage system. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2025.111619
5. Wang, X., Chu, F., Ren, T., Bai, D. (2025) Bi-Objective Optimization of a Flow Shop Scheduling Problem Under Time-of-Use Tariffs. *IEEE Transactions on Automation Science and Engineering*. https://doi.org/10.1109/TASE.2024.3468448
6. Gustafsson, S.-I., Probert, S.D. (1995) Electricity use in the Swedish carpentry industry. *Applied Energy*. https://doi.org/10.1016/0306-2619(95)00020-S
7. Vasilev, P., Ivanova, T., Belev, Y. (2023) IEC/EN 62264 Energy-Based Restriction Knapsack Optimization Scheduling for Wood Processing SME. *International Conference Automatics and Informatics, ICAI 2023 - Proceedings*. https://doi.org/10.1109/ICAI58806.2023.10339062

8. Kress, D., Müller, D. (2019) Mathematical models for a flexible job shop scheduling problem with machine operator constraints. *IFAC-PapersOnLine*. https://doi.org/10.1016/j.ifacol.2019.11.144
9. Kurniawan, B., Fujimura, S. (2020) Optimization of bi-objective permutation flow shop scheduling with electricity cost consideration. *IOP Conference Series: Materials Science and Engineering*. https://doi.org/10.1088/1757-899X/909/1/012045
10. Ding, J., Schulz, S., Shen, L., (...), Lü, Z. (2021) Energy aware scheduling in flexible flow shops with hybrid particle swarm optimization. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2020.105088
11. Awad, M., Mulrennan, K., Donovan, J., (...), Tormey, D. (2026) A multi-objective simulation optimisation scheduling model for a batch pharmaceutical manufacturing facility with uncertainties in processing time and electrical energy consumption. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2026.112040
12. Sanogo, K., Masmoudi, M., Mekhalef Benhafssa, A., M'Hammed, M. (2026) Integrated job shop and transportation scheduling under time-of-use electricity pricing and human-robot interactions. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2026.110100
13. Luo, H., Du, B., Huang, G.Q., (...), Li, X. (2013) Hybrid flow shop scheduling considering machine electricity consumption cost. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2013.01.028
14. Mitra, S., Grossmann, I.E., Pinto, J.M., Arora, N. (2012) Optimal production planning under time-sensitive electricity prices for continuous power-intensive processes. *Computers and Chemical Engineering*. https://doi.org/10.1016/j.compchemeng.2011.09.019
15. Castro, P.M., Harjunkoski, I., Grossmann, I.E. (2009) New continuous-time scheduling formulation for continuous plants under variable electricity cost. *Industrial and Engineering Chemistry Research*. https://doi.org/10.1021/ie900073k
16. Zhang, H., Zhao, F., Sutherland, J.W. (2015) Manufacturing Scheduling of Collaborative Factories for Energy Cost Reduction. *Procedia Manufacturing*. https://doi.org/10.1016/j.promfg.2015.09.074
17. Fetri, M., Rahmati, S.H.A. (2023) Green Scheduling of a Complex Flexible Manufacturing Problem. *Handbook of Smart Energy Systems: Volume 1-4*. https://doi.org/10.1007/978-3-030-97940-9_122
18. https://www.scopus.com/pages/publications/85128318273
19. Sagar, K.V., Jerald, J., Khan, M.A. (2024) A multi-objective scheduling model for a flexible manufacturing system to reduce peak load using an energy storage system. *International Journal on Interactive Design and Manufacturing*. https://doi.org/10.1007/s12008-023-01334-4
20. Shrouf, F., Ordieres, J., García-Sánchez, A., Ortega-Mier, M. (2014) Optimizing the production scheduling of a single machine to minimize total energy consumption costs. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2013.12.024

21. Pattison, R., Touretzky, C.R., Johansson, T., (...), Harjunkoski, I. (2016) Moving Horizon Scheduling of an Air Separation Unit under Fast-Changing Energy Prices. *IFAC-PapersOnLine*. https://doi.org/10.1016/j.ifacol.2016.07.257

22. Beier, J., Thiede, S., Herrmann, C. (2017) Energy flexibility of manufacturing systems for variable renewable energy supply integration: Real-time control method and simulation. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2016.09.040

23. Yang, P., Sun, T., Sun, Y., (...), Duan, K. (2026) Cloud-Edge coordinated economic scheduling for integrated Source-Grid-Load-Storage system considering demand response. *International Journal of Electrical Power and Energy Systems*. https://doi.org/10.1016/j.ijepes.2026.111838

24. Jodlbauer, Herbert, Strasser, Sonja, Altendorfer, Klaus, (...), Müller, Julian M. (2026) Navigating the trade-off between energy, capacity investment, labor, and inventory costs through indirect energy storage for sustainable production. *Sustainability Analytics and Modeling*. https://doi.org/10.1016/j.samod.2026.100077

25. Shahbazbegian, Vahid, Ameli, Hossein, Laaksonen, Hannu, (...), Strbac, Goran (2024) Optimizing the resilient operation of microgrids against natural phenomena and extreme events. *Future Modern Distribution Networks Resilience*. https://doi.org/10.1016/B978-0-443-16086-8.00008-7

26. Qian, C., He, N., Cheng, Z., (...), Liu, L. (2024) Optimal scheduling of building energy system with integrated virtual energy storage based on multi-task model predictive control. *Journal of Building Engineering*. https://doi.org/10.1016/j.jobe.2024.111185

27. Wu, P., Li, N., Cheng, J., Chu, C. (2023) Energy-efficient single-machine scheduling with release dates under time-of-use electricity tariffs. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2023.136228

28. Bieranowski, J., Olkowski, T. (2016) Optimisation of the electrical power daily load curves in a food processing plant as an example of DSR mechanisms application – case study. *Przeglad Elektrotechniczny*. https://doi.org/10.15199/48.2016.01.48

29. Zhang, H., Zhao, F., Fang, K., Sutherland, J.W. (2014) Energy-conscious flow shop scheduling under time-of-use electricity tariffs. *CIRP Annals - Manufacturing Technology*. https://doi.org/10.1016/j.cirp.2014.03.011

30. Wang, Y., Li, L. (2013) Time-of-use based electricity demand response for sustainable manufacturing systems. *Energy*. https://doi.org/10.1016/j.energy.2013.10.011

31. Babu, C.A., Ashok, S. (2008) Peak load management in electrolytic process industries. *IEEE Transactions on Power Systems*. https://doi.org/10.1109/TPWRS.2008.920732

32. Fisco-Compte, P., Juanpera-Gallel, M., Domenech, B., (...), Bullich-Massagué, E. (2025) Sustainable optimal production scheduling methodology under implicit demand response and carbon policy: A manufacturing industry case study. *Applied Energy*. https://doi.org/10.1016/j.apenergy.2025.125403

33. Olanrewaju, O.A., Krykhtine, F.P., Mora-Camino, F. (2025) Minimum Energy Policies for Machines in Job-Shops during their Idle Periods. *11th 2025 International Conference on Control, Decision and Information Technologies, CoDIT 2025*. https://doi.org/10.1109/CoDIT66093.2025.11321658

34. Busse, J., Rieck, J. (2022) Mid-term energy cost-oriented flow shop scheduling: Integration of electricity price forecasts, modeling, and solution procedures. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2021.107810

35. Kondili, E., Pantelides, C.C., Sargent, R.W.H. (1993) A general algorithm for short-term scheduling of batch operations-I. MILP formulation. *Computers and Chemical Engineering*. https://doi.org/10.1016/0098-1354(93)80015-F

36. Sousa, F., Faia, R., Ramos, C., Vale, Z. (2026) Optimization of the Flexible Job Shop Problem Considering Multi-Market Electricity Participation. *International Conference on the European Energy Market, EEM*. https://doi.org/10.1109/EEM68581.2026.11589784

37. Dewa, M.T., Van Der Merwe, A.F., Matope, S. (2020) Production scheduling heuristics for frequent load-shedding scenarios: A knowledge engineering approach. *South African Journal of Industrial Engineering*. https://doi.org/10.7166/31-3-2422

38. Sawik, T. (2005) Integer programming approach to production scheduling for make-to-order manufacturing. *Mathematical and Computer Modelling*. https://doi.org/10.1016/j.mcm.2003.10.053

39. Park, M.-J., Ham, A. (2022) Energy-aware flexible job shop scheduling under time-of-use pricing. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2022.108507

40. Sanguansuttigul, P., Chayawatto, N., Chaipunya, P. (2024) A Bilevel QP-PLP Approach to Demand Response Modulation between Consumers and a Single Electricity Seller. *Science and Technology Asia*. https://www.scopus.com/pages/publications/85197862745

41. Zhang, H., Zhao, F., Sutherland, J.W. (2014) Manufacturing scheduling for energy cost reduction in a smart grid scenario. *ASME 2014 International Manufacturing Science and Engineering Conference, MSEC 2014 Collocated with the JSME 2014 International Conference on Materials and Processing and the 42nd North American Manufacturing Research Conference*. https://doi.org/10.1115/MSEC2014-3926

42. Pechmann, A., Schöler, I. (2011) Optimizing energy costs by intelligent production scheduling. *Glocalized Solutions for Sustainability in Manufacturing - Proceedings of the 18th CIRP International Conference on Life Cycle Engineering*. https://doi.org/10.1007/978-3-642-19692-8_51

43. Sauer, J. (2016) Scheduling Regarding Energy Efficiency. *KI 2016 - OGAI-Tagung 2016, 30. PuK-Workshop: Planen/Scheduling und Konfigurieren/Entwerfen*. https://www.scopus.com/pages/publications/85041201247

44. Logendran, R., Deszoeke, P., Barnard, F. (2006) Sequence-dependent group scheduling problems in flexible flow shops. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2005.02.006

45. Javadian, N., Amiri-Aref, M., Hadighi, A., (...), Moradi, A. (2010) Flexible flow shop with sequence-dependent setup times and machine availability constraints. *International Journal of Management Science and Engineering Management*. https://doi.org/10.1080/17509653.2010.10671111

46. Mhanna, J., Nouinou, H., Caillard, S., Baudry, D. (2026) Multi-objective energy-efficient flexible flow shop scheduling problem: integrating renewable energy and demand response programs. *International Journal of Production Research*. https://doi.org/10.1080/00207543.2026.2738928

47. Jardzioch, B., Jardzioch, A., Witkowska, W. (2025) Optimizing the Energy Consumption in Production Processes Using a Genetic Algorithm. *IFAC-PapersOnLine*. https://doi.org/10.1016/j.ifacol.2025.11.888

48. Busse, J., Rüther, C., Rieck, J. (2019) Energy Cost-Oriented Scheduling with Job Prioritization. *2018 5th International Conference on Systems and Informatics, ICSAI 2018*. https://doi.org/10.1109/ICSAI.2018.8599413

49. Fouda, M., Assem, A., Mamdouh, M., Shehata, O.M. (2026) A Comparative Study of Metaheuristic Optimization Techniques for Makespan Minimization in Parallel Machine Scheduling. *Proceedings of the 2026 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology, IAICT 2026*. https://doi.org/10.1109/IAICT71158.2026.11621003

50. García-Santiago, C.A., Del-Ser-Lorente, J., Upton, C., (...), Salcedo-Sanz, S. (2015) A random-key encoded harmony search approach for energy-efficient production scheduling with shared resources. *Engineering Optimization*. https://doi.org/10.1080/0305215X.2014.971778

51. Abdelkareem, A., Hegazy, R., Moahmed, G., (...), Shehata, O.M. (2025) Metaheuristic Optimization for Efficient Food Production Scheduling. *11th 2025 International Conference on Control, Decision and Information Technologies, CoDIT 2025*. https://doi.org/10.1109/CoDIT66093.2025.11321817

52. Faber, D., Girkes, F., Block, J., (...), Bergmann, J.P. (2025) Modelling a Method for Energy-Efficient Production Planning under Uncertainty. *ZWF Zeitschrift fuer Wirtschaftlichen Fabrikbetrieb*. https://doi.org/10.1515/zwf-2025-1105

53. Gong, X., de Pessemier, T., Martens, L., Joseph, W. (2019) Energy- and labor-aware flexible job shop scheduling under dynamic electricity pricing: A many-objective optimization investigation. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2018.10.289

54. Cui, H., Zhou, K. (2018) Industrial power load scheduling considering demand response. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2018.08.270

55. Rafayal, S., Alnaggar, A., Cevik, M. (2024) Optimizing electricity peak shaving through stochastic programming and probabilistic time series forecasting. *Journal of Building Engineering*. https://doi.org/10.1016/j.jobe.2024.109163