Industrial energy cost optimization

"How can a small manufacturer use data it already has (bills, shift timings, machine list) to schedule heavy machines away from peak hours and lower energy cost without reducing production?" *Generated by LeapSpace*

Using Existing Factory Records to Cut Energy Costs with Tariff-Aware Production Scheduling at a Glance

Key Findings Table

Key finding	What the manufacturer needs	Practical implication	Population / setting	Citations
Existing records are enough to start tariff-aware scheduling	Electricity bills, shift roster, machine list, routings/orders	Build a simple planning table without installing a full MES or sensors	SMEs and low-data manufacturing settings	[1] [2] [3] [4] [5]
Energy-cost reduction should be optimized jointly with production performance	Due dates, throughput targets, machine availability	Keep bottleneck and urgent work fixed; only move flexible heavy-load tasks	Job-shop, flow-shop, hybrid scheduling studies	[6] [7] [8] [9] [10] [11] [12] [13] [14]
Simple rules and lightweight tools often beat manual scheduling	Spreadsheet or basic scheduling logic	Start with heuristic rescheduling before advanced optimization	SME scheduling cases	[15] [16] [17] [18] [19]
A two-stage method is practical	Baseline feasible schedule plus tariff windows	First make a feasible production plan, then re-time heavy tasks into cheaper hours	Tariff-aware scheduling literature	[12] [20] [21]
Modeling machine idle/off/on states can add savings	Knowledge of which machines can be paused or shut down safely	Shift idle time into peak periods and production into off-peak periods	TOU energy-aware machine scheduling	[22] [23] [24] [25] [26]
Real savings are documented, but direct "small factory with only bills/rosters/machine list" evidence is limited	Bill comparison before/after, delivery metrics	Pilot on one or two machines and measure bill plus service impact	Industrial case studies, limited SME-specific direct evidence	[27] [28] [29] [30] [31]

Direct Answer

A small manufacturer can use the data it already has to create a **tariff-aware schedule** in five steps: map peak/off-peak tariff periods from electricity bills, map feasible operating windows from shift timings, classify machines by energy intensity from the machine list, keep bottleneck and due-date-critical jobs fixed, and move only **flexible heavy-machine tasks** into cheaper time windows where slack exists [6] [12] [18] [32] [33].

The most practical starting point is **not** a complex optimization platform. The evidence supports a lightweight spreadsheet, simple database, or MRP-style file containing jobs, routings, processing times, machine assignment, shift availability, and a rough “heavy/medium/light” power classification for machines [2] [3] [4] [34] [35]. In SMEs, rule-based and spreadsheet-supported scheduling often improves performance relative to manual planning while reducing planning effort [15] [16] [17].

A practical rule is: **do not start red-category heavy machines during peak-price hours unless the job is bottleneck-critical or due-date-critical; push yellow-category work to shoulder/off-peak hours; leave green-category work unconstrained**. This translates the literature’s optimization logic into a supervisor-usable method [19] [25] [36].

To avoid reducing production, evaluate every change against three metrics together: **electricity bill, on-time delivery/throughput, and planning effort** [15] [27] [29]. Taken together, the evidence suggests that a small firm should begin with a **baseline schedule + light rescheduling** approach, then add machine shutoff/idle rules where safe for additional savings [20] [21] [22] [23].

Confidence level: High - The overall approach is strongly supported across tariff-aware scheduling studies and SME scheduling/tooling studies, though direct case evidence using only bills, shift logs, and machine inventories is thinner than the algorithmic evidence [27] [29] [37].

Study Scope

This report covers tariff-aware and demand-response production scheduling, low-data factory planning, SME scheduling tools, simplified MRP/database structures, and implementation barriers. The evidence spans job shops, flow shops, hybrid flow shops, flexible manufacturing settings, and SME planning systems, using MILP/MINLP, heuristics, metaheuristics, dispatching rules, spreadsheet optimization, workload control, and industrial case studies [8] [12] [14] [17] [34] [38] [39] [40].

Assumptions & Limitations

- The evidence strongly supports tariff-aware scheduling in general, but there are **few direct small-manufacturer field studies** showing bill savings using only bills, shift timings, and machine inventories while explicitly proving unchanged output [27] [29] [31] [37].
- Many reported savings come from optimization studies or industrial cases with richer data than the minimum dataset in the question, so machine-level flexibility may need rough estimation rather than precise metering [28] [41] [42].
- Data preparation is often the main barrier: fragmented records, inconsistent naming, incomplete history, and workflow disruption can limit implementation quality [43] [44] [45] [46].

Suggested Further Research

- Direct comparisons of manual planning, spreadsheet heuristics, and formal tariff-aware optimization on the **same SME production data** [37] [47].

- Better methods to estimate **machine-level energy flexibility** from coarse administrative data rather than meters or sensors [41] [42].
- More field studies reporting **both** bill savings and preserved throughput, labor feasibility, and on-time delivery in small factories [31] [37].
- Implementation research on planner adoption and how tariff-aware rules fit into existing Excel/MRP workflows [48] [49] [50].
- Low-cost methods for adding machine-state logic (idle/off/restart) without full digitalization [24] [25] [36].

Full Report

Foundational Context

Tariff-aware scheduling is not simply “use less electricity.” In the literature, it is usually a **joint optimization problem**: reduce electricity cost or peak demand **while also preserving production performance** such as makespan, tardiness, due-date service, or throughput [6] [7] [8] [9] [10] [11]. That matters for a small manufacturer because moving heavy-machine work away from peak tariff hours only helps if production remains feasible [8] [12] [13] [14].

Three ideas recur across the evidence:

1. **Tariff map**: electricity bills reveal when power is expensive and when it is cheap [29] [32].
2. **Feasibility map**: shift rosters and operating hours define when jobs can legally and practically run [33] [40].
3. **Flexibility map**: the machine list and routings show which operations are heavy-load, which are bottleneck-constrained, and which can move without harming flow [21] [51].

Taken together, these maps allow a firm to perform **load shifting**, meaning the same required work is done at different times so that expensive peak-hour operation falls where it least harms output [27] [29]. The strongest pattern is not “optimize everything at once,” but rather “protect production constraints explicitly and reschedule only the flexible part” [12] [20] [21].

Confidence level: High - This framing is directly supported by cross-study meta-insights and multiple scheduling papers [6] [12] [13].

What Data a Small Manufacturer Already Has and How to Use It

Bills, shift rosters, and machine lists as planning inputs

Existing records can be turned into a workable scheduling dataset without a full MES. Small-firm planning studies show that schedules can be built from order cards, part cards, operation cards, schedule reports, work-status reports, master schedules, inventory/order files, BOMs, routings, and resource plans [1] [3] [33]. Unifying BOMs and routings simplifies the production database and supports material-plus-capacity planning [32].

For this use case, the manufacturer can create a minimal table with:

- **Tariff windows** from bills: peak, shoulder, off-peak periods [29].
- **Shift availability** from rosters: who can run which hours [33] [40].
- **Machine categories** from the machine list: heavy, medium, light load; bottleneck vs non-bottleneck [21] [52].
- **Jobs and routings** from order and process records: sequence, machine required, processing time [1] [3] [33].
- **Due dates and priorities** from customer orders/master schedule [2] [5].

This does not require precise metering. The low-data literature supports workable planning from simplified records and MRP-style structures, especially in SMEs [2] [4] [5] [34].

Low-cost data consolidation

Several studies support low-cost planning infrastructure: spreadsheet MRP, microcomputer databases, simplified manufacturing databases, and centralized planning tables [2] [3] [4] [34]. Plant-specific rule bases and updated planning data are presented as basic requirements for economically operating manufacturing systems [35].

A practical structure is one row per operation, with columns for:

- order ID,
- operation sequence,
- machine required,
- processing time,
- due date,
- shift eligibility,
- machine power class,
- tariff period if scheduled at that time.

That is consistent with the literature's simplified database logic and cost-based task scheduling linked to MRP/master scheduling [33] [34].

Practical data limitations

The main bottleneck is usually not the scheduling method but **data preparation**. Studies repeatedly report fragmented legacy records, inconsistent naming, incomplete historical files, weak metadata, poor interoperability, and manual-entry burden [41] [42] [45] [46] [53]. Operator burden and workflow disruption are also common barriers [48] [49] [54].

So the first implementation step is not optimization; it is creating a **clean, stable planning table** from existing records [43] [45] [55].

Confidence level: High - The evidence on low-data planning structures and integration barriers is consistent and directly relevant to SMEs [2] [34] [42].

Scheduling Approaches That Shift Heavy Machines Away from Peak Hours

1. Simple rule-based and heuristic scheduling

For small firms, the most realistic starting point is rule-based scheduling. SME studies show that lightweight automated scheduling, heuristics, dispatching rules, and spreadsheet optimization can materially improve planning speed and operating performance over manual scheduling [15] [16] [17] [18] [19]. One SME blow-moulding case reduced scheduling time from one day to 20 minutes and improved on-time delivery from 45% to 80% [15]. A spreadsheet-based GRASP achieved near-optimal single-machine schedules with very low solution gaps in most cases [17].

For tariff-aware use, the simplest rules are:

- avoid starting heavy machines in peak windows unless urgent,
- right-shift flexible heavy operations into cheaper slots,
- prioritize EDD/SPT-type rules within the non-peak windows depending on whether due dates or WIP matter more [8] [18].

These methods are especially appropriate when the factory has limited planning resources [17] [19].

2. Exact optimization models

MILP/MINLP models are common in tariff-aware scheduling because they can encode machine capacities, due dates, job precedence, and tariff windows explicitly [14] [56] [57] [58]. This makes them useful as a design reference even if a small firm never solves a full model daily.

The literature shows exact formulations for:

- energy cost plus weighted tardiness in job shops [14],

- makespan plus energy cost in flow shops and job shops [12] [13] [59],
- TOU-aware two-machine and permutation flow shop scheduling [58].

For a small manufacturer, the practical lesson is not “deploy MILP first,” but “use MILP logic to define the constraints that your heuristic must respect” [22] [56] [60] [61].

3. Metaheuristics for larger or messier instances

The literature frequently combines exact formulations with metaheuristics such as genetic algorithms, NSGA-type methods, local search, MOEA/D, and hybrid search because exact methods can become slow on realistic instances [12] [38] [62] [63]. This exact-plus-heuristic pattern is a methodological norm [22] [23] [56] [57] [59] [60] [61] [64].

For SMEs, these methods are usually justified only if:

- many machines are flexible,
- there are strong setup interactions,
- tariff structures are complex,
- or manual rescheduling is already failing [39] [65].

4. Machine-state-aware scheduling

A major insight is that energy savings improve when the model includes **machine states** rather than sequence alone [10] [22] [23] [38]. Studies model idle, off, on, setup, or restart states and report that shifting idle time into on-peak periods and productive time into off-peak periods can reduce cost with only small tardiness sacrifice [24] [25] [26].

For a small firm, this means asking a practical question for each heavy machine:
Can it wait powered down or in low-energy state during peak hours without causing quality, safety, or restart problems? [25] [51] [66].

Confidence level: High - The trade-off logic and the machine-state advantage are well supported across the tariff-aware literature [14] [24] [25].

Evidence That Energy Costs Can Fall Without Cutting Output

Industrial and optimization studies provide credible evidence that tariff-aware scheduling can reduce electricity costs while maintaining feasible production schedules [8] [9] [11] [29] [38] [59] [61] [67].

Bill and demand-charge reductions

Reported examples include:

- nearly 40% electricity-cost reduction in two-machine flow-shop test instances using greedy/ILS-style methods [56] [62],
- 12% and 5% total-cost reductions in a real manufacturing case under real-time pricing versus comparison schedules, while preserving scheduling constraints [27],
- 7.97% total-bill reduction and 17.56% lower demand charges in an optimal envelope, with a feasible constrained schedule still saving 5.73% [29],
- 4%-7% monthly net benefit for passive and 14%-19% for active demand-response participation in an electronics-factory case [28],
- 1.9% weekly savings for risk-averse and 6.4% for risk-neutral market participation in copper production [30].

Production performance preserved

Several studies explicitly optimize energy cost together with makespan, tardiness, or feasibility rather than sacrificing production [8] [12] [13] [14]. One 2025 hybrid flow-shop method preserved the original makespan through a right-shift heuristic while reducing energy use [12]. A 2024 flexible flow-shop study jointly optimized makespan and electricity cost [13]. Job-shop studies also show energy-aware rules can balance tardiness and energy cost better than classic dispatching rules [8].

Small-factory and industrial relevance

The strongest direct savings evidence comes from industrial cases, not from many small-factory studies using only simple records [27] [29] [31]. Ten plating factories gained about 60 million KRW/year from demand-response scheduling, but the abstract did not fully detail preserved labor, delivery, or shift constraints [31]. This is a real evidence gap.

Confidence level: Medium - Savings evidence is solid, but direct “small factory, minimal data, unchanged output” field evidence is thinner than general industrial evidence [29] [37].

Implementation Roadmap for a Small Manufacturer

Step 1: Build a reference schedule from existing records

Use orders, routings, machine availability, shifts, and due dates to create the current feasible baseline [1] [4] [5] [33]. This baseline should reflect current output expectations before any tariff-based changes [14].

Step 2: Identify flexible heavy machines

Classify machines into:

- **Red**: heavy-load, avoid starting in peak hours unless bottleneck-critical,
- **Yellow**: heavy/moderate load, can run in peak only for urgent work,

- **Green**: tariff-insensitive or low-load [25] [36].

Then identify which operations have slack, can be paused, or are on non-bottleneck machines [21] [51] [66].

Step 3: Apply simple rescheduling rules first

Start with a two-stage method:

1. create a feasible production schedule,
2. re-time flexible heavy-machine operations into cheaper periods [20] [21].

Possible initial rules:

- never start red machines during peak unless due-date risk is high,
- move yellow jobs to off-peak if slack exists,
- use EDD within each tariff block for urgent orders,
- power down eligible idle machines during peak [8] [17] [25].

Step 4: Validate against operational constraints

Check:

- total output vs baseline,
- on-time delivery,
- bottleneck utilization,
- setup impacts,
- labor/shift coverage,
- schedule stability [8] [14] [40] [68].

The literature is clear that energy savings are credible only when feasibility is preserved [6] [12] [13].

Step 5: Pilot, measure, expand

A low-risk rollout is to reschedule one or two non-bottleneck heavy machines for one month, then compare:

- total bill,
- demand-charge component if available,
- units produced,
- on-time delivery,
- planner time [15] [27] [29].

If output is unchanged, expand to more machines.

Confidence level: High - This roadmap is a direct synthesis of SME planning evidence plus tariff-aware scheduling logic [17] [20] [21].

Risks, Barriers, and How to Manage Them

Data quality and interoperability

The main risks are fragmented records, inconsistent names, missing data, and system silos [43] [46] [55] [69]. Management action: standardize machine names, routing codes, and shift labels in one planning file before changing schedules [45].

Operator burden and change management

Manual entry burden and workflow disruption can undermine adoption [48] [49] [54]. The evidence suggests keeping the system lightweight and aligned with current planning routines rather than forcing a full digital overhaul [4] [50].

Choosing the right sophistication level

Spreadsheets and heuristics are enough when the plant is small, the tariff structure is simple, and only a few heavy machines need shifting [15] [17]. More formal optimization is justified when there are many interacting constraints, multiple tariff bands, significant setup effects, or strong demand-charge exposure [39] [56] [65].

Confidence level: High - Barrier patterns are highly consistent across SME and legacy-data studies [42] [46].

Conclusion

A small manufacturer can lower energy cost without reducing production by using data it already has to create a **baseline schedule plus tariff-aware rescheduling layer** [2] [4] [12]. The practical sequence is straightforward: extract tariff windows from bills, define feasible labor hours from shift rosters, classify machines by energy intensity from the machine list, protect bottleneck and due-date-critical work, and move only flexible heavy-machine operations to cheaper periods [6] [21] [32].

The evidence favors starting with **simple rules or spreadsheet optimization**, not a complex digital transformation [15] [17]. If the plant can safely model machine idle/off decisions as well as timing, additional savings are likely [22] [23] [25]. The main implementation challenge is usually data cleanup and workflow fit, not solver sophistication [43] [44] [45].

Overall confidence level: High - The recommended method is strongly supported by the combined tariff-aware scheduling and SME low-data planning literature, though direct small-factory before/after studies using only the exact records named in the query remain limited [29] [37].

References

1. Eade, G.A.A, Wordsworth, R.B. (1974) COMPUTERIZED SYSTEM FOR MACHINE-SHOP SCHEDULING.. *Machinery and Production Engineering*. https://www.scopus.com/pages/publications/0016027472
2. Jordan, Scott (1986) QUICK AND INEXPENSIVE MRP.. *Manufacturing Systems*. https://www.scopus.com/pages/publications/17344389099
3. Brooks, G.H. (1985) Materials requirement planning with a microcomputer. *Computers and Industrial Engineering*. https://doi.org/10.1016/0360-8352(85)90003-8
4. Sounderpandian, Jayavel (1989) MRP on spreadsheets: a do-it-yourself alternative for small firms. *Production and Inventory Management Journal*. https://www.scopus.com/pages/publications/0024866601
5. Brooks, Richard A. (1993) 'No cost' controls: the master schedule and bill of material. *Annual International Conference Proceedings - American Production and Inventory Control Society*. https://www.scopus.com/pages/publications/0027849235
6. Rubaiee, S., Yildirim, M.B. (2019) An energy-aware multiobjective ant colony algorithm to minimize total completion time and energy cost on a single-machine preemptive scheduling. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2018.12.020
7. Gong, X., de Pessemier, T., Martens, L., Joseph, W. (2019) Energy- and labor-aware flexible job shop scheduling under dynamic electricity pricing: A many-objective optimization investigation. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2018.10.289
8. El-Bouri, A., Oukil, A. (2022) Dispatching Rules in a Job Shop: The Case of Dynamic Scheduling under Time-of-use Electricity Costs. *IEEE International Conference on Industrial Engineering and Engineering Management*. https://doi.org/10.1109/IEEM55944.2022.9989870
9. Kurniawan, B., Song, W., Weng, W., Fujimura, S. (2021) Distributed-elite local search based on a genetic algorithm for bi-objective job-shop scheduling under time-of-use tariffs. *Evolutionary Intelligence*. https://doi.org/10.1007/s12065-020-00426-4
10. Zhang, H., Zhao, F., Fang, K., Sutherland, J.W. (2014) Energy-conscious flow shop scheduling under time-of-use electricity tariffs. *CIRP Annals - Manufacturing Technology*. https://doi.org/10.1016/j.cirp.2014.03.011
11. Wang, X., Chu, F., Ren, T., Bai, D. (2025) Bi-Objective Optimization of a Flow Shop Scheduling Problem Under Time-of-Use Tariffs. *IEEE Transactions on Automation Science and Engineering*. https://doi.org/10.1109/TASE.2024.3468448
12. Wang, J., Li, C., Qin, M. (2025) Adaptive-Based Green Strategy Scheduling on Hybrid Flow Shop Scheduling Problem Under Time-Of-Use Electricity Tariffs. *2025 International Conference on Power Electronics and Control Engineering, ICPECE 2025*. https://doi.org/10.1109/ICPECE67187.2025.11435712

13. Jiang, E.-D., Wang, L. (2020) Multi-objective optimization based on decomposition for flexible job shop scheduling under time-of-use electricity prices. *Knowledge-Based Systems*. https://doi.org/10.1016/j.knosys.2020.106177

14. Dai, J., Yu, Y. (2024) Job Shop Scheduling Under Time-of-Use Electricity Prices. *2024 18th International Conference on Control, Automation, Robotics and Vision, ICARCV 2024*. https://doi.org/10.1109/ICARCV63323.2024.10821509

15. Yeh, C., Lee, Y.-T., Liu, W.-C. (2016) Dynamic production control system for SME: Implementation on plastic blow-moulding machine. *International Journal of Manufacturing Research*. https://doi.org/10.1504/IJMR.2016.079468

16. Wang, C.-N., Chou, C.-C., Chung, Y.-C., (...), Nguyen, V.T. (2021) Heuristic Scheduling of Job Orders in a Build-to-Order Manufacturing System. *Computer Systems Science and Engineering*. https://doi.org/10.32604/CSSE.2022.018259

17. Caballero-Villalobos, J.P., Alvarado Valencia, J.A. (2010) Greedy randomized adaptive search procedure (GRASP): A valuable alternative for minimizing machine total weighted tardiness. *Ingenieria y Universidad*. https://www.scopus.com/pages/publications/78651578163

18. Dileepan, P., Ahmadi, M. (2010) Scheduling rules for a small dynamic job-shop: A simulation approach. *International Journal of Simulation Modelling*. https://doi.org/10.2507/IJSIMM09(4)1.165

19. Skołud, B., Szopa, A., Kalinowski, K. (2022) Prioritizing and Scheduling of Production Orders in Non-homogenous Production Systems. *Management and Production Engineering Review*. https://doi.org/10.24425/mper.2022.140877

20. Ghorbanzadeh, M., Ranjbar, M. (2023) Energy-aware production scheduling in the flow shop environment under sequence-dependent setup times, group scheduling and renewable energy constraints. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2022.09.034

21. Castro, P.M., Harjunkoski, I., Grossmann, I.E. (2009) New continuous-time scheduling formulation for continuous plants under variable electricity cost. *Industrial and Engineering Chemistry Research*. https://doi.org/10.1021/ie900073k

22. Lyu, K., Lei, W. (2026) Joint Optimization of Production Scheduling and Machine Switching Under Time-of-Use Electricity Tariffs. *Energies*. https://doi.org/10.3390/en19102250

23. Che, A., Zeng, Y., Lyu, K. (2016) An efficient greedy insertion heuristic for energy-conscious single machine scheduling problem under time-of-use electricity tariffs. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2016.03.150

24. Cui, W., Lu, B. (2021) Energy-aware operations management for flow shops under TOU electricity tariff. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2020.106942

25. Xue, L., Wang, X. (2023) A multi-objective discrete differential evolution algorithm for energy-efficient two-stage flow shop scheduling under time-of-use electricity tariffs. *Applied Soft Computing*. https://doi.org/10.1016/j.asoc.2022.109946

26. Najafzad, H., Davari-Ardakani, H., Nemati-Lafmejani, R. (2019) Multi-skill project scheduling problem under time-of-use electricity tariffs and shift differential payments. *Energy*. https://doi.org/10.1016/j.energy.2018.11.070
27. Gong, X., van der Wee, M., de Pessemier, T., (...), Joseph, W. (2017) Energy- and Labor-aware Production Scheduling for Sustainable Manufacturing: A Case Study on Plastic Bottle Manufacturing. *Procedia CIRP*. https://doi.org/10.1016/j.procir.2016.11.136
28. Shahnewaz Siddiquee, S.M.S., Agyeman, K.A., Bruton, K., (...), O'Sullivan, D.T.J. (2022) A Data-driven Assessment Model for Demand Response Participation Benefit of Industries. *2022 IEEE Texas Power and Energy Conference, TPEC 2022*. https://doi.org/10.1109/TPEC54980.2022.9750797
29. Menear, K., Donson, J., Dimont, S., (...), Slovensky, M. (2026) Quantifying the Economic Potential of Energy-Aware Scheduling in HPC. *Proceedings of Supercomputing Asia and International Conference on High Performance Computing in Asia Pacific Region Workshops, SCA/HPCAsia 2026 Workshops*. https://doi.org/10.1145/3784828.3785162
30. Germscheid, S.H.M., Röben, F.T.C., Sun, H., (...), Dahmen, M. (2023) Demand response scheduling of copper production under short-term electricity price uncertainty. *Computers and Chemical Engineering*. https://doi.org/10.1016/j.compchemeng.2023.108394
31. Ryu, D., Yoo, W. (2026) Joint Forecasting of Daily Energy and Peak Demand for Bimodal Industrial Loads: A Metering-Only Two-Stage Framework. *Applied Sciences (Switzerland)*. https://doi.org/10.3390/app16168270
32. Tatsiopoulos, I.P. (1996) On the unification of bills of materials and routings. *Computers in Industry*. https://doi.org/10.1016/S0166-3615(96)00057-7
33. Faaland, Bruce, Schmitt, Tom (1993) Cost-based scheduling of workers and equipment in a fabrication and assembly shop. *Operations Research*. https://doi.org/10.1287/opre.41.2.253
34. Tatsiopoulos, I.P. (1994) Object-oriented design of manufacturing database helps simplify production management in small firms. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/3-540-58435-8_185
35. Eversheim, Walter, Jacobs, Stefan (1989) Transparency in tool construction. Organization of a plant specific data and rule basis for work scheduling. *VDI-Z*. https://www.scopus.com/pages/publications/0024629138
36. Bruzzone, A.A.G., Anghinolfi, D., Paolucci, M., Tonelli, F. (2012) Energy-aware scheduling for improving manufacturing process sustainability: A mathematical model for flexible flow shops. *CIRP Annals - Manufacturing Technology*. https://doi.org/10.1016/j.cirp.2012.03.084
37. https://www.sciencedirect.com/science/article/pii/S1936659023000194
38. Ghorbanzadeh, M., Ranjbar, M. (2023) Energy-aware production scheduling in the flow shop environment under sequence-dependent setup times, group scheduling and renewable energy constraints. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2022.09.034

39. Wang, S., Wang, X., Chu, F., Yu, J. (2020) An energy-efficient two-stage hybrid flow shop scheduling problem in a glass production. *International Journal of Production Research*. https://doi.org/10.1080/00207543.2019.1624857

40. Fernandes, N.O. (2015) Workload control: Emphasizing speed to beat the competition. *Handbook of Research on Global Competitive Advantage through Innovation and Entrepreneurship*. https://doi.org/10.4018/978-1-4666-8348-8.ch005

41. Lee, S., Kim, T., Kang, J., (...), Hong, M.S. (2026) Toward end-to-end continuous biopharmaceutical manufacturing: Current advances and prospects. *New Biotechnology*. https://doi.org/10.1016/j.nbt.2026.06.002

42. Bocchetta, G., Caputo, A.C. (2026) A planning and lifecycle cost model for industrial Internet of Things systems. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2026.112339

43. https://www.sciencedirect.com/science/article/pii/S2520894225000346

44. Schlereth, N., Frick, F., Abate-Kassa, G., Sauer, J. (2026) Adoption of digital technologies to promote animal welfare data exchange in agri-food value chains. *Agricultural Systems*. https://doi.org/10.1016/j.agsy.2026.104889

45. Tomlinson, J. (2024) Optimising Data Access: A Case Study of Centralising Corporate Well Data. *4th EAGE Digitalization Conference and Exhibition*. https://doi.org/10.3997/2214-4609.202439077

46. Chen, N. (2008) Integration: Bridge gap between data model and process model. *Proceedings - 2008 International Conference on Convergence and Hybrid Information Technology, ICHIT 2008*. https://doi.org/10.1109/ICHIT.2008.227

47. Expositó-Márquez, A., López-Plata, I., Expósito-Izquierdo, C., (...), Moreno-Vega, J.M. (2024) Optimization of the production planning process in a nuts and dried fruits industry. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2024.110261

48. Jiang, Y., Yang, G., Li, H., Zhang, T. (2023) Knowledge driven approach for smart bridge maintenance using big data mining. *Automation in Construction*. https://doi.org/10.1016/j.autcon.2022.104673

49. Cao, Lingling, Zhu, Ruixue, Liu, Xuanjiang (2026) Equipment-based digitalization's productivity burden: The complementary role of AI investment. *Finance Research Letters*. https://doi.org/10.1016/j.frl.2026.110588

50. Böse, F., Windt, K. (2007) Business process modelling of autonomously controlled production systems. *Understanding Autonomous Cooperation and Control in Logistics: The Impact of Autonomy on Management, Information, Communication and Material Flow*. https://doi.org/10.1007/978-3-540-47450-0_6

51. Tsao, Y.-C., Thanh, V.-V., Hwang, F.-J. (2020) Energy-efficient single-machine scheduling problem with controllable job processing times under differential electricity pricing. *Resources, Conservation and Recycling*. https://doi.org/10.1016/j.resconrec.2020.104902

52. Mouzon, G., Yildirim, M.B., Twomey, J. (2007) Operational methods for minimization of energy consumption of manufacturing equipment. *International Journal of Production Research*. https://doi.org/10.1080/00207540701450013

53. Nelson, N.G., Cothran, J., Ramage, D., (...), Porter, D.E. (2022) Implementing FAIR data management practices in shellfish sanitation. *Aquaculture Reports*. https://doi.org/10.1016/j.aqrep.2022.101324

54. Skoogh, A., Perera, T., Johansson, B. (2012) Input data management in simulation - Industrial practices and future trends. *Simulation Modelling Practice and Theory*. https://doi.org/10.1016/j.simpat.2012.07.009

55. Shahrokni, A., Söderberg, J. (2015) Beyond information silos challenges in integrating industrial model-based data. *CEUR Workshop Proceedings*. https://www.scopus.com/pages/publications/84938604236

56. Wang, S., Zhu, Z., Fang, K., (...), Chu, C. (2018) Scheduling on a two-machine permutation flow shop under time-of-use electricity tariffs. *International Journal of Production Research*. https://doi.org/10.1080/00207543.2017.1401236

57. Lee, S., Chung, B., Jeon, H.W., Jang, J. (2017) A dynamic control approach for energy-efficient production scheduling on a single machine under time-varying electricity pricing. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2017.07.102

58. Ho, M.H., Hnaien, F., Dugardin, F. (2022) Exact method to optimize the total electricity cost in two-machine permutation flow shop scheduling problem under Time-of-use tariff. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2022.105788

59. Dunke, F., Nickel, S. (2025) Approximate and exact approaches to energy-aware job shop scheduling with dynamic energy tariffs and power purchase agreements. *Applied Energy*. https://doi.org/10.1016/j.apenergy.2024.125065

60. Mhanna, J., Nouinou, H., Caillard, S., Baudry, D. (2026) Multi-objective energy-efficient flexible flow shop scheduling problem: integrating renewable energy and demand response programs. *International Journal of Production Research*. https://doi.org/10.1080/00207543.2026.2738928

61. Ho, M.H., Hnaien, F., Dugardin, F. (2022) Exact method to optimize the total electricity cost in two-machine permutation flow shop scheduling problem under Time-of-use tariff. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2022.105788

62. Pilerood, A.E., Heydari, M., Mahdavi Mazdeh, M.M. (2018) A two-stage greedy heuristic for a flowshop scheduling problem under time-of-use electricity tariffs. *South African Journal of Industrial Engineering*. https://doi.org/10.7166/29-1-1898

63. Schulz, S., Neufeld, J.S., Buscher, U. (2019) A multi-objective iterated local search algorithm for comprehensive energy-aware hybrid flow shop scheduling. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2019.03.155

64. Kurniawan, B., Akbar Gozali, A.A., Weng, W., Fujimura, S. (2018) A Mix Integer Programming Model for Bi-objective Single Machine with Total Weighted Tardiness and Electricity Cost under Time-of-use Tariffs. *IEEE International Conference on Industrial Engineering and Engineering Management*. https://doi.org/10.1109/IEEM.2018.8607420

65. Ashford, Robert L. (1976) MRP AND THE MINI-COMPUTER.. https://www.scopus.com/pages/publications/0017249779

66. Chen, L., Wang, J., Xu, X. (2019) An energy-efficient single machine scheduling problem with machine reliability constraints. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2019.106072

67. Yu, Y., Zha, Y., Sun, L., Yan, Y. (2025) Integrated Electricity Strategic Bidding and Job-Shop Scheduling for Industrial Demand Response. *IEEE Robotics and Automation Letters*. https://doi.org/10.1109/LRA.2025.3586523

68. Bader, A., Onken, A.-K., Tracht, K. (2020) Planning of Structural Dynamic Production Systems with High Variation of Products. *7th International Conference on Control, Decision and Information Technologies, CoDIT 2020*. https://doi.org/10.1109/CoDIT49905.2020.9263801

69. Tiwari, A., Karandikar, J., Orlyanchik, V., (...), Tyler, C. (2026) G-code informed reconstruction of high-resolution CNC machine data from low-sampling rate industrial data streams. *Journal of Manufacturing Systems*. https://doi.org/10.1016/j.jmsy.2026.09.004