Cucumber Report

| Start : Jan 16, 4:17:16.013 pm	End : Jan 16, 4:20:32.503 pm	Duration : 3 m 16.490 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 8 FAILED - 3 SKIPPED - 5

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Opencart navigation Feature	3 m 16.490 s	3	0	3	0	16	8	3	5

| #	Feature Name	Scenario Name
1	Opencart navigation Feature	Verify that No of Component count is correct in Components page
2		Verify that user successfully navigated to Monitors page
3		Verify the Breadcrums are correct & correct no of tiles present

#	Feature Name	T	P	F	S	Duration
1	Opencart navigation Feature	3	0	3	0	3 m 16.490 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Opencart navigation Feature	Verify that No of Component count is correct in Components page	5	2	1	2	1 m 31.781 s
2		Verify that user successfully navigated to Monitors page	5	3	1	1	52.979 s
3		Verify the Breadcrums are correct & correct no of tiles present	6	3	1	2	51.695 s

Opencart navigation Feature

| FAILED	DURATION - 3 m 16.490 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 16 Pass - 8 Fail - 3 Skip - 5	16
/ 4:17:16.013 pm // 4:20:32.503 pm /					

Verify that No of Component count is correct in Components page

FAILED	DURATION - 1 m 31.781 s		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	5
/ 4:17:16.016 pm // 4:18:47.797 pm /				
Opencart navigation Feature				

#	Step / Hook Details	Status	Duration
1	Given User navigates to opencart website	PASSED	39.094 s
2	When user mouse hover on Components menu	PASSED	5.223 s
3	And user clicks on Show all components hyperlink	FAILED	43.883 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='see-all' and contains(text(),'Show All Components')]"} (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [4777434551599ca51ad6059b94e018f5, findElement {using=xpath, value=//a[@class='see-all' and contains(text(),'Show All Components')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\skghadei\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49770}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49770/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4777434551599ca51ad6059b94e018f5
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at pages.OpencartPage.Click_on_ShowAllComponents(OpencartPage.java:41) at stepdefinitions.OpencartStep.user_clicks_on_show_all_components_hyperlink(OpencartStep.java:39) at ?.user clicks on Show all components hyperlink(file:///C:/Users/skghadei/eclipse-workspace/VonsUIAutomation/src/test/resources/features/01_Opencart.feature:7) * Not displayable characters are replaced by '?'.		
4	Then User should be navigated to Components list page	SKIPPED	0.002 s
5	And Number of components present on screen should be 5	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_that_No_of_Component_count_is_correct_in_Components_page 	PASSED	1.249 s

Verify that user successfully navigated to Monitors page

FAILED	DURATION - 52.979 s		Steps
			Total - 5
/ 4:18:47.822 pm // 4:19:40.801 pm /			Pass - 3
			Fail - 1
Opencart navigation Feature			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User navigates to opencart website	PASSED	39.648 s
2	When user mouse hover on Components menu	PASSED	5.204 s
3	And user clicks on Show all components hyperlink	PASSED	6.082 s
4	And user clicks on Monitors hyperlink	FAILED	0.023 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='col-sm-3']/ul/li//a[text()='Monitors (2)']"} (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [668befb87eaa98f3ce5a406431da1810, findElement {using=xpath, value=//div[@class='col-sm-3']/ul/li /a[text()='Monitors (2)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\skghadei\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49860}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49860/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 668befb87eaa98f3ce5a406431da1810
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)
	    at pages.OpencartPage.Click_on_Monitor_hyperlink(OpencartPage.java:55)
	    at stepdefinitions.OpencartStep.user_clicks_on_Monitors_hyperlink(OpencartStep.java:52)
	    at ?.user clicks on Monitors hyperlink(file:///C:/Users/skghadei/eclipse-workspace/VonsUIAutomation/src/test/resources/features/01_Opencart.feature:14)
	* Not displayable characters are replaced by '?'.		

5	Then user should be navigated to Monitors list view page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.814 s
	Verify_that_user_successfully_navigated_to_Monitors_page		

#	Step / Hook Details	Status	Duration

Verify the Breadcrums are correct & correct no of tiles present

FAILED	DURATION - 51.695 s
/ 4:19:40.808 pm // 4:20:32.503 pm /	
Opencart navigation Feature	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given User navigates to opencart website	PASSED	39.417 s
2	When user mouse hover on Components menu	PASSED	5.187 s
3	And user clicks on Show all components hyperlink	PASSED	5.239 s
4	And user clicks on Monitors hyperlink	FAILED	0.027 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='col-sm-3']/ul/li//a[text()='Monitors (2)']"} (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a04641aad5c2046b0702f3fab0f08688, findElement {using=xpath, value=//div[@class='col-sm-3']/ul/li/a[text()='Monitors (2)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\skghadei\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50058}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50058/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a04641aad5c2046b0702f3fab0f08688
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at pages.OpencartPage.Click_on_Monitor_hyperlink(OpencartPage.java:55) at stepdefinitions.OpencartStep.user_clicks_on_Monitors_hyperlink(OpencartStep.java:52) at ?.user clicks on Monitors hyperlink(file:///C:/Users/skghadei/eclipse-workspace/VonsUIAutomation/src/test/resources/features/01_Opencart.feature:20) * Not displayable characters are replaced by '?'.		
5	Then The breadcrums should be shown correctly	SKIPPED	0.001 s
6	And The No of tiles present on screen should be 2	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_the_Breadcrums_are_correct_&_correct_no_of_tiles_present 	PASSED	0.842 s