

Plant calendar — Full-screen alignment

1. Document control and authority

Field	Value
ID / version / date	006_DD-SPD-ALIGNMENT / 2 / 2026-10-05
Work item / screen	WI-012, BUG-005 / SCR-006
Requirements	REQ-079–081; preserve REQ-070–075
Review state	Proposed; awaiting explicit user design review
Authorized phase	Plan revision 2: audit and design only

This additive document covers the complete calendar and its weekly, exception, history and confirmation modes. Completed approved documents remain immutable. The discarded capacity-only proposal is not a source for this version.

Sources: [006 BD](#), [006 DD-SPD](#), [006 DD](#), [006 DD-FN](#), [006 DD-API](#), [WI-012 plan](#) and [audit evidence](#).

On 2026-10-05 the user explicitly selected the BD desktop composition: calendar left, selected day and actions right; mobile stacked. This resolves the conflicting stacked sample in the earlier SPD gallery. Requirements and API invariants remain binding. Proposed visual gap coverage below requires this document's review.

2. Screen layout and mockup

Mockup artifacts: [English captions](#) and [Japanese captions](#). Each edition has 50 complete screen artboards with identical Japanese UI. Native inputs/disclosures are visual review aids; no search, navigation or write is implemented by the gallery. The established local HTML/Chromium fallback is used because the external design publisher is unavailable.

Desktop at 900 CSS px and above uses the BD two-thirds calendar / one-third detail composition, with 24px between regions. At 640–899px retain the semantic seven-day table and stack details below it to keep cells readable. Below 640px replace the table with an ordered agenda containing every real date; details/actions follow, then capacity. This intermediate reflow is proposed responsive gap coverage. Do not shrink seven columns onto a phone or omit dates to shorten screenshots.

Use existing gray/white surfaces, orange-700 primary actions, gray borders and Japanese system fonts. Actions have a 48px minimum height; independent controls have at least 8px spacing, groups 16px and major sections 24px. Labels and inputs align at the top of a row; secondary search belongs to its selector. Text wraps. The shared application shell remains the existing component: PMAI on mobile, full application name on desktop, active CalendarRange icon and guarded menu. Non-calendar shared navigation icons and authentication-dependent name/logout layout are inherited from that component, not reimplemented from the illustration.

1. 月表示・選択日・参考能力

ProductionManagementAI

タシムボード 製造指示一覧 製品マスタ 生産ライン・工保 稼働カレンダー 新規製造指示 管理画 ログアウト

稼働カレンダー

表示月

October 2026

生産ライン

L-001 組立ライン

表示

工場日付: 2026-10-05 / Asua/Tokyo

前月 翌月 再読み込み

稼働日 非稼働日 参照不可

適用規則: 週間規則 / 工場共通の例外 / ライン例外

2026年10月

月	火	水	木	金	土	日
			1 稼働日 7:30時 通常規則	2 稼働日 7:30時 通常規則	3 非稼働日 0時 通常規則	4 非稼働日 0時 通常規則
5 稼働日 7:30時 通常規則	6 稼働日 7:30時 通常規則	7 稼働日 7:30時 通常規則	8 稼働日 7:30時 通常規則	9 稼働日 7:30時 通常規則	10 非稼働日 0時 通常規則	11 非稼働日 0時 通常規則
12 稼働日 4時 ライン例外	13 稼働日 7:30時 通常規則	14 稼働日 7:30時 通常規則	15 稼働日 7:30時 通常規則	16 稼働日 7:30時 通常規則	17 非稼働日 0時 通常規則	18 非稼働日 0時 通常規則
19 稼働日 7:30時 通常規則	20 稼働日 7:30時 通常規則	21 稼働日 7:30時 通常規則	22 稼働日 7:30時 通常規則	23 稼働日 7:30時 通常規則	24 非稼働日 0時 通常規則	25 非稼働日 0時 通常規則
26 稼働日 7:30時 通常規則	27 稼働日 7:30時 通常規則	28 稼働日 7:30時 通常規則	29 稼働日 7:30時 通常規則	30 稼働日 7:30時 通常規則	31 非稼働日 0時 通常規則	

選択日: 2026-10-12

稼働日: 4時間

適用規則: ライン例外

理由: 保守後の追加稼働

下記の規則: 工場共通の例外「保守休業」⇒ 週間規則

週間規則

日付例外

履歴

参考能力

開設定による参考値です。製造指示の割当ではありません。

生産ライン

L-001 組立ライン

ライン稼働を検索

製品

P-1001 フレーキブラケット (個)

日付

12/10/2026

能力を表示

製品稼働を検索

1,920 個

L-001 / P-1001 / 2026-10-12

稼働時間 4 時間 × 60 ÷ 0.125 分/個

適用規則: ライン例外


Mobile previews below are separate crops of the full gallery, not a truncated runtime agenda. Open the gallery at the target viewport to inspect all 31 days.

006_DD-SPD-ALIGNMENT version 2 (2026-10-05)

2 / 10

Top / dates	Selected day	Capacity	Date editor
1. 月表示・選択日・参考能力 1 PMAI メニュー 2 稼働カレンダー 3 表示月 October 2026 生産ライン L-001 組立ライン ▶ ライン候補を検索 表示 工場日付：2026-10-05 / Asia/Tokyo 前月 翌月 再読み込み 4 稼働日 非稼働日 参照不可 適用規則：週間規則 / 工場共通の例外 / ライン例外 5 10月1日 (木) 稼働日	6 選択日：2026-10-12 稼働日 4時間 適用規則：ライン例外 理由：保守後の追加稼働 下位の規則：工場共通の例外「保守休業」→ 週間規則 7 週間規則 日付例外 履歴	8 参考能力 現設定による参考値です。製造指示の割当ではありません。 生産ライン L-001 組立ライン ▶ ライン候補を検索 製品 P-1001 プレーキブラケット ▶ 製品候補を検索 日付 12/10/2026 能力を表示 9 1,920 個 L-001 / P-1001 / 2026-10-12 稼働時間 4 時間 × 60 ÷ 0.125 分／個 適用規則：ライン例外	19. 時間を指定した稼働例外 1 PMAI メニュー 2 日付例外を編集 10 対象：L-001 組立ライン / 日付：2026-10-12 稼働状態 12 稼働日 非稼働日 ラインの現設定を使用 稼働時間 (時間) 4 13 理由 保守後の追加稼働 14 保存 キャンセル 例外を削除

Additional numbered examples cover weekly fields, retained versions and confirmation.



3. Complete region mapping

Orange numbered badges identify regions 1–16 in the images and galleries. They correspond exactly to the table below. The left annotation gutter and badges are documentation aids; remove `#region-annotation-style` and `.region-badge` from the mockup render before comparing application geometry.

Original SPD regions 1–16 remain the inventory. No new route or business state machine is introduced.

Region	Content	Implementation owner
1	Shared header/current route; mobile Menu	AppHeader / AppNavbar
2	Mode heading, status and honest recovery	All modes
3	Draft month/scope, Apply, month navigation	PlantCalendarPage
4	State/source legend and server plant date	PlantCalendarPage
5	Full month / full ordered agenda	MonthView
6	Selected-day state/hours/source/reason/fallback	PlantCalendarPage
7	Weekly/date/history entry actions	PlantCalendarPage
8	Independent line/product/date capacity query	CapacityPanel
9	Exact quantity, unit, basis or unavailable reason	CapacityPanel
10	Captured date/scope or effective start	WeeklyPatternEditor / DateExceptionEditor

Region	Content	Implementation owner
11	Seven weekdays; empty set allowed	WeeklyPatternEditor
12	Working/closed radios and inherited/exact hours	DateExceptionEditor
13	Optional plain-text reason	DateExceptionEditor
14	Save/Cancel/remove/withdraw/reconciliation	Editors
15	Bounded current/history and predecessor	Editors / history view
16	Centered captured-target confirmation	Existing native dialog

4. Calendar and choice interaction contract

Keep draft month/scope separate from applied URL/context. Apply validates then fetches; Previous/Next month directly applies a bounded month. Show the server plant date/timezone and state/source as text. Render only real month dates, inert padding cells and a selected-day indicator. A day cell shows state, effective hours where available, and source; plant working days say line-dependent instead of a fabricated duration. Past inherited hours are explicitly current line settings.

Selected-day details show winning reason and lower-priority explanation. No partial merge of exception hours is allowed. Disable new/edit action for past/unconfigured or retired scope with a nearby reason; history remains readable. Existing future exceptions on retired lines retain the separate removal permission.

Choice search is a native closed disclosure immediately below its scope/line/product selector. Opening it exposes labeled input, Search, Clear and count. Only more than one result page exposes Previous/Next inside that same group. Scope line, capacity line and capacity product searches/pages are independent. Existing page size 50, query bounds and API-PC-08/09 remain unchanged. All eligible choices stay reachable.

Keep the selected business label when its item leaves a page/filter; never show a raw UUID as a product name. A syntactically valid retained URL identifier can remain unconfirmed and use explicit capacity verification; do not infer eligibility or force arbitrary reselection. Changing line clears product, related search/page and result. Changed query/date/product invalidates superseded capacity. Clear resets only the corresponding search/page, preserving a confirmed selected label.

Capacity stays below both calendar columns. Show an independent line selector, then product/date/request, followed by result. Available output uses the response's own quantity, unit, hours and minutes-per-unit with exact formatting. A valid closed pair is zero; unavailable is never zero. UnitStale explains the separate Production lines action without automatic timing confirmation. Current-settings disclaimer remains visible. Input/date bounds and server validation are unchanged.

5. Editors, history and confirmations

Weekly mode prioritizes effective start, seven labeled checkboxes and actions, as in the approved weekly mockup. New starts stage an explicit intent; existing starts are immutable. All-closed is valid. Protected/today/past rules cannot be withdrawn; only permitted future targets can. Current/history range, predecessor and paging remain available in a secondary disclosure, with a full expanded artboard. History selection is read-only; snapshots restart explicitly when stale.

Date mode uses labeled Working/Closed radio controls, restoring the approved visual choice. A new/removed target initially has neither selected. Existing scope/date are labels, not editable identity fields. Working exposes the inherit checkbox; exact hours appear only when inheritance is off. Closed hides hours and submits the existing closed semantics. Preserve <=500-character normalized plain-text reasons, exact hours (>0, <=24, <=3 decimals), first-invalid focus and dirty-value retention.

History mode is an explicit read-only presentation with scope/date, current marker, retained records and bounded paging/restart/back. It must not look like a writable exception form. This completes the approved history artboard using existing APIs; no permission or mutation semantics change.

Saving disables fields and duplicate mutation, including Cancel while pending. Conflict preserves values and offers guarded reload. Unknown never retries a write: verify via current/history reads, label each observation, and enable explicit acceptance only after successful observation. Cancel/leave still requires discard confirmation. Known save followed by refresh failure keeps the success message and retries reads only. Read failures get retry beside the affected region.

Remove/withdraw/discard use the existing native modal in the viewport center. Show captured scope/date and consequence. Cancel starts focused, Tab stays inside, Escape/Cancel retain the draft, and focus returns to the invoker. Long dialog content scrolls within viewport limits. Static modal drawings are not runtime focus proof.

6. Copy and accessibility

Existing Japanese catalog strings remain authoritative for unchanged actions and messages. Earlier shorthand captions such as 「稼働」 (Working) become the existing 「稼働日」 (Working day); 「適用」 (Apply) uses existing 「表示」 (Display). This explicit copy reconciliation does not alter business states. The following missing display labels are proposed catalog additions, not claims of existing keys.

Proposed Japanese text	English meaning
ライン候補を検索	Search line choices
製品候補を検索	Search product choices
条件をクリア	Clear search conditions
週間規則・履歴を確認	Inspect weekly rules and history

Proposed Japanese text	English meaning
稼働状態 / 稼働曜日	Working state / working weekdays
選択内容を確認してください。	Confirm the retained selection
選択内容は未確認です。能力を表示して確認してください。	Selection unconfirmed; request capacity to verify
工場日付 / 選択日 / 戻る	Plant date / selected day / Back
ライン依存	Depends on line settings

Implement labels through the central catalog. Bind fields to visible labels, errors with aria-describedby/aria-invalid, statuses with polite announcements and urgent errors with alerts. Preserve natural source order across layouts; a hidden month/agenda variant must not be tabbable. Use native radio/checkbox/select/details controls, visible focus, adequate contrast and text state cues. No hover-only names. Long names have full wrapped labels below truncated native selectors. Native date formatting can vary with OS/browser locale; underlying date-only values do not.

7. Artboard and region inventory

Sample context: plant today 2026-10-05, activation before October, October 2026. October12 reopens plant maintenance for 4 hours on L-001. P-1001 is 0.125 minutes/個, yielding 1,920 個. October17 is closed with valid zero capacity. Samples are not database fixtures.

Anchor	State	Original SPD regions
ready	Month, selected day and reference capacity	1–9
plant	Plant scope and line-specific capacity	1–9
scope-pages	Line filter: more than 50 choices	1–9
month-loading	Month loading	1–9
unconfigured	Unconfigured calendar	1–9
month-error	Month read error	1–9
day-loading	Selected-day loading	1–9
day-error	Selected-day read error	1–9
mismatch	Independent read versions differ	1–9
success	Confirmed save	1–9
refresh-error	Save confirmed; refresh failed	1–9

Anchor	State	Original SPD regions
weekly-new	New weekly definition	1,2,10,11,14,15
weekly-future	Future weekly definition	1,2,10,11,14,15
weekly-all-closed	All weekdays closed	1,2,10,11,14,15
weekly-past	Past weekly definition	1,2,10,11,14,15
weekly-unknown	Weekly save outcome unknown	1,2,10,11,14,15
weekly-history	Current and retained weekly versions	1,2,15
exception-new	New date exception; explicit state required	1,2,10,12,13,14
exception-edit	Working exception with exact hours	1,2,10,12,13,14
exception-inherit	Inherit current line hours	1,2,10,12,13,14
exception-closed	Closed date exception	1,2,10,12,13,14
exception-plant	Plant-wide date exception	1,2,10,12,13,14
exception-invalid	Invalid hours and retained input	1,2,10,12,13,14
exception-past	Past date: read only	1,2,10,12,13,14
exception-retired	Retired line: existing exception removable	1,2,10,12,13,14
exception-saving	Save pending	1,2,10,12,13,14
exception-conflict	Conflict with guarded reload	1,2,10,12,13,14
exception-unknown	Save outcome unknown; no replay	1,2,10,12,13,14
exception-observed	Observation obtained; explicit acceptance	1,2,10,12,13,14
exception-long	Long business reason	1,2,10,12,13,14
weekly-records	Weekly history: read-only records	1,2,15
history	Retained date-exception history	1,2,15
confirm-remove	Remove exception confirmation	1,2,16
confirm-withdraw	Withdraw future rule confirmation	1,2,16
confirm-discard	Discard draft confirmation	1,2,16
capacity-initial	No capacity selection yet	1–9

Anchor	State	Original SPD regions
capacity-line-pages	Capacity line choices: page 2	1–9
capacity-product-pages	Product choices: page 2	1–9
capacity-empty	No matching products	1–9
capacity-no-lines	No eligible active lines	1–9
capacity-choice-error	Choice read error	1–9
capacity-loading	Capacity loading	1–9
capacity-error	Capacity read error	1–9
capacity-unavailable	Unit-stale capacity unavailable	1–9
capacity-closed	Valid closed-day capacity is zero	1–9
capacity-unconfirmed	Retained URL selection awaits verification	1–9
capacity-invalid	Past capacity date rejected	1–9
capacity-long	Long line and product labels	1–9
invalidUrl	Invalid URL	1,2
forbidden	Forbidden	1,2

8. Implementation comparison and verification

The later implementation plan must close each audit finding against this approved package. Compare production frontend and mockups at the same viewport, chosen state and equivalent business data: hierarchy, columns, field/control order, exact labels, visibility, spacing, source/reason/hours, and result basis. Shared-shell inheritance and native date/font differences above are the only general visual exceptions; record any additional difference for review, not silent acceptance.

Check	Required future proof
Full-screen parity	Calendar/day/editor/history/modal and recovery screenshots; REQ-079/081, findings ALIGN-01–16
Responsive	1440, 900, 640, 639, 390, 320 CSS px; native 200% zoom; full real dates; no clipping
Choice navigation	>50 scope-line, capacity-line and product choices; correct page/search group; retained selected labels; REQ-080
Editor regression	Weekly new/current/history/withdraw; date new/inherited/exact/closed/remove; past/retired/protected rules
Honest settlement	Pending/validation/conflict/Unknown/read retry/known save refresh failure; no replay or invented success

Check	Required future proof
Accessibility	Keyboard, radio groups, disclosure, dialog containment/return, error focus, axe; screen reader and physical IME reported separately
Invariants	Same endpoints/payloads/date bounds, exact decimals, role checks, version/snapshot rules; existing order/dashboard behavior

The design phase renders static artifacts only. There are no running Docker containers, and existing localhost ports 3000/5173/5033 refused connections on 2026-10-05. Current-runtime screenshots could not be captured; actual-side findings are source inspection, not browser reproductions. Revision3 must obtain runtime parity proof before calling the defect fixed. Static illustrations cannot prove API behavior, modal focus, screen-reader speech or physical mobile IME.

9. Review gate and change boundary

No endpoint, database migration, authorization policy, telemetry contract or job is added. No production data or credentials occur in sample artifacts. Existing BD/DD navigation and state diagrams remain applicable; this is a layout/copy addendum with the region table above, not a new business state machine.

Review this single Markdown and its bilingual mockup/PDF companions together. After approval, prepare and present revision3 for application changes and tests. Implementation, fixture writes, commit/push/PR/merge, deployment and replacement videos are not authorized by this design-phase approval.