Product Master — Product Type — Screen Processing Design (画面処理設計書)

Document control (改版履歴)

Field	Value
Document ID	004_DD-SPD-TYPE
Work item	WI-017
Based on	004_DD-TYPE v1 (DEC-009), 004_DD-API-TYPE v1 (DEC-010)
Created / updated	Claude (for ThanhTN), 2026-10-25

Version	Date	Author	Revision content
1	2026-10-25	Claude (for ThanhTN)	Initial creation: `type` in SPD-01 (list) and SPD-02/03 (form)

Only the steps that change are listed; every other step of 004_DD-SPD SPD-01–SPD-05, as implemented by WI-013 (rows per page, return URL, saved-but-hidden notice), runs as before. SPD-04 (retire) and SPD-05 (route, focus, failure mapping) do not change.


Process catalog

ID	Component	Change
SPD-01	`ProductMasterPage` list	Parse, apply, clear and preserve `type`; render type column/card line
SPD-02	Product form open	Initialise the type select (create empty, edit loaded)
SPD-03	Product form validate/save	Validate and send `type`; map `errors.type`; hidden-after-save check includes `type`

SPD-01 — List (changed steps)

Step	Trigger / branch	Processing and call	Visible / focus result
1	Enter list, Back/Forward	Also parse `type`: keep only a value in `productTypes`; an invalid or repeated `type` is removed in the same `replace` canonicalisation as `state`, before any request	「種別」 filter shows the applied value or 「すべて」
2	Canonical URL changes	API-PM-01 gets `type` only when set (`q`, `state`, `page`, `pageSize` as today)	Unchanged
3	200 with items	Render `products.types[item.type]` in the column after 製品名 (PC) and as 「種別：…」 before 単位 on cards (SP). An unknown code from the server (should not happen) renders the raw code, never blank	Unchanged
5	検索	Read the 「種別」 select: `""` removes `type`, else sets it; page → 1; `pageSize` kept	URL updated before fetch
5	クリア	Also removes `type` and resets the select to 「すべて」	—
5	Page / 表示件数 / Edit link return URL	Keep `type` as other applied filters	—
6	400 `errors.type` on list	Cannot come from a canonical URL; treat as the existing generic fetch error with Retry	—

Changing the 「種別」 select alone does not fetch (same as 「状態」).




SPD-02 — Form open (changed step)

Step	Trigger	Processing	Result
1	`/products/new`	`draft.type = ''`; initial snapshot the same	Select shows 「選択してください」
2	`/products/:id/edit` 200	`draft.type = item.type` in both draft and initial snapshot	Select shows current label; enabled even when `unitLocked` or retired
3	Change select	`setField('type', value)`; dirty = draft ≠ initial (existing guard)	Leaving asks the existing discard question

SPD-03 — Validate and save (changed steps)

Step	Trigger / branch	Processing and call	Visible / focus result
1	保存	Client validation adds: `draft.type` ∉ `productTypes` → `errors.type = MSG-E026`	Error summary lists it; focus goes to the first invalid field in order sku, name, **type**, unit, drawingNumber
2	Valid	POST/PUT body includes `type` (code)	Unchanged busy state
3	400 with `errors.type`	Map to MSG-E026 at the field, like other server field errors	Draft kept; focus on 「種別」 if it is the first invalid
4	200/201	Existing return to the list URL. The saved-but-hidden check also compares the saved `type` with the return URL's `type`	「製品を保存しました。」 + hidden hint when the type no longer matches the filter
5	409 stale / unit locked	Unchanged; the reloaded item refreshes `type` too	—



UI message and test handoff

Message	Where
MSG-E026 「種別を選択してください。」	SPD-03 steps 1 and 3

Tests: 004_DD-TYPE "Test viewpoints" plus, from this document — invalid/repeated `type` canonicalised without a request; select change alone does not fetch; return-after-save keeps `type`; type change away from the filter shows the hidden hint; edit of a unit-locked product saves a type change.