

Task - 1

Step-1: Create an S3 Bucket with No Public Access

- Enter a unique bucket name.
- In Block Public Access settings for this bucket, Block all public access.
- Then, click Create Bucket.

my-private-upload-bucket-sathish-2026 Info

Objects

Metadata

Properties

Permissions

Metrics

Management

File systems - new

Access Points

Permissions overview

Access finding
Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#) 
[View analyzer for ap-south-1](#)

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets, AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. [Learn more](#) 

Block all public access
 On

▼ **Individual Block Public Access settings for this bucket**

- ☒ **Block public access to buckets and objects granted through new access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing policies that allow public access to buckets and objects.
- ☒ **Block public access to buckets and objects granted through any access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- ☒ **Block public access to buckets and objects granted through new public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to buckets and objects.
- ☒ **Block public and cross-account access to buckets and objects through any public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Step-2: Upload Files to S3 Bucket

- Click the newly created bucket name, click Upload, and click Add files to upload.
- Once the file is uploaded, copy the public URL and validate in the browser to confirm that public access is disabled.

Amazon S3

>

Buckets

>

my-private-upload-bucket-sathish-2026

>

AutoScaling&VPCIntro.pdf

AutoScaling&VPCIntro.pdf Info

Copy S3 URI

Download

Open 

Object actions 

Properties

Permissions

Versions

Object overview

Owner
Oca11054af654ad129dc15e579f8cf85c3b264d3ee3e311aafdd70f927be2058

AWS Region
Asia Pacific (Mumbai) ap-south-1

Last modified
April 25, 2026, 22:12:47 (UTC+05:30)

Size
971.4 KB

Type
pdf


Key
 AutoScaling&VPCIntro.pdf

S3 URI
 s3://my-private-upload-bucket-sathish-2026/AutoScaling&VPCIntro.pdf

Amazon Resource Name (ARN)
 arn:aws:s3::my-private-upload-bucket-sathish-2026/AutoScaling&VPCIntro.pdf


Entity tag (Etag)
 512f198d7b5b70cecd382f82b72b03a5

Object URL
 <https://my-private-upload-bucket-sathish-2026.s3.ap-south-1.amazonaws.com/AutoScaling%26VPCIntro.pdf>




Step-3:

AWS S3 upload logs do not directly appear in CloudWatch by default. To see upload actions like PutObject, we need to enable CloudTrail data events for the S3 bucket and send CloudTrail logs to CloudWatch Logs.



Enable data events in the CloudTrail trail setup, under Data events, choose the service as S3, and the S3 bucket created above, and choose object-level events. “Write” events will capture upload actions.



Step-4: View Upload Logs in CloudWatch

- Upload a new file to the S3 bucket.

29012026539_1.pdf [Info](#)

[Copy S3 URI](#) [Download](#) [Open L^a](#) [Object actions](#)

Properties | **Permissions** | **Versions**

Object overview

Owner
Oca11054af654ad129dc15e579f8cf85c3b264d3ee3e311aafdd70f927be2058

AWS Region
Asia Pacific (Mumbai) ap-south-1

Last modified
April 25, 2026, 23:05:30 (UTC+05:30)

Size
3.1 MB

Type
pdf

Key
29012026539_1.pdf

S3 URI
s3://my-private-upload-bucket-sathish-2026/29012026539_1.pdf

Amazon Resource Name (ARN)
arn:aws:s3::my-private-upload-bucket-sathish-2026/29012026539_1.pdf

Entity tag (Etag)
<a5e289a26e59b83421023a07039d1a0f>

Object URL
https://my-private-upload-bucket-sathish-2026.s3.ap-south-1.amazonaws.com/29012026539_1.pdf

- Open CloudWatch Logs, Go to Logs -> Log Management and select the Log group created in CloudTrail.

[Log management](#) > aws-cloudtrail-logs-314727362308-5e27c114

Log class [Info](#)
Standard

ARN
arn:aws:logs:ap-south-1:314727362308:log-group:aws-cloudtrail-logs-314727362308-5e27c114:*

Creation time
1 hour ago

Retention
Never expire

Stored bytes
-

Metric filters
0

Subscription filters
0

Contributor Insights rules
-

KMS key ID
-

Deletion protection
☐ Off

Data protection
-

Sensitive data count
-

Custom field indexes
[Configure](#)

Transformer
[Configure](#)

Anomaly detection
[Configure](#)

Bearer token authentication
☐ Off

Log streams | **Tags** | **Data protection** | **Anomaly detection** | **Metric filters** | **Subscription filters** | **Contributor Insights** | **Field indexes** | **T**

Log streams (4) [Delete](#) [Create log stream](#)

By default, we only load the most recent log streams.

☐ Exact match ☐ Show expired [Info](#)

☐	Log stream	Last event time
☐	314727362308_CloudTrail_ap-south-1	2026-04-25 17:02:48 (UTC)
☐	314727362308_CloudTrail_ap-south-1_2	2026-04-25 16:59:02 (UTC)
☐	314727362308_CloudTrail_ap-south-1_4	2026-04-25 16:50:11 (UTC)
☐	314727362308_CloudTrail_ap-south-1_3	2026-04-25 16:47:45 (UTC)

In the log stream, search for the upload event, by searching for the filename or event name “putObject”.

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

[X](#) [Clear](#) 1m

☐	Timestamp	Message
☐	2026-04-25T17:37:05.720Z	{"eventVersion":"1.11","userIdentity":{"type":"Root","principalId":"31472736...
☐	2026-04-25T17:37:05.720Z	{"eventVersion":"1.11","userIdentity":{"type":"Root","principalId":"31472736...

Log events



You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Q 29012026539

X

Clear1m30m1h12h

Timestamp	Message	Log stream name
	<pre>"principalId": "314727362308", "arn": "arn:aws:iam::314727362308:root", "accountId": "314727362308", "accessKeyId": "ASIAUSRZWN4CHEMXXKWMX", "sessionContext": { "attributes": { "creationDate": "2026-04-25T15:44:13Z", "mfaAuthenticated": "true" } }, "eventTime": "2026-04-25T17:35:29Z", "eventSource": "s3.amazonaws.com", "eventName": "PutObject", "awsRegion": "ap-south-1", "sourceIPAddress": "122.183.50.95", "userAgent": "[Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36]", "requestParameters": { "X-Amz-Date": "20260425T173526Z", "bucketName": "my-private-upload-bucket-sathish-2026", "X-Amz-Algorithm": "AWS4-HMAC-SHA256", "x-amz-acl": "bucket-owner-full-control", "X-Amz-SignedHeaders": "content-type;host;x-amz-acl;x-amz-checksum-crc64nvme;x-amz-storage-class", "Host": "my-private-upload-bucket-sathish-2026.s3.ap-south-1.amazonaws.com", "X-Amz-Content-Sha256": "UNSIGNED-PAYLOAD", "X-Amz-Expires": "300", "key": "29012026539_1.pdf", "x-amz-storage-class": "STANDARD" }, "responseElements": { "x-amz-server-side-encryption": "AES256" }, "additionalEventData": { "SignatureVersion": "SigV4", "CipherSuite": "TLS_CHACHA20_POLY1305_SHA256", "bytesTransferredIn": 3270224, "SSEApplied": "Default_SSE_S3", "AuthenticationMethod": "QueryString", "x-amz-checksum-crc64nvme": "00000000000000000000000000000000", "x-amz-content-sha256": "UNSIGNED-PAYLOAD", "x-amz-content-type": "application/pdf", "x-amz-content-md5": "UNSIGNED-PAYLOAD", "x-amz-content-length": "3270224", "x-amz-content-encoding": "utf-8", "x-amz-content-language": "en-US", "x-amz-content-disposition": "attachment; filename=29012026539_1.pdf", "x-amz-content-transfer-encoding": "binary", "x-amz-content-type-override": "application/pdf", "x-amz-content-type-override-reason": "The Content-Type header is not present in the request, and the Content-Type header is not present in the response. The Content-Type header is not present in the request, and the Content-Type header is not present in the response."</pre>	