Task-1:

```
# Create a directory named my_folder
mkdir my_folder

# Move into the directory
cd my_folder/

# Create an empty file
touch my_file.txt

# Open file in vim editor and add content
vim my_file.txt

# Display content of my_file.txt
cat my_file.txt

# Create another file
touch nother_file.txt

# Open second file in vim and add content
vim nother_file.txt

# Display content of second file
cat nother_file.txt

# Append content of nother_file.txt to my_file.txt
cat nother_file.txt >> my_file.txt

# Display updated content of my_file.txt
cat my_file.txt
```

Output:
this is a test file
this is also a test file

```
# List files with details in current directory
ls -l
```

```
ubuntu@ip-172-31-38-55:~$ mkdir my_folder
ubuntu@ip-172-31-38-55:~$ cd my_folder/
ubuntu@ip-172-31-38-55:~/my_folder$ touch my_file.txt
ubuntu@ip-172-31-38-55:~/my_folder$ vim my_file.txt
ubuntu@ip-172-31-38-55:~/my_folder$ cat my_file.txt
this is a test file
ubuntu@ip-172-31-38-55:~/my_folder$ touch nother_file.txt
ubuntu@ip-172-31-38-55:~/my_folder$ vim nother_file.txt
ubuntu@ip-172-31-38-55:~/my_folder$ cat nother_file.txt
this is also a test file
ubuntu@ip-172-31-38-55:~/my_folder$ cat nother_file.txt >> my_file.txt
ubuntu@ip-172-31-38-55:~/my_folder$ cat my_file.txt
this is a test file
this is also a test file
ubuntu@ip-172-31-38-55:~/my_folder$ ls -l
total 8
-rw-rw-r-- 1 ubuntu ubuntu 45 Apr  6 12:57 my_file.txt
-rw-rw-r-- 1 ubuntu ubuntu 25 Apr  6 12:53 nother_file.txt
ubuntu@ip-172-31-38-55:~/my_folder$
```

Task-2:

```
# Create 20 text files: file1.txt to file20.txt
touch file{1..20}.txt

# Correct command to list files with details
ls -l

# Loop to rename first 5 files from .txt to .yml
for i in {1..5};
do
  mv file$i.txt file$i.yml
done

# List files sorted by latest modified time and show top 5
ls -t | head -5
```

```
ubuntu@ip-172-31-38-55:~/my_folder$ touch file{1..20}.txt
ubuntu@ip-172-31-38-55:~/my_folder$ ls-l
ls-l: command not found
ubuntu@ip-172-31-38-55:~/my_folder$ ls -l
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file1.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file10.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file11.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file12.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file13.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file14.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file15.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file16.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file17.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file18.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file19.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file20.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file3.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file4.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file5.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file6.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file7.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file8.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Apr  6 13:35 file9.txt
ubuntu@ip-172-31-38-55:~/my_folder$ for i in {1..5};
> do
> mv file$i.txt file$i.yml
> done
ubuntu@ip-172-31-38-55:~/my_folder$ ls -t |head -5
file1.yml
file10.txt
file11.txt
file12.txt
file13.txt
ubuntu@ip-172-31-38-55:~/my_folder$
```