


AWS Task-2

Step 1: Create VPC

- Login into aws console and click Create VPC
- Choose VPC only and enter VPC name and IPv4 CIDR range as 10.0.0.0/16, and click create.



Your VPCs (1/2) [Info](#) Last updated 3 minutes ago [Actions](#)

Find VPCs by attribute or tag

	Name	VPC ID	State	Encryption c...	Encryption control ...	Block Public...
☒	aws-task-vpc	vpc-0a882b88b061eca99	Available	–	–	Off
☐	default-vpc	vpc-082fe919a811a5608	Available	–	–	Off

[vpc-082fe919a811a5608 / default-vpc](#)

vpc-0a882b88b061eca99 / aws-task-vpc

[Details](#) [Resource map](#) [CIDRs](#) [Flow logs](#) [Tags](#) [Integrations](#)

Details

VPC ID vpc-0a882b88b061eca99	State Available	Block Public Access Off	DNS hostnames Disabled
DNS resolution Enabled	Tenancy default	DHCP option set dopt-04449e41831d0d5ca	Main route table rtb-0f080257af076aaf4
Main network ACL acl-0396d5c7d43b64ac1	Default VPC No	IPv4 CIDR 10.0.0.0/16	IPv6 pool –
IPv6 CIDR (Network border group) –	Network Address Usage metrics Disabled	Route 53 Resolver DNS Firewall rule groups Failed to load rule groups	Owner ID 361913686260
Encryption control ID –	Encryption control mode –		

Step 2: Create Public Subnet

- Select Subnets from the left panel of the VPC dashboard and click Create subnet.
- On the next page, choose the custom VPC that has been created.
- Enter the name for the subnet as “aws-task-public-subnet”
- Choose region and CIDR range as 10.0.1.0/24.
- Click Add new subnet, and enter the name for the subnet as “aws-task-private-subnet”
- Choose region and CIDR range as 10.0.2.0/24.

subnet-0a539e8620b46eec1 / aws-task-public-subnet

Details

Subnet ID subnet-0a539e8620b46eec1	Subnet ARN arn:aws:ec2:ap-south-1:361913686260:subnet/subnet-0a539e8620b46eec1	State Available	Block Public Access Off
IPv4 CIDR 10.0.1.0/24	Available IPv4 addresses 250	IPv6 CIDR -	IPv6 CIDR association ID -
Availability Zone aps1-az1 (ap-south-1a)	Network border group ap-south-1	VPC vpc-0a882b88b061eca99 aws-task-vpc	Route table rtb-0f080257af076aaf4
Network ACL acl-0396d5c7d43b64ac1	Default subnet No	Auto-assign public IPv4 address No	Auto-assign IPv6 address No
Auto-assign customer-owned IPv4 address No	Customer-owned IPv4 pool -	Outpost ID -	IPv4 CIDR reservations -
IPv6 CIDR reservations -	IPv6-only No	Hostname type IP name	Resource name DNS A record Disabled
Resource name DNS AAAA record Disabled	DNS64 Disabled	Owner 361913686260	

subnet-03e3cfeec9c969ff1 / aws-task-private-subnet

[Actions](#)

Details

Subnet ID subnet-03e3cfeec9c969ff1	Subnet ARN arn:aws:ec2:ap-south-1:361913686260:subnet/subnet-03e3cfeec9c969ff1	State Available	Block Public Access Off
IPv4 CIDR 10.0.2.0/24	Available IPv4 addresses 251	IPv6 CIDR -	IPv6 CIDR association ID -
Availability Zone aps1-az1 (ap-south-1a)	Network border group ap-south-1	VPC vpc-0a882b88b061eca99 aws-task-vpc	Route table rtb-0f080257af076aaf4
Network ACL acl-0396d5c7d43b64ac1	Default subnet No	Auto-assign public IPv4 address No	Auto-assign IPv6 address No
Auto-assign customer-owned IPv4 address No	Customer-owned IPv4 pool -	Outpost ID -	IPv4 CIDR reservations -
IPv6 CIDR reservations -	IPv6-only No	Hostname type IP name	Resource name DNS A record Disabled
Resource name DNS AAAA record Disabled	DNS64 Disabled	Owner 361913686260	

Step 3: Create Internet Gateway

- Select Internet Gateway from the left panel of the VPC dashboard and click Create.
- Enter name as “aws-task-igw” and attach the custom vpc which has been created earlier.

igw-0e715f46733ac3859 / aws-task-igw

[Actions](#)

Details [Info](#)

Internet gateway ID

 igw-0e715f46733ac3859

State

 Attached

VPC ID

[vpc-0a882b88b061eca99](#) | [aws-task-vpc](#)

Owner

 361913686260

Tags (1)

[Manage tags](#)< 1 > 

Key	Value
Name	aws-task-igw

Step 4: Enable Public traffic to the instance

- Go to the associated Route table and click edit routes.
- Add a route with configuration, destination as 0.0.0.0/0 and Target as Internet gateway created in the earlier step.

Edit routes

Destination

10.0.0.0/16

Target

local

Status

 Active

Internet Gateway

 Active[Add route](#)

Your VPCs (1/2) [Info](#)

Last updated
less than a minute ago[Actions](#)[Create VPC](#)

☒	Name	VPC ID	State	Encryption c...	Encryption control ...	Block Public...	IPv4 CIDR	IPv6 CIDR
☒	aws-task-vpc	vpc-0a882b88b061eca99	Available	-	-	Off	10.0.0.0/16	-

vpc-0a882b88b061eca99 / aws-task-vpc

[Details](#) [Resource map](#) [CIDRs](#) [Flow logs](#) [Tags](#) [Integrations](#)

Resource map [Info](#)

☒ Show all details

VPC

Your AWS virtual network

aws-task-vpc

10.0.0.0/16

No IPv6

Subnets (2)

Subnets within this VPC

ap-south-1a

 aws-task-private-subnet

10.0.0.0/24

No IPv6

 aws-task-public-subnet

10.0.1.0/24

No IPv6

Route tables (1)

Route network traffic to resources

rtb-0f080257af076aaf4

2 subnet associations

2 routes including local

Network Connections (1)

Connections to other networks

aws-task-igw

Internet routes to 2 public subnets

0 private subnets route to the Internet

Step 5: Launch Ubuntu EC2

- In the launch instance section, enter the name for the instance, and choose the instance type.

- Under the network settings, create a new security group, click edit, and select the custom VPC, subnet, and enable Auto-assign public IP.
- Once the instance is created and in a running state, click Connect to EC2 instance using Instance Connect.
- Check the connection

Instance summary for i-0e6b95a7b589a5354 (aws-task-instance) Info
Refresh
Connect
Instance state ▾
Actions ▾

Updated 1 minute ago

Instance ID i-0e6b95a7b589a5354	Public IPv4 address 13.206.68.104 open address	Private IPv4 addresses 10.0.1.109
IPv6 address -	Instance state Running	Public DNS -
Hostname type IP name: ip-10-0-1-109.ap-south-1.compute.internal	Private IP DNS name (IPv4 only) ip-10-0-1-109.ap-south-1.compute.internal	
Answer private resource DNS name -	Instance type t2.micro	Elastic IP addresses -
Auto-assigned IP address 13.206.68.104 [Public IP]	VPC ID vpc-0a882b88b061eca99 (my-vpc-1)	AWS Compute Optimizer finding User: arn:aws:iam::361913686260:user/guvisathishku mar is not authorized to perform: compute-optimizer: GetEnrollmentStatus on resource: * because no identity -based policy allows the compute-optimizer:GetEnrollmentStatus action Retry
IAM role -	Subnet ID subnet-0a539e8620b46eec1 (my-public-subnet)	Auto Scaling Group name -

[EC2](#) > [Instances](#) > [i-0e6b95a7b589a5354](#) > Connect to instance

Connect Info

Connect to an instance using the browser-based client.

Instance ID i-0e6b95a7b589a5354 (aws-task-instance)	VPC ID vpc-0a882b88b061eca99	Security groups sg-056efc83e326b33f4 (launch-wizard-2)	IAM role -
---	--	--	----------------------

[EC2 Instance Connect](#) | [SSM Session Manager](#) | [SSH client](#) | [EC2 serial console](#)

Instance ID
 i-0e6b95a7b589a5354 (aws-task-instance)

Connection type

☒ **Connect using a Public IP**
 Connect using a public IPv4 or IPv6 address

☐ **Connect using a Private IP**
 Connect using a private IP address and a VPC endpoint

☒ **Public IPv4 address**
 13.206.68.104

☐ **IPv6 address**
 -

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ubuntu.

```
aws [Option+S]
Usage of /: 27.0% of 6.71GB  Users logged in: 0
Memory usage: 22%  IPv4 address for enX0: 10.0.1.109
Swap usage: 0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

Last login: Fri Apr 24 10:50:07 2026 from 13.233.177.5
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-10-0-1-109:~$ ping -c 4 google.com
PING google.com (142.250.206.110) 56(84) bytes of data.
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=1 ttl=114 time=2.05 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=2 ttl=114 time=1.82 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=3 ttl=114 time=2.06 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=4 ttl=114 time=1.66 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 1.663/1.897/2.058/0.165 ms
ubuntu@ip-10-0-1-109:~$
```

i-0e6b95a7b589a5354 (aws-task-instance)

PublicIPs: 13.206.68.104 PrivateIPs: 10.0.1.109