

NAME	P.SATHISHKUMAR
DEPT	ECE III YEAR
REG NO	42012106303
COLLEGE CODE	4201
GROUP	IBM-GROUP 5

Project Submission Part 5: Project Documentation & Submission

Project Objectives: The main objectives of this project are to:

1. Develop a real-time parking availability system that allows drivers to find available parking spaces quickly and easily.
2. Reduce the time and stress associated with searching for parking, thereby improving the overall driving experience.
3. Alleviate parking congestion and optimize space usage in urban areas.

IoT Sensor Setup:

To create a real-time parking availability system, you'll need to deploy IoT sensors in parking spaces. The setup includes:

- **Ultrasonic Sensors:** Install ultrasonic sensors above each parking space. These sensors can measure the distance between the sensor and the ground, indicating whether a vehicle is occupying the space.
- **Raspberry Pi:** Connect a Raspberry Pi to a cluster of these sensors. The Raspberry Pi will collect data from the sensors and transmit it to a central server for processing.
- **Central Server:** Set up a central server (cloud-based or on-premises) to receive and process data from the Raspberry Pi. This server will also host the database where parking space occupancy data is stored.

Mobile App Development:

The mobile app is an essential component of the system. It will be developed for iOS and Android platforms and will include the following features:

- **User Registration:** Users can create accounts and log in to access the service.
- **Real-Time Parking Availability:** The app will display a map of available parking spaces, color-coded to show occupancy status. Green for available, red for occupied.
- **Navigation Integration:** The app can provide turn-by-turn navigation to the selected parking space.
- **Booking and Payment:** Users can reserve parking spaces and make payments through the app.
- **Feedback and Rating:** Users can provide feedback and rate their parking experience.

Raspberry Pi Integration:


The Raspberry Pi will be integrated into the system as follows:

- Connect the Raspberry Pi to the local network or the internet to transmit data to the central server.
- Develop Python scripts on the Raspberry Pi to collect data from ultrasonic sensors.
- Implement error-handling and data validation routines to ensure data accuracy.
- Establish a secure connection with the central server for data transmission.

Code Implementation:

On the central server and mobile app side, the code will involve:

- **Backend Development:** Create server-side code to receive and process data from the Raspberry Pi, store it in a database, and provide data to the mobile app.
- **Database Design:** Design the database to store parking space occupancy data, user information, and reservations.
- **Mobile App Development:** Build the mobile app using a framework like React Native, Flutter, or native development tools for iOS and Android.
- **User Authentication:** Implement user registration and authentication with security measures.
- **Real-Time Updates:** Set up a mechanism for the mobile app to receive real-time updates on parking space availability.



4. Environmentally Friendly: Reduced circling for parking decreases fuel consumption and emissions, contributing to environmental sustainability.
5. Optimized Space Usage: The system can lead to better utilization of parking facilities, reducing urban congestion and promoting sustainable urban planning.
6. User Feedback: The feedback and rating feature can help parking operators improve their services, enhancing the overall parking experience.

In summary, the real-time parking availability system combines IoT technology, mobile app development, and data analysis to create a user-friendly solution that benefits both drivers and urban planning efforts. It aims to optimize parking space usage and contribute to a smoother, more efficient urban environment.