# **A Project Report**

# **E-Learning Portal**

Submitted in partial fulfillment of the requirements for the award of degree

# BACHELOR OF ENGINEERING in COMPUTER SCIENCE AND ENGINEERING

## By

N Kedarnath Rishit	160118733031
Rama Krishna Parjanya Varanasi	160118733038
Sathvik Thandra	160118733047



# Department of Computer Science and Engineering, Chaitanya Bharathi Institute of Technology (Autonomous),

(Affiliated to Osmania University, Hyderabad) Hyderabad, TELANGANA (INDIA) – 500 075 November-2020 **CERTIFICATE** 

This is to certify that the project titled "E-Learning Portal" is the bonafide work carried out

by N Kedarnath Rishit (160118733031), Rama Krishna Parjanya Varanasi

(160118733038), Sathvik Thandra (160118733047) students of B.E.(CSE) of Chaitanya

Bharathi Institute of Technology, Hyderabad, affiliated to Osmania University, Hyderabad,

Telangana (India) during the academic year 2020-, submitted in partial fulfillment of the

requirements for the award of the degree in **Bachelor of Engineering (Computer Science** 

and Engineering ) and that the project has not formed the basis for the award previously of

any other degree, diploma, fellowship or any other similar title.

Mentors Dr. Sangeeta Gupta Smt. D. Naga Jyothi

Smt. A.Sangeeta

Head, CSE Dept. Smt. Y.Ramadevi

**External Examiner** 

2

**DECLARATION** 

I/we hereby declare that the project entitled "E- Learning Portal" submitted for the B. E (CSE)

degree is my original work and the project has not formed the basis for the award of any other

degree, diploma, fellowship or any other similar titles.

Name(s) of the Student

N Kedarnath Rishit

Rama Krishna Parjanya Varanasi

Sathvik Thandra

Place: Hyderabad

Date: 29-11-2020

3

## **ABSTRACT**

E-Learning Portal is a project which aims in developing an online application to provide Online Education, maintain Study Materials, keep Student records and collect Payments. This project has login features, Educator as Admin and Student as a user can login into their own portal separately. The Admin can login, through which the admin can monitor the whole system. This System can be used to search for course, add new courses, edit course, check payment status etc. The Admin after logging into his account can generate reports such as sell Report. The User can login into his account to follow course he purchased and can share his/her feedback.

Overall this project of ours is being developed to help the Educator (Admin) as well as Students (User) to provide Teaching-Learning platform in the best way possible.

# Acknowledgment

It is a genuine pleasure to express our profound gratitude and deep regards to our teachers and friends for their exemplary guidance, monitoring and constant encouragement. We would like to express our special thanks to CBIT who gave us the golden opportunity to do this wonderful project on the topic "E-learning portal" which helped us in doing a lot of research and we came to know a lot of new things in this COVID pandemic staying at home.

# **Table of Contents**

	Title Page	1
	Certificate of the Guide	2
	Declaration of the Student	3
	Abstract	4
	Acknowledgement	5
1.	INTRODUCTION	7
1.	1.1 Problem Definition and Objective	7
	1.2 Methodologies	8
	1.3 Scope of the project	8
	1.4 Development of project	8
2.	LITERATURE SURVEY	9
	2.1 Introduction to the problem domain terminology	9
	2.2 Existing solutions	9
	2.3 Tools/Technologies used	9
3.	DESIGN OF THE PROPOSED SYSTEM	11
	3.1 Module Description	11
	3.2.Modularization Detail	11
4	IMPLEMENTATION OF THE PROPOSED SYSTEM	14
	4.1 Flowcharts/Use Case /ER Diagrams	14
	4.2 Full Source Code/Algorithm/Methods	17
5.	RESULTS / OUTPUTS	80
6.	CONCLUSIONS / RECOMMENDATIONS	91
	6.1.1 Conclusions	91
	6.1.2 Limitations	91
	6.1.3 Recommendations / Future Work /Future Scope	91
	REFERENCES	92

#### 1. INTRODUCTION

#### 1.1 PROBLEM DEFINITION AND OBJECTIVES

The use of e-Learning technology in higher education institutions is no longer an option but has become a necessity. In an era known as the society of technology and knowledge, where lifelong learning is a way of life, it is important that educational institutions have as a priority the goal of finding effective ways of providing new learning opportunities according to their environment, student characteristics, teacher training, economic crisis and advancing technology in an effort to make learning more efficient, equitable and innovative in higher education.

Normally it has been practiced in higher education and corporate and occupational training contexts as a part of lifelong learning. However, with the emergence of new open and mobile platforms and web apps, a range of possibilities has opened to facilitate teaching and learning processes in fully on-site or blended environments. As a result, e-learning has been implemented in all educational systems, transcending the traditional idea of distance education.

A flexible web-based learning experience allows you to go through a guided curriculum or choose lessons on an as-needed basis. Following are the main objectives:-

- Ability to recall previously learned material Students/learners can watch video courses as many times as they need. If they forgot something during the course they can come back and watch that specific part anytime.
- Creative way to present lesson It is very creative way to present lectures. It will enhance teaching ability of tutor.
- Low Cost As nobody needs to travel or rent anything so it's very cost efficient.
- High Quality As tutor do not has time bound so he can teach in his own comfort time.
- Learn anytime from anywhere Students/Learners can start learning anytime from anywhere they just required internet connection with a compatible device.
- Improve course quality according to learner's feedback Tutor can improve their course as per student's feedback. It will help tutor to improve their ability to teach.
- Earn Money Online— As courses are paid so we can say it's an online teaching business which has no boundaries means students/learners can join from across the world so this system can make good business with good quality.

#### 1.2 METHODOLOGIES

Usage of HTML,CSS,Java Script,PHP have been used to create various features in the platform to make it good looking and at the same time keeping it convinence of use high.

To make developments more features like video calling and live sessions have to be added.

#### 1.3 SCOPE OF THE PROJECT

During this COVID-19 pandemic, E-learning has become a dire necessity for students as well as teachers. E-learning portal developed by us can be used by schools, colleges and universities for uploading courses online. The platform is designed in such a way that it is very easy to understand and use. So, even lower grade students can use it too.

#### 1.4 DEVELOPMENT OF THE REPORT

The report submitted is of 6 chapters where each chapter has several sub topics.

#### 2. LITERATURE SURVEY

#### 2.1 INTRODUCTION TO THE PROBLEM DOMAIN TECHNOLOGY

It is difficult to find time for the training necessary to gain new skills and boost your productivity. With **E-Learning** you're able to learn at a pace that is comfortable for you. **E-learning** is a powerful Learning Management System implementing the latest trends in e-learning. E-Learning is learning utilizing electronic technologies to access educational curriculum outside of a traditional classroom. In most cases, it refers to a course, or program delivered completely online. We define eLearning as courses that are specifically delivered via the internet to somewhere other than the classroom where the professor is teaching. E-Learning has been proven to be a successful method of training and education is becoming a way of life for many citizens in India and across the World.

#### 2.2 EXISTING SOLUTIONS

Most of the solutions for the E-learning portal already existed but due to the sudden pandemic of COVID-19, all of them went to high demand. Most of the courses in these products have been made available for free for students to learn.

#### 2.3 TOOLS/TECHNOLOGIES USED

#### 2.3.1 Software Requirements

Operating System	Windows 10
Front End	HTML, CSS, JavaScript
Back End	PHP
Library/ Framework	Bootstrap, JQuery, FontAwesome
Code Editor	Visual Studio Code
Database	MySQL
Web Server	Apache
Web Browser	Google Chrome
Payment Gateway	Paytm

Drawing Tools	yEd Graph Editor
	StarUML

# 2.3.2 Hardware Requirements

Processor	1.6 GHz or Faster Processor
RAM	4 GB
Disk Space	10 GB of Available Hard Disk
Graphic	DirectX 9-Capable Video Card
Display	1024 X 768 or Higher Resolution

#### 3. DESIGN OF THE PROPOSED SYSTEM

## 3.1 Module Description

#### **Input Module**

In order to complete the tasks of the project and to get output by using this application work, there is need of some input based on the work that is to be carried out by using it. Different kinds of input are required for different purposes.

- Student/Learner Registration
- Course
- Lesson
- Feedback
- Payment Status

#### **Output Module**

The project named E-Learning portal is being made keeping in mind to solve the activities that are carried out in the Education. By using this, Admin can easily do many things like as:

- Student/Learner List
- Course Detail
- Lesson Detail
- Sell Report
- Payment Receipt

#### 3.2 Modularization Detail

#### **Without Registration**

- **Home** This module contains all the links of the application such as Courses, Payment Status, Login, Sign Up, Feedback Section and Contact.
- **Courses** This module contains list of all the courses which are available.
- **Payment Status** This module is used to check Payment status after purchasing a course.
- Login This module is used to login into Student/Learner Panel.
- **Sign Up** This module is used to register for the Student/Learner Panel.
- **Feedback** This section shows feedback given by registered students/learners.

• **Contact** – Learner can use this section to contact the admin/tutor for any kind of queries.

#### **Student Panel**

- **Profile** This module contains all the details about Student/Learner as well as Student can update their details.
- My Courses This module contains list of all purchased courses.
- Feedback This module is used to write feedback.
- Change Password Students can use this module to change password.
- Logout This module is used to return back to Home Page.

#### **Admin Panel**

- Dashboard This module displays overview of whole application.
- Courses This module contains all the courses.
- Lessons This module contains all the lesson depends on course id.
- Students This module displays all the registered student details.
- Sell Report This module is used to view and print sells report.
- Payment Status This module displays payment status in more details.
- Feedback This module displays feedback given by students.
- Change Password Admin can use this module to change password.
- Logout This module is used to return back to Home Page.

**Home:** When the user click on this tab, it will display the other modules and pages of the website such as courses, payment status, login, sign up, popular section, feedback section, contact and admin login. This module will be used to display the brief introduction of the project and will show the title of the project.

**Courses:** Student can view all available courses by clicking on courses tab where he can choose course according to his own interest and by clicking on a particular course, will display more details with lesson title of the course, if he wants to purchase he will be able to make payment (required login).

**Payment Status**: After purchasing course student will be provided an order id which can be used to get the status of payment using Payment status tab. If student wants he can get print out of his payment status.

**Login:** This is a login form. Student/Learner can use their own email and password to login into the student panel.

**Sign Up**: This is a Registration form for new Students/Learners. New Students/Learners can fill up the form for registration and after successful registration they can use their email id and password to login into the application.

**Feedback:** This is very simple section which displays feedback given by the registered student.

**Contact:** Learner can use this section to contact the admin/tutor for any kind of queries.

#### **Student Panel**

**Profile:** Students/Learners can view their student id, registered email id, name, occupation, profile picture as well as they can modify and update the new data if they need.

**My Courses:** Students can view all courses which they purchased. This is the place where they can start watching lectures by clicking on Watch Course button which leads to course playlist where they can watch the entire lesson of course.

Feedback: Students can view/write feedback.

Change Password: Students can use this module to change password.

**Logout:** This module is used exit student panel and return back to Home Page.

#### **Admin Panel**

**Dashboard:** This module displays overview of whole application such as number of course, number of registered students etc.

**Courses**: This is the most important module of admin panel where Admin can view list of course as well as add new courses and modify or delete courses.

**Lessons**: Admin can view lesson based on course id as well as new lesson can be added to the course and modification or deletion is also possible using this module.

**Students:** Admin can view registered students details. Admin can add, edit and delete student.

**Feedback:** Admin can view/delete feedback given by student.

**Sell Report:** Analyzing sales is very import for any kind of business and this module is perfect for analyzing sales based on date. It will generate sells report which can be possible to print out for office records.

**Payment Status**: If student file any complaints regarding payment Admin can use this module to display payment status in more details such as bank name, transaction id, payment date etc.


Change Password: Admin can use change password.

Logout: This module is used exit admin panel and return back to Home Page.


## 4. IMPLEMENTATION OF THE PROPOSED SYSTEM

# 4.1 Flowcharts / Use-Case / ER Diagrams

## **FLOWCHART**




# **USE-CASE DIAGRAM**



**Use Case** 

# **ER DIAGRAM:**



# 4.2 Algorithms / Pseudo Code

dbConnection.php

```
<?php
$db_host = "localhost";
$db_user = "root";
$db_password = "";
$db_name = "lms_db";
$conn = new mysqli($db_host, $db_user, $db_password, $db_name);
if($conn->connect_error) {
   die("connection failed");
}
?>
```

#### ./mainInclude/header.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <meta http-equiv="X-UA-Compatible" content="ie=edge" />
    <!-- Bootstrap CSS -->
   <link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
   <!-- Font Awesome CSS -->
   <link rel="stylesheet" type="text/css" href="css/all.min.css">
   <!-- Google Font -->
   <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="sty</pre>
lesheet">
   <!-- Student Testimonial Owl Slider CSS -->
   <link rel="stylesheet" type="text/css" href="css/owl.min.css">
<link rel="stylesheet" type="text/css" href="css/owl.theme.min.css">
   <link rel="stylesheet" type="text/css" href="css/testyslider.css">
   <!-- Custom Style CSS -->
   <link rel="stylesheet" type="text/css" href="./css/style.css" />
   <title>E-learning</title>
 </head>
  <body>
    <!-- Start Nagigation -->
   <nav class="navbar navbar-expand-sm navbar-dark pl-5 fixed-top">
     <a href="index.php" class="navbar-brand">Elearning</a>
     <span class="navbar-text">Learn and Implement</span>
     <button type="button" class="navbar-toggler" data-</pre>
toggle="collapse" data-target="#myMenu">
        <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="myMenu">
        item"><a href="index.php" class="nav-link">Home</a>
         item"><a href="courses.php" class="nav-link">Courses</a>
```

```
item"><a href="paymentstatus.php" class="nav-</pre>
link">Payment Status</a>
         <?php
            session start();
            if (isset($ SESSION['is login'])){
              echo '<li class="nav-item custom-nav-
item"><a href="student/studentProfile.php" class="nav-</pre>
link">My Profile</a> <li class="nav-item custom-nav-
item"><a href="logout.php" class="nav-link">Logout</a>';
             } else {
              echo '<li class="nav-item custom-nav-
item"><a href="#login" class="nav-link" data-toggle="modal" data-
target="#stuLoginModalCenter">Login</a> <a href="#signup" class="nav-link" data-toggle="modal" data-</pre>
target="#stuRegModalCenter">Signup</a>';
         ?>
         item"><a href="#Feedback" class="nav-link">Feedback</a>
         item"><a href="#Contact" class="nav-link">Contact</a>
       </div>
   </nav> <!-- End Navigation -->
```

#### ./mainInclude/footer.php

```
<footer class="container-fluid bg-dark text-center p-2">
    <small class="text-white">Copyright &copy; 2020|| Designed By Team-
17 | <?php
          if (isset($_SESSION['is_admin_login'])){
            echo '<a href="admin/adminDashboard.php"> Admin Dashboard</a</pre>
> <a href="logout.php">Logout</a>';
          }else {
            echo '<a href="#login" data-toggle="modal" data-
target="#adminLoginModalCenter"> Admin Login</a>';
    ?>
 </small>
 </footer>
    <div class="modal fade" id="stuRegModalCenter" tabindex="-</pre>
1" role="dialog" aria-labelledby="stuRegModalCenterTitle" aria-
hidden="true">
      <div class="modal-dialog modal-dialog-centered" role="document">
        <div class="modal-content">
          <div class="modal-header">
            <h5 class="modal-
title" id="stuRegModalCenterTitle">Student Registration</h5>
```

```
<button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close" onclick="clearAllStuReg()">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <div class="modal-body">
            <!--Start Form Registration-->
            <?php include('studentRegistration.php'); ?>
            <!-- End Form Registration -->
          </div>
          <div class="modal-footer">
            <span id="successMsg"></span>
            <button type="button" class="btn btn-</pre>
primary" id="signup" onclick="addStu()">Sign Up</button>
            <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal" onclick="clearAllStuReg()">Close</button>
          </div>
        </div>
      </div>
    </div>
    <div class="modal fade" id="stuLoginModalCenter" tabindex="-</pre>
1" role="dialog" aria-labelledby="stuLoginModalCenterTitle" aria-
hidden="true">
      <div class="modal-dialog modal-dialog-centered" role="document">
        <div class="modal-content">
          <div class="modal-header">
            <h5 class="modal-
title" id="stuLoginModalCenterTitle">Student Login</h5>
            <button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close" onClick="clearStuLoginWithStatus()">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <div class="modal-body">
            <form role="form" id="stuLoginForm">
              <div class="form-group">
                <i class="fas fa-
envelope"></i><label for="stuLogEmail" class="pl-2 font-weight-
bold">Email</label><small id="statusLogMsg1"></small><input type="email"</pre>
                    class="form-
control" placeholder="Email" name="stuLogEmail" id="stuLogEmail">
                </div>
                <div class="form-group">
                  <i class="fas fa-
key"></i><label for="stuLogPass" class="pl-2 font-weight-
bold">Password</label><input type="password" class="form-
control" placeholder="Password" name="stuLogPass" id="stuLogPass">
```

```
</div>
            </form>
          </div>
          <div class="modal-footer">
            <small id="statusLogMsg"></small>
            <button type="button" class="btn btn-</pre>
primary" id="stuLoginBtn" onclick="checkStuLogin()">Login</button>
            <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal" onClick="clearStuLoginWithStatus()">Cancel</button>
          </div>
        </div>
      </div>
    </div>
  <div class="modal fade" id="adminLoginModalCenter" tabindex="-</pre>
1" role="dialog" aria-labelledby="adminLoginModalCenterTitle" aria-
hidden="true">
      <div class="modal-dialog modal-dialog-centered" role="document">
        <div class="modal-content">
          <div class="modal-header">
            <h5 class="modal-
title" id="adminLoginModalCenterTitle">Admin Login</h5>
            <button type="button" class="close" data-</pre>
dismiss="modal" aria-
label="Close" onClick="clearAdminLoginWithStatus()">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <div class="modal-body">
            <form role="form" id="adminLoginForm">
              <div class="form-group">
                <i class="fas fa-
envelope"></i><label for="adminLogEmail" class="pl-2 font-weight-</pre>
bold">Email</label><input type="email"</pre>
                    class="form-
control" placeholder="Email" name="adminLogEmail" id="adminLogEmail">
                <div class="form-group">
                  <i class="fas fa-
key"></i><label for="adminLogPass" class="pl-2 font-weight-
bold">Password</label><input type="password" class="form-
control" placeholder="Password" name="adminLogPass" id="adminLogPass">
              </div>
            </form>
          </div>
          <div class="modal-footer">
            <small id="statusAdminLogMsg"></small>
```

```
<button type="button" class="btn btn-</pre>
primary" id="adminLoginBtn" onclick="checkAdminLogin()">Login</button>
            <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal" onClick="clearAdminLoginWithStatus()">Cancel</button>
          </div>
        </div>
      </div>
   </div>
   <script type="text/javascript" src="js/jquery.min.js"></script>
   <script type="text/javascript" src="js/popper.min.js"></script>
   <script type="text/javascript" src="js/bootstrap.min.js"></script>
  <script type="text/javascript" src="js/all.min.js"></script>
    <script type="text/javascript" src="js/owl.min.js"></script>
   <script type="text/javascript" src="js/ajaxrequest.js"></script>
   <script type="text/javascript" src="js/adminajaxrequest.js"></script</pre>
   <script type="text/javascript" src="js/custom.js"></script>
</body>
</html>
```

### Contact.php

```
<div class="container mt-4" id="Contact" >
      <h2 class="text-center mb-4">Contact US</h2>
        <div class="col-md-8">
<form action="" method="post">
            <input type="text" class="form-</pre>
control" name="name" placeholder="Name"><br>
            <input type="text" class="form-</pre>
control" name="subject" placeholder="Subject"><br>
            <input type="email" class="form-</pre>
control" name="email" placeholder="E-mail"><br>
            <textarea class="form-
control" name="message" placeholder="How can we help you?" style="height
:150px;"></textarea><br>
            <input class="btn btn-</pre>
primary" type="submit" value="Send" name="submit"><br><br>
          </form>
        </div>
      </div>
   </div>
```

#### StudentRegistration.php

```
<form role="form" id="stuRegForm">
     <div class="form-group">
```

```
<i class="fas fa-user"></i><label for="stuname" class="pl-2 font-</pre>
weight-
bold">Name</label><small id="statusMsg1"></small><input type="text"</pre>
       class="form-
control" placeholder="Name" name="stuname" id="stuname">
   </div>
   <div class="form-group">
   <i class="fas fa-envelope"></i><label for="stuemail" class="pl-</pre>
2 font-weight-
bold">Email</label><small id="statusMsg2"></small><input type="email"</pre>
       class="form-
control" placeholder="Email" name="stuemail" id="stuemail">
     <small class="form-</pre>
text">We'll never share your email with anyone else.
   <div class="form-group">
     <i class="fas fa-key"></i><label for="stupass" class="pl-2 font-</pre>
weight-bold">New
       Password</label><small id="statusMsg3"></small><input type="passw"
ord" class="form-
control" placeholder="Password" name="stupass" id="stupass">
   </div></form>
```

#### loginorsignup.php

```
<?php
  include('./dbConnection.php');
  include('./mainInclude/header.php');
    <div class="container-fluid bg-dark">
      <div class="row">
        <img src="./image/coursebanner.jpg" alt="courses" style="height:</pre>
300px; width:100%; object-fit:cover; box-shadow:10px;"/>
      </div>
    </div>
    <div class="container jumbotron mb-5">
     <div class="row">
      <div class="col-md-4">
        <h5 class="mb-3">If Already Registered !! Login</h5>
       <form role="form" id="stuLoginForm">
         <div class="form-group">
           <i class="fas fa-
envelope"></i><label for="stuLogEmail" class="pl-2 font-weight-
bold">Email</label><small id="statusLogMsg1"></small><input type="email"</pre>
               class="form-
control" placeholder="Email" name="stuLogEmail" id="stuLogEmail">
```

```
</div>
           <div class="form-group">
            <i class="fas fa-key"></i><label for="stuLogPass" class="pl-</pre>
2 font-weight-bold">Password</label><input type="password" class="form-</pre>
control" placeholder="Password" name="stuLogPass" id="stuLogPass">
         </div>
         <button type="button" class="btn btn-</pre>
primary" id="stuLoginBtn" onclick="checkStuLogin()">Login</button>
       </form><br/>
       <small id="statusLogMsg"></small>
      <div class="col-md-6 offset-md-1">
      <h5 class="mb-3">New User !! Sign Up</h5>
        <form role="form" id="stuRegForm">
           <div class="form-group">
             <i class="fas fa-user"></i><label for="stuname" class="pl-</pre>
2 font-weight-
bold">Name</label><small id="statusMsg1"></small><input type="text"</pre>
               class="form-
control" placeholder="Name" name="stuname" id="stuname">
           <div class="form-group">
           <i class="fas fa-
envelope"></i><label for="stuemail" class="pl-2 font-weight-
bold">Email</label><small id="statusMsg2"></small><input type="email"</pre>
               class="form-
control" placeholder="Email" name="stuemail" id="stuemail">
             <small class="form-</pre>
text">We'll never share your email with anyone else.
           </div>
           <div class="form-group">
             <i class="fas fa-key"></i><label for="stupass" class="pl-</pre>
2 font-weight-bold">New
               Password</label><small id="statusMsg3"></small><input typ</pre>
e="password" class="form-
control" placeholder="Password" name="stupass" id="stupass">
           </div>
           <button type="button" class="btn btn-</pre>
primary" id="signup" onclick="addStu()">Sign Up</button>
        </form> <br/>
        <small id="successMsg"></small>
      </div>
     </div>
    </div>
```

#### Checkout.php

```
<?php
include('./dbConnection.php');
session start();
if(!isset($_SESSION['stuLogEmail'])) {
 echo "<script> location.href='loginorsignup.php'; </script>";
} else {
  header("Pragma: no-cache");
 header("Cache-Control: no-cache");
 header("Expires: 0");
 $stuEmail = $ SESSION['stuLogEmail'];
  <!DOCTYPE html>
  <html lang="en">
  <head>
   <meta charset="UTF-8">
   <meta name="GENERATOR" content="Evrsoft First Page">
   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
   <meta http-equiv="X-UA-Compatible" content="ie=edge">
   <link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
    <link rel="stylesheet" type="text/css" href="css/all.min.css">
    <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="sty</pre>
lesheet">
   <link rel="stylesheet" type="text/css" href="./css/style.css" />
    <title>ELearning</title>
   <title>Checkout</title>
  </head>
  <body>
  <div class="container mt-5">
    <div class="row">
    <div class="col-sm-6 offset-sm-3 jumbotron">
    <h3 class="mb-5">Welcome to E-Learning Payment Page</h3>
     <form method="post" action="./PaytmKit/pgRedirect.php">
     <div class="form-group row">
```

```
<label for="ORDER_ID" class="col-sm-4 col-form-</pre>
label">Order ID</label>
       <div class="col-sm-8">
         <input id="ORDER_ID" class="form-</pre>
control" tabindex="1" maxlength="20" size="20" name="ORDER ID" autocompl
ete="off"
          value="<?php echo "ORDS" . rand(10000,99999999)?>" readonly>
       </div>
      </div>
      <div class="form-group row">
       <label for="CUST ID" class="col-sm-4 col-form-</pre>
label">Student Email</label>
       <div class="col-sm-8">
         <input id="CUST ID" class="form-</pre>
control" tabindex="2" maxlength="12" size="12" name="CUST_ID" autocomple
te="off" value="<?php if(isset($stuEmail)){echo $stuEmail; }?>" readonly
       </div>
      </div>
      <div class="form-group row">
       <label for="TXN_AMOUNT" class="col-sm-4 col-form-</pre>
label">Amount</label>
       <div class="col-sm-8">
        <input title="TXN_AMOUNT" class="form-control" tabindex="10"</pre>
          type="text" name="TXN AMOUNT" value="<?php if(isset($ POST['id</pre>
</div>
      </div>
      <div class="form-group row">
      <div class="col-sm-8">
         <input type="hidden" id="INDUSTRY_TYPE_ID" class="form-</pre>
control" tabindex="4" maxlength="12" size="12" name="INDUSTRY_TYPE_ID" a
utocomplete="off" value="Retail" readonly>
       </div>
      </div>
      <div class="form-group row">
       <div class="col-sm-8">
         <input type="hidden" id="CHANNEL_ID" class="form-</pre>
control" tabindex="4" maxlength="12" size="12" name="CHANNEL ID" autocom
plete="off" value="WEB" readonly>
      </div>
      </div>
      <div class="text-center">
      <input value="Check out" type="submit" class="btn btn-</pre>
primary" onclick="">
       <a href="./courses.php" class="btn btn-secondary">Cancel</a>
      </div>
```

#### Paymentstatus.php

```
<?php
  include('./dbConnection.php');
  // Header Include from mainInclude
  include('./mainInclude/header.php');
  header("Pragma: no-cache");
  header("Cache-Control: no-cache");
  header("Expires: 0");
require once("./PaytmKit/lib/config paytm.php");
  require once("./PaytmKit/lib/encdec paytm.php");
  $ORDER_ID = "";
 $requestParamList = array();
  $responseParamList = array();
  if (isset($ POST["ORDER ID"]) && $ POST["ORDER ID"] != "") {
    $ORDER_ID = $_POST["ORDER_ID"];
    $requestParamList = array("MID" => PAYTM MERCHANT MID , "ORDERID" =>
 $ORDER_ID);
    $StatusCheckSum = getChecksumFromArray($requestParamList,PAYTM_MERCH
ANT KEY);
    $requestParamList['CHECKSUMHASH'] = $StatusCheckSum;
    $responseParamList = getTxnStatusNew($requestParamList);
  <div class="container-fluid bg-dark"> <!-- Start Course Page Banner -</pre>
     <div class="row">
       <img src="./image/coursebanner.jpg" alt="courses" style="height:3</pre>
00px; width:100%; object-fit:cover; box-shadow:10px;"/>
     </div>
   </div> <!-- End Course Page Banner -->
   <div class="container">
```

```
<h2 class="text-center my-4">Payment Status </h2>
    <form method="post" action="">
    <div class="form-group row">
       <label class="offset-sm-3 col-form-label">Order ID: </label>
       <div>
         <input class="form-control mx-</pre>
3" id="ORDER_ID" tabindex="1" maxlength="20" size="20" name="ORDER_ID" a
utocomplete="off" value="<?php echo $ORDER_ID ?>">
       </div>
       <div>
         <input class="btn btn-primary mx-</pre>
4" value="View" type="submit" onclick="">
       </div>
     </div>
    </form>
   </div>
   <div class="container">
   <?php
     if (isset($responseParamList) && count($responseParamList)>0 )
       $sql = "SELECT order_id FROM courseorder";
       $result = $conn->query($sq1);
       while($row = $result->fetch_assoc()){
         if($responseParamList["ORDERID"] == $row["order_id"]){ ?>
           <div class="row justify-content-center">
             <div class="col-auto">
               <h2 class="text-center">Payment Receipt</h2>
               <?php
                    foreach($responseParamList as $paramName => $param
Value) {
                      if(($paramName == "TXNID") || ($paramName == "OR
DERID") || ($paramName == "TXNAMOUNT") || ($paramName == "STATUS")){ ?>
                    </r/>
                      <label><?php echo $paramName?></label>
                      <?php echo $paramValue?>
                    <?php } }?>
                    <button class="btn btn-
primary" onclick="javascript:window.print();">Print Receipt</button></td</pre>
                    </div>
             </div>
     <?php
     } } } ;>
   </div>
<div class="mt-5">
```

```
<?php
  include('./contact.php');
?>
</div>
<?php
include('./mainInclude/footer.php');
?>
```

## Logout.php

```
<?php
session_start();
session_destroy();
echo "<script> location.href='index.php'; </script>";
?>
```

## Index.php

```
<?php
 include('./dbConnection.php');
 include('./mainInclude/header.php');
    <div class="container-fluid remove-vid-marg">
      <div class="vid-parent">
        <video playsinline autoplay muted loop>
          <source src="video/temp.mp4" />
        </video>
        <div class="vid-overlay"></div>
      </div>
      <div class="vid-content" >
        <h1 class="my-content">Welcome to Elearning</h1>
        <small class="my-content">Learn and Implement</small><br />
        <?php
              if(!isset($_SESSION['is_login'])){
                echo '<a class="btn btn-danger mt-3" href="#" data-
toggle="modal" data-target="#stuRegModalCenter">Get Started</a>';
              } else {
                echo '<a class="btn btn-primary mt-
3" href="student/studentProfile.php">My Profile</a>';
          ?>
      </div>
```

```
</div>
    <div class="container-fluid bg-danger txt-banner">
        <div class="row bottom-banner">
          <div class="col-sm">
            <h5> <i class="fas fa-book-open mr-
3"></i> 10+ Online Courses</h5>
         </div>
         <div class="col-sm">
           <h5><i class="fas fa-users mr-
3"></i> Live Feeback For every Course </h5>
         </div>
         <div class="col-sm">
           <h5><i class="fas fa-keyboard mr-3"></i> Lifetime Access</h5>
         </div>
         <div class="col-sm">
            <h5><i class="fas fa-rupee-sign mr-3"></i>Easy Payment </h5>
          </div>
        </div>
   </div> <!-- End Text Banner -->
   <div class="container mt-5"> <!-- Start Most Popular Course -->
      <h1 class="text-center">Popular Course</h1>
      <div class="card-deck mt-4">
       $sql = "SELECT * FROM course LIMIT 3";
       $result = $conn->query($sq1);
       if($result->num_rows > 0){
         while($row = $result->fetch assoc()){
            $course_id = $row['course_id'];
            echo '
            <a href="coursedetails.php?course_id='.$course_id.'" class="btn"</pre>
 style="text-align: left; padding:0px; margin:0px;">
              <div class="card">
                <img src="'.str_replace('...', '..', $row['course_img']).'" cl</pre>
ass="card-img-top" alt="Guitar" />
                <div class="card-body">
                  <h5 class="card-title">'.$row['course_name'].'</h5>
                  '.$row['course_desc'].'
               </div>
               <div class="card-footer">
```

```
inline">Price: <small><del>&#8377 '.$row['course_original_price'].'</del></s</pre>
mall> <span class="font-weight-
bolder">&#8377 '.$row['course_price'].'<span> <a class="btn btn-
primary text-white font-weight-bolder float-
right" href="coursedetails.php?course_id='.$course_id.'">Enroll</a>
               </div>
             </div>
           </a> ';
     </div>
     <div class="card-deck mt-4">
       <?php
         $sql = "SELECT * FROM course LIMIT 3,3";
         $result = $conn->query($sq1);
         if($result->num_rows > 0){
           while($row = $result->fetch assoc()){
             $course id = $row['course id'];
             echo '
               <a href="coursedetails.php?course id='.$course id.'" class=</pre>
"btn" style="text-align: left; padding:0px;">
                 <div class="card">
                   <img src="'.str_replace('..', '.', $row['course_img']).'</pre>
" class="card-img-top" alt="Guitar" />
                   <div class="card-body">
                     <h5 class="card-title">'.$row['course_name'].'</h5>
                     '.$row['course desc'].'
                   </div>
                   <div class="card-footer">
                     inline">Price: <small><del>&#8377 '.$row['course_original_price'].'</del></s</pre>
mall> <span class="font-weight-</pre>
bolder">&#8377 '.$row['course_price'].'<span> <a class="btn btn-
primary text-white font-weight-bolder float-right" href="#">Enroll</a>
                   </div>
                 </div>
               </a> ';
```

```
</div>
     <div class="text-center m-2">
       <a class="btn btn-danger btn-</pre>
sm" href="courses.php">View All Course</a>
     </div>
   </div>
   <?php
   include('./contact.php');
     <div class="container-fluid mt-5" style="background-</pre>
color: #4B7289" id="Feedback">
       <h1 class="text-center testyheading p-4"> Student's Feedback </h1>
       <div class="row">
         <div class="col-md-12">
           <div id="testimonial-slider" class="owl-carousel">
           <?php
             $sql = "SELECT s.stu_name, s.stu_occ, s.stu_img, f.f_content F
ROM student AS s JOIN feedback AS f ON s.stu id = f.stu id";
             $result = $conn->query($sq1);
             if($result->num rows > 0) {
               while($row = $result->fetch assoc()){
                 $s_img = $row['stu_img'];
                 $n_img = str_replace('../','',$s_img)
             <div class="testimonial">
               <?php echo $row['f content'];?>
               <div class="pic">
                 <img src="<?php echo $n_img; ?>" alt=""/>
               </div>
               <div class="testimonial-prof">
                 <h4><?php echo $row['stu_name']; ?></h4>
                 <small><?php echo $row['stu_occ']; ?></small>
               </div>
              </div>
             <?php }} ?>
            </div>
```

```
</div>
   <div class="container-fluid p-4" style="background-color:#E9ECEF">
     <div class="container" style="background-color:#E9ECEF">
       <div class="row text-center">
         <div class="col-sm">
           <h5>About Us</h5>
             Elearning provides universal access to the world's best edu
cation, partnering with top universities and organizations to offer courses
online.
         </div>
         <div class="col-sm">
           <h5>Contact Us</h5>
           CBIT Hyderabad 
         </div>
       </div>
     </div>
   </div>
 <?php
   include('./mainInclude/footer.php');
```

# Courses.php

```
while($row = $result->fetch_assoc()){
             $course_id = $row['course_id'];
             echo '
               <div class="col-sm-4 mb-4">
                 <a href="coursedetails.php?course_id='.$course_id.'" class</pre>
="btn" style="text-align: left; padding:0px;"><div class="card">
                   <img src="'.str_replace('..', '.', $row['course_img']).'</pre>
" class="card-img-top" alt="Guitar" />
                   <div class="card-body">
                     <h5 class="card-title">'.$row['course_name'].'</h5>
                     '.$row['course_desc'].'
                   </div>
                   <div class="card-footer">
                     inline">Price: <small><del>&#8377 '.$row['course_original_price'].'</del></s</pre>
mall> <span class="font-weight-</pre>
bolder">&#8377 '.$row['course_price'].'<span> <a class="btn btn-
primary text-white font-weight-bolder float-
right" href="coursedetails.php?course_id='.$course_id.'">Enroll</a>
                   </div>
                 </div> </a>
               </div>
       </div>
     </div>
<?php
 include('./contact.php');
<?php
 include('./mainInclude/footer.php');
```

#### **CSS Folder**

## **Adminstyle.css**

```
.navbar-brand {
```

```
font-family: "Ubuntu", sans-serif;
font-size: 2em;
font-weight: bold;
color: #fff;
}
.active {
  background-color: #225470;
  color: #fff;
}
.box {
  position: fixed;
  bottom: 10px;
  right: 20px;
  margin-bottom: 30px;
}
```

#### **Style.css**

```
.navbar-brand {
 font-family: "Ubuntu", sans-serif;
  font-size: 2em;
 font-weight: bold;
  color: #fff;
.custom-nav .custom-nav-item a {
  color: #fff !important;
.custom-nav-item:hover {
 background-color: #dc3545;
 border: solid #dc3545 1px;
  border-radius: 10px;
.remove-vid-marg {
 margin: 0px;
 padding: 0px;
.vid-parent {
 position: relative;
video {
 width: 100%;
 height: 100%;
```

```
.vid-overlay {
  position: absolute;
  top: 0;
  left: 0;
  height: 100%;
  width: 100%;
  background-color: #225470;
  z-index: 1;
  opacity: 0.8;
.vid-content {
 color: #fff;
  position: absolute;
  top: 35%;
  left: 35%;
  z-index: 2;
  text-align: center;
.bottom-banner {
 color: #fff;
  padding: 10px;
.bottom-banner:first-child {
  padding-left: 50px;
a.social-hover:hover {
  padding: 5px 100px;
 text-decoration: none;
 background-color: rgb(95, 93, 93);
.stripe {
  background-image: linear-gradient(240deg, #ed213a, #93291e);
 padding: 3rem;
 height: 13rem;
 margin-top: 4rem;
 transform: rotate(10deg);
  z-index: -5;
@media screen and (min-width: 0px) and (max-width: 700px) {
```

```
.my-content,
.txt-banner,
.stripe {
    display: none;
}
    top: 12%;
    left: 60%;
}
.custom-nav .custom-nav-item a {
    padding: 10px 20px;
    background-color: #225470;
}
.custom-nav-item:hover {
    background-color: none;
    border: none;
    border-radius: none;
}
```

# **Stustyle.css**

```
.navbar-brand {
  font-family: "Ubuntu", sans-serif;
  font-size: 2em;
  font-weight: bold;
  color: #fff;
}
.active {
  background-color: #225470;
  color: #fff;
}
```

# Student Folder addStudent.php

```
<?php
if(!isset($_SESSION)){
   session_start();</pre>
```

```
include once('../dbConnection.php');
header('Content-type: application/json');
if(isset($_POST['stuemail']) && isset($_POST['checkemail'])){
  $stuemail = $_POST['stuemail'];
  $sql = "SELECT stu_email FROM student WHERE stu email='".$stuemail."'";
  $result = $conn->query($sq1);
  $row = $result->num rows;
  echo json_encode($row);
  if(isset($_POST['stusignup']) && isset($_POST['stuname']) && isset($_POS
T['stuemail']) && isset($_POST['stupass'])){
    $stuname = $ POST['stuname'];
    $stuemail = $ POST['stuemail'];
    $stupass = $ POST['stupass'];
    $sql = "INSERT INTO student(stu_name, stu email, stu_pass) VALUES ('$s
tuname', '$stuemail', '$stupass')";
    if($conn->query($sq1) == TRUE){
      echo json_encode("OK");
    } else {
      echo json_encode("Failed");
  if(!isset($ SESSION['is login'])){
    if(isset($_POST['checkLogemail']) && isset($_POST['stuLogEmail']) && i
sset($_POST['stuLogPass'])){
      $stuLogEmail = $ POST['stuLogEmail'];
      $stuLogPass = $_POST['stuLogPass'];
      $sql = "SELECT stu_email, stu_pass FROM student WHERE stu_email='".$
stuLogEmail."' AND stu_pass='".$stuLogPass."'";
      $result = $conn->query($sq1);
      $row = $result->num_rows;
      if($row === 1){
        $_SESSION['is_login'] = true;
        $_SESSION['stuLogEmail'] = $stuLogEmail;
        echo json_encode($row);
      } else if($row === 0) {
        echo json_encode($row);
```

```
}
}
?>
```

# Mycourse.php

```
<?php
if(!isset($_SESSION)){
  session_start();
define('TITLE', 'My Course');
define('PAGE', 'mycourse');
include('./stuInclude/header.php');
include_once('.../dbConnection.php');
 if(isset($_SESSION['is_login'])){
 $stuLogEmail = $_SESSION['stuLogEmail'];
 } else {
  echo "<script> location.href='../index.php'; </script>";
 }
?>
 <div class="container mt-5 ml-4">
  <div class="row">
   <div class="jumbotron">
    <h4 class="text-center">All Course</h4>
    <?php
  if(isset($stuLogEmail)){
    $sql = "SELECT co.order_id, c.course_id, c.course_name, c.course_durat
ion, c.course_desc, c.course_img, c.course_author, c.course_original_price
, c.course_price FROM courseorder AS co JOIN course AS c ON c.course_id =
co.course_id WHERE co.stu_email = '$stuLogEmail'";
    $result = $conn->query($sq1);
    if($result->num rows > 0) {
    while($row = $result->fetch_assoc()){ ?>
      <div class="bg-light mb-3">
        <h5 class="card-header"><?php echo $row['course_name']; ?></h5>
          <div class="row">
              <div class="col-sm-3">
                <img src="<?php echo $row['course_img']; ?>" class="card-
img-top
```

```
mt-4" alt="pic">
              </div>
              <div class="col-sm-6 mb-3">
                <div class="card-body">
                  title"><?php echo $row['course_desc']; ?>
                  <small class="card-</pre>
text">Duration: <?php echo $row['course duration']; ?></small><br />
                 <small class="card-</pre>
text">Instructor: <?php echo $row['course_author']; ?></small><br/>>
                  inline">Price: <small><del>&#8377 <?php echo $row['course_original_price']</pre>
?> </del></small> <span class="font-weight-</pre>
bolder">&#8377 <?php echo $row['course_price']?> <span>
                  <a href="watchcourse.php?course id=<?php echo $row['cour</pre>
se_id'] ?>" class="btn btn-primary mt-5 float-right">Watch Course</a>
                </div>
              </div>
         </div>
     </div>
   <?php } } }?>
 <hr/>
  </div>
 </div>
 </div>
</div> <?php
include('./stuInclude/footer.php');
```

# StudentProfile.php

```
<?php
if(!isset($_SESSION)){
    session_start();
}
define('TITLE', 'Student Profile');
define('PAGE', 'profile');
include('./stuInclude/header.php');
include_once('../dbConnection.php');
if(isset($_SESSION['is_login'])){</pre>
```

```
$stuEmail = $ SESSION['stuLogEmail'];
 } else {
  echo "<script> location.href='../index.php'; </script>";
 $sql = "SELECT * FROM student WHERE stu email='$stuEmail'";
 $result = $conn->query($sq1);
 if($result->num rows == 1){
 $row = $result->fetch assoc();
 $stuId = $row["stu id"];
 $stuName = $row["stu name"];
 $stu0cc = $row["stu_occ"];
 $stuImg = $row["stu img"];
 if(isset($ REQUEST['updateStuNameBtn'])){
  warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds </div>';
  } else {
  $stuName = $_REQUEST["stuName"];
  $stuOcc = $_REQUEST["stuOcc"];
  $stu image = $ FILES['stuImg']['name'];
  $stu image_temp = $_FILES['stuImg']['tmp_name'];
  $img folder = '../image/stu/'. $stu image;
  move_uploaded_file($stu_image_temp, $img_folder);
   $sql = "UPDATE student SET stu name = '$stuName', stu occ = '$stuOcc',
stu_img = '$img_folder' WHERE stu_email = '$stuEmail'";
   if($conn->query($sql) == TRUE){
   $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Updated Successfully </div>';
   } else {
     $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Update </div>';
    }
<div class="col-sm-6 mt-5">
 <form class="mx-5" method="POST" enctype="multipart/form-data">
    <div class="form-group">
     <label for="stuId">Student ID</label>
```

```
<input type="text" class="form-</pre>
control" id="stuId" name="stuId" value=" <?php if(isset($stuId)) {echo $st</pre>
uId;} ?>" readonly>
    </div>
    <div class="form-group">
      <label for="stuEmail">Email</label>
      <input type="email" class="form-</pre>
control" id="stuEmail" value=" <?php echo $stuEmail ?>" readonly>
    </div>
    <div class="form-group">
      <label for="stuName">Name</label>
      <input type="text" class="form-</pre>
control" id="stuName" name="stuName" value=" <?php if(isset($stuName)) {ec</pre>
ho $stuName;} ?>">
    </div>
    <div class="form-group">
      <label for="stu0cc">Occupation</label>
      <input type="text" class="form-</pre>
control" id="stuOcc" name="stuOcc" value=" <?php if(isset($stuOcc)) {echo</pre>
$stu0cc;} ?>">
    </div>
    <div class="form-group">
      <label for="stuImg">Upload Image</label>
      <input type="file" class="form-control-</pre>
file" id="stuImg" name="stuImg">
    </div>
    <button type="submit" class="btn btn-</pre>
primary" name="updateStuNameBtn">Update</button>
    <?php if(isset($passmsg)) {echo $passmsg; } ?>
  </form>
 </div>
 </div>
 <?php
include('./stuInclude/footer.php');
```

# StudentFeedback.php

```
<?php
if(!isset($_SESSION)){
  session start();
define('TITLE', 'Feedback');
define('PAGE', 'feedback');
include('./stuInclude/header.php');
include once('../dbConnection.php');
 if(isset($_SESSION['is_login'])){
 $stuEmail = $ SESSION['stuLogEmail'];
 } else {
  echo "<script> location.href='../index.php'; </script>";
 $sql = "SELECT * FROM student WHERE stu email='$stuEmail'";
 $result = $conn->query($sq1);
 if($result->num_rows == 1){
 $row = $result->fetch assoc();
$stuId = $row["stu id"];
 if(isset($_REQUEST['submitFeedbackBtn'])){
 if(($_REQUEST['f_content'] == "")){
   // msg displayed if required field missing
   $passmsg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
  } else {
   $fcontent = $_REQUEST["f content"];
   $sq1 = "INSERT INTO feedback (f content, stu id) VALUES ('$fcontent', '$s
tuId')";
   if($conn->query($sq1) == TRUE){
   // below msg display on form submit success
   $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Submitted Successfully </div>';
   } else {
   // below msg display on form submit failed
   $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Submit </div>';
      }
    }
<div class="col-sm-6 mt-5">
  <form class="mx-5" method="POST" enctype="multipart/form-data">
    <div class="form-group">
      <label for="stuId">Student ID</label>
      <input type="text" class="form-</pre>
control" id="stuId" name="stuId" value=" <?php if(isset($stuId)) {echo $stuI</pre>
d;} ?>" readonly>
    </div>
    <div class="form-group">
      <label for="f content">Write Feedback:</label>
```

# Watchcourse.php

```
<?php
if(!isset($_SESSION)){
   session_start();
include('../dbConnection.php');
if(isset($ SESSION['is login'])){
 $stuEmail = $ SESSION['stuLogEmail'];
 echo "<script> location.href='../index.php'; </script>";
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta http-equiv="X-UA-Compatible" content="ie=edge">
 <title>Watch Course</title>
 <link rel="stylesheet" href="../css/bootstrap.min.css">
 <link rel="stylesheet" href="../css/all.min.css">
 <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="style"</pre>
sheet">
<link rel="stylesheet" href="../css/stustyle.css">
<body>
  <div class="container-fluid bg-success p-2" >
```

```
<h3>Welcome to E-Learning</h3>
   <a class="btn btn-danger" href="./myCourse.php">My Courses</a>
   </div>
   <div class="container-fluid">
   <div class="row">
    <div class="col-sm-3 border-right">
      <h4 class="text-center">Lessons</h4>
      <?php
            if(isset($_GET['course_id'])){
             $course_id = $_GET['course_id'];
             $sql = "SELECT * FROM lesson WHERE course_id = '$course_id
             $result = $conn->query($sq1);
             if($result->num_rows > 0){
              while($row = $result->fetch assoc()){
               echo '<li class="nav-item border-bottom py-
2" movieurl='.$row['lesson_link'].' style="cursor: pointer;">'. $row['le
sson_name'] .'';
             }
            }
      </div>
    <div class="col-sm-8">
       <video id="videoarea" src="" class="mt-5 w-75 ml-2" controls>
       </video>
    </div>
   </div>
  </div>
   <script type="text/javascript" src="../js/jquery.min.js"></script>
   <script type="text/javascript" src="../js/popper.min.js"></script>
   <script type="text/javascript" src="../js/bootstrap.min.js"></script</pre>
   <script type="text/javascript" src="../js/all.min.js"></script>
   <script type="text/javascript" src="../js/custom.js"></script>
</body>
</html>
```

```
<?php
if(!isset($_SESSION)){
  session_start();
define('TITLE', 'Change Password');
define('PAGE', 'studentChangePass');
include('./stuInclude/header.php');
include once('../dbConnection.php');
if(isset($_SESSION['is_login'])){
 $stuEmail = $_SESSION['stuLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($_REQUEST['stuPassUpdateBtn'])){
 if(($_REQUEST['stuNewPass'] == "")){
  // msg displayed if required field missing
   $passmsg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
 } else {
   $sql = "SELECT * FROM student WHERE stu email='$stuEmail'";
   $result = $conn->query($sql);
   if($result->num_rows == 1){
    $stuPass = $_REQUEST['stuNewPass'];
     $sql = "UPDATE student SET stu_pass = '$stuPass' WHERE stu_email =
'$stuEmail'";
      if($conn->query($sq1) == TRUE){
      // below msg display on form submit success
       $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Updated Successfully </div>';
      } else {
       // below msg display on form submit failed
       $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Update </div>';
<div class="col-sm-9 col-md-10">
 <div class="row">
```

```
<div class="col-sm-6">
      <form class="mt-5 mx-5" method="POST">
        <div class="form-group">
          <label for="inputEmail">Email</label>
          <input type="email" class="form-</pre>
control" id="inputEmail" value=" <?php echo $stuEmail ?>" readonly>
        </div>
        <div class="form-group">
          <label for="inputnewpassword">New Password</label>
          <input type="password" class="form-</pre>
control" id="inputnewpassword" placeholder="New Password" name="stuNewPa
ss">
        </div>
        <button type="submit" class="btn btn-primary mr-4 mt-</pre>
4" name="stuPassUpdateBtn">Update</button>
        <button type="reset" class="btn btn-secondary mt-</pre>
4">Reset</button>
        <?php if(isset($passmsg)) {echo $passmsg; } ?>
      </form>
    </div>
 </div>
</div>
</div> <!-- Close Row Div from header file -->
<?php
include('./stuInclude/footer.php');
```

#### **ADMIN FOLDER**

# Admin.php

```
<?php
include('../dbConnection.php');
if(!isset($_SESSION)){
   session_start();
}
header('Content-type: application/json');
if(!isset($_SESSION['is_admin_login'])){</pre>
```

### AdminDashboard.php

```
<?php
if(!isset($ SESSION)){
  session start();
define('TITLE', 'Dashboard');
define('PAGE', 'dashboard');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
  echo "<script> location.href='../index.php'; </script>";
$sql = "SELECT * FROM course";
$result = $conn->query($sq1);
$totalcourse = $result->num rows;
$sql = "SELECT * FROM student";
$result = $conn->query($sq1);
$totalstu = $result->num rows;
$sql = "SELECT * FROM courseorder";
$result = $conn->query($sq1);
$totalsold = $result->num rows;
```

```
?>
  <div class="col-sm-9 mt-5">
   <div class="row mx-5 text-center">
     <div class="col-sm-4 mt-5">
       <div class="card text-white bg-danger mb-3" style="max-</pre>
width: 18rem;">
         <div class="card-header">Courses</div>
          <div class="card-body">
            <h4 class="card-title">
             <?php echo $totalcourse; ?>
            <a class="btn text-white" href="courses.php">View</a>
         </div>
        </div>
     </div>
     <div class="col-sm-4 mt-5">
        <div class="card text-white bg-success mb-3" style="max-</pre>
width: 18rem;">
          <div class="card-header">Students</div>
         <div class="card-body">
           <h4 class="card-title">
              <?php echo $totalstu; ?>
           </h4>
            <a class="btn text-white" href="students.php">View</a>
         </div>
       </div>
      </div>
     <div class="col-sm-4 mt-5">
        <div class="card text-white bg-info mb-3" style="max-</pre>
width: 18rem;">
         <div class="card-header">Sold</div>
         <div class="card-body">
            <h4 class="card-title">
              <?php echo $totalsold; ?>
            <a class="btn text-white" href="sellreport.php">View</a>
         </div>
       </div>
     </div>
   </div>
    <div class="mx-5 mt-5 text-center">
     Course Ordered
     <?php
     $sql = "SELECT * FROM courseorder";
```

```
$result = $conn->query($sq1);
    if($result->num rows > 0){
 echo '
   <thead>
   Order ID
    Course ID
    Student Email
    Order Date
    Amount
    Action
   </thead>
   ';
   while($row = $result->fetch assoc()){
   echo '';
    echo ''.$row["order id"].'';
    echo ''. $row["course id"].'';
    echo ''.$row["stu_email"].'';
    echo ''.$row["order_date"].'';
    echo ''.$row["amount"].'';
    echo '<form action="" method="POST" class="d-
inline"><input type="hidden" name="id" value='. $row["co id"] .'><but</pre>
ton type="submit" class="btn btn-
secondary" name="delete" value="Delete"><i class="far fa-trash-
alt"></i></button></form>';
    echo '';
 echo '
 ';
 } else {
   echo "0 Result";
 if(isset($ REQUEST['delete'])){
   $sql = "DELETE FROM courseorder WHERE co_id = {$_REQUEST['id']}";
   if($conn->query($sql) === TRUE){
    echo '<meta http-equiv="refresh" content= "0;URL=?deleted" />';
      echo "Unable to Delete Data";
   </div>
 </div>
```

```
</div>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

# Addcourse.php

```
<?php
if(!isset($ SESSION)){
 session start();
define('TITLE', 'Add Course');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $ SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($ REQUEST['courseSubmitBtn'])){
 // Checking for Empty Fields
 if(($_REQUEST['course_name'] == "") || ($_REQUEST['course_desc'] ==
"") || ($_REQUEST['course_author'] == "") || ($_REQUEST['course_dura
tion'] == "") || ($ REQUEST['course price'] == "") || ($ REQUEST['cou
rse_original_price'] == "")){
   // msg displayed if required field missing
   $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
  } else {
   // Assigning User Values to Variable
   $course name = $ REOUEST['course name'];
   $course desc = $ REQUEST['course desc'];
   $course author = $ REQUEST['course author'];
  $course duration = $ REQUEST['course duration'];
  $course_price = $_REQUEST['course_price'];
   $course original price = $ REQUEST['course original price'];
   $course_image = $_FILES['course_img']['name'];
   $course_image_temp = $_FILES['course_img']['tmp_name'];
   $img folder = '../image/courseimg/'. $course image;
```

```
move uploaded file($course image temp, $img folder);
    $sql = "INSERT INTO course (course name, course desc, course auth
or, course_img, course_duration, course_price, course_original_price)
VALUES ('$course_name', '$course_desc', '$course_author', '$img_folde
r', '$course duration', '$course price', '$course original price')";
    if($conn->query($sql) == TRUE){
     // below msg display on form submit success
     $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Course Added Successfully </div>';
    } else {
     $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Add Course </div>';
    }
  }
 ?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Add New Course</h3>
  <form action="" method="POST" enctype="multipart/form-data">
    <div class="form-group">
      <label for="course name">Course Name</label>
      <input type="text" class="form-</pre>
control" id="course name" name="course name">
    </div>
    <div class="form-group">
      <label for="course desc">Course Description</label>
      <textarea class="form-
control" id="course desc" name="course desc" row=2></textarea>
    </div>
    <div class="form-group">
      <label for="course author">Author</label>
      <input type="text" class="form-</pre>
control" id="course author" name="course author">
    </div>
    <div class="form-group">
      <label for="course duration">Course Duration</label>
      <input type="text" class="form-</pre>
control" id="course duration" name="course duration">
   </div>
    <div class="form-group">
      <label for="course_original_price">Course Original Price</label</pre>
```

```
<input type="text" class="form-</pre>
control" id="course original price" name="course original price" onke
ypress="isInputNumber(event)">
    </div>
   <div class="form-group">
      <label for="course price">Course Selling Price</label>
      <input type="text" class="form-</pre>
control" id="course price" name="course price" onkeypress="isInputNum
ber(event)">
   </div>
    <div class="form-group">
      <label for="course img">Course Image</label>
      <input type="file" class="form-control-</pre>
file" id="course_img" name="course_img">
   </div>
    <div class="text-center">
      <button type="submit" class="btn btn-</pre>
danger" id="courseSubmitBtn" name="courseSubmitBtn">Submit</button>
      <a href="courses.php" class="btn btn-secondary">Close</a>
   <?php if(isset($msg)) {echo $msg; } ?>
</div>
<script>
 function isInputNumber(evt) {
   var ch = String.fromCharCode(evt.which);
   if (!(/[0-9]/.test(ch))) {
      evt.preventDefault();
    }
</script>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
```

#### AddLesson.php

```
<?php
if(!isset($_SESSION)){
   session_start();
}
define('TITLE', 'Add Lesson');</pre>
```

```
include('./adminInclude/header.php');
include('.../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $ SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($ REQUEST['lessonSubmitBtn'])){
 if(($_REQUEST['lesson_name'] == "") || ($_REQUEST['lesson_desc'] ==
"") || ($_REQUEST['course_id'] == "") || ($_REQUEST['course_name'] =
    $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
  } else {
  $lesson name = $ REQUEST['lesson_name'];
  $lesson desc = $ REQUEST['lesson desc'];
  $course id = $ REQUEST['course id'];
  $course name = $ REQUEST['course name'];
  $lesson_link = $_FILES['lesson_link']['name'];
   $lesson_link_temp = $_FILES['lesson_link']['tmp_name'];
  $link folder = '../lessonvid/'.$lesson link;
  move uploaded file($lesson link temp, $link folder);
   $sql = "INSERT INTO lesson (lesson name, lesson desc, lesson link
, course id, course name) VALUES ('$lesson name', '$lesson desc','$li
nk_folder', '$course_id', '$course_name')";
    if($conn->query($sql) == TRUE){
    $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Lesson Added Successfully </div>';
    } else {
     $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Add Lesson </div>';
<div class="col-sm-6 mt-5 mx-3 jumbotron">
  <h3 class="text-center">Add New Lesson</h3>
  <form action="" method="POST" enctype="multipart/form-data">
    <div class="form-group">
      <label for="course id">Course ID</label>
      <input type="text" class="form-</pre>
control" id="course id" name="course id" value ="<?php if(isset($ SES</pre>
SION['course id'])){echo $ SESSION['course id'];} ?>" readonly>
   </div>
```

```
<div class="form-group">
      <label for="course name">Course Name</label>
      <input type="text" class="form-</pre>
control" id="course name" name="course name" value ="<?php if(isset($</pre>
SESSION['course name'])){echo $ SESSION['course name'];} ?>" readonl
y>
    </div>
   <div class="form-group">
      <label for="lesson name">Lesson Name</label>
      <input type="text" class="form-</pre>
control" id="lesson name" name="lesson name">
    </div>
    <div class="form-group">
      <label for="lesson desc">Lesson Description</label>
      <textarea class="form-
control" id="lesson desc" name="lesson desc" row=2></textarea>
    </div>
    <div class="form-group">
      <label for="lesson link">Lesson Video Link</label>
      <input type="file" class="form-control-</pre>
file" id="lesson link" name="lesson link">
    </div>
    <div class="text-center">
      <button type="submit" class="btn btn-</pre>
danger" id="lessonSubmitBtn" name="lessonSubmitBtn">Submit</button>
      <a href="lessons.php" class="btn btn-secondary">Close</a>
    <?php if(isset($msg)) {echo $msg; } ?>
  </form>
</div>
<script>
 function isInputNumber(evt) {
   var ch = String.fromCharCode(evt.which);
   if (!(/[0-9]/.test(ch))) {
      evt.preventDefault();
    }
</script>
</div> <!-- div Row close from header _-->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
```

# Addnewstudent.php

```
<?php
if(!isset($ SESSION)){
  session_start();
define('TITLE', 'Add Student');
include('./adminInclude/header.php');
include('.../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
 $adminEmail = $ SESSION['adminLogEmail'];
 } else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($_REQUEST['newStuSubmitBtn'])){
   if(($_REQUEST['stu_name'] == "") || ($_REQUEST['stu_email'] == "")
 || ($_REQUEST['stu_pass'] == "") || ($_REQUEST['stu_occ'] == "")){
  $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
 } else {
   $stu name = $ REQUEST['stu name'];
  $stu email = $ REQUEST['stu email'];
  $stu_pass = $_REQUEST['stu_pass'];
  $stu occ = $ REQUEST['stu occ'];
    $sql = "INSERT INTO student (stu name, stu email, stu pass, stu o
cc) VALUES ('$stu name', '$stu email', '$stu pass', '$stu occ')";
    if($conn->query($sql) == TRUE){
     $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Student Added Successfully </div>';
    } else {
     $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Add Student </div>';
    }
  }
 ?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
  <h3 class="text-center">Add New Student</h3>
  <form action="" method="POST" enctype="multipart/form-data">
   <div class="form-group">
      <label for="stu name">Name</label>
```

```
<input type="text" class="form-</pre>
control" id="stu name" name="stu name">
    </div>
    <div class="form-group">
      <label for="stu email">Email</label>
      <input type="text" class="form-</pre>
control" id="stu email" name="stu email">
    </div>
    <div class="form-group">
      <label for="stu pass">Password</label>
      <input type="text" class="form-</pre>
control" id="stu pass" name="stu_pass">
    </div>
    <div class="form-group">
      <label for="stu occ">Occupation</label>
      <input type="text" class="form-</pre>
control" id="stu occ" name="stu occ">
    </div>
    <div class="text-center">
      <button type="submit" class="btn btn-</pre>
danger" id="newStuSubmitBtn" name="newStuSubmitBtn">Submit</button>
      <a href="students.php" class="btn btn-secondary">Close</a>
    <?php if(isset($msg)) {echo $msg; } ?>
 </form>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
```

#### adminPaymentStatus.php

```
<?php
  define('TITLE', 'Payment Status');
  define('PAGE', 'paymentstatus');
  include('./adminInclude/header.php');
  header("Pragma: no-cache");
  header("Cache-Control: no-cache");
  header("Expires: 0");
  include('../dbConnection.php');
  require_once("../PaytmKit/lib/config_paytm.php");</pre>
```

```
require once("../PaytmKit/lib/encdec paytm.php");
 $ORDER ID = "";
 $requestParamList = array();
 $responseParamList = array();
 if (isset($ POST["ORDER ID"]) && $ POST["ORDER ID"] != "") {
    $ORDER ID = $ POST["ORDER ID"];
    $requestParamList = array("MID" => PAYTM MERCHANT MID , "ORDERID"
 => $ORDER ID);
    $StatusCheckSum = getChecksumFromArray($requestParamList,PAYTM ME
RCHANT KEY);
    $requestParamList['CHECKSUMHASH'] = $StatusCheckSum;
   $responseParamList = getTxnStatusNew($requestParamList);
?>
   <div class="container">
     <h2 class="text-center my-4">Payment Status </h2>
     <form method="post" action="">
     <div class="form-group row">
        <label class="offset-sm-3 col-form-label">Order ID: </label>
        <div>
          <input class="form-control mx-</pre>
3" id="ORDER ID" tabindex="1" maxlength="20" size="20" name="ORDER ID
" autocomplete="off" value="<?php echo $ORDER ID ?>">
        </div>
        <div>
          <input class="btn btn-primary mx-</pre>
4" value="View" type="submit">
        </div>
     </div>
    </form>
    </div>
    <div class="container">
      if (isset($responseParamList) && count($responseParamList)>0 )
     {
        $sql = "SELECT order id FROM courseorder";
        $result = $conn->query($sq1);
        while($row = $result->fetch assoc()){
          if($responseParamList["ORDERID"] == $row["order id"]){
```

```
?>
         <div class="row justify-content-center">
           <div class="col-auto">
             <h2 class="text-center">Payment Receipt</h2>
             <?php
                foreach($responseParamList as $paramName => $para
mValue) {
              ?>
              <label><?php echo $paramName?></label>
                <?php echo $paramValue?>
              <?php
              ?>
              <
                <button class="btn btn-
primary" onclick="javascript:window.print();">Print Receipt</button><</pre>
/td>   <?php } } ?>
</div></div> </div> </div> </php
include('./adminInclude/footer.php');
```

# SellReport.php

```
<div class="form-row">
        <div class="form-group col-md-2">
         <input type="date" class="form-</pre>
control" id="startdate" name="startdate">
       </div> <span> to </span>
       <div class="form-group col-md-2">
         <input type="date" class="form-</pre>
control" id="enddate" name="enddate">
       </div>
       <div class="form-group">
         <input type="submit" class="btn btn-</pre>
secondary" name="searchsubmit" value="Search">
       </div>
      </div>
    </form>
    <?php
   if(isset($ REQUEST['searchsubmit'])){
      $startdate = $ REQUEST['startdate'];
      $enddate = $_REQUEST['enddate'];
      $sql = "SELECT * FROM courseorder WHERE order_date BETWEEN '$
startdate' AND '$enddate'";
      $result = $conn->query($sq1);
      if($result->num rows > 0){
    Details
    <thead>
       Order ID
         Course ID
         Student Email
         Payment Status
         order Date
         Amount
        </thead>
      ';
      while($row = $result->fetch_assoc()){
       echo '
         '.$row["order_id"].'
         '.$row["course id"].'
         '.$row["stu email"].'
         '.$row["status"].'
         '.$row["order date"].'
```

```
'.$row["amount"].'
         ';
       echo '
       <form class="d-print-none"><input class="btn btn-
danger" type="submit" value="Print" onClick="window.print()"></form><</pre>
/td>
     ';
     } else {
       echo "<div class='alert alert-warning col-sm-6 ml-5 mt-
2' role='alert'> No Records Found ! </div>";
     ?>
       </div>
       </div>
 </div>
 </div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
include('./adminInclude/footer.php');
```

# Courses.php

```
<?php
if(!isset($_SESSION)){
    session_start();
}
define('TITLE', 'Courses');
define('PAGE', 'courses');
include('./adminInclude/header.php');
include('./dbConnection.php');

if(isset($_SESSION['is_admin_login'])){
    $adminEmail = $_SESSION['adminLogEmail'];
} else {
    echo "<script> location.href='../index.php'; </script>";
}
?>
    <div class="col-sm-9 mt-5">
         class=" bg-dark text-white p-2">List of Courses
         </php</pre>
```

```
$sql = "SELECT * FROM course";
     $result = $conn->query($sq1);
     if($result->num rows > 0){
      echo '
      <thead>
      Course ID
       Name
       Author
       Action
       </thead>
      ';
      while($row = $result->fetch assoc()){
        echo '';
        echo ''.$row["course id"].'';
        echo ''. $row["course name"].'';
        echo ''.$row["course author"].'';
        echo '<form action="editcourse.php" method="POST" class</pre>
="d-
inline"> <input type="hidden" name="id" value='. $row["course id"] .'</pre>
><button type="submit" class="btn btn-info mr-</pre>
3" name="view" value="View"><i class="fas fa-</pre>
pen"></i></button></form>
        <form action="" method="POST" class="d-</pre>
inline"><input type="hidden" name="id" value='. $row["course id"] .'>
<button type="submit" class="btn btn-</pre>
secondary" name="delete" value="Delete"><i class="far fa-trash-
alt"></i></button></form>
       ';
      echo '
      ';
     } else {
       echo "0 Result";
     if(isset($_REQUEST['delete'])){
      $sql = "DELETE FROM course WHERE course id = {$ REQUEST['id']}
      if($conn->query($sql) === TRUE){
       echo '<meta http-
equiv="refresh" content= "0;URL=?deleted" />';
       } else {
         echo "Unable to Delete Data";}}?>
```

# Lessons.php

```
<?php
if(!isset($_SESSION)){
 session start(); }
define('TITLE', 'Lessons');
define('PAGE', 'lessons');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
 ?>
<div class="col-sm-9 mt-5 mx-3">
  <form action="" class="mt-3 form-inline d-print-none">
    <div class="form-group mr-3">
      <label for="checkid">Enter Course ID: </label>
      <input type="text" class="form-control ml-</pre>
3" id="checkid" name="checkid" onkeypress="isInputNumber(event)">
   </div>
    <button type="submit" class="btn btn-danger">Search</button>
  </form>
  <?php
 $sql = "SELECT course id FROM course";
 $result = $conn->query($sq1);
 while($row = $result->fetch assoc()){
    if(isset($_REQUEST['checkid']) && $_REQUEST['checkid'] == $row['c
ourse id']){
      $sql = "SELECT * FROM course WHERE course id = {$ REQUEST['chec
kid']}";
      $result = $conn->query($sq1);
      $row = $result->fetch assoc();
```

```
if(($row['course id']) == $ REQUEST['checkid']){
       $ SESSION['course id'] = $row['course id'];
       $_SESSION['course_name'] = $row['course_name']; ?>
       <h3 class="mt-5 bg-dark text-white p-
2">Course ID : <?php if(isset($row['course id'])) {echo $row['course ]</pre>
id']; } ?> Course Name: <?php if(isset($row['course name'])) {echo $r</pre>
ow['course name']; } ?></h3>
       <?php
         $sql = "SELECT * FROM lesson WHERE course id = {$ REQUEST['
checkid']}";
         $result = $conn->query($sq1);
         echo '
          <thead>
            Lesson ID
            Lesson Name
            Lesson Link
            Action
            </thead>
          ';
            while($row = $result->fetch assoc()){
              echo '';
              echo ''.$row["lesson id"].'';
              echo ''. $row["lesson_name"].'';
              echo ''.$row["lesson link"].'';
              echo '<form action="editlesson.php" method="POST"</pre>
class="d-
inline"> <input type="hidden" name="id" value='. $row["lesson id"] .'</pre>
><button type="submit" class="btn btn-info mr-
3" name="view" value="View"><i class="fas fa-</pre>
pen"></i></button></form>
              <form action="" method="POST" class="d-</pre>
inline"><input type="hidden" name="id" value='. $row["lesson_id"] .'>
<button type="submit" class="btn btn-</pre>
secondary" name="delete" value="Delete"><i class="far fa-trash-
alt"></i></button></form>
            ';
            echo '
           ';
       } else {
         echo '<div class="alert alert-dark mt-4" role="alert">
         Course Not Found ! </div>';
```

```
if(isset($ REQUEST['delete'])){
         $sql = "DELETE FROM lesson WHERE lesson_id = {$_REQUEST['id'
]}";
         if($conn->query($sql) === TRUE){
           echo '<meta http-
equiv="refresh" content= "0;URL=?deleted" />';
           } else {
             echo "Unable to Delete Data";
     }
   }
}?>
</div>
<script>
 function isInputNumber(evt) {
    var ch = String.fromCharCode(evt.which);
    if (!(/[0-9]/.test(ch))) {
      evt.preventDefault();
</script>
</div> <!-- div Row close from header -->
<?php if(isset($ SESSION['course id'])){</pre>
   echo '<div><a class="btn btn-
danger box" href="./addLesson.php"><i class="fas fa-plus fa-</pre>
2x"></i></a></div>';
</div> <?php
include('./adminInclude/footer.php');
?>
```

# Feedback.php

```
<?php
if(!isset($_SESSION)){
    session_start();
}
define('TITLE', 'Feedback');
define('PAGE', 'feedback');
include('./adminInclude/header.php');
include('./dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
    $adminEmail = $_SESSION['adminLogEmail'];
}
</pre>
```

```
} else {
 echo "<script> location.href='../index.php'; </script>";
?>
 <div class="col-sm-9 mt-5">
   List of Feedbacks
   <?php
    $sql = "SELECT * FROM feedback";
    $result = $conn->query($sq1);
    if($result->num rows > 0){
     echo '
     <thead>
      Feedback ID
       Content
       Student ID
       Action
      </thead>
     ';
      while($row = $result->fetch assoc()){
        echo '';
        echo ''.$row["f id"].'';
        echo ''. $row["f content"].'';
        echo ''.$row["stu_id"].'';
        echo '<form action="" method="POST" class="d-
inline"><input type="hidden" name="id" value='. $row["f id"] .'><butt</pre>
on type="submit" class="btn btn-
secondary" name="delete" value="Delete"><i class="far fa-trash-
alt"></i></button></form>
       ';
      }
      echo '
      ';
    } else {
      echo "0 Result";
    if(isset($ REQUEST['delete'])){
     $sql = "DELETE FROM feedback WHERE f_id = {$_REQUEST['id']}";
     if($conn->query($sql) === TRUE){
       echo '<meta http-
equiv="refresh" content= "0;URL=?deleted" />';
       } else {
        echo "Unable to Delete Data";
```

```
}
    }
    ?>
    </div>
    </div
    </div>
    </php
include('./adminInclude/footer.php');
?>
```

# Students.php

```
<?php
if(!isset($ SESSION)){
 session start();
define('TITLE', 'Students');
define('PAGE', 'students');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
 <div class="col-sm-9 mt-5">
   List of Students
   <?php
    $sql = "SELECT * FROM student";
    $result = $conn->query($sq1);
    if($result->num rows > 0){
     echo '
     <thead>
      Student ID
       Name
       Email
       Action
      </thead>
     ';
      while($row = $result->fetch assoc()){
```

```
echo '';
         echo ''.$row["stu id"].'';
         echo ''. $row["stu_name"].'';
         echo ''.$row["stu email"].'';
         echo '<form action="editstudent.php" method="POST" clas</pre>
s="d-
inline"> <input type="hidden" name="id" value='. $row["stu id"] .'><b</pre>
utton type="submit" class="btn btn-info mr-
3" name="view" value="View"><i class="fas fa-</pre>
pen"></i></button></form>
         <form action="" method="POST" class="d-</pre>
inline"><input type="hidden" name="id" value='. $row["stu id"] .'><bu</pre>
tton type="submit" class="btn btn-
secondary" name="delete" value="Delete"><i class="far fa-trash-
alt"></i></button></form>
        ';
       echo '
       ';
     } else {
       echo "0 Result";
     if(isset($ REQUEST['delete'])){
      $sql = "DELETE FROM student WHERE stu_id = {$_REQUEST['id']}";
      if($conn->query($sql) === TRUE){
        echo '<meta http-
equiv="refresh" content= "0;URL=?deleted" />';
        } else {
          echo "Unable to Delete Data";
     ?>
 </div>
</div>
 <div><a class="btn btn-</pre>
danger box" href="addnewstudent.php"><i class="fas fa-plus fa-
2x"></i></a></div>
</div>
<?php
include('./adminInclude/footer.php');
```

# Editcourse.php

```
<?php
if(!isset($ SESSION)){
  session_start();
define('TITLE', 'Edit Course');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
  $adminEmail = $_SESSION['adminLogEmail'];
else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($_REQUEST['requpdate'])){
 if(($_REQUEST['course_id'] == "") || ($_REQUEST['course_name'] == "
") || ($_REQUEST['course_desc'] == "") || ($_REQUEST['course_author']
 == "") || ($ REQUEST['course duration'] == "") || ($ REQUEST['course
price'] == "") || ($ REQUEST['course original price'] == "")){
   $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
  } else {
    $cid = $_REQUEST['course_id'];
    $cname = $ REQUEST['course name'];
    $cdesc = $ REQUEST['course desc'];
    $cauthor = $ REQUEST['course author'];
    $cduration = $ REQUEST['course duration'];
    $cprice = $_REQUEST['course_price'];
    $coriginalprice = $ REQUEST['course original price'];
    $cimg = '../image/courseimg/'. $ FILES['course img']['name'];
   $sql = "UPDATE course SET course id = '$cid', course name = '$cnam'
e', course_desc = '$cdesc', course_author='$cauthor', course_duration
='$cduration', course price='$cprice', course original price='$corigi
nalprice', course img='$cimg' WHERE course id = '$cid'";
    if($conn->query($sql) == TRUE){
     $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Updated Successfully </div>';
     $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Update </div>';
    }
```

```
?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
  <h3 class="text-center">Update Course Details</h3>
  <?php
if(isset($ REQUEST['view'])){
 $sql = "SELECT * FROM course WHERE course id = {$ REQUEST['id']}";
$result = $conn->query($sql);
$row = $result->fetch assoc();
 ?>
 <form action="" method="POST" enctype="multipart/form-data">
    <div class="form-group">
      <label for="course id">Course ID</label>
      <input type="text" class="form-</pre>
control" id="course id" name="course id" value="<?php if(isset($row['</pre>
course id'])) {echo $row['course id']; }?>" readonly>
    </div>
    <div class="form-group">
      <label for="course name">Course Name</label>
      <input type="text" class="form-</pre>
control" id="course name" name="course name" value="<?php if(isset($r</pre>
ow['course name'])) {echo $row['course name']; }?>">
    </div>
    <div class="form-group">
      <label for="course desc">Course Description</label>
      <textarea class="form-
control" id="course desc" name="course desc" row=2><?php if(isset($ro</pre>
w['course desc'])) {echo $row['course desc']; }?></textarea>
    </div>
    <div class="form-group">
      <label for="course_author">Author</label>
      <input type="text" class="form-</pre>
control" id="course_author" name="course_author" value="<?php if(isse</pre>
t($row['course_author'])) {echo $row['course_author']; }?>">
    </div>
    <div class="form-group">
      <label for="course duration">Course Duration</label>
      <input type="text" class="form-</pre>
control" id="course_duration" name="course_duration" value="<?php if(</pre>
isset($row['course_duration'])) {echo $row['course_duration']; }?>">
    </div>
    <div class="form-group">
```

```
<label for="course original price">Course Original Price</label</pre>
      <input type="text" class="form-</pre>
control" id="course original price" name="course original price" onke
ypress="isInputNumber(event)" value="<?php if(isset($row['course orig</pre>
inal price'])) {echo $row['course original price']; }?>">
    </div>
    <div class="form-group">
      <label for="course_price">Course Selling Price</label>
      <input type="text" class="form-</pre>
control" id="course price" name="course price" onkeypress="isInputNum
ber(event)" value="<?php if(isset($row['course price'])) {echo $row['</pre>
course price']; }?>">
    </div>
    <div class="form-group">
      <label for="course img">Course Image</label>
      <img src="<?php if(isset($row['course img'])) {echo $row['course img'])}</pre>
e img']; }?>" alt="courseimage" class="img-thumbnail">
      <input type="file" class="form-control-</pre>
file" id="course img" name="course img">
    </div>
    <div class="text-center">
      <button type="submit" class="btn btn-</pre>
danger id="requpdate" name="requpdate">Update</button>
      <a href="courses.php" class="btn btn-secondary">Close</a>
    <?php if(isset($msg)) {echo $msg; } ?>
  </form>
</div>
</div> <!-- div Row close from header -->
</div>
<?php
include('./adminInclude/footer.php');
```

# EditLesson.php

```
<?php
if(!isset($_SESSION)){
   session_start(); }
define('TITLE', 'Edit Lesson');
include('./adminInclude/header.php');</pre>
```

```
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $ SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($ REQUEST['requpdate'])){
 if(($ REQUEST['lesson id'] == "") || ($ REQUEST['lesson name'] == "
") || ($_REQUEST['lesson_desc'] == "") || ($_REQUEST['course_id'] ==
"") || ($_REQUEST['course_name'] == "")){
   $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-</pre>
2" role="alert"> Fill All Fileds </div>';
 } else {
    $lid = $ REQUEST['lesson id'];
   $1name = $ REQUEST['lesson name'];
   $ldesc = $ REQUEST['lesson desc'];
   $cid = $ REQUEST['course id'];
   $cname = $ REQUEST['course name'];
   $1link = '../lessonvid/'. $_FILES['lesson_link']['name'];
   $sql = "UPDATE lesson SET lesson id = '$lid', lesson name = '$lnam
e', lesson desc = '$ldesc', course id='$cid', course name='$cname', l
esson link='$llink' WHERE lesson id = '$lid'";
    if($conn->query($sql) == TRUE){
     $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Updated Successfully </div>';
   } else {
    $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Update </div>';}}} ?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
  <h3 class="text-center">Update Lesson Details</h3>
 <?php
if(isset($ REQUEST['view'])){
 $sql = "SELECT * FROM lesson WHERE lesson id = {$ REQUEST['id']}";
$result = $conn->query($sq1);
$row = $result->fetch_assoc(); } ?>
 <form action="" method="POST" enctype="multipart/form-data">
    <div class="form-group">
      <label for="lesson id">Lesson ID</label>
      <input type="text" class="form-</pre>
control" id="lesson_id" name="lesson_id" value="<?php if(isset($row['</pre>
lesson_id'])) {echo $row['lesson_id']; }?>" readonly>
   </div>
    <div class="form-group">
      <label for="lesson name">Lesson Name</label>
```

```
<input type="text" class="form-</pre>
control" id="lesson_name" name="lesson_name" value="<?php if(isset($r</pre>
ow['lesson name'])) {echo $row['lesson name']; }?>">
    <div class="form-group">
      <label for="lesson desc">Lesson Description</label>
      <textarea class="form-
control" id="lesson desc" name="lesson desc" row=2><?php if(isset($ro</pre>
w['lesson desc'])) {echo $row['lesson desc']; }?></textarea>
    </div>
    <div class="form-group">
      <label for="course id">Course ID</label>
      <input type="text" class="form-</pre>
control" id="course id" name="course id" value="<?php if(isset($row['</pre>
course id'])) {echo $row['course_id']; }?>" readonly>
    </div>
    <div class="form-group">
      <label for="course name">Course Name</label>
      <input type="text" class="form-</pre>
control" id="course_name" name="course_name" onkeypress="isInputNumbe"
r(event)" value="<?php if(isset($row['course name'])) {echo $row['cou
rse_name']; }?>" readonly>
    </div>
    <div class="form-group">
      <label for="lesson_link">Lesson Link</label>
      <div class="embed-responsive embed-responsive-16by9">
      <iframe class="embed-responsive-</pre>
item" src="<?php if(isset($row['lesson_link'])) {echo $row['lesson_li
nk']; }?>" allowfullscreen></iframe>
      </div>
      <input type="file" class="form-control-</pre>
file" id="lesson link" name="lesson link">
    </div>
    <div class="text-center">
      <button type="submit" class="btn btn-</pre>
danger" id="requpdate" name="requpdate">Update</button>
      <a href="lessons.php" class="btn btn-secondary">Close</a>
    <?php if(isset($msg)) {echo $msg; } ?>
  </form> </div>
</div> </div> <?php
include('./adminInclude/footer.php');
```

#### Editstudent.php

```
<?php
if(!isset($ SESSION)){
  session_start();
define('TITLE', 'Edit Course');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $ SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($ REQUEST['regupdate'])){
 if(($_REQUEST['stu_id'] == "") || ($_REQUEST['stu_name'] == "") ||
($_REQUEST['stu_email'] == "") || ($_REQUEST['stu_pass'] == "") || ($
_REQUEST['stu_occ'] == "")){  $msg = '<div class="alert alert-
warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds </div>';
  } else {
    $sid = $_REQUEST['stu_id'];
   $sname = $_REQUEST['stu_name'];
   $semail = $ REQUEST['stu email'];
   $spass = $_REQUEST['stu_pass'];
   $socc = $ REQUEST['stu occ'];
   $sql = "UPDATE student SET stu_id = '$sid', stu_name = '$sname', s
tu email = '$semail', stu pass='$spass', stu occ='$socc' WHERE stu id
= '$sid'";
   if($conn->query($sql) == TRUE){
     $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-</pre>
2" role="alert"> Updated Successfully </div>';
   } else {
    $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-</pre>
2" role="alert"> Unable to Update </div>';
    }
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Update Student Details</h3>
 <?php
if(isset($ REQUEST['view'])){
 $sql = "SELECT * FROM student WHERE stu id = {$ REQUEST['id']}";
```

```
$result = $conn->query($sq1);
$row = $result->fetch assoc();
 ?>
 <form action="" method="POST" enctype="multipart/form-data">
    <div class="form-group">
      <label for="stu id">ID</label>
      <input type="text" class="form-</pre>
control" id="stu_id" name="stu_id" value="<?php if(isset($row['stu id")]</pre>
'])) {echo $row['stu id']; }?>"readonly>
    </div>
   <div class="form-group">
      <label for="stu name">Name</label>
      <input type="text" class="form-</pre>
control" id="stu_name" name="stu_name" value="<?php if(isset($row['st</pre>
u name'])) {echo $row['stu name']; }?>">
    </div>
   <div class="form-group">
      <label for="stu email">Email</label>
      <input type="text" class="form-</pre>
control" id="stu email" name="stu email" value="<?php if(isset($row['</pre>
stu email'])) {echo $row['stu email']; }?>">
    </div>
   <div class="form-group">
      <label for="stu pass">Password</label>
      <input type="text" class="form-</pre>
control" id="stu pass" name="stu pass" value="<?php if(isset($row['st</pre>
u_pass'])) {echo $row['stu_pass']; }?>">
    </div>
   <div class="form-group">
      <label for="stu occ">Occupation</label>
      <input type="text" class="form-</pre>
control" id="stu_occ" name="stu_occ" value="<?php if(isset($row['stu_</pre>
occ'])) {echo $row['stu occ']; }?>">
   </div>
    <div class="text-center">
      <button type="submit" class="btn btn-</pre>
danger" id="requpdate" name="requpdate">Update</button>
      <a href="students.php" class="btn btn-secondary">Close</a>
    </div>
    <?php if(isset($msg)) {echo $msg; } ?>
  </form>
```

```
</div>
</div>
</div>
</php
include('./adminInclude/footer.php');
?>
```

### **Paytm Kit**

#### Pgredirect.php

```
<?php
header("Pragma: no-cache");
header("Cache-Control: no-cache");
header("Expires: 0");
require once("./lib/config paytm.php");
require_once("./lib/encdec_paytm.php");
$checkSum = "";
$paramList = array();
$ORDER ID = $ POST["ORDER ID"];
$CUST ID = $ POST["CUST ID"];
$INDUSTRY TYPE ID = $ POST["INDUSTRY TYPE ID"];
$CHANNEL ID = $ POST["CHANNEL ID"];
$TXN_AMOUNT = $_POST["TXN_AMOUNT"];
$paramList["MID"] = PAYTM_MERCHANT_MID;
$paramList["ORDER_ID"] = $ORDER_ID;
$paramList["CUST ID"] = $CUST ID;
$paramList["INDUSTRY TYPE ID"] = $INDUSTRY TYPE ID;
$paramList["CHANNEL_ID"] = $CHANNEL_ID;
$paramList["TXN AMOUNT"] = $TXN AMOUNT;
$paramList["WEBSITE"] = PAYTM_MERCHANT_WEBSITE;
$paramList["CALLBACK URL"] = "http://localhost/ELearning/PaytmKit/pgR
esponse.php";
$checkSum = getChecksumFromArray($paramList,PAYTM_MERCHANT_KEY);
?>
<html>
<head>
<title>Merchant Check Out Page</title>
</head>
<body>
  <center><h1>Please do not refresh this page...</h1></center>
    <form method="post" action="<?php echo PAYTM TXN URL ?>" name="f1
```

```
<?php
     foreach($paramList as $name => $value) {
       echo '<input type="hidden" name="' . $name .'" value="' . $va
lue . '">';
     <input type="hidden" name="CHECKSUMHASH" value="<?php echo $che</pre>
ckSum ?>">
     <script type="text/javascript">
     document.f1.submit();
   </script>
 </form>
</body>
</html>
```

#### pgResponse.php

```
<?php
header("Pragma: no-cache");
header("Cache-Control: no-cache");
header("Expires: 0");
include('../dbConnection.php');
session start();
require once("./lib/config paytm.php");
require once("./lib/encdec paytm.php");
$paytmChecksum = "";
$paramList = array();
$isValidChecksum = "FALSE";
$paramList = $ POST;
$paytmChecksum = isset($ POST["CHECKSUMHASH"]) ? $ POST["CHECKSUMHASH"])
"]: "";
$isValidChecksum = verifychecksum e($paramList, PAYTM MERCHANT KEY, $
paytmChecksum);
if($isValidChecksum == "TRUE") {
 if ($_POST["STATUS"] == "TXN_SUCCESS") {
   echo "<b>Transaction status is success</b>" . "<br/>";
   if(isset($ POST['ORDERID']) && isset($ POST['TXNAMOUNT'])){
      $order id = $ POST['ORDERID'];
      $stu email = $ SESSION['stuLogEmail'];
```

```
$course id = $ SESSION['course id'];
      $status = $ POST['STATUS'];
      $respmsg = $ POST['RESPMSG'];
      $amount = $ POST['TXNAMOUNT'];
      $date = $_POST['TXNDATE'];
      $sql = "INSERT INTO courseorder(order id, stu email, course id,
status, respmsg, amount, order date) VALUES ('$order id', '$stu emai
1', '$course id', '$status', '$respmsg', '$amount', '$date')";
        if($conn->query($sq1) == TRUE){
          echo "Redirecting to My Profile....";
          echo "<script> setTimeout(() => {
            window.location.href = '../Student/myCourse.php';
        }, 1500); </script>";
        };
 else {
   echo "<b>Transaction status is failure</b>" . "<br/>";
 if (isset($ POST) && count($ POST)>0 )
    Echo "Successful";
 }}
else {
 echo "<b>Checksum mismatched.</b>";
  //Process transaction as suspicious.
```


## Config\_paytm.php

```
<?php
define('PAYTM_ENVIRONMENT', 'TEST'); // PROD
define('PAYTM_MERCHANT_KEY', 'bKMfNxPPf_QdZppa');
//Change this constant's value with Merchant key received from Paytm.
define('PAYTM_MERCHANT_MID', 'DIY12386817555501617');
//Change this constant's value with MID (Merchant ID) received from P
aytm.
define('PAYTM_MERCHANT_WEBSITE', 'DIYtestingweb');
//Change this constant's value with Website name received from Paytm.
$PAYTM_STATUS_QUERY_NEW_URL='https://securegw-
stage.paytm.in/merchant-status/getTxnStatus';
$PAYTM_TXN_URL='https://securegw-
stage.paytm.in/theia/processTransaction';</pre>
```


```
if (PAYTM_ENVIRONMENT == 'PROD') {
    $PAYTM_STATUS_QUERY_NEW_URL='https://securegw.paytm.in/merchant-
status/getTxnStatus';
    $PAYTM_TXN_URL='https://securegw.paytm.in/theia/processTransaction'
;}
define('PAYTM_REFUND_URL', '');
define('PAYTM_STATUS_QUERY_URL', $PAYTM_STATUS_QUERY_NEW_URL);
define('PAYTM_STATUS_QUERY_NEW_URL', $PAYTM_STATUS_QUERY_NEW_URL);
define('PAYTM_TXN_URL', $PAYTM_TXN_URL);
?>
```

#### 5. RESULTS / OUTPUTS AND DISCUSSIONS


## **Home Page**




# **Courses Page**




## **Payment Status and Contact us Page**




### **Feedback from Students**




# **Student Registration and Login**







#### **ADMIN LOGIN**




#### ADMIN DASHBOARD




#### **ADMIN DASHBOARD COURSES**




### ADMIN DASHBOARD LESSONS




#### ADMIN DASHBOARD STUDENTS




### ADMIN DASHBOARD SALES REPORT




#### ADMIN DASHBOARD EDIT FEEDBACK




#### **ADMIN ADD COURSE**




## STUDENT DASHBOARD



## STUDENT COURSES ENROLLED




## STUDENT FEEDBACK




## STUDENT- WATCH COURSES




### STUDENT CHANGE PASSWORD




## STUDENT COURSE ENROLLMENT



## STUDENT COURSE CHECKOUT



## PAYTM GATEWAY FOR PAYMENT



**Paytm** 

#### **Bank Demo**


This is just a demo bank page.
You can choose wheather to make this payment successful or not.



#### PAYMENT FAILURE PAGE



## PAYMENT RECEIPT AND STATUS



#### 6. CONCLUSIONS / RECOMMENDATIONS

### 6.1.1 CONCLUSIONS

The E-Learning Portal has been computed successfully and was also tested successfully by taking "Test Cases". It is user friendly, and has required options, which can be utilized by the user to perform the desired operations.

The Software is developed using HTML, CSS, JS as front end and PHP, MySql as back end in windows environment.

The goals that are achieved by the software are:

- Simplification of the operations
- Less processing time and getting required information
- User friendly
- Portable and flexible for further enhancement

# **6.1.2 LIMITATIONS**

- Only one tutor can access at a time
- It's not SEO friendly
- Risk unauthorized accessibility
- Support is good in modern web browsers but not in legacy ones

### 6.1.3 FUTURE SCOPE

- More than one tutor can be added
- Interaction between Student and Tutor can be improved by introducing Discussion forum
- Quiz Facility may enhance this application's market value
- Live Class can be added

# **REFERENCES:**

- www.google.co.in
- www.wikipedia.org
- www.php.net
- www.stackoverflow.com
- www.getbootstrap.com
- www.fontawesome.com