Product Details Portal

```
package com.practice.project4;
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.*;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
@WebServlet("/app")
public class Validation extends HttpServlet {
      private static final long serialVersionUID = 1L;
    public Validation() {
        // TODO Auto-generated constructor stub
    }
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             String pId=request.getParameter("productId");
        String pName=request.getParameter("productName");
        String pPrice=request.getParameter("productPrice");
        HttpSession theSession=request.getSession();
        theSession.setAttribute("pid", pId);
        theSession.setAttribute("pname", pName);
        theSession.setAttribute("pprice", pPrice);
        response.sendRedirect("product.jsp");
      }
}
```

Product.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1>Enter Product Details</h1>
<form action="app">
<input type="text" name="productId" placeholder="PRODUCTID"><br>
<input type="text" name="productName" placeholder="PRODUCTNAME"><br>
<input type="text" name="productPrice" placeholder="PRODUCTPRICE"><br>
<input type="submit" value="ENTER">
</form>
</body>
</html>
```

Product1.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1>Displaying the Product Details.....</h1>
<hr>
<hr>
<""ProductId:"+session.getAttribute("pid") %><br>
<%="ProductName:"+session.getAttribute("pname") %><br>
<%="ProductPrice:"+session.getAttribute("pprice") %><br>
</body>
</html>
```