

EX:1

Program:

```
import 'package:flutter/material.dart';
void main()
{
  runApp(MyApp());
}
class MyApp extends StatelessWidget {
  const MyApp({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      home:Text("Hello Dharshini!", textAlign: TextAlign.center,
      style:TextStyle(backgroundColor:Colors.blue))
    );
}
```

EX:2

Program:

```
import 'package:flutter/material.dart';

void main() {
  runApp(MyApp());
}

class MyApp extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      home: MyHomePage(),
    );
  }
}

class MyHomePage extends StatefulWidget {
  @override
  State<MyHomePage> createState() => _MyHomePageState();
}

class _MyHomePageState extends State<MyHomePage> {
  Color bgColor = Colors.blue;
  double fontSize = 20;

  void changeStyle() {
    setState(() {
      bgColor = Colors.green;
      fontSize = 30;
    });
  }

  @override
  Widget build(BuildContext context) {
```

```
return Scaffold(  
    body: Center(  
        child: Column(  
            mainAxisAlignment: MainAxisAlignment.center,  
            children: [  
  
                Text(  
                    "Hello Dharshini!",  
                    style: TextStyle(  
                        backgroundColor: bgColor,  
                        fontSize: fontSize,  
                        color: Colors.white,  
                    ),  
                ),  
                SizedBox(height: 20),  
                ElevatedButton(  
                    onPressed: changeStyle,  
                    child: Text("Click Me"),  
                ),  
            ],  
        ),  
    );  
}
```

Output:

Hello Dharshini!


Click Me

Hello Dharshini!

Click Me

Activate Windows
Go to Settings to activate Windows.

Output:



Activate Windows
Go to Settings to activate Windows.