

week 6

GIT-HOL

1

```
MINGW64~/Users/sathy
hand line)
--[no-]show-scope show scope of config (worktree, local, global, system,
command)
--[no-]show-names show config keys in addition to their values

Type
-t, --[no-]type <type> value is given this type
--bool value is "true" or "false"
--int value is decimal number
--bool-or-int value is --bool or --int
--bool-or-str value is --bool or string
--path value is a path (file or directory name)
--expiry-date value is an expiry date

Other
--[no-]default <value> with --get, use default value when missing entry
--[no-]comment <value> human-readable comment string (# will be prepended as
needed)
--[no-]fixed-value use string equality when comparing values to value pat
tern
--[no-]includes respect include directives on lookup

sathy@sathyapriya MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
core.autocrlf=true
core.fsmonitor=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.helper=https://dev.azure.com:usehttppath=true
init.defaultBranch=master
user.email=sathyapriya.2kcsd@kongu.edu
user.name=Sathyapriya

sathy@sathyapriya MINGW64 ~
$ git config --global user.email
sathyapriya.2kcsd@kongu.edu

sathy@sathyapriya MINGW64 ~
$ git config --global user.name "sathyapriya0801@gmail.com"

sathy@sathyapriya MINGW64 ~
$ git config --global --list
user.email=sathyapriya0801@gmail.com
user.name=Sathyapriya

sathy@sathyapriya MINGW64 ~
$
```

```

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
gitconfig
1 [user]
2   email = sathyapriya0801@gmail.com
3   name = Sathyapriya
4 [alias]
5   gp = !notepad++
6 [core]
7   editor = notepad++
8

Properties file length: 114 lines: 8 Ln: 1 Col: 1 Pos: 1 Unix (LF) UTF-8 INS
```

```
MINGW64:/c/Users/sathy/GitDemo

sathy@sathyapriya MINGW64 ~
$ mkdir GitDemo
mkdir: cannot create directory 'GitDemo': File exists

sathy@sathyapriya MINGW64 ~
$ cd GitDemo

sathy@sathyapriya MINGW64 ~/GitDemo
$ git init
Initialized empty Git repository in C:/Users/sathy/GitDemo/.git/

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ ls -la
total 52
drwxr-xr-x 1 sathy 197609 0 Jul 21 15:33 ./
drwxr-xr-x 1 sathy 197609 0 Jul 21 15:31 ../
drwxr-xr-x 1 sathy 197609 0 Jul 21 15:33 .git/

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$
```

```
MINGW64:/c/Users/sathy/GitDemo

sathy@sathyapriya MINGW64 ~
$ cd GitDemo

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ ls
welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ cat welcome.txt
cat: welcome.txt: No such file or directory

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ cat welcom.txt
Welcome to Git.

This is my first Git Repository.

Learning Git Commands.
sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcom.txt

nothing added to commit but untracked files present (use "git add" to track)

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git add welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git commit
hint: Waiting for your editor to close the file... |
```

```
MINGW64:/c/Users/sathy/GitDemo

sathy@sathyapriya MINGW64 ~
$ cd GitDemo

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git commit -m "Initial Commit"
[master (root-commit) 6b7be83] Initial Commit
1 file changed, 5 insertions(+)
create mode 100644 welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
nothing to commit, working tree clean

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ |
```

```
MINGW64:/c/Users/sathy/GitDemo

sathy@sathyapriya MINGW64 ~
$ cd GitDemo

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git commit -m "Initial Commit"
[master (root-commit) 6b7be83] Initial Commit
1 file changed, 5 insertions(+)
create mode 100644 welcom.txt


sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
nothing to commit, working tree clean

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git remote add origin https://github.com/Sathyapriya0608/GitDemo.git

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git remote -v
origin https://github.com/Sathyapriya0608/GitDemo.git (fetch)
origin https://github.com/Sathyapriya0608/GitDemo.git (push)

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 285 bytes | 40.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sathyapriya0608/GitDemo.git
 * [new branch] master -> master
branch 'master' set up to track 'origin/master'.

sathy@sathyapriya MINGW64 ~/GitDemo (master)
```



2.

```
MINGW64:/c/Users/sathy/GitDemo

sathy@sathyapriya MINGW64 ~
$ cd GitDemo

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ ls
welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ welcom.txt
bash: welcom.txt: command not found

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ touch error.log

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ ls
error.log  welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ mkdir log

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ ls
error.log  log/  welcom.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ touch log/output.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ ls log
output.txt

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        error.log
        log/

nothing added to commit but untracked files present (use "git add" to track)

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ notepad++ .gitignore
```

```
MINGW64:/c/Users/sathy/GitDemo

sathy@sathyapriya MINGW64 ~
$ cd GitDemo

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git add .gitignore

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git commit -m "Added .gitignore file"
[master 4acdb37] Added .gitignore file
1 file changed, 2 insertions(+)
create mode 100644 .gitignore


sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean




sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git pushorigin master
git: 'pushorigin' is not a git command. See 'git --help'.


sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 297 bytes | 59.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sathyapriya0608/GitDemo.git
   6b7be83..4acdb37  master -> master

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ |
```



3.





4.

```

MINGW64 ~/Users/sathy/GitDemo
sathy@sathyprya MINGW64 ~
$ cd GitDemo

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.
nothing to commit, working tree clean

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git checkout -b Gitwork
Switched to a new branch 'Gitwork'

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git branch
* Gitwork
  master

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ notepad++ hello.xml
bash: notepad++: command not found

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ ^C

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ notepad++ hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git status
On branch Gitwork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml

nothing added to commit but untracked files present (use "git add" to track)

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git add hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git commit -m "Added hello.xml in Gitwork"
[Gitwork ec4c1db] Added hello.xml in Gitwork
1 file changed, 3 insertions(+)
create mode 100644 hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ notepad++ hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git status
On branch Gitwork
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   hello.xml

```

```

MINGW64 ~/Users/sathy/GitDemo
  (use "git restore <file>..." to discard changes in working directory)
    modified:   hello.xml

no changes added to commit (use "git add" and/or "git commit -a")

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git add hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git commit -m "Updated hello.xml in Gitwork"
[Gitwork fd42f7] Updated hello.xml in Gitwork
1 file changed, 4 insertions(+)

sathy@sathyprya MINGW64 ~/GitDemo (Gitwork)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ notepad++ hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git add hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git commit -m "Added hello.xml in master"
[master b5dad9] Added hello.xml in master
1 file changed, 10 insertions(+)
create mode 100644 hello.xml

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate --all
* b5dad9 (HEAD -> master) Added hello.xml in master
* fd42f7 (Gitwork) Updated hello.xml in Gitwork
* ec4c1db Added hello.xml in Gitwork
* 61f9f8 (origin/master) Renamed welcom.txt to welcome.txt
* 10c4f59 Merge pull request #1 from Sathyprya0608/gitnewbranch
* 2009b71 (origin/GitNewBranch) Added sample.txt
*
* b61abef Added branch.txt in GitNewBranch
* 8acab3f Added .gitignore file
* 6b7bed1 Initial Commit

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ ^C

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git diff master Gitwork
diff --git a/hello.xml b/hello.xml
index b6cad59..b5eb93f 100644
--- a/hello.xml
+++ b/hello.xml
@@ -4,7 +4,4 @@
<message>
    hello from Gitwork Branch
    updated by Gitwork

```

```

MINGW64 ~/Users/sathy/GitDemo
$ git diff master Gitwork
diff --git a/hello.xml b/hello.xml
index b6cad59..b5eb93f 100644
--- a/hello.xml
+++ b/hello.xml
@@ -4,7 +4,4 @@
<message>
    hello from Gitwork Branch
    updated by Gitwork
--message>
    hello from Master Branch
--message>
$ No newline at end of file

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ ^C

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git difftool master Gitwork

This message is displayed because 'diff.tool' is not configured.
See 'git difftool --tool-help' or 'git help config' for more details.
'git difftool' will now attempt to use one of the following tools:
opendiff kdiff3 tkdiff xdiff meld kompare gnuDiff diffuse diffmerge ecmerge ptermge araxis bc codecomp
are smerge emerge vwindiff nwindiff

Viewing (1/1): 'hello.xml'
Launch 'vindiff' [V/N]? n

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git merge Gitwork
git: 'merge Gitwork' is not a git command. See 'git --help'.

sathy@sathyprya MINGW64 ~/GitDemo (master)
$ git merge Gitwork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.

sathy@sathyprya MINGW64 ~/GitDemo (master/MERGING)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both added:   hello.xml

no changes added to commit (use "git add" and/or "git commit -a")

sathy@sathyprya MINGW64 ~/GitDemo (master/MERGING)
$ notepad++ hello.xml

```



```
MINGW64 ~/Users/sathy/GitDemo
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ notepad++ hello.xml
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git add hello.xml
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git commit -m "Resolved merge conflict in hello.xml"
[master d64b166] Resolved merge conflict in hello.xml
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
(use "git push" to publish your local commits)


nothing to commit, working tree clean
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ touch hello.xml.bak
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ ls
branch.txt  error.log  hello.xml  hello.xml.bak  log/  sample.txt  welcome.txt
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ notepad++ .gitignore
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ cat .gitignore
log/
*.bak
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
(use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .gitignore

no changes added to commit (use "git add" and/or "git commit -a")
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git add .gitignore
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git commit -m "Updated .gitignore"
[master 39ccall] Updated .gitignore
1 file changed, 2 insertions(+), 1 deletion(-)
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git branch
Gitwork
sathy@sathypriya MINGW64 ~/GitDemo (master)
```

```
MINGW64 ~/Users/sathy/GitDemo
(use "git restore <file>..." to discard changes in working directory)
  modified:   .gitignore

no changes added to commit (use "git add" and/or "git commit -a")
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git add .gitignore
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git commit -m "Updated .gitignore"
[master 39ccall] Updated .gitignore
1 file changed, 2 insertions(+), 1 deletion(-)
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git branch
Gitwork
* master
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git branch -d Gitwork
Deleted branch Gitwork (was fda62ff).
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git branch
* master
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate
39ccall (HEAD --master) Updated .gitignore
d64b166 Resolved merge conflict in hello.xml
fda62ff Updated hello.xml in Gitwork
ec4c1db Added hello.xml in Gitwork
b53ad82 Added hello.xml in master
81ef9f8 (origin/master) Renamed welcom.txt to welcome.txt
32c4f59 Merge pull request #1 from Sathyapriya0608/GitNewBranch
2009971 (origin/GitNewBranch) Added sample.txt
865abef Added branch.txt in GitNewBranch
a4acdb17 Added .gitignore file
d07ba83 Initial Commit
sathy@sathypriya MINGW64 ~/GitDemo (master)
$ git push origin master
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 8 threads
Compressing objects: 100% (14/14), done.
Writing objects: 100% (15/15), 1.32 KiB | 676.00 KiB/s, done.
Total 15 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), done.
To https://github.com/Sathyapriya0608/GitDemo.git
81ef9f8..39ccall master -> master
sathy@sathypriya MINGW64 ~/GitDemo (master)
$
```



5.

```

MINGW64/c/Users/sathy/GitDemo
sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git branch -a
* master
  remotes/origin/GitNewBranch
  remotes/origin/master

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git pull origin master
From https://github.com/Sathyapriya0608/GitDemo
* branch      master       -> FETCH_HEAD
Already up to date.

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git push origin master
Everything up-to-date

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate
* 39ccall (HEAD -> master, origin/master) Updated .gitignore
  * dd4b166 Resolved merge conflict in hello.xml
  |
  | * fda62f7 Updated hello.xml in Gitwork
  | * ec4c1db Added hello.xml in Gitwork
  | * b51ad82 Added hello.xml in master
  |
  | * 85ef9f8 Renamed welcom.txt to welcome.txt
  | * 32c4f59 Merge pull request #1 from Sathyapriya0608/GitNewBranch
  |
  | * 2009971 (origin/GitNewBranch) Added sample.txt
  |
  | * 865abef Added branch.txt in GitNewBranch
  | * 4acdb37 Added .gitignore file
  | * 6b7be83 Initial Commit
  |
  |/
sathy@sathyapriya MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

sathy@sathyapriya MINGW64 ~/GitDemo (master)
$

```

The screenshot shows the GitHub web interface for the repository 'Sathyapriya0608/GitDemo'. The repository is public and has 1 branch (master) and 0 tags. The commit history shows 11 commits, with the most recent commit (39ccall) updating the .gitignore file 16 minutes ago. The file list shows the following files and their commit history:

File	Commit Message	Time Ago
.gitignore	Updated .gitignore	16 minutes ago
branch.txt	Added branch.txt in GitNewBranch	1 hour ago
hello.xml	Resolved merge conflict in hello.xml	19 minutes ago
sample.txt	Added sample.txt	1 hour ago
welcome.txt	Renamed welcom.txt to welcome.txt	1 hour ago

The README section is currently empty, with a button to 'Add a README'. The right sidebar shows the repository's activity, including 0 stars, 0 watching, and 0 forks. There are no releases or packages published yet.