

VideoMaker Demo Walkthrough

A guided test of account administration, AI-assisted video creation, browser rendering, private history, and optional social publishing.

START TESTING HERE

<https://fragomen-mobility.vercel.app/login>

LIVE Vercel production

HEALTHY Supabase

INVITATION ONLY Authentication

Safe demo rule

Complete the core walkthrough through Render and Download. Only run the optional publishing section when a real social account has been intentionally assigned and the named destination is approved.

Access and preparation

Production is ready for user testing

The application, authentication, database schema, private video storage, administrator profile, and production route protection are active.

Use the correct URL

Purpose	URL
Sign in	https://fragomen-mobility.vercel.app/login
Dashboard	https://fragomen-mobility.vercel.app/dashboard
Create a video	https://fragomen-mobility.vercel.app/create
Administration	https://fragomen-mobility.vercel.app/admin

About the old /gate page

Do not use `/gate` for this test. It belongs to the legacy shared-password mode. Supabase multi-user mode starts at `/login` and protects each user's data separately.

First-time administrator activation

1 Open only the newest email

Use the latest invitation or password-reset email sent to **forweekend@gmail.com**. Older links expire when a newer email is requested; check spam or junk if needed.

2 Verify the production domain and choose a password

The link must open `https://fragomen-mobility.vercel.app`. The app securely completes the link even when Supabase initially opens the home page. Set a password of at least eight characters.

Expected: the reset-password screen appears, then the app redirects to Dashboard after the password is saved.

3 Sign in

At `/login`, enter the invited email and new password.

Expected: clearly labeled Dashboard, Admin, Account, Sign out, and Create video controls appear in the header.

Prepare demo media

- Use 3 to 5 JPG or PNG photos with a clear sequence.
- Optionally include one short MP4 clip encoded as H.264.
- Use non-sensitive sample content; source media remains in the browser.
- Allow popups only if you intentionally test social account connection.

Invite and manage users

Run this section while signed in as **forweekend@gmail.com**. Select the labeled **Admin** action in the header to open Administration.

1 Review the shared monthly AI token pool

Select **Admin** or open `/admin`. Review **Total pool**, **Assigned to active users**, and **Unallocated for administrators**.

Expected: the three values reconcile and update immediately while limits are edited.

2 Invite with the correct role

Enter the email and display name, then choose **Regular user** or **Administrator**. Keep administrator access limited to trusted operators.

Expected: "Invitation sent" appears. If the Auth identity already exists without a profile, the app recovers it and sends a password-setup email.

3 Assign a regular-user limit

A 2,000-token limit comes from the shared pool: assigning it from a 100,000-token pool leaves 98,000 unallocated. Set 0 to block remote AI use. Administrators share the unallocated balance.

4 Raise the internal pool when approved

Change **Total monthly pool** and select **Update pool**. This changes the app's safety ceiling only; it does not buy OpenRouter credits or raise Groq rate limits. Purchase provider capacity in OpenRouter billing or manage it in the Groq organization console.

5 Adjust or remove access

Change role, limit, Active status, or publishing destinations and select **Save**. Delete only when permanent removal of the account and owned records is intended. Assignment never publishes automatically.

Publishing authorization is deny-by-default

Assignment grants permission to use a destination; it never creates a post by itself. Leave all accounts unassigned for a render-only demo.

Recommended user-access checks

Test	Expected result
Open <code>/admin</code> while signed out	Redirect to <code>/login?next=%2Fadmin</code>
Open <code>/admin</code> as a regular user	Access denied or redirected by the server-side admin check
Disable a regular user	That user's next protected request ends the session and reports the account is disabled
Set a low quota	Dashboard shows the reduced monthly quota and remaining balance
Assign 2,000 from a 100,000 pool	Assigned shows 2,000 and unallocated shows 98,000
Delete a disposable test user	A confirmation appears, then the user and owned records are removed

Admin safety notes

- Your signed-in administrator cannot be deleted, disabled, or demoted.
- The system prevents removal of the last active administrator.
- Never share the Supabase service-role key or Vercel environment values.
- Use separate invited accounts for each tester; do not share passwords.
- Deactivate an account to preserve its history; delete only when permanent removal is intended.

Create the narrated video

Open `/create`. The six-step workspace advances from Upload through Publish. Complete the first five steps for a safe end-to-end demo.

- 1 Add your media**
Upload 3 to 5 photos or short clips. Reorder them with Move earlier/Move later and remove any unwanted item.
Expected: asset count appears and Format & style unlocks.
- 2 Choose format and style**
Select the target frame and one visual style. For a quick demo, use a short vertical or square output and keep the total under 30 seconds.
- 3 Review the estimate and generate narration**
Tokens for this run is the approximate cost of this one narration attempt. **Monthly quota** is the account limit and remaining balance. If the run does not fit, the panel shows the estimated shortfall and advises contacting an administrator.
Expected: one script scene per uploaded asset; actual token use may vary with captions and provider tokenization.
- 4 Generate voiceover**
The estimate remains visible at zero monthly AI tokens and shows characters and approximate speech length. Voice work is tracked separately under current accounting. Choose a voice and generate all voiceovers.
Expected: each narrated scene receives an audio duration and Render unlocks.
- 5 Render video**
The estimate shows zero monthly AI tokens because FFmpeg renders on the user's device. Zero tokens means no quota charge, not instant processing. Select **Render video** and keep the tab open.
Expected: progress reaches complete, a video preview appears, and the finished MP4 is saved privately.
- 6 Download and inspect**
Select the Download control. Watch the full MP4 and verify order, crop, narration, timing, music level, watermark, and outro.

Core demo completion point

Stop here for a no-side-effect demonstration. You have tested authentication, AI analysis, script generation, voice generation, browser rendering, private storage, and download without publishing anything.

What stays private

BROWSER ONLY

Source content

Original photos, clips, draft state, render intermediates, and temporary upload URLs remain local to the browser workflow.

PRIVATE SUPABASE STORAGE

Finished output

The completed MP4 and its history record are user-owned. Authenticated same-origin playback and downloads preserve privacy and browser seeking.

Verify the dashboard

After rendering, open Dashboard from the header.

Area	What to verify
Tokens this month	Usage reflects AI and voice operations performed during the demo.
Quota remaining	A regular user sees the assigned limit. An administrator sees the shared balance left after active-user assignments.
Saved videos	The count increased after the successful render.
Connected social accounts	LinkedIn and every other assigned provider remain visible after refresh with account name and Ready or Reconnect status. Administrators see provider connections; regular users see assigned accounts.
Recent videos	The new private video loads through the authenticated app, plays inline with seeking controls, and has an explicit Download action.
Publishing activity	Remains empty unless the optional publishing test was completed.
Social views and likes	Remain zero until published analytics are refreshed.

Verify profile management

1 Open Profile and security

Select the labeled **Account** action in the header.

2 Change display name

Enter a display name and select **Save profile**.

Expected: "Profile updated" appears and the dashboard greeting uses the new name.

3 Do not change email during a routine demo

Email changes require confirmation from both addresses and can interrupt the walkthrough.

Verify password reset and logout

1. From Account, confirm that **Reset password** opens the secure reset-link form.
2. Select the labeled **Sign out** action in the header.
3. Confirm that opening `/dashboard` redirects to Login.
4. On Login, select **Forgot password?**.
5. Enter the account email and select **Send reset link**.
6. Confirm the newest email opens the production domain. An expired link returns to Login with guidance to request a new email.
7. For a non-disruptive demo, stop after confirming the email arrives. Do not change the password unless that is the intended test.

Session expectation

Signing out invalidates the application session. Protected pages and APIs require an authenticated, active profile on every subsequent request.

Social publishing test

This section can create a real public post

Do not continue unless the destination account owner has approved the exact video, caption, title, and timing. VideoMaker never publishes automatically; the tester must explicitly confirm the final action.

Prerequisites

- ☐ Outstand is configured and the intended social account is connected.
- ☐ The signed-in user completed provider consent in VideoMaker, or an administrator assigned that exact account.
- ☐ The finished video was reviewed and approved.
- ☐ The caption is final; YouTube and Vimeo also require a title.
- ☐ The account owner approves a real immediate post. Scheduling is not available.

Publish only after approval

1 Connect and load accounts

Being signed into LinkedIn helps provider consent but does not connect VideoMaker by itself. Start Connect in VideoMaker. If LinkedIn offers several profiles or organization pages, select only approved entries. The exact callback account is assigned to the signed-in user, including a securely verified reconnect.

2 Select approved destinations

Choose accounts individually, use **Select recommended** for destinations suited to the rendered aspect ratio, or use **Select all supported**. Verify every platform and account name; clear any destination that is not approved.

3 Enter post content

Add the caption and, where required, the title. Keep combined content under 5,000 characters.

4 Review and publish

Select the publish action. Read the confirmation dialog, verify every named account, and confirm only when approved.

Expected: the authenticated durable MP4 is read from private Supabase storage, uploaded to Outstand, and followed by per-account status.

5 Verify outcomes

Use Resume status if processing continues. Retry failed accounts only; successful accounts are excluded to avoid duplicates.

6 Review analytics

On Dashboard, open native post links and select Refresh performance for published items. Metrics depend on platform permissions.

Never test publishing casually

Closing a confirmation dialog or leaving destination accounts unselected is the correct way to demonstrate publishing controls without creating an external post.

Acceptance checklist

ACCESS

- ☐ Newest invitation or reset link works.
- ☐ Login reaches Dashboard.
- ☐ Shared pool arithmetic updates live.
- ☐ Delete requires confirmation.
- ☐ Regular users cannot open Admin.

CREATION

- ☐ Media uploads and reorders.
- ☐ Quota estimates appear before generation.
- ☐ AI script is generated and editable.
- ☐ Voiceover completes.
- ☐ MP4 renders and downloads.

DATA

- ☐ Completed video plays inline.
- ☐ Dashboard download works.
- ☐ Usage and quota update.
- ☐ Profile name saves.
- ☐ Password reset is available from Account.

OPTIONAL PUBLISHING

- ☐ Connected accounts survive refresh.
- ☐ Reconnect creates no duplicate.
- ☐ Final confirmation names destinations.
- ☐ Status resumes without duplication.
- ☐ Analytics refresh is manual.

Troubleshooting during the demo

Symptom	Action
The browser shows <code>/gate</code>	Open <code>https://fragomen-mobility.vercel.app/login</code> directly.
Invitation or reset link fails	Discard older emails, request one new link, and confirm it opens <code>fragomen-mobility.vercel.app</code> , never localhost.
Login reports an expired link	Open Forgot password, send one new email, and use only that newest message.
Email is already registered	Refresh Users. Update or delete an existing listed user; missing profiles are recovered when invited again.
AI is rate limited or unavailable	The app retries transient failures automatically. If the warning remains, wait one minute and select Re-analyze & rewrite script.
Monthly AI token limit reached	Raise the user's limit within the unallocated pool, increase the internal pool if approved, or wait for the next monthly reset. Provider credits and rate limits are managed separately.
Voice model is slow on first use	Keep the tab open while the one-time browser model download completes.
Render is slow	Use desktop Chrome, fewer assets, and a shorter 720p output.
Video does not play inline	Refresh Dashboard and sign in again if prompted. Confirm the same video downloads; report the browser media error without sharing its private URL.
Publishing account is missing	Select Refresh on Dashboard. Verify platform and account name; regular users must be assigned the exact account in Administration.
Publishing remains pending	Use Resume status; do not create a second post.

Recommended first test

Complete pages 2 through 5 and stop before social publishing. This exercises the application's primary value path with no external posting side effect.

Production URL: <https://fragomen-mobility.vercel.app/login>

Support evidence to capture: browser and time, failed step, visible message, and whether retry succeeded. Never include passwords, API keys, invitation tokens, or signed URLs.