

POD Audit Report

Audit period: 29 Aug 2026 to 22 Sep 2026 (Weeks 35–39, 2026)

Scope: 449 audits across 449 stores, 61 cities (PAN India). Data drawn from the Executive Summary, FNV, NOICE and DBEM tabs of the POD Audit Dashboard. Where a store was audited more than once in this period, only its latest audit is counted.

Draft generated: 22 Sep 2026, 08:21

1. Audit Coverage

Metric	Value
Audits conducted	449
Stores audited	449
Cities covered	61

Note: Basis for every percentage figure in this document. Repeat-audited stores are counted once, using their latest audit only.

2. Parameters Covered — Categorywise

Parameter	FNV	NOICE	DBEM
Inward Temp record	✓	✓	✓
AC room temperature	✓	✓	✗
Stacking	✓	✗	✗
FIFO/FEFO-Stacking	✓	✓	✓
FNV Damage removal	✓	✗	✗
Chiller-Temp	✓	✓	✗
Storage Location Adherence	✓	✓	✗
QC-Record	✓	✗	✗
Put Away	✓	✓	✓
Zone-end check	✓	✓	✓
Expiry-Removal	✗	✓	✓
Puffed packs-Removal	✗	✓	✓
Freezer-Temp	✗	✓	✗

Note: ✓ indicates the parameter is part of that category's audit checklist; ✗ indicates it is not.

3. Headline Non-Compliance

Parameter	Non-compliant stores	Store base	% non-compliant
Inward temp record	360	449	80.2%
FNV Damage removal	202	449	45.0%
Freezer temp	220	447	49.2%
Chiller temp	191	449	42.5%
AC room temp	109	449	24.3%
Expiry removal (NOICE/DBEM)	12	449	2.7%

Note: Freezer temp applies only to NOICE (no Freezer zone in FNV/DBEM), so its % is against NOICE's own store base. Inward temp record is the single biggest flag on the dashboard.

4. Top Concern Parameters (cross-category ranking)

Rank	Category	Parameter	Non-compliant %
1	FNV	Inward Temp record	75.2%
2	NOICE	Inward Temp record	64.7%
3	DBEM	Inward Temp record	64.1%
4	NOICE	Freezer-Temp	49.2%
5	FNV	FNV Damage removal	45.5%
6	FNV	QC-Record	44.3%
7	NOICE	Chiller-Temp	38.6%
8	FNV	Chiller-Temp	37.9%

Note: Inward Temp record is a systemic, cross-category failure (not one brand's problem) - top priority for corrective action.

5. Category-wise Insights

5.1 FNV

Parameter	Fully compliant	Partial	Non-compliant	Non-compliant %
Inward Temp record	91	20	337	75.2%
FNV Damage removal	237	5	202	45.5%
QC-Record	203	42	195	44.3%
Chiller-Temp	260	18	170	37.9%
Zone-end check	10	0	4	28.6%
AC room	331	14	103	23.0%

temperature				
Stacking	326	42	81	18.0%
Put Away	354	8	60	14.2%
Storage Location Adherence	278	148	6	1.4%
FIFO/FEFO-Stacking	272	170	3	0.7%

Note: FNV's biggest gaps are temperature discipline (Inward/Chiller) and produce damage removal.

5.2 NOICE

Parameter	Fully compliant	Partial	Non-compliant	Non-compliant %
Inward Temp record	59	99	290	64.7%
Freezer-Temp	206	21	220	49.2%
Chiller-Temp	252	23	173	38.6%
AC room temperature	330	11	105	23.5%
Put Away	354	8	60	14.2%
Expiry-Removal	230	173	6	1.5%
FIFO/FEFO-Stacking	194	208	3	0.7%
Storage Location Adherence	233	182	0	0.0%
Puffed packs-Removal	410	26	0	0.0%
Zone-end check	13	1	0	0.0%

Note: Cold-chain temperature checks (Inward/Freezer/Chiller/AC) dominate NOICE's failures.

5.3 DBEM

Parameter	Fully compliant	Partial	Non-compliant	Non-compliant %
Inward Temp record	59	102	287	64.1%
Put Away	354	8	60	14.2%
Expiry-Removal	323	120	6	1.3%
FIFO/FEFO-Stacking	307	131	2	0.5%
Puffed packs-Removal	401	35	0	0.0%
Zone-end check	14	0	0	0.0%

Note: DBEM's only material gap is Inward temp record.

6. Key Observations

- Inward temp record is the dominant failure across all three categories - likely a process/training gap at goods-receipt, not category-specific.
- FNV is the weakest overall category, driven by temperature checks and damage removal.
- DBEM's only material gap is Inward temp record.