

POD Audit Report

Audit period: 29 Aug 2026 to 22 Sep 2026 (Weeks 35–39, 2026)

Scope: 459 audits across 449 stores, 61 cities (PAN India). Data drawn from the Executive Summary, FNV, NOICE and DBEM tabs of the POD Audit Dashboard.

1. Audit Coverage

Metric	Value
Audits conducted	459
Stores audited	449
Cities covered	61

Note: Basis for every percentage figure in this document.

2. Parameters Covered — Categorywise

Category	Parameters checked
Common to all categories	Inward Temp record; FIFO/FEFO-Stacking; Put Away; Zone-end check
FNV — additional	AC room temperature; Stacking; FNV Damage removal; Chiller-Temp; Storage Location Adherence; QC-Record
NOICE — additional	Chiller-Temp; Storage Location Adherence; Expiry-Removal; Puffed packs-Removal; Freezer-Temp; AC room temperature
DBEM — additional	Expiry-Removal; Puffed packs-Removal

Note: "Additional" parameters are checked for that category only (or shared with just one other category), on top of the 4 parameters common to all three.

3. Headline Non-Compliance

Parameter	Non-compliant stores	Store base	% non-compliant
Inward temp record	358	449	79.7%
FNV Damage removal	201	449	44.8%
Freezer temp	220	447	49.2%
Chiller temp	190	449	42.3%
AC room temp	108	449	24.1%
Expiry removal	12	449	2.7%

(NOICE/DBEM)			
--------------	--	--	--

Note: Freezer temp applies only to NOICE (no Freezer zone in FNV/DBEM), so its % is against NOICE's own store base. Inward temp record is the single biggest flag on the dashboard.

4. Top Concern Parameters (cross-category ranking)

Rank	Category	Parameter	Non-compliant %
1	FNV	Inward Temp record	74.8%
2	NOICE	Inward Temp record	64.3%
3	DBEM	Inward Temp record	63.6%
4	NOICE	Freezer-Temp	49.2%
5	FNV	FNV Damage removal	45.3%
6	FNV	QC-Record	44.2%
7	NOICE	Chiller-Temp	38.4%
8	FNV	Chiller-Temp	37.7%

Note: Inward Temp record is a systemic, cross-category failure (not one brand's problem) - top priority for corrective action.

5. Category-wise Insights

5.1 FNV

Parameter	Fully compliant	Partial	Non-compliant	Non-compliant %
Inward Temp record	89	24	335	74.8%
FNV Damage removal	236	7	201	45.3%
QC-Record	203	43	195	44.2%
Chiller-Temp	259	20	169	37.7%
Zone-end check	11	0	4	26.7%
AC room temperature	330	17	101	22.5%
Stacking	325	43	81	18.0%
Put Away	354	8	60	14.2%
Storage Location Adherence	278	148	6	1.4%
FIFO/FEFO-Stacking	269	173	3	0.7%

Note: FNV's biggest gaps are temperature discipline (Inward/Chiller) and produce damage removal - process-adherence items (FIFO, storage location) are strong.

5.2 NOICE

Parameter	Fully compliant	Partial	Non-compliant	Non-compliant %
Inward Temp record	56	104	288	64.3%
Freezer-Temp	205	22	220	49.2%
Chiller-Temp	251	25	172	38.4%
AC room temperature	330	13	104	23.3%
Put Away	354	8	60	14.2%
Expiry-Removal	230	173	6	1.5%
FIFO/FEFO-Stacking	192	210	3	0.7%
Storage Location Adherence	232	183	0	0.0%
Puffed packs-Removal	410	26	0	0.0%
Zone-end check	14	1	0	0.0%

Note: Cold-chain temperature checks (Inward/Freezer/Chiller/AC) dominate NOICE's failures; expiry and packaging integrity are well controlled.

5.3 DBEM

Parameter	Fully compliant	Partial	Non-compliant	Non-compliant %
Inward Temp record	56	107	285	63.6%
Put Away	354	8	60	14.2%
Expiry-Removal	323	120	6	1.3%
FIFO/FEFO-Stacking	307	131	2	0.5%
Puffed packs-Removal	401	35	0	0.0%
Zone-end check	15	0	0	0.0%

Note: DBEM is the strongest category overall - Inward temp record is its only material weakness.

6. Key Observations

- Inward temp record is the dominant failure across all three categories - likely a process/training gap at goods-receipt, not category-specific.

- FNV is the weakest overall category, driven by temperature checks and damage removal, not process-adherence.
- DBEM is the strongest category, with only Inward temp record as a real gap.
- Expiry/FIFO/storage-location controls are consistently strong across all categories - not a concern area.