




arXiv is now an independent nonprofit! [Learn more](#) ×

arxiv





[Search](#) [Submit](#) [Donate](#) [Log in](#)

Showing 1–33 of 33 results for all: superhelical [Search v0.5.6 released 2020-02-24](#)

All fields



Search

50  results per page. Sort results by Announcement date (newest first)  [Go](#)

1. [arXiv:2608.27412](#) [[pdf](#), [ps](#), [other](#)] [hep-th](#) [math-ph](#)

Casimir operators of $4D, \mathcal{N} = 2$ supersymmetry in the harmonic approach

Authors: [Egor Eremeev](#), [Evgeny Ivanov](#)

Abstract: ...**superhelicity** and super-isohelicity operators relevant to the massless case (with vanishing $\square$) and find their eigenvalues for few instructive examples of $4D, \mathcal{N} = 2$ superfield theories. [▽ More](#)

Submitted 10 September, 2026; v1 submitted 27 August, 2026; **originally announced** August 2026.

Comments: 0 + 38 pages, typos corrected

2. [arXiv:2608.18898](#) [[pdf](#)] [q-bio.QM](#)

Polarization controlled second harmonic generation imaging of stretched collagen fibrils reveals collagen deformation pathway in situ

Authors: [MacAulay Harvey](#), [Konstantin Roeder](#), [Richard Cisek](#), [Danielle Tokarz](#), [Laurent Kreplak](#)

Abstract: ...SHG producing to a non SHG producing state with a free energy barrier between 6 and 10 kBT that we propose corresponds to the local untwisting of the collagen triple helix **superhelical** twist which likely preceded bond rupture and loss of the SHG signal. We also show that trivalent crosslinks tend to delay the transition onset compared to divalent crosslinks. [▽ More](#)

Submitted 19 August, 2026; **originally announced** August 2026.

3. [arXiv:2510.05790](#) [[pdf](#)] [physics.bio-ph](#) [doi](#) [10.1080/08927022.2022.2120626](#)

Models of topological barriers and molecular motors of bacterial DNA

Authors: [Marc Joyeux](#)

Abstract: Bacterial genomes are partitioned into kilobases long domains that are topologically independent from each other, meaning that change of DNA **superhelicity** in one domain does not propagate to neighbours. This is made possible by proteins like the LacI repressor, which behave like topological barriers and block the diffusion of torsion along the DNA. Other pro... [▽ More](#)

Submitted 7 October, 2025; **originally announced** October 2025.

Journal ref: Molecular Simulation, 48 (2022) 1688-1696

4. [arXiv:2508.21326](#) [[pdf](#), [ps](#), [other](#)] [cond-mat.str-el](#) [cond-mat.mes-hall](#) [cond-mat.supr-con](#) [doi](#) [10.1103/2ttq-cgbh](#)

Electronic correlations in magnetized helical edge states coupled to s-wave superconductors

Authors: [Zeinab Bakhshipour](#), [Mir Vahid Hosseini](#)

Abstract: ...study the role of electron-electron interactions in one-dimensional magnetized helical states coupled to an s-wave superconductor. We consider a partially mixed helical (**superhelical**) regime, where the magnetic field (superconductivity) has a dominant contribution. Using bosonization and renormalization group techniques, it is shown how the interactions affe... [▽ More](#)

Submitted 24 June, 2026; v1 submitted 29 August, 2025; **originally announced** August 2025.

Comments: 22 pages, 10 figures

Journal ref: Phys. Rev. B 113, 245111 (2026)

5. [arXiv:2503.19970](#) [[pdf](#), [ps](#), [other](#)] [hep-th](#) [math-ph](#)

A Supertwistor Formalism for $\mathcal{N} = 1, 2, 3, 4$ SCFT₃

Authors: [Aswini Bala](#), [Sachin Jain](#), [Dhruva K. S.](#), [Deep Mazumdar](#), [Vibhor Singh](#), [Brijesh Thakkar](#)

Abstract: ...and three point correlators of (half) integer spin conserved supercurrents using the graded supergroup generators. Apart from the superconformal generators, we find that the **superhelicity** operators are necessary to fix their functional form in this setup. The **superhelicity** operators can be recast into first order Euler... [▽ More](#)

Submitted 25 March, 2025; **originally announced** March 2025.

Comments: 26 pages + 13 pages

6. [arXiv:2410.10236](#) [pdf] [physics.bio-ph](#) [doi](#) [10.1016/j.bpj.2024.10.002](#)

Transcribing RNA polymerases: Dynamics of Twin Supercoiled Domains

Authors: [Marc Joyeux](#)

Abstract: ...DNA molecules being transcribed by RNAP enzymes. To this end, we performed Brownian Dynamics simulations with a specially designed coarse-grained model. Depending on the **superhelical** density of the DNA molecule and the ratio of RNAP's twist injection rate and rotational relaxation speed, simulations reveal a rich panel of behaviors, which sometimes diffe... [▽ More](#)

Submitted 14 October, 2024; **originally announced** October 2024.

Comments: Biophysical Journal, In press

7. [arXiv:2210.06941](#) [pdf] [physics.app-ph](#) [physics.optics](#)

Generation of **superhelical** time-varying OAM beam with space-time-coding digital metasurface

Authors: [Jingxin Zhang](#), [Peixing Li](#), [Alex M H Wong](#), [Jensen Li](#)

Abstract: ...a space-time-coding digital metasurface operating in microwave frequencies to experimentally generate different modes of time-varying OAM. We also introduce a concept of **superhelicity** of time-varying OAM with a higher-order twist of the wavefront structure, which can be further realized by reflection phase profiles nonlinear in time through the metasurface.... [▽ More](#)

Submitted 23 September, 2022; **originally announced** October 2022.

Comments: 16 pages, 4 figures

8. [arXiv:2008.05973](#) [pdf] [physics.bio-ph](#) [q-bio.BM](#) [q-bio.GN](#) [doi](#) [10.1016/j.bpj.2020.08.004](#)

Requirements for DNA-bridging proteins to act as topological barriers of the bacterial genome

Authors: [Marc Joyeux](#), [Ivan Junier](#)

Abstract: ...genomes have been shown to be partitioned into several kilobases long chromosomal domains that are topologically independent from each other, meaning that change of DNA **superhelicity** in one domain does not propagate to neighbors. Both in vivo and in vitro experiments have been performed to question the nature of the topological barriers at play, leading to s... [▽ More](#)

Submitted 13 August, 2020; **originally announced** August 2020.

Comments: Accepted for publication in the Biophysical Journal

Journal ref: Biophysical Journal 119 (2020) 1215-1225

9. [arXiv:1910.13274](#) [pdf] [physics.bio-ph](#) [cond-mat.soft](#) [doi](#) [10.1016/j.bpj.2019.09.026](#)

Bacterial nucleoid: Interplay of DNA demixing and supercoiling

Authors: [Marc Joyeux](#)

Abstract: ...its properties through Brownian dynamics simulations. This work reveals that there actually exist different regimes, depending on the crowder volume ratio and the DNA **superhelical** density. In particular, a regime where the effects of DNA demixing and supercoiling on the compaction of the DNA coil simply add up is shown to exist up to moderate values of the... [▽ More](#)

Submitted 29 October, 2019; **originally announced** October 2019.

Comments: Biophysical Journal, in press (doi.org/10.1016/j.bpj.2019.09.026)

Journal ref: Biophysical Journal 118 (2020) 2141-2150

10. [arXiv:1910.01119](#) [[pdf](#), [other](#)] [physics.bio-ph](#)

New smoothly connecting open curves for modeling nucleosome-decorated DNA

Authors: [Seyed A. Sabok-Sayr](#), [Wilma K. Olson](#)

Abstract: ...experimentally. We used this method to describe the configurations of torsionally relaxed, 360-base pair DNA rings with two evenly-spaced, ideal nucleosomes. We considered **superhelical** nucleosomal pathways with different levels of DNA wrapping and allowed for different inter-nucleosome orientations. We completed the DNA circles with the smooth connectors and... [▽ More](#)

Submitted 2 October, 2019; **originally announced** October 2019.

Comments: 11 pages, 4 figures, and 5 tables

11. [arXiv:1805.04287](#) [[pdf](#), [ps](#), [other](#)] [physics.bio-ph](#) [cond-mat.soft](#)

Control of DNA denaturation bubble nucleation to advance nano-biosensing

Authors: [François Sicard](#), [Nicolas Destainville](#), [Philippe Rousseau](#), [Catherine Tardin](#), [Manoel Manghi](#)

Abstract: ...Their short size makes them extremely susceptible to writhe and twist, which is known to play a central role in DNA denaturation. We investigate minicircle lengths and **superhelical** densities that induce DNA denaturation bubbles of nanometer size and control well-defined long-life. Mesoscopic modeling and accelerated dynamics simulations allow us to study ac... [▽ More](#)

Submitted 11 May, 2018; **originally announced** May 2018.

Comments: 5 pages, 1 figure, and Supporting Information (8 pages, 3 figures). arXiv admin note: text overlap with arXiv:1803.03490

12. [arXiv:1804.06442](#) [[pdf](#), [other](#)] [physics.bio-ph](#) [cond-mat.soft](#) [q-bio.BM](#)

Evidence for a Solenoid Phase of Supercoiled DNA

Authors: [Andrew Dittmore](#), [Keir C. Neuman](#)

Abstract: In mechanical manipulation experiments, a single DNA molecule overwound at constant force undergoes a discontinuous drop in extension as it buckles and forms a **superhelical** loop (a plectoneme). Further overwinding the DNA, we observe an unanticipated cascade of highly regular discontinuous extension changes associated with stepwise plectoneme lengthening. Th... [▽ More](#)

Submitted 17 April, 2018; **originally announced** April 2018.

Comments: See <https://www.biorxiv.org/content/biorxiv/suppl/2018/04/16/302661.DC1/302661-1.pdf> for supporting information and <https://drive.google.com/open?id=1sd6j4P-lYrZpgPbPAA1N8z2yWG2kLeQT> for code

13. [arXiv:1801.10005](#) [[pdf](#), [other](#)] [cond-mat.soft](#) [physics.bio-ph](#) [q-bio.BM](#) [doi](#) [10.1103/PhysRevLett.121.088101](#)

Bend-Induced Twist Waves and the Structure of Nucleosomal DNA

Authors: [Enrico Skoruppa](#), [Stefanos K. Nomidis](#), [John F. Marko](#), [Enrico Carlon](#)

Abstract: ...This solution is in excellent agreement with both coarse-grained simulations of minicircles and nucleosomal DNA data, which is bent and wrapped around histone proteins in a **superhelical** conformation. Our analysis shows that the observed twist oscillation in nucleosomal DNA, so far attributed to the interaction with the histone proteins, is an intrinsic feat... [▽ More](#)

Submitted 22 August, 2018; **v1** submitted 30 January, 2018; **originally announced** January 2018.

Journal ref: Phys. Rev. Lett. 121, 088101 (2018)

14. [arXiv:1711.09215](#) [[pdf](#), [ps](#), [other](#)] [cond-mat.soft](#) [physics.bio-ph](#) [physics.chem-ph](#) [q-bio.BM](#)

[doi](#) [10.1016/j.physa.2017.11.020](#)

Twisting short dsDNA with applied tension

Authors: [Marco Zoli](#)

Abstract: ...the molecule elongates, in agreement with the experimental trend observed in kilo-base long sequences. The quantitative relation between percent relative elongation and **superhelical** density at fixed load is derived. The proposed theoretical model and computational method offer a general approach to characterize specific DNA fragments and predict their macros... [▽ More](#)

Submitted 25 November, 2017; originally announced November 2017.

Comments: In press

Journal ref: Physica A vol.492, 903-915 (2018)

15. [arXiv:1703.02922](#) [[pdf](#), [other](#)] [physics.bio-ph](#) [cond-mat.mtrl-sci](#) [cond-mat.soft](#) [physics.chem-ph](#)

Dynamic transition from α -helices to β -sheets in polypeptide superhelices

Authors: [Kirill A. Minin](#), [Artem Zhmurov](#), [Kenneth A. Marx](#), [Prashant K. Purohit](#), [Valeri Barsegov](#)

Abstract: ...on a variety of **superhelical** protein fragments from myosin, chemotaxis receptor, vimentin, fibrin, and phenylalanine zippers that vary in size and topology of their α -helical packing. When stretched along the **superhelical** axis, all superhelices show elastic, plastic, and inelastic elongation regimes, and undergo a d... [▽ More](#)

Submitted 9 March, 2017; v1 submitted 8 March, 2017; originally announced March 2017.

16. [arXiv:1408.4366](#) [[pdf](#)] [physics.ao-ph](#)

Localized vorticity enhancement through **superhelical** coherent structure in observed tornadic supercells

Authors: [Marcus B ker](#), [Luke Odell](#), [Joshua Wurman](#), [Karen Kosiba](#), [James Marquis](#)

Abstract: New diagnostic methods are presented for localized, barotropic vorticity evolution in tornadic environments. These methods focus on **superhelicity**, a quantity shown to be strongly related to local maxima in vorticity tendency. Mobile Doppler radar retrievals from three well-known cases of tornadogenesis were studied with this new approach. The results show pr... [▽ More](#)

Submitted 19 August, 2014; originally announced August 2014.

Comments: To be submitted to Geophysical Research Letters. Waiting on additional authorship arrangements and feedback

17. [arXiv:1405.3867](#) [[pdf](#), [ps](#), [other](#)] [cond-mat.soft](#) [physics.bio-ph](#) [q-bio.BM](#) doi [10.1063/1.4905668](#)

DNA denaturation bubbles: free-energy landscape and nucleation/closure rates

Authors: [Fran ois Sicard](#), [Nicolas Destainville](#), [Manoel Manghi](#)

Abstract: The issue of the nucleation and slow closure mechanisms of non **superhelical** stress-induced denaturation bubbles in DNA is tackled using coarse-grained MetaDynamics and Brownian simulations. A minimal mesoscopic model is used where the double helix is made of two interacting bead-spring rotating strands with a prescribed torsional modulus in the duplex state.... [▽ More](#)

Submitted 12 January, 2015; v1 submitted 15 May, 2014; originally announced May 2014.

Comments: 11 pages (5 pages and Appendix), 13 figures, published in Journal of Chemical Physics

Journal ref: J. Chem. Phys. 142, 034903 (2015)

18. [arXiv:1212.3743](#) [[pdf](#), [ps](#), [other](#)] [physics.flu-dyn](#) [physics.bio-ph](#) doi [10.1098/rsif.2011.0841](#)

Hydrodynamics of the double-wave structure of insect spermatozoa flagella

Authors: [On Shun Pak](#), [Saverio E. Spagnolie](#), [Eric Lauga](#)

Abstract: ...helical waves. In this paper, we present a hydrodynamic investigation of the locomotion of insect spermatozoa exhibiting the double-wave structure, idealized here as **superhelical** waves. Resolving the hydrodynamic interactions with a non-local slender body theory, we predict the swimming kinematics of these...

[▽ More](#)

Submitted 15 December, 2012; originally announced December 2012.

Journal ref: J. R. Soc. Interface 7 August 2012 vol. 9 no. 73 1908-1924

19. [arXiv:1206.2636](#) [[pdf](#), [other](#)] [q-bio.BM](#) doi [10.1021/jp3080755](#)

DNA cruciform arms nucleate through a correlated but non-synchronous cooperative mechanism

Authors: [Christian Matek](#), [Thomas E. Ouldridge](#), [Adam Levy](#), [Jonathan P. K. Doye](#), [Ard A. Louis](#)

Abstract: ...proceeds synchronously, reminiscent of the S-type mechanism of cruciform formation. By using umbrella sampling techniques we calculate, for different temperatures and **superhelical** densities, the free energy as a function of the number of bonds in each cruciform along the correlated but non-synchronous nucleation pathways we observed in direct simulations. [▽ More](#)

Submitted 13 September, 2012; **v1** submitted 13 June, 2012; **originally announced** June 2012.

Comments: 12 pages main paper + 11 pages supplementary data

Journal ref: J. Phys. Chem. B 116, 11616-11625 (2012)

20. [arXiv:1110.2030](#) [[pdf](#), [other](#)] [cond-mat.soft](#) [physics.bio-ph](#) [physics.class-ph](#) [doi](#) [10.1103/PhysRevE.85.021406](#)

The self-propelled Brownian spinning top: dynamics of a biaxial swimmer at low Reynolds numbers

Authors: [Raphael Wittkowski](#), [Hartmut Löwen](#)

Abstract: ...irregular motion before ending up in a simple periodic motion. By contrast, if the external force vanishes, no transient regime is found and the particle moves on a **superhelical** trajectory. For orthotropic particles, the noise-averaged trajectory is a generalized concho-spiral. We furthermore study the reduction of the model to two spatial dimensions and cla... [▽ More](#)

Submitted 10 October, 2011; **originally announced** October 2011.

Comments: 13 pages, 4 figures, 2 tables

Journal ref: Physical Review E 85, 021406 (2012)

21. [arXiv:1104.5207](#) [[pdf](#), [ps](#), [other](#)] [cond-mat.soft](#) [physics.bio-ph](#) [doi](#) [10.1063/1.3610431](#)

Theory of Crosslinked Bundles of Helical Filaments: Intrinsic Torques in Self-Limiting Biopolymer Assemblies

Authors: [Claus Heussinger](#), [Gregory M. Grason](#)

Abstract: ...and filament distortion, and we show that crosslinking in parallel bundles of helical filaments generates {it intrinsic torques}, of the type that tend to wind bundle **superhelically** about its central axis. Crosslinking mediates a non-linear competition between the preference for bundle twist and the size-dependent mechanical cost of filament bending, which... [▽ More](#)

Submitted 27 April, 2011; **originally announced** April 2011.

Comments: 15 pages, 9 figures, Appendix

Journal ref: J. Chem. Phys. 135, 035104 (2011)

22. [arXiv:1103.3294](#) [[pdf](#), [ps](#), [other](#)] [q-bio.BM](#) [cond-mat.soft](#) [physics.bio-ph](#) [doi](#) [10.1103/PhysRevE.84.031912](#)

Bubble statistics and positioning in **superhelically** stressed DNA

Authors: [Daniel Jost](#), [Asif Zubair](#), [Ralf Everaers](#)

Abstract: We present a general framework to study the thermodynamic denaturation of double-stranded DNA under **superhelical** stress. We report calculations of position- and size-dependent opening probabilities for bubbles along the sequence. Our results are obtained from transfer-matrix solutions of the Zimm-Bragg model for unconstrained DNA and of a self-consistent lin... [▽ More](#)

Submitted 1 September, 2011; **v1** submitted 16 March, 2011; **originally announced** March 2011.

Comments: to be appeared in Physical Review E

23. [arXiv:1006.3891](#) [[pdf](#), [ps](#), [other](#)] [nlin.CD](#) [math-ph](#) [physics.ao-ph](#) [doi](#) [10.1080/03091929.2010.513117](#)

The gradient of potential vorticity, quaternions and an orthonormal frame for fluid particles

Authors: [J. D. Gibbon](#), [D. D. Holm](#)

Abstract: ...-field in MHD. For example, it allows various analogies, such as stretching dynamics, helicity, **superhelicity** and cross helicity. In addition, using quaternionic analysis, the dynamics of the $\mathbf{b}$ -vector naturally allow the construction of an orthonormal frame attached to fluid particles\,, this is designated as a quaternion frame. The alignment dynamics o... [▽ More](#)

Submitted 19 June, 2010; originally announced June 2010.

Comments: Dedicated to Raymond Hide on the occasion of his 80th birthday

24. [arXiv:0811.1840](#) [[pdf](#), [ps](#), [other](#)] [q-bio.BM](#) [doi](#) [10.1016/j.bpj.2009.02.032](#)

Elasticity and electrostatics of plectonemic DNA

Authors: [N. Clauvelin](#), [B. Audoly](#), [S. Neukirch](#)

Abstract: ...number of turns. We focus on configurations relevant to the limit of a large number of turns, which are made up of two phases, one with linear DNA and the other one with **superhelical** DNA. The model takes into account thermal fluctuations in the linear phase and electrostatic interactions in the **superhelical** phase. The... [▽ More](#)

Submitted 12 November, 2008; originally announced November 2008.

Comments: 19 pages and 6 figures

25. [arXiv:0803.0093](#) [[pdf](#)] [cond-mat.soft](#)

Reversibility, Water-Mediated Switching, and Directed Cell Dynamics

Authors: [J. C. Phillips](#)

Abstract: ...molecules can be used to model such transitions, and elucidate in particular some universal aspects of tandem repeats. The human ankyrin tandem repeat D34, with a **superhelical** "coiled spring" structure which has 426 residues, folds reversibly and plastically. Such molecules are too large for present transition-state numerical simulations, currently I... [▽ More](#)

Submitted 1 March, 2008; originally announced March 2008.

26. [arXiv:0709.3156](#) [[pdf](#)] [q-bio.GN](#) [q-bio.MN](#)

Two distinct logical types of network control in gene expression profiles

Authors: [Carsten Marr](#), [Marcel Geertz](#), [Marc-Thorsten Huett](#), [Georgi Muskhelishvili](#)

Abstract: ...with high affinity and also global regulators - abundant DNA architectural proteins of the bacterial chromoid binding multiple low affinity sites and thus modulating the **superhelical** density of DNA. The first form of transcriptional regulation is dominantly pairwise and specific, representing digital control, while the second form is (in strength and distri... [▽ More](#)

Submitted 20 September, 2007; originally announced September 2007.

Comments: 19 pages, 6 figures

27. [arXiv:0706.3533](#) [[pdf](#), [ps](#), [other](#)] [physics.flu-dyn](#) [physics.bio-ph](#) [doi](#) [10.1063/1.2800287](#)

Rotational dynamics of a superhelix towed in a Stokes fluid

Authors: [Sunghwan Jung](#), [Kathleen Mareck](#), [Lisa Fauci](#), [Michael J. Shelley](#)

Abstract: ...viscous fluids due to the action of internal periplasmic flagella), we examine the fundamental fluid dynamics of superhelices translating and rotating in a Stokes fluid. A **superhelical** structure may be thought of as a helix whose axial centerline is not straight, but also a helix. We examine the particular case where these two superimposed helices have diffe... [▽ More](#)

Submitted 24 June, 2007; originally announced June 2007.

28. [arXiv:q-bio/0611008](#) [[pdf](#), [ps](#), [other](#)] [q-bio.BM](#) [cond-mat.soft](#) [physics.bio-ph](#) [doi](#) [10.1103/PhysRevE.74.061907](#)

Effect of supercoiling on formation of protein mediated DNA loops

Authors: [Prashant K. Purohit](#), [Philip C. Nelson](#)

Abstract: ...gene is switched on or off. In this paper we use an elastic rod model of DNA to determine the free energy of forming short (50--100 basepair), protein mediated DNA loops. **Superhelical** stress in the DNA of living cells is a critical factor determining the energetics of loop formation, and we explicitly account for it in our calculations. The repressor protein... [▽ More](#)

Submitted 3 November, 2006; originally announced November 2006.

Comments: Accepted for publication in Phys Rev E. Contains the forbidden appendix they refused to publish

29. [arXiv:q-bio/0507036](#) [[pdf](#), [ps](#), [other](#)] [q-bio.BM](#) [q-bio.QM](#) [doi](#) [10.1103/PhysRevE.73.011908](#)

A helicoidal transfer matrix model for inhomogeneous DNA melting

Authors: [Tom Michoel](#), [Yves Van de Peer](#)

Abstract: ...continuous degrees of freedom is shown to predict the same DNA melting properties as traditional long-range Ising models, for free DNA molecules in solution, as well as **superhelically** stressed DNA with a fixed linking number constraint. Without loss of accuracy, the continuous degrees of freedom can be discretized using a minimal number of discretization poi... [▽ More](#)

Submitted 13 October, 2006; v1 submitted 25 July, 2005; **originally announced** July 2005.

Comments: v3: Matlab toolbox included with source file; article unchanged, 12 pages, 11 figures, RevTeX

Journal ref: Phys. Rev. E 73, 011908 (2006)

30. [arXiv:hep-th/0502006](#) [[pdf](#), [ps](#), [other](#)] [hep-th](#)

Formulation of Free Higher Spin Supersymmetric Theories in Superspace

Authors: [J. Phillips](#)

Abstract: ...actions for free massless and massive higher spin superfield theories are formulated in four dimensions. The discussion of massless models is restricted to half integer **superhelicity**. These models describe multiplets with helicities $(s, s-1/2)$ where s is an integer. The investigation of massive models covers recent work on superspin-3/2 and superspin-1 multi... [▽ More](#)

Submitted 31 January, 2005; **originally announced** February 2005.

Comments: 103 pages, no figures, Ph.D. thesis, University of Maryland, Latex 2e

31. [arXiv:q-bio/0410016](#) [[pdf](#)] [q-bio.BM](#)

Molecular Dynamics Simulations of a Nucleosome and Free DNA

Authors: [Thomas C. Bishop](#)

Abstract: ...DNA to free DNA. A method for disassembling and reconstructing the conformation and dynamics of the nucleosome using Fourier analysis is presented. Results indicate that the **superhelical** path of DNA in the nucleosome is irregular. Long length variations in the conformation of nucleosomal DNA are identified other than those associated with helix repeat. These... [▽ More](#)

Submitted 14 October, 2004; **originally announced** October 2004.

32. [arXiv:hep-th/0207243](#) [[pdf](#), [ps](#), [other](#)] [hep-th](#) [doi](#) [10.1016/S0370-2693\(02\)02860-5](#)

Dynamical Superfield Theory of Free Massive Superspin-1 Multiplet

Authors: [I. L. Buchbinder](#), [S. James Gates Jr](#), [W. D. Linch III](#), [J. Phillips](#)

Abstract: ...prove that the most general theory is characterized by a one parameter family of actions. The massless limit is shown to correspond to the dynamics of both the gravitino and **superhelicity**-1/2 multiplets. [▽ More](#)

Submitted 28 August, 2002; v1 submitted 26 July, 2002; **originally announced** July 2002.

Comments: 13 pages, no figures, revision contains a new footnote in section 5 with some equations modified

Report number: UMDEPP-03-003

Journal ref: Phys.Lett. B549 (2002) 229-236

33. [arXiv:cond-mat/0009159](#) [[pdf](#), [ps](#), [other](#)]

[cond-mat.soft](#) [cond-mat.stat-mech](#) [hep-ph](#) [physics.bio-ph](#) [physics.comp-ph](#) [q-bio](#)
[doi](#) [10.1103/PhysRevE.62.5923](#)

New approach to Monte Carlo calculation of buckling of supercoiled DNA loops

Authors: [Zhang Yang](#)

Abstract: ...supercoiling degree and buckling of DNA is attained. With supercoiling stress increasing, the conformational transition from a circle to mono-, diplo- or triple interwound **superhelical** structure will take place in a successive but decreasingly abrupt mode. [▽ More](#)

Submitted 11 September, 2000; **originally announced** September 2000.

Comments: 4 pages, 3 PS figures, to appear at Phys. Rev. E as a Rapid Communication

Journal ref: Phys.Rev.E62:5923-5926,2000

We gratefully acknowledge support from our **major funders, member institutions**, and all contributors.

[About](#) · [Help](#) · [Contact](#) · [Subscribe](#) · [Copyright](#) · [Privacy](#) · [Accessibility](#) · [Operational Status](#)

Major funding support from



**SIMONS
FOUNDATION
INTERNATIONAL**

