




arXiv is now an independent nonprofit! [Learn more](#)

arxiv





[Search](#) [Submit](#) [Donate](#) [Log in](#)

Showing 1–50 of 59 results

Search v0.5.6 released 2020-02-24

Query: order: -announced_date_first; size: 50; include_cross_list: True;
terms: AND all=0.139

[Simple Search](#)

[Refine query](#)

[New search](#)

1. [arXiv:2609.29256](#) [pdf, ps, other] cs.CV cs.AI

Deep learning of longitudinal visual fields predicts glaucoma progression rate and identifies fast progressors

Authors: [Taiabur Rahman](#), [Siddiqur Rahman](#), [Muhammad Moniruzzaman](#), [Ummay Kawsar](#), [Sayedatunnessa Ratna](#), [Shadman Siddique](#), [Rafsan Siddique](#), [Tausif Ahmad](#), [Tahsin Ahmad](#), [Golam Rabbani](#)

Abstract: ...fusion and aleatoric uncertainty. On the open-access University of Washington Humphrey Visual Field dataset (4,276 patient-eyes), GLAM achieved an MD-rate mean absolute error of **0.139** dB yr^{-1} ($R^2 = 0.927$; 73.5% reduction over a ridge baseline) and an AUC of 0.990 for fast-progressor detection. VF-only deep learning can match multimodal pipelines for... [▽ More](#)

Submitted 24 September, 2026; originally announced September 2026.

2. [arXiv:2609.20700](#) [pdf, ps, other] cs.CV

Should This Case Be Adapted? Prediction Fragmentation Controls Test-Time Adaptation

Authors: [Lili Wang](#), [Jing Li](#), [Xiaowen Sun](#), [Xiangyu Hu](#), [Zhuangzhuang Gu](#), [Jian Liu](#), [Srihari Nelakuditi](#), [Yan Tong](#)

Abstract: ...0.50--0.60), at a quarter of gradient-norm's latency. A case-level router built on it cuts HA from 0.228 to **0.139** on a benchmark that took no part in its design, with the design frozen and only cut-points recalibrated there. On the cardiac benchmark the design was selected on, the router cuts HA from 0.129 to 0.013 at matched Dice and 1.10 deployed upda... [▽ More](#)

Submitted 17 September, 2026; originally announced September 2026.

Comments: 45 pages, 8 figures, 26 tables

3. [arXiv:2608.14792](#) [pdf, ps, other] cs.CL cs.AI cs.LG

Prompting is not enough: supervised baselines and leakage control for measuring shared decision-making with LLMs in pediatric encounters

Authors: [Bernardo Modenesi](#), [Jody Lin](#), [Kimberly Kaphingst](#), [Angela Zhu](#), [Maya Wheeler](#), [Peilu Zhang](#), [Angela Fagerlin](#)

Abstract: ...stack, under patient-grouped outer folds with inner cross-fitted thresholds and patient-resampled confidence intervals. Results: The zero-shot LLM reached macro kappa = **0.139** (95% CI 0.111-0.164). The supervised classifier reached kappa = 0.227 (0.186-0.262), a paired improvement of 0.088 (0.051-0.119). A logistic stack of the two reached kappa = 0.242 (0.... [▽ More](#)

Submitted 14 August, 2026; originally announced August 2026.

4. [arXiv:2608.04198](#) [pdf] econ.GN

Does generative AI narrow education-based productivity gaps? Evidence from a randomized experiment

Authors: [Guillermo Cruces](#), [Diego Fernandez Mejjide](#), [Sebastian Galiani](#), [Ramiro Galvez](#), [Maria Lombardi](#)

Abstract: ...larger among those with less education. Without AI, higher-education participants outperform lower-education participants by 0.548 standard deviations; with AI, the gap falls to **0.139**, closing about three-quarters of the initial difference. Chat logs show that lower-education participants obtain substantial assistance, while higher-education participants use... [▽ More](#)

Submitted 4 August, 2026; **originally announced** August 2026.

5. [arXiv:2608.00152](#) [[pdf](#), [ps](#), [other](#)] [cs.LG](#) [cs.AI](#)

Can We Trust In-Distribution Success? Locked Evaluation Reveals Transfer Failure and Sampling-Depth Entanglement in CRISPRi Perturbation Prediction

Authors: [Mehrdad Shoeibi](#), [Niloofer Yousefi](#)

Abstract: ...+0.1920]), satisfying the pre-registered informativeness gate required before interpreting transfer. It then fails zero-shot transfer on both external screens (Spearman rho = **-0.139** and -0.267), lying below that control on each. Adding a predefined magnitude block improves the representation externally (Delta rho = +0.032 and +0.143) but, under the frozen p... [▽ More](#)

Submitted 31 August, 2026; **v1 submitted** 31 July, 2026; **originally announced** August 2026.

Comments: 38 pages. Substantially revised version with updated framing, additional pre-specified controls and sensitivity analyses, expanded methodological and reproducibility documentation, and revised discussion of limitations. Main conclusions remain unchanged

6. [arXiv:2607.15730](#) [[pdf](#), [ps](#), [other](#)] [cs.IR](#) [doi](#) [10.1145/3773078.3831930](#)

RECAP: Feedback-Driven Streaming Semantic User Profiles for Short-Video Recommendation

Authors: [Ziyi Zhao](#), [Xiaoyou Zhou](#), [Xiao Lv](#), [Yangyang Li](#), [Chubo He](#), [Zhao Liu](#), [Jiayao Shen](#), [Yuqi Liu](#), [He Li](#), [Chengyi Zhang](#), [Jian Liang](#), [Ming Li](#), [Chongming Gao](#), [Fuli Feng](#), [Ruiming Tang](#), [Han Li](#)

Abstract: ...and policy optimization, and show more grounded refinement and user-level abstraction in profile updates. A seven-day online A/B test further shows a statistically significant **0.139%** improvement in average application usage time per user. [▽ More](#)

Submitted 17 July, 2026; **originally announced** July 2026.

Comments: 9 pages, 5 figures, 2 tables. Accepted at RecSys 2026

7. [arXiv:2607.07120](#) [[pdf](#), [ps](#), [other](#)] [astro-ph.HE](#) [astro-ph.GA](#)

Prospect for Detection of Strongly Lensed Multi-messenger Signals of Binary Neutron Star Mergers

Authors: [Zhiwei Chen](#), [Youjun Lu](#), [Changwen Zeng](#)

Abstract: ..., and $0.078^{+0.139}_{-0.059} \text{ yr}^{-1}$ in the F106, F158, and F213 bands, respectively. (4) Lensed afterglows remain difficult to detect in the optical and radio bands, while ATHENA-like X-ray observations may detect $0.5 - 5$ events over ten years. [▽ More](#)

Submitted 8 July, 2026; **originally announced** July 2026.

Comments: 21 pages, 9 figures, 1 Table; Accepted by ApJ

8. [arXiv:2606.28628](#) [[pdf](#), [ps](#), [other](#)] [eess.IV](#) [cs.CV](#) [cs.LG](#)

Envisage: Diffusion-Based Rhinoplasty Goal Visualization with Mask-Decomposed Evaluation

Authors: [Mudit Agarwal](#), [Amit D. Bhrany](#)

Abstract: ...control, anchoring the ceiling. On N=211, the paired ArcFace gain (output-to-GT minus input-to-GT) is negative for all methods (Envisage -0.048 smallest, vs. ICEdit **-0.139**, Kontext -0.242, InstructPix2Pix -0.294; $p < 1e-4$), with external validation on a 457-pair ASPS/PCA corpus showing a larger negative gap. With SurgicalScore, Envisage achieves the high... [▽ More](#)

Submitted 26 June, 2026; originally announced June 2026.

Comments: 29 pages, 4 figures, 22 tables

Report number: I.4.9; I.2.10; J.3

9. [arXiv:2606.05932](#) [[pdf](#), [ps](#), [other](#)] [cs.AI](#) [cs.LG](#)

A Pre-Registered Causal Partition of Self-Consistency Elicitation and Reward Design in RLVR

Authors: [Yuze Gao](#)

Abstract: ...exact telescoping decomposition total = null + elicit + rd and measure each term across five prior-strength levels. The reward-design fraction of the naive estimator ranges from **0.139** at weak prior ($ps=0.20$) to 0.05 at strong prior ($ps=0.80$), with the elicitation term flipping sign at the self-consistency crossover. A pre-registered 2x2x2 factorial confirms... [▽ More](#)

Submitted 8 June, 2026; v1 submitted 4 June, 2026; originally announced June 2026.

Comments: 9 pages, 7 figures

10. [arXiv:2605.17503](#) [[pdf](#), [ps](#), [other](#)] [cs.AI](#) [cs.CL](#) [cs.HC](#)

RAG-based EEG-to-Text Translation Using Deep Learning and LLMs

Authors: [Enrico Collautti](#), [Xiaopeng Mao](#), [Luca Tonin](#), [Stefano Tortora](#), [Sadasivan Puthusserypady](#)

Abstract: ...are compared with a random baseline. In nine subjects, the proposed pipeline outperforms the random baseline, achieving a mean cosine similarity of 0.181 ± 0.022 compared to **0.139** ± 0.029 for the baseline, corresponding to a relative improvement of 30.45%. Statistical analysis further confirms that this improvement is significant, following a strict evalua... [▽ More](#)

Submitted 17 May, 2026; originally announced May 2026.

Comments: 6 pages, 2 figures. Submitted to the 2026 IEEE International Conference on Systems, Man, and Cybernetics

11. [arXiv:2605.04507](#) [[pdf](#), [ps](#), [other](#)] [cs.CL](#)

Distilling Bayesian Belief States into Language Models for Auditable Negotiation

Authors: [Zongqi Cui](#), [Baihan Lin](#)

Abstract: ...opponent-priority posteriors. The distilled student preserves much of this belief signal, achieving Brier 0.114, below the uniform six-ordering reference of 5/36, approximately **0.139**. Compared with a 70B structured-CoT baseline, the significantly smaller 8B student model yields substantially better elicited posterior calibration. We further showcase audita... [▽ More](#)

Submitted 6 May, 2026; originally announced May 2026.

Comments: Preprint. 24 pages, 6 figures, 18 tables. Code available at https://github.com/kaneis1/CaSiNo_negotiation-agent

12. [arXiv:2604.25670](#) cs.RO

GEGLU-Transformer for IMU-to-EMG Estimation with Few-Shot Adaptation

Authors: [Miroljub Mihailovic](#), [Luca Tonin](#), [Stefano Tortora](#), [Emanuele Menegatti](#)

Abstract: ...personalization. Under a strict leave-one-subject-out (LOSO) protocol on a multi-condition lower-limb biomechanics dataset, the proposed architecture achieves $r = 0.706 \pm 0.139$ and $R^2 = 0.474 \pm 0.208$ without subject-specific adaptation. With only 0.5% adaptation data, performance increases to $r = 0.761 \pm 0.030$ and $R^2 = 0.559 \pm 0.047$, demonstrating... [▽ More](#)

Submitted 11 September, 2026; v1 submitted 28 April, 2026; originally announced April 2026.

Comments: Error in the method

13. [arXiv:2604.05002](#) [pdf, ps, other] cs.LG cs.AI

Learning Stable Predictors from Weak Supervision under Distribution Shift

Authors: [Mehrdad Shoeibi](#), [Elias Hossain](#), [Ivan Garibay](#), [Niloofer Yousefi](#)

Abstract: ..., $\rho = 0.139$). Additional robustness analyses using externally recomputed weak labels, shift-score quantification, and simple mitigation baselines preserve the same qualitative pattern. Feature-label association and feature-importance analyses remain relatively stable across cell lines but change sharply over time, indicating that failures arise from supervi... [▽ More](#)

Submitted 19 May, 2026; v1 submitted 5 April, 2026; originally announced April 2026.

14. [arXiv:2603.21127](#) [pdf, ps, other] astro-ph.CO doi 10.1140/epjc/s10052-026-16031-1

Testing General Relativity on Galactic Scales via DESI-BAO and Strong Lensing: Circumventing Assumptions on the Hubble Constant, Sound Horizon, and Dark Energy

Authors: [Hengyu Wu](#), [Tonghua Liu](#), [Chenggang Shao](#)

Abstract: ...confidence level, while the cubic spline gives $\gamma_{\text{PPN}} = 1.150^{+0.139}_{-0.118}$, consistent with GR at 2σ confidence level. For the P_2 model, the ANN reconstruction gives $\gamma_{\text{PPN}} = 1.315^{+0.181}_{-0.155}$, compatible with GR at 2σ , while the spline gives $\gamma_{\text{PPN}} = 1.485^{+0.193}_{-0.168}$, showing mild tension at $\sim 2.5\sigma$. The con...

[▽ More](#)

Submitted 22 March, 2026; originally announced March 2026.

Comments: 11 pages, 5 figures, comments are welcome

Journal ref: European Physical Journal C, 86, 719 (2026)

15. [arXiv:2602.23723](#) [pdf, ps, other] astro-ph.SR astro-ph.HE physics.space-ph

Acceleration of relativistic protons in a solar wind perturbed by a coronal mass ejection

Authors: [Ahmed Houeibib](#), [Filippo Pantellini](#), [Lea Griton](#)

Abstract: ...a coupled 3D magnetohydrodynamics (MHD) simulation and a test-particle approach. The CME is driven by a spheromak injected into a Parker solar wind at a heliocentric distance of 0.139 AU. We integrated the trajectories of 5 GeV protons, injected toward the CME from 3 AU, in the guiding-center approximation and scattered the particles in velocity space with a... [▽ More](#)

Submitted 17 August, 2026; v1 submitted 27 February, 2026; originally announced February 2026.

16. [arXiv:2601.13501](#) [pdf, ps, other] cs.SI

Modeling Perpetrators' Fate-to-Fate Contagion in Public Mass Shootings In The United States Using Bivariate Hawkes Processes

Authors: [Youness Diouane](#), [James Silver](#)

Abstract: ...significant, with the lower bound of its 95% confidence interval nearly equal to zero. We also find that "die at the scene" events can only cause their own type, where **0.139** (0.01, 0.52) of such incidents are caused by previous "die at the scene" events, with the shortest contagion timescale of roughly 20 hours. [▽ More](#)

Submitted 19 January, 2026; originally announced January 2026.

17. [arXiv:2510.14872](#) [[pdf](#), [ps](#), [other](#)] [econ.TH](#) [cs.GT](#) [cs.SI](#)

Strategic Behavior in Crowdfunding: Insights from a Large-Scale Online Experiment

Authors: [Din Amir](#), [Bar Hoter](#), [Moran Koren](#)

Abstract: ...predictions: crowdfunding mechanisms induce distinct strategic behaviors compared to voting, where participants are more likely to follow private signals (odds ratio: **0.139**, $p < 0.001$). Additionally, the study demonstrates that higher signal accuracy (85% vs. 55%) decreases risk aversion (odds ratio: 0.414, $p = 0.024$) but increases reliance on mutua... [▽ More](#)

Submitted 16 October, 2025; originally announced October 2025.

MSC Class: 91A; 91B; 91A80 ACM Class: J.4

18. [arXiv:2510.01792](#) [[pdf](#), [ps](#), [other](#)] [cs.CL](#) [cs.AI](#) [cs.IR](#)

Comparison of Unsupervised Metrics for Evaluating Judicial Decision Extraction

Authors: [Ivan Leonidovich Litvak](#), [Anton Kostin](#), [Fedor Lashkin](#), [Tatiana Maksian](#), [Sergey Lagutin](#)

Abstract: ..., Lin CCC = 0.443, MAE = **0.139**) best align with expert ratings, while Legal Term Density (Pearson $r = -0.479$, Lin CCC = -0.079, MAE = 0.394) show strong negative correlations. The LLM Evaluation Score (mean = 0.849, Pearson $r = 0.382$, Lin CCC = 0.325, MAE = 0.197) showed moderate alignment, but its performance, using gpt-4.1-mini via g4f, suggests limite... [▽ More](#)

Submitted 2 October, 2025; originally announced October 2025.

Comments: 28 pages

ACM Class: H.3.3; I.2.8; I.2.7

19. [arXiv:2509.08915](#) [[pdf](#), [ps](#), [other](#)] [cs.HC](#)

A Contextual Bandits Approach for Personalization of Hand Gesture Recognition

Authors: [Duke Lin](#), [Michael Paskett](#), [Ying Yang](#)

Abstract: ...in users' average false negative rate by 0.113 from the initial to the final round, with further decreases between sessions. Average precision also trended upward (by **0.139**) from the start to end of a round, continuing in the next session. Notably, some users who could not complete the game with the baseline model succeeded with our contextual MAB model.... [▽ More](#)

Submitted 10 September, 2025; originally announced September 2025.

20. [arXiv:2507.12424](#) [[pdf](#), [ps](#), [other](#)] [stat.AP](#) [math.PR](#) [stat.OT](#)

Hierarchical Temporal Point Process Modeling of Aggressive Behavior Onset in Psychiatric Inpatient Youth with Autism for Branching Factor Estimation

Authors: [Michael Potter](#), [Michael Everett](#), [Deniz Erdogmus](#), [Yuna Watanabe](#), [Tales Imbiriba](#), [Matthew S. Goodwin](#)

Abstract: ...lower and more precise branching factor estimate mean (0.742 +- 0.026) than the pooled model (0.899 +- 0.015) and narrower intervals than the unpooled model (0.717 +- **0.139**). This led to a threefold smaller cascade of events per onset under the hierarchical model. Sensitivity analyses confirmed robustness to prior and likelihood perturbations while the unpoo... [▽ More](#)

Submitted 19 August, 2025; **v1** submitted 16 July, 2025; **originally announced** July 2025.

Comments: Submitted to BMC Medical Research Methodology

21. [arXiv:2506.17984](#) [[pdf](#)] [cond-mat.mtrl-sci](#) [doi](#) [10.1016/j.jallcom.2025.181580](#)

Exploring the impact of Ti/Al on L12 nanoprecipitation and deformation behavior in CoNiFeAlTi multi-principal element alloys through atomistic simulations

Authors: [Amin Esfandiarpour](#), [Anshul D. S. Parmar](#), [Silvia Bonfanti](#), [Pawel Sobkowicz](#), [Byeong-Joo Lee](#), [Mikko Alava](#)

Abstract: ...looping around them (Orowan mechanism), enhancing strength while maintaining good ductility. Although the lattice mismatch between the L12 nanoprecipitate and the matrix is low (**0.139**%), the significant difference in SFE between the L12 nanoprecipitate and the matrix results in stronger dislocation pinning. This understanding can guide the design of MPEAs wi... [▽ More](#)

Submitted 22 June, 2025; **originally announced** June 2025.

Comments: 20 pages, 8 figures

Journal ref: J. Alloys Compd. 1035 (2025) 181580 J. Alloys Compd. 1035 (2025) 181580 J. Alloys Compd. 1035 (2025) 181580

22. [arXiv:2506.12266](#) [[pdf](#), [ps](#), [other](#)] [cs.CL](#) [cs.AI](#) [cs.HC](#) [cs.LG](#)

The Behavior Gap: Evaluating Zero-shot LLM Agents in Complex Task-Oriented Dialogs

Authors: [Avinash Baidya](#), [Kamalika Das](#), [Xiang Gao](#)

Abstract: ...even the GPT-4o-based agent exhibits low alignment with human behavior, with low F1 scores for dialog acts (0.464), excessive and often misaligned tool usage with a F1 score of **0.139**, and ineffective usage of external knowledge. Reducing such behavior gaps leads to significant performance improvement (24.3% on average). This study highlights the importance... [▽ More](#)

Submitted 13 June, 2025; **originally announced** June 2025.

Comments: ACL 2025; 18 pages, 8 figures

23. [arXiv:2506.11306](#) [[pdf](#), [ps](#), [other](#)] [astro-ph.SR](#) [astro-ph.GA](#)

Discovery of Faint Nebulosity Around a Z Camelopardalis-type Cataclysmic Variable in Antlia: Nova Shell or Ancient Planetary Nebula?

Authors: [Howard E. Bond](#), [Dana Patchick](#), [Daniel Stern](#), [Jonathan Talbot](#), [John R. Thorstensen](#)

Abstract: ...Spectra verify that the star is a cataclysmic variable (CV). Using new and archival photometry, we confirm that ASASSN-19ds is an eclipsing binary with an orbital period of **0.139** days (3.34 hr). Moreover, its out-of-eclipse brightness shows a "sawtooth" light curve with an amplitude of ~1~mag and an interval between peaks that varies between ab... [▽ More](#)

Submitted 12 June, 2025; **originally announced** June 2025.

24. [arXiv:2505.16153](#) [[pdf](#), [ps](#), [other](#)] [astro-ph.CO](#) [doi](#) [10.1103/yqm1-ybbv](#)

Model-Independent Measurement of the Matter-Radiation Equality Scale in DESI 2024

Authors: B. Bahr-Kalus, D. Parkinson, K. Lodha, E. Mueller, E. Chaussidon, A. de Mattia, D. Forero-Sánchez, J. Aguilar, S. Ahlen, D. Bianchi, D. Brooks, T. Claybaugh, A. Cuceu, A. de la Macorra, P. Doel, A. Font-Ribera, E. Gaztañaga, S. Gontcho, A. Gontcho, G. Gutierrez, K. Honscheid, D. Huterer, M. Ishak, R. Kehoe, S. Kent, et al. (30 additional authors not shown)

Abstract: ...CDM model with three standard neutrino species, we can translate this into a constraint of $\Omega_m h^2 = 0.139^{+0.036}_{-0.046}$. We can break the Ω_m - H_0 degeneracy with low-redshift distance measurements from type-Ia supernova (SN) data from Pantheon+, we obtain a sound-horizon free estimate of the Hubble-Lemaître parameter of $H_0 = 65.2^{+4.9}_{-6.2}$ k... [▽ More](#)

Submitted 3 September, 2025; **v1** submitted 21 May, 2025; **originally announced** May 2025.

Comments: 21 pages, 13 figures, 2 tables. Version updated to match version accepted by the journal

Journal ref: Phys. Rev. D 112, 063553 (2025)

25. [arXiv:2505.14212](#) [[pdf](#), [ps](#), [other](#)] [cs.CL](#) [cs.AI](#)

Automatic Dataset Generation for Knowledge Intensive Question Answering Tasks

Authors: Sizhe Yuen, Ting Su, Ziyang Wang, Yali Du, Adam J. Sobey

Abstract: ...Mistral-7b-v0.3 outperforms Llama-3-8b with BERT F1, BLEU, and ROUGE scores 0.858, 0.172, and 0.260 of for the LLM generated QA pairs compared to scores of 0.836, 0.083, and **0.139** for the human annotated QA pairs. [▽ More](#)

Submitted 20 May, 2025; **originally announced** May 2025.

26. [arXiv:2504.14189](#) [[pdf](#), [other](#)] [astro-ph.SR](#) [doi](#) [10.3847/1538-4357/adc376](#)

CY Aquarii: A Triple System with Twin Companions

Authors: Ming Lian, Jia-Shu Niu, Hui-Fang Xue

Abstract: ...of approximately 50.8 years. It is highly probable that both Companion A and B are white dwarfs, with Companion A's elliptical orbit displaying an eccentricity of $e = 0.139 \pm 0.002$, which is the lowest confirmed value in similar binary and triple systems to date. Most notably, Companion A and B have masses that are identical within the uncertainties,... [▽ More](#)

Submitted 19 April, 2025; **originally announced** April 2025.

Comments: 29 pages, 7 figures, 7 tables. ApJ Accepted

Journal ref: The Astrophysical Journal, 983:140 (11pp), 2025

27. [arXiv:2502.16269](#) [[pdf](#), [other](#)] [physics.ins-det](#) [physics.med-ph](#)

Quasi Crystal based Circular Patch Antenna with Artificial Magnetic Conductor for Breast Cancer Detection

Authors: Vishnupriya Leena, Nikhil Kumar

Abstract: The total specific absorption rate (SAR) of the proposed model is **0.139 W/kg**. Hence the proposed model is highly bio-compatible and safely applicable for human body. [▽ More](#)

Submitted 22 February, 2025; originally announced February 2025.

Comments: 14 pages, 15 figures, 4 tables, submitted to International Conference on Magnetic materials and Applications, ICMAGMA-2023

28. [arXiv:2410.00561](#) [[pdf](#), [other](#)] [astro-ph.EP](#)

Physical properties of trans-Neptunian object (143707) 2003 UY117 derived from stellar occultation and photometric observations

Authors: [M. Kretlow](#), [J. L. Ortiz](#), [J. Desmars](#), [N. Morales](#), [F. L. Rommel](#), [P. Santos-Sanz](#), [M. Vara-Lubiano](#), [E. Fernández-Valenzuela](#), [A. Alvarez-Candal](#), [R. Duffard](#), [F. Braga-Ribas](#), [B. Sicardy](#), [A. Castro-Tirado](#), [E. J. Fernández-García](#), [M. Sánchez](#), [A. Sota](#), [M. Assafin](#), [G. Benedetti-Rossi](#), [R. Boufleur](#), [J. I. B. Camargo](#), [S. Cikota](#), [A. Gomes-Junior](#), [J. M. Gómez-Limón](#), [Y. Kilic](#), [J. Lecacheux](#), et al. (27 additional authors not shown)

Abstract: ...km. Finally, the values for the absolute magnitude and for the area-equivalent diameter yield a geometric albedo of $p_V = 0.139 \pm 0.027$. [▽ More](#)

Submitted 1 October, 2024; originally announced October 2024.

Comments: 9 pages, 7 figures, accepted for publication in Astronomy and Astrophysics on Sept 13, 2024

29. [arXiv:2405.20032](#) [[pdf](#), [ps](#), [other](#)] [cs.NI](#) [cs.AI](#) [cs.MM](#)

Promptus: Can Prompts Streaming Replace Video Streaming with Stable Diffusion

Authors: [Jiangkai Wu](#), [Liming Liu](#), [Yunpeng Tan](#), [Junlin Hao](#), [Xinggong Zhang](#)

Abstract: ...more than a 4x bandwidth reduction while preserving the same perceptual quality. On the other hand, at extremely low bitrates, Promptus can enhance the perceptual quality by **0.139** and 0.118 (in LPIPS) compared to VAE and H.265, respectively, and decreases the ratio of severely distorted frames by 89.3% and 91.7%. Our work opens up a new paradigm for efficient... [▽ More](#)

Submitted 29 May, 2025; v1 submitted 30 May, 2024; originally announced May 2024.

30. [arXiv:2405.15162](#) [[pdf](#), [other](#)] [astro-ph.EP](#) [astro-ph.SR](#) [doi](#) [10.3847/1538-3881/ad4ffc](#)

Using Asteroseismology to Calibrate the Physical Parameters of Confirmed Exoplanets and Their Evolved Host Stars

Authors: [Wen-Xu Lin](#), [Sheng-Bang Qian](#), [Li-Ying Zhu](#), [Wen-Ping Liao](#), [Fu-Xing Li](#)

Abstract: ...Two planets in HD 33844 system presented Msini figures of $1.726 \pm 0.145 M_J$ and $1.541 \pm 0.182 M_J$, while the HIP 67851 system's planets registered Msini at $1.243 \pm 0.139 M_J$ and a notably higher $5.387 \pm 0.699 M_J$. This investigation extends beyond mere parameter refinement; it underscores the synergy between asteroseismology and exoplanetology,... [▽ More](#)

Submitted 23 May, 2024; originally announced May 2024.

31. [arXiv:2403.18807](#) [[pdf](#), [other](#)] [cs.CV](#) [cs.AI](#) [cs.LG](#)

ECoDepth: Effective Conditioning of Diffusion Models for Monocular Depth Estimation

Authors: [Suraj Patni](#), [Aradhye Agarwal](#), [Chetan Arora](#)

Abstract: ...(SOTA) for SIDE on NYUv2 dataset, achieving Abs Rel error of 0.059 (14% improvement) compared to 0.069 by the current SOTA (VPD). And on KITTI dataset, achieving Sq Rel error of **0.139**

(2% improvement) compared to 0.142 by the current SOTA (GEDepth). For zero-shot transfer with a model trained on NYUv2, we report mean relative improvement of (20%, 23%, 81%, 2... [▽ More](#)

Submitted 17 April, 2024; **v1** submitted 27 March, 2024; **originally announced** March 2024.

Comments: IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR) 2024

32. [arXiv:2401.10970](#) [[pdf](#), [other](#)] [astro-ph.CO](#) [gr-qc](#)

Λ CDM-Rastall cosmology revisited: constraints from a recent Quasars datasample

Authors: [Jesús Astorga-Moreno](#), [Kyra Jacobo](#), [Salvador Arteaga](#), [Miguel Ángel García-Aspeitia](#), [Alberto Hernández-Almada](#)

Abstract: ...CDM having a result of $\tau_U = 11.958^{+0.139}_{-0.109}$ Gyrs with a transition at $z_T = 0.652 \pm 0.032$ this last consistent with standard cosmology. A remarkable result is that quasars constraints has the capability to differentiate among general relativity and Rastall gravity due to the result for the parameter $\lambda = -2.231^{+0.785}_{-0.546}$. Moreover, the par... [▽ More](#)

Submitted 19 January, 2024; **originally announced** January 2024.

Comments: 9 pages, 3 figures, accepted for publication in Classical and Quantum Gravity

33. [arXiv:2311.13498](#) [[pdf](#), [other](#)] [astro-ph.CO](#) [gr-qc](#) [doi](#) [10.1140/epjc/s10052-024-12774-x](#)

Analytical Gaussian Process Cosmography: Unveiling Insights into Matter-Energy Density Parameter at Present

Authors: [Bikash R. Dinda](#)

Abstract: ..., revealing $\Omega_{m0}h^2 = 0.139 \pm 0.017$. Moreover, leveraging H_0 observations, we further constrain Ω_{m0} , uncovering an inverse correlation between mean H_0 and Ω_{m0} . Our investigation offers a proof of concept for analytical GP cosmography, highlighting the advantages of analytical methods in cosmological parameter estimation. [▽ More](#)

Submitted 19 March, 2024; **v1** submitted 22 November, 2023; **originally announced** November 2023.

Comments: Revision submitted to EPJC, title changed, main content remains the same but the focus shifted a bit, 14 pages (double column), 8 figures, 5 tables, comments are most welcome

Journal ref: Eur. Phys. J. C (2024) 84:402

34. [arXiv:2307.08350](#) [[pdf](#), [other](#)] [astro-ph.EP](#) [doi](#) [10.1038/s41550-024-02259-y](#)

An extended low-density atmosphere around the Jupiter-sized planet WASP-193 b

Authors: [Khalid Barkaoui](#), [Francisco J. Pozuelos](#), [Coel Hellier](#), [Barry Smalley](#), [Louise D. Nielsen](#), [Prajwal Niraula](#), [Michaël Gillon](#), [Julien de Wit](#), [Simon Müller](#), [Caroline Dorn](#), [Ravit Helled](#), [Emmanuel Jehin](#), [Brice-Olivier Demory](#), [V. Van Grootel](#), [Abderahmane Soubkiou](#), [Mourad Ghachoui](#), [David. R. Anderson](#), [Zouhair Benkhaldoun](#), [Francois Bouchy](#), [Artem Burdanov](#), [Laetitia Delrez](#), [Elsa Ducrot](#), [Lionel Garcia](#), [Abdelhadi Jabiri](#), [Monika Lendl](#) , et al. (10 additional authors not shown)

Abstract: ...and evolution processes. This planet completes an orbit around its $V_{\text{mag}}=12.2$ F9 main-sequence host star every 6.25 d. Our analyses found that WASP-193b has a mass of $M_p=0.139 \pm 0.029$ M_{Jup} and a radius of $R_p=1.464 \pm 0.058$ R_{Jup} , translating into an extremely low density of $\rho_p = 0.059 \pm 0.014$ g/cm³, at least one order of magnitude less than standard gas gia... [▽ More](#)

Submitted 16 July, 2024; **v1** submitted 17 July, 2023; **originally announced** July 2023.

Comments: 10 figures and 35 pages

35. [arXiv:2305.18763](#) [pdf] cond-mat.supr-con cond-mat.str-el doi 10.1103/PhysRevB.108.205136

The Hidden Nematic Fluctuations in the Triclinic (Ca_{0.85}La_{0.15})₁₀(Pt₃As₈)(Fe₂As₂)₅ Superconductor Revealed by Ultrafast Optical Spectroscopy

Authors: [Qi-Yi Wu](#), [Chen Zhang](#), [Ze-Zhong Li](#), [Wen-Shan Hong](#), [Hao Liu](#), [Jiao-Jiao Song](#), [Yin-Zou Zhao](#), [Ya-Hua Yuan](#), [Bo Chen](#), [Xue-Qing Ye](#), [Shiliang Li](#), [Jun He](#), [H. Y. Liu](#), [Yu-Xia Duan](#), [Hui-Qian Luo](#), [Jian-Qiao Meng](#)

Abstract: ...**0.139** $\pm$ 0.02. Our findings suggest that the superconductivity and nematic state are compatible but competitive at low temperatures, and the A_{1g} phonons play an important role in the formation of Cooper pairs in (Ca_{0.85}La_{0.15})₁₀(Pt₃As₈)(Fe₂As₂)₅. [▽ More](#)

Submitted 30 May, 2023; originally announced May 2023.

Comments: 6 pages, 3 figures and Supplemental Materials

Journal ref: Phys. Rev. B 108, 205136 (2023)

36. [arXiv:2305.12989](#) [pdf, other] astro-ph.CO hep-ph doi 10.1103/PhysRevD.108.083509

Impact of the damping tail on neutrino mass constraints

Authors: [Eleonora Di Valentino](#), [Stefano Gariazzo](#), [William Giarè](#), [Olga Mena](#)

Abstract: ...(RSD) and a prior on the reionization optical depth from WMAP data, we find that the marginalized bounds are competitive with those from Planck analyses. We obtain $\sum m_\nu < \mathbf{0.139}$ eV and $N_{\text{eff}} = 2.82 \pm 0.25$ in a dark energy quintessence scenario, both at 95% CL. These limits translate into $\sum m_\nu < 0.20$ eV and... [▽ More](#)

Submitted 11 October, 2023; v1 submitted 22 May, 2023; originally announced May 2023.

Comments: 11 pages, 3 figures, 4 tables. Matches version accepted for publication in PRD

Journal ref: Phys. Rev. D 108 (2023), 083509

37. [arXiv:2304.10241](#) [pdf, other] cs.CV

A geometry-aware deep network for depth estimation in monocular endoscopy

Authors: [Yongming Yang](#), [Shuwei Shao](#), [Tao Yang](#), [Peng Wang](#), [Zhuo Yang](#), [Chengdong Wu](#), [Hao Liu](#)

Abstract: ...The proposed method is extensively validated across different datasets and clinical images and achieves mean RMSE values of 0.066 (stomach), 0.029 (small intestine), and **0.139** (colon) on the EndoSLAM dataset. The generalizability of the proposed method achieves mean RMSE values of 12.604 (T1-L1), 9.930 (T2-L2), and 13.893 (T3-L3) on the ColonDepth dataset.... [▽ More](#)

Submitted 20 April, 2023; originally announced April 2023.

38. [arXiv:2207.00635](#) [pdf, other] nucl-th nucl-ex doi 10.1142/S0217732322501231

Neutron skin of ⁴⁸Ca deduced from interaction cross section

Authors: [Masayuki Matsuzaki](#), [Masanobu Yahiro](#)

Abstract: ...by folding a chiral g matrix and the Skyrme mean-field densities renormalized by considering the information of the interaction cross section. The result was $R_{\text{skin}} = \mathbf{0.139} \pm 0.058$ fm. [▽ More](#)

Submitted 1 July, 2022; originally announced July 2022.

Comments: Preprint version before acceptance of an article submitted for consideration in [Mod. Phys. Lett. A] [2022] [copyright World Scientific Publishing Company] [https://www.worldscientific.com/worldscinet/mpla]

39. [arXiv:2204.11440](#) [[pdf](#), [ps](#), [other](#)] [hep-ph](#) [nucl-th](#) [doi](#) [10.1103/PhysRevD.105.114053](#)

φ meson properties in nuclear matter from QCD sum rules with chirally separated four-quark condensates

Authors: [Jisu Kim](#), [Philipp Gubler](#), [Su Houn Lee](#)

Abstract: ...with $a = (3.947^{+0.139}_{-0.130})$, $b = (0.936^{+0.180}_{-0.177})$ and $c = -(7.707^{+4.791}_{-5.679})\text{MeV}$. [▽ More](#)

Submitted 25 April, 2022; originally announced April 2022.

Comments: 9 pages, 4 figures

Journal ref: Phys. Rev. D 105, 114053 (2022)

40. [arXiv:2108.06899](#) [[pdf](#), [ps](#), [other](#)] [astro-ph.GA](#) [astro-ph.CO](#) [doi](#) [10.1093/mnras/stab2352](#)

Environmental Effects on AGN activity via Extinction-free Mid-Infrared Census

Authors: [Daryl Joe D. Santos](#), [Tomotsugu Goto](#), [Seong Jin Kim](#), [Ting-Wen Wang](#), [Simon C. -C. Ho](#), [Tetsuya Hashimoto](#), [Ting-Chi Huang](#), [Ting-Yi Lu](#), [Alvina Y. L. On](#), [Yi-Hang Valerie Wong](#), [Tiger Yu-Yang Hsiao](#), [Agnieszka Pollo](#), [Matthew A. Malkan](#), [Takamitsu Miyaji](#), [Yoshiki Toba](#), [Ece Kilerci-Eser](#), [Katarzyna Małek](#), [Ho Seong Hwang](#), [Woong-Seob Jeong](#), [Hyunjin Shim](#), [Chris Pearson](#), [Artem Poliszczuk](#), [Bo Han Chen](#)

Abstract: ...**0.139** at the highest redshift bin). Possible different behavior of ULIRGs is a key direction to explore further with future space missions (e.g., *JWST*, *Euclid*, *SPHEREx*). [▽ More](#)

Submitted 16 August, 2021; originally announced August 2021.

Comments: Accepted for publication in MNRAS. A summary video is available at https://www.youtube.com/watch?v=7Y_a0KjKLI4&ab_channel=NthuCosmology

41. [arXiv:2103.10990](#) [[pdf](#), [ps](#), [other](#)] [cs.DS](#)

Local Computation Algorithms for Coloring of Uniform Hypergraphs

Authors: [Andrzej Dorobisz](#), [Jakub Kozik](#)

Abstract: ...up to about **0.139**. Then, we present a procedure that, within similar bounds on running time, solves wider range of instances by allowing α at most about **0.227**. [▽ More](#)

Submitted 19 March, 2021; originally announced March 2021.

MSC Class: 05C15; 05C65; 68W20; 68Q87 ACM Class: G.2.2; G.3

42. [arXiv:2102.06612](#) [[pdf](#), [ps](#), [other](#)] [astro-ph.GA](#) [doi](#) [10.3847/1538-4365/ac3761](#)

Pre-processing of Galaxies in the Early Stages of Cluster Formation in Abell 1882 at $z=0.139$

Authors: [Aparajita Sengupta](#), [William C. Keel](#), [Glenn Morrison](#), [Rogier A. Windhorst](#), [Neal Miller](#), [Brent Smith](#)

Abstract: ...=**0.139**, combining new data from the MMT and Hectospec with archival results from the Galaxy And Mass Assembly (GAMA) survey, the Sloan Digital Sky Survey (SDSS), NED, the Gemini Multi-Object Spectrograph (GMOS) and Galaxy Evolution Explorer (GALEX). These provide spectroscopic classifications for 526 member galaxies, across wide ranges of local density and $v...$ [▽ More](#)

Submitted 12 February, 2021; originally announced February 2021.

Comments: 26 pages, 16 figures, 5 tables. Submitted in The Astrophysical Journal

43. [arXiv:2007.01726](#) [[pdf](#), [ps](#), [other](#)] [nucl-th](#) [doi](#) [10.1088/1361-6471/aba423](#)

Properties of nuclear matter in relativistic Brueckner-Hartree-Fock model with high-precision charge-dependent potentials

Authors: [Chencan Wang](#), [Jinniu Hu](#), [Ying Zhang](#), [Hong Shen](#)

Abstract: ...MeV at saturation densities, 0.139 fm^{-3} to 0.192 fm^{-3} with these three potentials, respectively. It clearly demonstrates that the pseudovector coupling between pion and nucleon can generate reasonable saturation properties comparing with pseudoscalar coupling. Furthermore, these saturation properties have strong correlations with the tensor co... [▽ More](#)

Submitted 3 July, 2020; originally announced July 2020.

Comments: 32 pages, 11 figures, 5 tables, accepted by J. Phys. G

44. [arXiv:1912.04414](#) [[pdf](#), [other](#)] [astro-ph.CO](#) doi [10.1093/mnras/staa2303](#)

CCCP and MENeCS: (updated) weak-lensing masses for 100 galaxy clusters

Authors: [Ricardo Herbonnet](#), [Cristóbal Sifón](#), [Henk Hoekstra](#), [Yannick Bahé](#), [Remco F. J. van der Burg](#), [Jean-Baptiste Melin](#), [Anja von der Linden](#), [David Sand](#), [Scott Kay](#), [David Barnes](#)

Abstract: We find a gas fraction of 0.139 ± 0.014 for 8 relaxed clusters in our sample, which can also be used to infer cosmological parameters. [▽ More](#)

Submitted 9 December, 2019; originally announced December 2019.

Comments: 20 pages, 9 figures, 4 tables, submitted to MNRAS

45. [arXiv:1906.05600](#) [[pdf](#), [other](#)] [astro-ph.GA](#)

UBVRI-KC Photometry of NGC~2323 and NGC~2539 Open Clusters

Authors: [Inci Akkaya Oralhan](#), [Raul Michel](#), [William J. Schuster](#), [Yüksel Karatas](#), [Yonca Karsli](#), [Carlos Chavarria](#)

Abstract: ...mas) for the likely members of NGC 2323 is in concordance with its four colour photometric distances 910-1000 pc. For NGC 2539, its GaiaDR2 distance $d=1330\pm250$ pc ($\text{plx}=0.751\pm0.139$ mas) is close to its four colour photometric distances, 1000 pc. Fitting the PARSEC isochrones to the colour magnitude diagrams (CMDs) gives an old age, 890 ± 110 Myr, for NGC 2...

[▽ More](#)

Submitted 13 June, 2019; originally announced June 2019.

Comments: 15 pages, 13 figures

Journal ref: Journal of Astrophysics and Astronomy, 2019, SCI-Expanded

46. [arXiv:1901.08638](#) [[pdf](#)] [physics.med-ph](#) doi [10.1088/1361-6560/ab13fa](#)

Towards Real-Time Respiratory Motion Prediction based on Long Short-Term Memory Neural Networks

Authors: [Hui Lin](#), [Chengyu Shi](#), [Brian Wang](#), [Maria F. Chan](#), [Xiaoli Tang](#), [Wei Ji](#)

Abstract: ...037, an average Root Mean Square Error (RMSE) of 0.048, and a Maximum Error (ME) of 1.687 in the internal validity data, and an average relative MAE of 0.112, an average RMSE of 0.139 and an ME of 1.811 in the external validity data. Compared to the LSTM model trained with default hyper-parameters, the MAE of the optimized model results decreased by 20%, ind... [▽ More](#)

Submitted 5 February, 2019; v1 submitted 24 January, 2019; originally announced January 2019.

47. [arXiv:1901.04126](#) [[pdf](#), [ps](#), [other](#)] [hep-ph](#) [hep-ex](#) [hep-lat](#) [nucl-th](#)

doi [10.1155/2019/7650678](#)

Chromopolarizability of charmonium and $\pi\pi$ final state interaction revisited

Authors: [Yun-Hua Chen](#)

Abstract: ...and the parameter $\kappa = 0.139 \pm 0.005$. Our results could be useful in studying the interactions of charmonium with light hadrons. [▽ More](#)

Submitted 2 May, 2019; v1 submitted 13 January, 2019; originally announced January 2019.

Comments: 8 pages, 1 figure

Journal ref: Advances in High Energy Physics, Volume 2019, Article ID 7650678

48. [arXiv:1801.09055](#) [[pdf](#), [ps](#), [other](#)] [stat.ML](#) doi [10.1007/s42452-019-1437-9](#)

Solving for multi-class using orthogonal coding matrices

Authors: [Peter Mills](#)

Abstract: ...Orthogonal ECCs are always more accurate than random ECCs as predicted by recent literature. Improvements in uncertainty coefficient (U.C.) range between 0.4--17.5% (0.004--**0.139**, absolute), while improvements in Brier score between 0.7--10.7%. Unfortunately, orthogonal ECCs are rarely more accurate than 1 vs. 1. Disparities are worst when the methods are pa... [▽ More](#)

Submitted 17 May, 2023; v1 submitted 27 January, 2018; originally announced January 2018.

Comments: Error in the published version has been corrected in a footnote

Journal ref: SN Applied Sciences 2019, 1 (11): 1451

49. [arXiv:1411.0466](#) [[pdf](#), [ps](#), [other](#)] [hep-ph](#)

$B \rightarrow \pi \ell^+ \ell^-$ decays revisited in the standard model

Authors: [Zuo-Hong Li](#), [Zong-Guo Si](#), [Ying Wang](#), [Nan Zhu](#)

Abstract: ...measurement at LHCb and hence puts a stringent constraint on the contribution from possible new physics. We arrive at, for the ditau mode, $\mathcal{B}(B^- \rightarrow \pi^- \tau^+ \tau^-) = (1.017^{+0.118}_{-0.139}) \times 10^{-8}$, which is one order of magnitude larger than the existing theoretical predictions. [▽ More](#)

Submitted 9 November, 2014; v1 submitted 3 November, 2014; originally announced November 2014.

Comments: 31 pages, 7 figures, 7 tables, minor corrections made for typos and omissions

50. [arXiv:1208.5070](#) [[pdf](#), [other](#)] [nucl-ex](#) doi [10.1016/j.nuclphysa.2012.12.080](#)

Open Heavy Flavor Production at Forward Angles in PHENIX

Authors: [K. F. Read](#)

Abstract: ...to be $d\sigma_{cc^-}/dy = 0.139 \pm 0.029$ (stat) $^{+0.051}_{-0.058}$ (syst) mb. This result is compared to a recent FONLL calculation and to a PHENIX measurement at mid-rapidity. For $\sqrt{s_{NN}}$ collisions, we measure the R_{AA} for heavy-flavor muons in three centrality bins for $\sqrt{s_{NN}} < 4$ GeV/c, with suppression observed for central... [▽ More](#)

Submitted 20 December, 2012; v1 submitted 24 August, 2012; originally announced August 2012.

Comments: 4 pages, 2 figures; merged two figures, added one reference, minor revisions to text for clarity, results unchanged; proceeding for the Fifth International Conference on Hard and Electromagnetic Probes of High-Energy Nuclear Collisions (Hard Probes 2012), 27 May - 1 June 2012, Cagliari, Italy

We gratefully acknowledge support from our **major funders**, **member institutions**, and all contributors.

[About](#) · [Help](#) · [Contact](#) · [Subscribe](#) · [Copyright](#) · [Privacy](#) · [Accessibility](#) · [Operational Status](#)

Major funding support from



**SIMONS
FOUNDATION
INTERNATIONAL**

