

The Algorithm of the Third Element: Structural Mapping, Invariance, and the Emergence of New Meaning

From Automorphism and Synonymy to Safe Models of System Vulnerability

Author: **Nikolai Ilin**

Affiliation: Independent Researcher

ORCID: 0009-0005-9286-7027

Email: ilnik10@hotmail.com

Date written: 2026

Manuscript type: Preprint / theoretical and methodological article

Abstract

This paper proposes a preliminary algorithm for the emergence of the "third element": a new structural object, relation, context, or meaning that appears when two initially distinct elements are mapped into a common higher-order space. The third element is treated not as a mystical novelty, but as a structurally generated mediator that reorganizes the original elements and makes a new interpretation possible. The paper argues that this process is central to human creativity, scientific discovery, conceptual recoding, and the development of more universal artificial intelligence systems.

The model is developed through two examples. The first compares automorphism in mathematics and synonymy in linguistics. At the surface level, these concepts belong to different domains. Automorphism is a structure-preserving self-mapping of an object, while synonymy is a semantic relation among words or expressions. However, when synonymy is represented in a geometric or structural semantic space, it becomes possible to interpret it as an automorphism-like transformation: different linguistic forms can preserve a stable meaning structure. The mathematical expression of this relation functions as the third element, allowing two heterogeneous concepts to be treated as structurally comparable.

The second example concerns "holes" or vulnerabilities in computer systems, considered only at a high-level and non-operational level. A vulnerability may emerge when an existing structure, permission relation, data path, or interface is reinterpreted in a way not intended by the system designer. The third element is not a technical exploit procedure, but a newly discovered access relation or operational context that reorganizes the meaning of previously separate components. This example illustrates how the third element can arise from unintended structural mapping.

The paper formulates an eight-stage algorithm: selection of heterogeneous elements; separation of surface form from structural function; extraction of invariants; construction of a common coordinate space; structural mapping; appearance of a mediating third element; stabilization of a new gestalt; and validation through consequences. The proposed framework is theoretical and methodological. It is intended to support future research on creativity, emergence, semantic integration, and meaning-centered artificial intelligence.

Keywords

third element; structural emergence; creativity; automorphism; synonymy; structural mapping; invariance; gestalt; meaning-centered AI; semantic integration; conceptual recoding; vulnerability analysis; philosophy of science

1. Introduction

The emergence of a new idea is often described as sudden, intuitive, or creative. A person compares two distant concepts, detects an unexpected similarity, and formulates a new meaning. In scientific discovery, this process may produce a new model, a new mathematical expression, a new analogy, or a new research direction. In artificial intelligence, the same problem appears as the problem of meaningful integration: how can a system move from the manipulation of existing representations to the formation of genuinely new interpretive structures?

This paper proposes that many such processes can be interpreted through the emergence of a "third element." The third element is not merely a third item added to two existing items. It is a newly formed structural mediator that reorganizes the relation between them. It may appear as an invariant, a mapping, a shared coordinate system, a new context, a new function, a symbolic expression, or a new gestalt. Once it appears, the original elements are no longer simply separate. They become related through a higher-order structure.

The importance of this process is difficult to overstate. Human creativity often depends on the ability to identify hidden correspondences between domains that appear unrelated. Mathematics, metaphor, scientific analogy, engineering invention, and theoretical synthesis all depend on the discovery of structural relations not obvious at the surface level. The third element is the point at which the relation itself becomes an object of thought.

This problem is also central to the development of advanced artificial intelligence. Neural networks can identify statistical patterns, and von Neumann computational structures can execute explicit procedures. However, neither statistical association nor formal computation alone necessarily generates a new integrated meaning. A more universal AI system may require a third component: a gestalt-level integrator capable of detecting structural correspondences, forming new contexts, and calculating the meaning of relations between heterogeneous elements.

The present article develops a preliminary algorithm for the emergence of the third element. It does so through two examples. The first compares automorphism and synonymy. The second analyzes computer-system vulnerabilities as an example of emergent access relations, without providing operational or harmful technical details. The aim is to show that the same structural logic can operate across mathematics, language, cognition, artificial intelligence, and safe systems analysis.

2. The Third Element as a Structural Mediator

The third element can be defined as a newly emergent structure that mediates between two or more initially distinct elements and changes the meaning, function, or behavior of the whole relation. It is not simply a sum of the initial elements. It appears when their interaction or comparison produces a new level of organization.

Let two elements be denoted as A and B. At the beginning, A and B belong to different contexts or appear unrelated. The emergence of the third element C requires a transformation of the relation between them. This transformation can be represented abstractly as:

$$A + B + M \rightarrow C$$

where M is not merely a mechanical operation, but a mapping, comparison, or recoding process. The third element C is the result of identifying a structural relation that was not visible at the initial level of description.

In cognitive terms, the third element is the moment at which comparison becomes insight. In mathematical terms, it may be an invariant or a structure-preserving transformation. In semantic terms, it may be a shared meaning structure. In AI terms, it may be a new representation that organizes previously separate data. In scientific methodology, it may be a new concept that links two disciplines.

The third element therefore has three basic properties.

First, it is relational. It does not exist in isolation; it emerges from the comparison, interaction, or mapping of at least two elements.

Second, it is structural. It preserves or reveals a form of organization that remains stable across transformation.

Third, it is generative. Once it appears, it can produce new interpretations, models, predictions, or actions.

These properties distinguish the third element from a mere association. An association may connect A and B superficially. A third element reorganizes A and B at a higher level of meaning.

3. The Algorithm of Third-Element Emergence

The proposed algorithm consists of eight stages. The stages are not meant to be rigidly linear. In human cognition, scientific discovery, and artificial intelligence, the process may be recursive. Nevertheless, the sequence provides a useful methodological model.

Stage 1 - Selection of heterogeneous elements. Two elements are brought into relation despite belonging to different contexts. For example, automorphism belongs to mathematics and synonymy belongs to linguistics.

Stage 2 - Suspension of surface difference. The immediate difference between the elements is temporarily bracketed. The question becomes not "are these the same?" but "what structural role does each perform in its own domain?"

Stage 3 - Extraction of structural function. Each element is analyzed according to the function it performs. Automorphism preserves structure under transformation. Synonymy preserves meaning under substitution.

Stage 4 - Identification of possible invariants. The analyst searches for something preserved across change: structure, meaning, function, relation, access, symmetry, or identity.

Stage 5 - Construction of a common coordinate space. A higher-order representational space is built in which the two elements can be compared. This may be mathematical, semantic, geometric, computational, or conceptual.

Stage 6 - Structural mapping or recoding. The function of one element is translated into the terms of the other domain. The point is not to claim literal identity, but to preserve relational function.

Stage 7 - Emergence of the third element. A new mediating structure appears: an invariant, formula, concept, context, access relation, or gestalt. The relation between A and B becomes an object of thought in its own right.

Stage 8 - Stabilization and validation. The third element must be tested by consequences. Does it explain something? Does it generate a useful model? Does it reveal a new structure? Does it preserve meaning under transformation? Does it improve prediction, interpretation, or control?

This algorithm can be represented as:

difference $\rightarrow$ function $\rightarrow$ invariant $\rightarrow$ common space $\rightarrow$ mapping $\rightarrow$ third element $\rightarrow$ gestalt $\rightarrow$ validation.

The core of the algorithm is not the comparison itself, but the discovery of a new coordinate space in which the comparison becomes meaningful.

4. Example One: Automorphism and Synonymy

Automorphism and synonymy appear at first to belong to entirely different domains.

An automorphism is a mathematical concept. In general terms, it is a structure-preserving mapping of an object onto itself. In algebra, an automorphism preserves operations and relations of an algebraic structure. In geometry, it preserves relevant geometric structure. In graph theory, it preserves adjacency relations. The essential idea is that something changes in representation while a relevant structure remains invariant.

Synonymy is a linguistic and semantic concept. It refers to the relation between different expressions that have similar or closely related meanings. The words may differ in sound, spelling, usage, or stylistic context, yet they can preserve a central semantic content. In ordinary language, synonymy is rarely perfect; contextual and pragmatic differences usually remain. Nevertheless, the core idea is that different linguistic forms can preserve a meaning relation.

At the surface level, automorphism and synonymy are distinct. One belongs to formal mathematics; the other belongs to language. The first concerns structure-preserving transformations of objects; the second concerns meaning-preserving substitutions of words. However, at the functional level, both involve preservation under transformation.

The structural role of automorphism is:

change of representation + preservation of structure.

The structural role of synonymy is:

change of expression + preservation of meaning.

If meaning is represented in a geometric or structural semantic space, the analogy becomes stronger. A word may be treated as a position, region, vector, or structured node within a semantic field. Synonymous expressions may then be interpreted as transformations that preserve a region of meaning or a functional semantic role. In this representation, synonymy can be interpreted as automorphism-like: different forms preserve a relevant semantic structure.

This does not mean that synonymy literally becomes algebraic automorphism in all respects. The claim is more precise: when synonymy is recoded into a geometric semantic space, it can be treated as structurally comparable to automorphism because both express invariance under transformation.

The third element is the mathematical or structural expression that mediates between the two domains. It allows the concepts to be compared at a higher level. Automorphism and synonymy are no longer simply "mathematics" and "linguistics." They become two domain-specific forms of a more general structural principle:

identity through transformation.

This principle functions as the third element. It creates a new gestalt in which the two initial concepts become parts of a single higher-order structure.

5. Structural Identity Without Literal Identity

The example of automorphism and synonymy illustrates a crucial methodological distinction: structural identity is not literal identity.

Literal identity would claim that automorphism and synonymy are the same thing. Such a claim would be false or at least misleading. Automorphism is defined within formal structures; synonymy is embedded in language use, context, pragmatics, and historical variation.

Structural identity is different. It claims that two concepts may perform analogous organizational functions within different domains. In this case, both concepts involve the preservation of something under transformation. Automorphism preserves formal structure; synonymy preserves semantic content. The two are not identical objects, but they participate in the same relational motif.

The third element emerges when the relational motif is extracted and stabilized. The new object of thought is not automorphism alone and not synonymy alone. It is the higher-order principle of preserved identity under transformation. This principle allows ideas from mathematics and linguistics to be recoded into one another without collapsing their differences.

This is an important feature of scientific creativity. New knowledge often emerges not by erasing differences, but by identifying the level at which differences become comparable. The third element is therefore an instrument of disciplined analogy. It prevents both extremes: superficial metaphor and rigid disciplinary separation.

6. Example Two: Vulnerabilities as Emergent Access Relations

The second example concerns so-called "holes" or vulnerabilities in an operating system or computer system. This example must be handled carefully. The purpose here is not to describe how to find, exploit, or use vulnerabilities. No operational steps, attack procedures, or harmful technical instructions are provided. The example is used only at the level of safe systems theory.

A vulnerability can be interpreted as an unintended access relation that emerges from the interaction of existing system components. A computer system contains data, permissions, interfaces, processes, memory structures, user roles, and execution paths. Each component may

be legitimate in isolation. The vulnerability appears when a new relation among them creates an unintended possibility.

In this sense, a vulnerability is not always a visible object. It may be an emergent structure. It appears when a user, process, or external input is mapped into a system context in a way the designer did not anticipate. The "hole" is therefore not merely a missing wall. It is a newly discovered path through the relational structure of the system.

At the abstract level, the process resembles the emergence of the third element. There are two initial domains: the intended system model and the actual operational behavior of the system. The designer assumes one mapping between actions and permissions. The real system may contain another mapping. When the mismatch becomes visible, a third element appears: an unintended access relation.

This third element reorganizes the meaning of the original components. A data structure that appeared harmless may become meaningful in a new context. A permission relation that appeared limited may combine with another relation. An interface designed for one purpose may acquire another structural role. The vulnerability is the emergent gestalt formed by these relations.

The safe methodological lesson is that security cannot be based only on the properties of isolated components. It must analyze the structural field of relations among components. Vulnerabilities often emerge not from one element alone, but from a relation that was not recognized as meaningful until a new context made it visible.

This makes vulnerability analysis a useful example of third-element emergence: a new operational meaning appears when existing structures are recoded into an unexpected relational configuration.

7. Creativity as Third-Element Formation

Human creativity can be interpreted as the capacity to generate third elements. A creative person does not merely combine known objects. They identify a relation, invariant, or context in which known objects acquire a new meaning.

This is why creativity often appears as a sudden insight. Before the third element appears, two ideas may seem unrelated. After it appears, the relation becomes obvious. The new structure reorganizes the field of thought retroactively. The mind does not simply add a new item; it reconfigures the meaning of the old items.

In this sense, creativity is not irrational. It may be non-linear, but it is not structureless. The emergence of the third element follows a recognizable logic: comparison, abstraction, invariant detection, mapping, gestalt formation, and validation.

The model also explains why creativity requires both freedom and constraint. Without freedom, distant elements are never brought into relation. Without constraint, every association becomes arbitrary. The third element requires a balance: enough freedom to compare heterogeneous domains and enough structure to identify a meaningful invariant.

This is also why cross-disciplinary research is creative. It places concepts in new coordinate systems. When the mapping is superficial, the result is metaphor. When the mapping preserves structural function, the result may be a third element.

8. Implications for Universal Artificial Intelligence

The algorithm of the third element has direct implications for artificial intelligence. A system that only predicts the next token may reproduce existing language patterns without forming new meaning structures. A system that only performs formal computation may manipulate symbols without identifying why a comparison matters. A more universal intelligence requires a mechanism for gestalt-level integration.

Such a system would need at least three components.

First, a neural component capable of detecting patterns, similarities, anomalies, and distributed associations.

Second, an explicit computational component capable of formal verification, symbolic manipulation, logical checking, and reproducible calculation.

Third, a gestalt integrator capable of forming higher-order meanings, identifying invariants, constructing shared coordinate spaces, and deciding whether a mapping is meaningful.

The third component would implement the algorithm proposed in this paper. It would compare heterogeneous elements, extract structural functions, identify possible invariants, construct mapping spaces, propose third elements, and test them through consequences.

This is especially important for scientific AI. A scientific AI should not merely summarize existing literature. It should detect hidden correspondences, identify conceptual vacancies, propose new mediating structures, and distinguish between superficial analogy and structural identity. The emergence of the third element is therefore a candidate mechanism for AI-supported creativity.

9. The Objective Calculation of Meaning

The proposed model also relates to the problem of calculating meaning. Meaning cannot be reduced to frequency, popularity, or statistical association. It must be evaluated through structural coherence, contextual relevance, causal adequacy, predictive value, and stability under transformation.

A provisional meaning function can be described as:

$$M = f(\text{Coh}, \text{Rel}, \text{Inv}, \text{Caus}, \text{Pred}, \text{Val})$$

where Coh denotes coherence, Rel denotes contextual relevance, Inv denotes invariance under admissible transformation, Caus denotes causal adequacy, Pred denotes predictive power, and Val denotes practical or goal-related value.

The third element becomes meaningful when it increases the value of this function. It does so by improving coherence between previously separated elements, preserving an invariant across transformation, and producing a new context in which interpretation becomes more powerful.

This does not provide a final theory of meaning. It provides an operational direction: meaning can be treated as a structured relation whose value depends on the ability of a concept, model, or mapping to organize a field of interpretation.

10. Methodological Safeguards

The third-element model requires safeguards. Without them, it may produce arbitrary analogies or speculative overextensions.

The first safeguard is domain preservation. The model must not erase the differences between domains. Automorphism and synonymy are structurally comparable in a specific sense, but they are not literally the same concept.

The second safeguard is invariant specification. The analyst must state what is being preserved under transformation. Without an explicit invariant, the mapping remains vague.

The third safeguard is consequence testing. A proposed third element must generate explanatory, predictive, computational, or practical consequences.

The fourth safeguard is reversibility analysis. A strong mapping should clarify both domains, not merely force one domain into the language of another.

The fifth safeguard is ethical constraint. In areas such as cybersecurity, the model should be used for defensive understanding, system design, and risk analysis, not for harmful operational exploitation.

These safeguards are necessary because the third element is powerful precisely where it crosses boundaries. Boundary-crossing can generate insight, but it can also generate confusion if not constrained by validation.

11. Relation to Structural Emergence

The algorithm proposed here belongs to the broader problem of structural emergence. An emergent phenomenon is not merely something surprising. It is a new level of organization formed when relations among elements generate a structure that becomes significant in its own right.

The third element is a minimal model of such emergence. It shows how novelty can arise from relation rather than from isolated substance. A and B do not simply remain A and B. Through mapping, they generate C, and C reorganizes the meaning of A and B.

This process is visible in mathematics, language, computer systems, scientific discovery, and artificial intelligence. The domains differ, but the structural motif is similar:

heterogeneous elements → mapping → invariant → third element → new gestalt.

The importance of the third element is that it makes emergence operational. Instead of saying only that "a new quality appears," the model asks: what mapping produced it, what invariant stabilizes it, what coordinate space makes it visible, and how can it be validated?

12. Limitations

This paper presents a theoretical and methodological model, not a completed formal theory. Several limitations must be acknowledged.

First, the algorithm is preliminary. It requires further formalization, especially in relation to mathematical representation, semantic geometry, and computational implementation.

Second, the examples are illustrative. Automorphism and synonymy show how structural mapping can generate a third element, but they do not exhaust the possible forms of such emergence.

Third, the cybersecurity example is intentionally abstract and non-operational. It is included only to show how new access relations can emerge from structural recoding. It should not be interpreted as a guide to exploitation.

Fourth, the model does not claim that all creativity follows exactly the same sequence. Human thought is recursive, affective, embodied, and historically situated. The algorithm captures one structural pattern, not the whole of creativity.

Fifth, the meaning function proposed in the paper is only a conceptual sketch. Operational calculation of meaning requires future work in AI, cognitive science, semantic modeling, and philosophy of science.

These limitations define the next stage of research.

13. Conclusion

This paper has proposed an algorithm for the emergence of the third element. The model begins with two initially distinct elements and shows how a new mediating structure can appear through the detection of structural function, invariance, common coordinate space, and mapping.

The comparison of automorphism and synonymy illustrates how concepts from different domains can become structurally comparable when represented through a higher-order principle: identity preserved under transformation. The high-level analysis of computer-system vulnerabilities illustrates how a new operational relation can emerge from the unintended mapping of existing structures.

The third element is therefore not merely an additional object. It is the point at which relation becomes structure, structure becomes meaning, and meaning becomes a new gestalt. This process is central to creativity, scientific discovery, and the development of more universal artificial intelligence systems.

The central thesis can be stated simply: the third element emerges when two elements, initially separated by surface form or disciplinary context, are mapped into a common structural space in which an invariant becomes visible and generates a new meaning.

Future research should formalize this algorithm, implement it in AI systems, and test whether third-element detection can improve creativity, scientific modeling, semantic integration, and the efficiency of research.

Data and Ethics Statements

Data availability: This is a theoretical and methodological article. No empirical dataset was generated or analyzed for this manuscript.

Ethics statement: This article does not report research involving human participants, animals, clinical intervention, or confidential personal data.

Safety statement: The discussion of computer-system vulnerabilities is limited to abstract systems theory and defensive methodology. The article does not provide operational instructions, exploit procedures, code, or guidance for unauthorized access.

Funding statement: No external funding is reported for this manuscript.

Conflict of interest statement: The author declares no known conflict of interest.

References

Barwise, J., & Seligman, J. (1997). *Information Flow: The Logic of Distributed Systems*. Cambridge University Press.

Boden, M. A. (2004). *The Creative Mind: Myths and Mechanisms* (2nd ed.). Routledge.

Fauconnier, G., & Turner, M. (2002). *The Way We Think: Conceptual Blending and the Mind's Hidden Complexities*. Basic Books.

Gärdenfors, P. (2000). *Conceptual Spaces: The Geometry of Thought*. MIT Press.

Gentner, D. (1983). Structure-mapping: A theoretical framework for analogy. *Cognitive Science*, 7(2), 155-170. [https://doi.org/10.1016/S0364-0213\(83\)80009-3](https://doi.org/10.1016/S0364-0213(83)80009-3)

Harnad, S. (1990). The symbol grounding problem. *Physica D: Nonlinear Phenomena*, 42(1-3), 335-346. [https://doi.org/10.1016/0167-2789\(90\)90087-6](https://doi.org/10.1016/0167-2789(90)90087-6)

Klein, F. (1893). A comparative review of recent researches in geometry. *Bulletin of the New York Mathematical Society*, 2, 215-249.

Koestler, A. (1964). *The Act of Creation*. Hutchinson.

Lakoff, G., & Johnson, M. (1980). *Metaphors We Live By*. University of Chicago Press.

Lawvere, F. W., & Schanuel, S. H. (2009). *Conceptual Mathematics: A First Introduction to Categories* (2nd ed.). Cambridge University Press.

Lyons, J. (1995). *Linguistic Semantics: An Introduction*. Cambridge University Press.

Marr, D. (1982). *Vision: A Computational Investigation into the Human Representation and Processing of Visual Information*. W. H. Freeman.

Saltzer, J. H., & Schroeder, M. D. (1975). The protection of information in computer systems. *Proceedings of the IEEE*, 63(9), 1278-1308. <https://doi.org/10.1109/PROC.1975.9939>

Wittgenstein, L. (1953). *Philosophical Investigations*. Blackwell.