

# The Calcium-Lanthanum Singularity Theorem: Exhaustive Discovery and Multi-Tool Cross-Validation of the d-Block and f-Block Regime Switching Centers in the Periodic Table

——First Deployment of the Factor Hierarchy Law in Chemistry, Verification of the Statistical Signature of Regime Factors, and Confirmation of the Chemical  $\chi$ -Blindness (I)

Shuiping Tang  
(Independent Researcher)

## Abstract

This paper deploys the Factor Hierarchy Law in chemistry for the first time, conducting a presupposition-free regime audit of 118 elements by exhaustively testing 27 candidate factors, 9 explained variables, 7 transformations, and 10 structural break tools, totaling over 1,600 independent tests. The core findings unfold in seven layers. (1) Singularity regime centers: at  $Z=20$  (calcium) and  $Z=57$  (lanthanum), the Chow  $F$  under the  $\text{inv}$  transformation reaches  $1.53 \times 10^{23}$  and  $3.37 \times 10^{23}$ , respectively. The f-block/d-block intensity ratio of 2.20 deviates only 2.2% from  $(3/2)^2=2.25$ , revealing for the first time the quantitative law  $F(l) \propto l^2$  governing regime switching intensity. Ten tools independently validate the two singularity centers, and all Bai-Perron multi-break BIC improvements are positive. (2) Statistical signature of regime factors: for the first time, the statistical criterion distinguishing regime factors from executive factors is precisely defined—suppressed by multicollinearity under strict VIF constraints and breaking into the optimal combination when constraints are relaxed. The complete interaction effect matrix yields 14 significant results out of 27 tests ( $p < 0.05$ ), with zero false positives in synthetic data negative controls (0/4). (3) Boundary concentration law of interaction effects: interaction effects are highly concentrated on regime boundary lines. Four boundary element categories—noble gases, actinides, alkaline earth metals, and post-transition metals—all show significant interactions ( $p < 0.02$ ), whereas transition metals ( $n=35$ ), the largest category within the transition zone, are not significant ( $p=0.0841$ ), and lanthanides ( $n=15$ ) within the f-block interior are equally silent ( $p=0.9884$ )—interaction effects concentrate on boundaries, not interiors. (4) Topological uniformity of intrinsic transition bandwidths: the regime transition bandwidths of four intrinsic properties are strictly unified at 3.0 periods (coefficient of variation=0), significantly different from condensed-phase properties ( $p=0.0202$ ). (5) Chemical  $\chi$ -blindness law: regime switching signals of d/f orbitals are completely silent under raw metrics (Chow  $F$  as low as 1.78) but are activated by  $\text{inv}/\text{cube}$  transformations, with amplification up to  $6.8 \times 10^{20}$  times. (6) Chemical precursor cascade: the double breaks of first ionization energy at period=2.0 and 5.0 are independently validated by Bai-Perron (BIC improvement=56.1), and the triple breaks of electronegativity on the number axis ( $Z=54, 72, 86$ ) mark the complete boundary of the f-block regime switch. (7) Absolute regime boundary and institutional boundary: at

valence\_electrons=2, ten tools yield a coefficient of variation of zero; regression discontinuity design confirms significant intercept jumps for five properties; the density–atomic mass correlation reverses completely between synthetic and natural elements ( $r=-0.965$  vs  $r=+0.733$ ,  $p=0.0000$ ). All conclusions are supported by permutation tests ( $p=0.002$ ), synthetic data negative controls (0/5 real + 0/4 synthetic), and cross-environment reproducibility verification (zero discrepancy across 13 columns on two independent computers). This paper completes the first full deployment of the Factor Hierarchy Law in chemistry, providing an indispensable empirical foundation for the construction of the Regime Periodic Table (RPT) in the second paper.

Research Paradigm Statement: The core methodology, research direction, and final decisions were independently directed by the author. DeepSeek assisted with code implementation, data presentation, and text drafting. The author takes full academic responsibility for the final content.

**Keywords:** Factor Hierarchy Law; Testability Norms; Periodic Table; Regime Audit; Singularity Center; Statistical Signature of Regime Factors; Chemical  $\chi$ -Blindness; Bai-Perron Sequential Test; Precursor Cascade

## 1 Introduction

The Factor Hierarchy Law states: in any complex system driven by multiple quantifiable factors, factors naturally divide into two levels—regime factors and executive factors. Regime factors determine which set of rules currently applies; their function is not reflected in direct explanatory power but in their interaction effects that modulate the exposure coefficients of executive factors. When a regime factor crosses a critical value, the factor weights of the entire system are systematically reset (Tang, 2026g, 2026r).

This law has been systematically validated in four entirely independent disciplines. In finance, the China-U.S. yield spread was identified as a regime factor, triggering a regime switch in global asset pricing equations near a spread of zero (Tang, 2026a-f). In astronomy, stellar spectral type acted as a regime factor, triggering a regime switch in transit depth equations at 4762 K, with structural breaks occurring simultaneously across five independent physical dimensions (Tang, 2026h-j). In statistical physics, the precise information duality between the Factor Hierarchy Law and the Ehrenfest phase transition classification was proven analytically on the exact solution of the 2D Ising model with strictly zero deviation (Tang, 2026k); double-peak fission and precursor boundaries were discovered on the NP-complete 3D Ising system (Tang, 2026l); and the reduction of universality was completed across five phase transition models (Tang, 2026m). In particle physics, three regime switching centers—the charm, bottom, and strange regions—were discovered, precursor cascades were revealed, and the Gauge Group Structure Theorem was derived—gauge field theory was demoted to the expression of regime boundaries in group-theoretic language, with the Factor Hierarchy Law as the deeper organizing principle (Tang, 2026n-q).

The periodic table is one of humanity’s most precise objective datasets. The densities, electronegativities, ionization energies, atomic masses, and other properties of 118 elements are all objective

measurements produced by automated equipment. Traditional chemistry found period and valence electrons as classification dimensions through empirical induction, but did not know why they work—traditional chemistry knows the “what” but not the “why.” The core task of this paper is to place these two dimensions on an equal footing with 25 other candidate factors, automatically screen them through exhaustive testing, and test whether they satisfy the defining characteristics of regime factors. Simultaneously, this paper systematically searches for new structures that cannot be accommodated within the traditional periodic law framework—singularity centers, regime boundaries, precursor cascades, and absolute regime boundaries.

This paper is the first of a three-part chemical series, covering the three dimensions of What (what was discovered), Who (who caused it), and When (when does the switching occur). The second paper (Tang, 2026t) will build on the regime factors and regime centers identified herein to construct regime identity cards for 118 elements, construct the Regime Periodic Table (RPT), and complete the reduction of universality for the traditional periodic law. The third paper (Tang, 2026u) will derive the Chemical Gauge Group Theorem from regime boundaries, elevating the periodic law from an empirical regularity to an inevitable deduction from first principles.

## **2 Data and Methods**

### **2.1 Data Source and Initial Audit**

All data were sourced from the open-source element database (Bowserinator/Periodic-Table-JSON), which provides all attributes of all 118 elements via a single HTTP request; the data are completely public. The original data contain 28 fields. The initial audit confirmed that three fields—atomic\_number, cpk\_hex\_color, and bonding\_type—are entirely empty and were excluded. Missing rates are: molar\_heat 34.5%, electronegativity\_pauling 16.0%, ionization\_energies 12.6%, boil 11.8%, melt 10.1%. The effective sample consists of 118 elements (excluding the 119th placeholder Ununennium). Data objectivity is confirmed: all data are produced by automated equipment with no subjective scoring contamination.

### **2.2 Candidate Factor Mining**

To exhaust all quantifiable factors, the following candidate factors were mined from text fields: (1) from shells (electron shell configuration, e.g., “2; 8; 18; 32; 18; 2”) we extracted n\_electron\_shells, valence\_electrons, and total\_electrons; (2) from electron\_configuration (e.g., “1s2 2s2 2p6 3s2 3p6 3d5 4s2”) we extracted unfilled\_d\_orbitals and unfilled\_f\_orbitals; (3) from ionization\_energies (e.g., “1312; 2372.3; 5250.5”) we extracted first\_ionization\_energy; (4) boil and melt were divided by 1000 to convert to

kilokelvin (kK), and `first_ionization_energy` was divided by 100 to convert to hundreds of kJ/mol (100 kJ/mol); (5) category (15 categories) was converted into dummy variables.

The final candidate factor pool comprises 27 factors: 16 continuous factors (`atomic_mass`, `density`, `molar_heat`, `n_electron_shells`, `valence_electrons`, `total_electrons`, `electron_affinity`, `electronegativity_pauling`, `first_ionization_100kJmol`, `boil_kK`, `melt_kK`, `unfilled_d_orbitals`, `unfilled_f_orbitals`, `number`, `period`, `xpos`, `ypos`) and 11 category dummy variables. The explained variable pool includes 9 continuous variables: `density`, `electronegativity_pauling`, `electron_affinity`, `first_ionization_100kJmol`, `boil_kK`, `melt_kK`, `atomic_mass`, `unfilled_d_orbitals`, `unfilled_f_orbitals`.

## 2.3 Execution Plan for the Testability Norms

This study strictly follows the six functional dimensions of the Testability Norms proposed by Tang (2026r).

**Search Completeness:** Exhaustive testing of all 1- to 3-factor combinations of candidate factors, ranking by adjusted  $R^2$  under the dual hard constraints of  $VIF < 5$  and  $VIF < 10$ , with the optimal combination winning automatically. Additionally, mutual information maximization screening and random forest variable importance ranking are deployed to cover nonlinear dependencies.

**Moderation Relationship:** Testing whether candidate regime factors moderate the exposure coefficients of executive factors on explained variables. The regression equation is  $Y \sim \text{executive factor} + \text{regime factor} + \text{executive factor} \times \text{regime factor}$ . A significant interaction term is a necessary condition for a regime factor. Additionally, threshold interaction models are deployed—searching for the optimal threshold value that maximizes the difference in interaction effects.

**Structural Breaks:** No reliance on a single tool. We sequentially use the Chow test (whether equation structures differ at known breakpoints), the Bai-Perron sequential test (exhaustive multi-breakpoint search), the SupF test (whether any structural break exists), the CUSUM test (whether equation parameters are drifting), the MOSUM test (where residual structures are abnormal), threshold regression (Bootstrap resampling for confidence intervals), the PELT algorithm (efficient change-point detection for one-dimensional signals), Bayesian change-point detection (uncertainty quantification via MAP approximation), Hidden Markov Models (automatic decoding of multi-regime states), and kernel change-point detection (nonlinear structural break detection), covering the complete logic chain from “known breakpoints  $\rightarrow$  unknown breakpoints  $\rightarrow$  no preset breakpoints.”

**Causal Direction:** Deploying conditional independence tests (whether regime factors are still significantly related to targets after controlling for executive factors), regression discontinuity design (estimating local causal effects near regime boundaries), and DAG causal networks (constructing directed acyclic graphs based on physical causal directions).

**Activation Operators:** Constructing seven mathematical transformations—raw, inv (reciprocal), log, sqrt, sq (square), inv\_sq (inverse square), cube. The design logic of activation operators is fully consistent with that of  $W \times M$ ,  $W \times M^2$ , and other operators in particle physics (Tang, 2026n).

Problem completeness and process closure are covered in phases across the three papers of the chemical series: this paper covers the three dimensions of What, Who, and When, and the Plan-Do phase; the second paper covers Where, How, and How Much, and the Check phase; the third paper covers the Why dimension and the Act phase.

## 3 Analysis Results

### 3.1 Search Completeness and Nonlinear Factor Screening

Table 1 reports the optimal executive factor combinations under the dual constraints of  $VIF < 5$  and  $VIF < 10$ . Due to space limitations, the main text only displays target variables exhibiting regime switching signals under VIF threshold changes (four variables) and two unchanged target variables. The optimal combinations for electron\_affinity, unfilled\_d\_orbitals, and unfilled\_f\_orbitals are consistent across different VIF constraints and are not shown separately.

**Table 1: Exhaustive Test  $VIF < 5$  vs  $VIF < 10$  Optimal Combination Comparison (MA1-15)**

| Target                    | VIF<5 Optimal Combination                               | Adj.R <sup>2</sup> | VIF<10 Optimal Combination                              | Adj.R <sup>2</sup> | Regime Switching Signal                              |
|---------------------------|---------------------------------------------------------|--------------------|---------------------------------------------------------|--------------------|------------------------------------------------------|
| density                   | atomic_mass, electronegativity_pauling, melt_kK         | 0.813              | atomic_mass, electronegativity_pauling, boil_kK         | 0.822              | Added boil_kK, removed melt_kK                       |
| electronegativity_pauling | electron_affinity, first_ionization_100kJmol, xpos      | 0.770              | electron_affinity, first_ionization_100kJmol, xpos      | 0.770              | No change                                            |
| electron_affinity         | electronegativity_pauling, ypos                         | 0.262              | electronegativity_pauling, unfilled_f_orbitals, ypos    | 0.286              | Added unfilled_f_orbitals                            |
| first_ionization_100kJmol | electronegativity_pauling, boil_kK                      | 0.679              | electronegativity_pauling, unfilled_f_orbitals, period  | 0.713              | Added unfilled_f_orbitals, period, removed boil_kK   |
| boil_kK                   | first_ionization_100kJmol, melt_kK, unfilled_d_orbitals | 0.802              | first_ionization_100kJmol, melt_kK, unfilled_d_orbitals | 0.802              | No change                                            |
| melt_kK                   | electron_affinity, first_ionization_100kJmol, boil_kK   | 0.775              | first_ionization_100kJmol, boil_kK, unfilled_d_orbitals | 0.787              | Added unfilled_d_orbitals, removed electron_affinity |
| atomic_mass               | total_electrons, unfilled_f_orbitals                    | 0.999              | total_electrons, melt_kK, unfilled_f_orbitals           | 0.999              | Added melt_kK                                        |
| unfilled_d_orbitals       | atomic_mass, unfilled_f_orbitals                        | 0.964              | atomic_mass, unfilled_f_orbitals, xpos                  | 0.966              | Added xpos                                           |

| Target              | VIF<5 Optimal Combination                                            | Adj.R <sub>2</sub> | VIF<10 Optimal Combination                                           | Adj.R <sub>2</sub> | Regime Switching Signal |
|---------------------|----------------------------------------------------------------------|--------------------|----------------------------------------------------------------------|--------------------|-------------------------|
| unfilled_f_orbitals | atomic_mass,<br>valence_electrons,<br>first_ionization_100kJmol<br>1 | 0.789              | atomic_mass,<br>valence_electrons,<br>first_ionization_100kJmol<br>1 | 0.789              | No change               |

**Key finding: period does not enter any optimal combination under VIF<5; when VIF is relaxed to <10, it breaks into the optimal combination of first\_ionization\_100kJmol.** This is the typical statistical signature of a regime factor: it is suppressed by multicollinearity on the track of direct effects, but reveals its regulatory effect on the global equation structure at the moment of structural loosening. This signature is precisely defined for the first time in this paper—previously, the locking of color charge in particle physics adopted the interaction effect and conditional independence path (Tang, 2026n); this paper establishes VIF threshold switching as an independent statistical criterion for regime factors for the first time.

Table 2 reports the results of mutual information nonlinear screening. Mutual information can capture non-monotonic nonlinear relationships—such as the parabolic shape of d-orbital filling peaking in the middle—which traditional Spearman rank correlation cannot capture.

**Table 2: Mutual Information Nonlinear Screening Top 3 (MA1-16)**

| Target                    | Mutual Information Top 3 Factors                                    |
|---------------------------|---------------------------------------------------------------------|
| density                   | atomic_mass(0.784), number(0.742), unfilled_d_orbitals(0.732)       |
| electronegativity_pauling | first_ionization_100kJmol(0.759), atomic_mass(0.575), number(0.573) |
| first_ionization_100kJmol | electronegativity_pauling(0.757), number(0.600), atomic_mass(0.577) |
| boil_kK                   | melt_kK(0.856), xpos(0.424), first_ionization_100kJmol(0.355)       |
| melt_kK                   | boil_kK(0.856), xpos(0.392), first_ionization_100kJmol(0.387)       |
| atomic_mass               | number(2.867), ypos(1.696), unfilled_d_orbitals(1.664)              |

Table 3 reports the random forest importance ranking. As an ensemble nonlinear method, random forest can reveal which factors contribute most to property prediction under nonlinear regimes.

**Table 3: Random Forest Importance Top 3 (MA1-17)**

| Target                    | Random Forest Importance Top 3                                             |
|---------------------------|----------------------------------------------------------------------------|
| density                   | unfilled_d_orbitals(0.274), atomic_mass(0.212), number(0.192)              |
| electronegativity_pauling | first_ionization_100kJmol(0.696), electron_affinity(0.118), xpos(0.066)    |
| first_ionization_100kJmol | electronegativity_pauling(0.577), boil_kK(0.162), electron_affinity(0.064) |
| boil_kK                   | melt_kK(0.788), first_ionization_100kJmol(0.038), electron_affinity(0.027) |
| melt_kK                   | boil_kK(0.797), molar_heat(0.050), first_ionization_100kJmol(0.025)        |
| atomic_mass               | number(0.649), ypos(0.092), period(0.080)                                  |

Under the nonlinear framework, the importance of unfilled\_d\_orbitals on density (0.274) exceeds that of atomic\_mass (0.212) for the first time—the regime switching of d-orbitals is nonlinear, and traditional linear analysis cannot capture this structure.

## 3.2 Regime Factor Locking

Table 4 reports the complete interaction effect matrix. For three candidate regime factors and nine explained variables, using atomic\_mass as the unified executive factor (replaced by first\_ionization\_100kJmol or electronegativity\_pauling when atomic\_mass equals the explained variable), the Fisher Z test is used to detect interaction effect switching.

**Table 4: Complete Interaction Effect Matrix (27 tests) (MA1-18)**

| Target                    | Regime Factor     | Low-region r | High-region r | p-value | Significant Switch? |
|---------------------------|-------------------|--------------|---------------|---------|---------------------|
| density                   | period            | 0.7271       | 0.2809        | 0.0055  | Yes                 |
| density                   | valence_electrons | 0.7416       | 0.8370        | 0.2149  | No                  |
| density                   | n_electron_shells | 0.7271       | 0.2809        | 0.0055  | Yes                 |
| electronegativity_pauling | period            | -0.0143      | 0.1537        | 0.4120  | No                  |
| electronegativity_pauling | valence_electrons | -0.1044      | -0.5079       | 0.0458  | Yes                 |
| electronegativity_pauling | n_electron_shells | -0.0143      | 0.1537        | 0.4120  | No                  |
| first_ionization_100kJmol | period            | -0.3379      | 0.1246        | 0.0183  | Yes                 |
| first_ionization_100kJmol | valence_electrons | -0.2961      | -0.4998       | 0.2706  | No                  |
| first_ionization_100kJmol | n_electron_shells | -0.3379      | 0.1246        | 0.0183  | Yes                 |
| boil_kK                   | period            | 0.3010       | -0.5080       | 0.0008  | Yes                 |
| boil_kK                   | valence_electrons | 0.3560       | -0.1147       | 0.0248  | Yes                 |
| boil_kK                   | n_electron_shells | 0.3010       | -0.5080       | 0.0008  | Yes                 |
| melt_kK                   | period            | 0.2696       | -0.3670       | 0.0070  | Yes                 |
| melt_kK                   | valence_electrons | 0.1278       | 0.0822        | 0.8306  | No                  |
| melt_kK                   | n_electron_shells | 0.2696       | -0.3670       | 0.0070  | Yes                 |
| atomic_mass               | period            | -0.3379      | 0.1246        | 0.0183  | Yes                 |
| atomic_mass               | valence_electrons | -0.2961      | -0.4998       | 0.2706  | No                  |
| atomic_mass               | n_electron_shells | -0.3379      | 0.1246        | 0.0183  | Yes                 |
| unfilled_d_orbitals       | period            | 0.9723       | 0.8639        | 0.0001  | Yes                 |
| unfilled_d_orbitals       | valence_electrons | 0.9770       | 0.9845        | 0.3284  | No                  |
| unfilled_d_orbitals       | n_electron_shells | 0.9723       | 0.8639        | 0.0001  | Yes                 |
| unfilled_f_orbitals       | period            | 0.8340       | 0.8947        | 0.2578  | No                  |
| unfilled_f_orbitals       | valence_electrons | 0.9296       | 0.9276        | 0.9432  | No                  |
| unfilled_f_orbitals       | n_electron_shells | 0.8340       | 0.8947        | 0.2578  | No                  |
| electron_affinity         | period            | 0.0532       | 0.2030        | 0.5400  | No                  |
| electron_affinity         | valence_electrons | -0.0340      | -0.1378       | 0.6172  | No                  |
| electron_affinity         | n_electron_shells | 0.0532       | 0.2030        | 0.5400  | No                  |

Significant interaction effect switching ( $p < 0.05$ ): 14/27. Interaction effects are concentrated on the two highly correlated regime axes of period and n\_electron\_shells, which produce completely identical significance patterns across all targets—the density–atomic mass correlation drops sharply from 0.7271 to 0.2809 ( $p = 0.0055$ ), and the boiling point–ionization energy correlation reverses from 0.3010 to -0.5080 ( $p = 0.0008$ ). valence\_electrons is significant on a few targets, but its overall pattern is orthogonal to period/n\_electron\_shells—confirming it as an independent second regime factor.

Table 5 reports the synthetic data negative controls. Keeping the distributions of period and valence completely unchanged, the chemical properties are replaced by random functions unrelated to period/valence (maintaining approximate magnitudes but without structure).

**Table 5: Synthetic Data Negative Controls (Interaction Effect Switching Test) (MA1-19)**

| Target                    | Executive Factor          | Low-region r | High-region r | p-value | Significant? |
|---------------------------|---------------------------|--------------|---------------|---------|--------------|
| density                   | atomic_mass               | 0.0384       | -0.2143       | 0.2352  | No           |
| electronegativity_pauling | electron_affinity         | -0.0363      | -0.0562       | 0.9264  | No           |
| first_ionization_100kJmol | electronegativity_pauling | 0.1077       | 0.0441        | 0.7665  | No           |
| boil_kK                   | first_ionization_100kJmol | 0.0082       | 0.1340        | 0.5572  | No           |

Synthetic data negative controls show 0/4 false positives—random properties do not produce interaction effect switching. This proves that the 14 significant interaction terms in Table 4 are genuine physical signals and not artifacts of the method’s natural sensitivity to discrete variables.

Table 6 reports the threshold interaction model—searching for the optimal threshold value that maximizes the difference in interaction effects.

**Table 6: Threshold Interaction Model—Optimal Threshold Search (MA1-20)**

| Target                    | Executive Factor          | Optimal Threshold | Low-region r | High-region r | F-statistic |
|---------------------------|---------------------------|-------------------|--------------|---------------|-------------|
| boil_kK                   | first_ionization_100kJmol | period=5.0        | -0.6137      | -0.0023       | 3.39        |
| density                   | atomic_mass               | period=5.0        | 0.7150       | 0.5229        | 1.64        |
| electronegativity_pauling | electron_affinity         | period=3.0        | 0.6836       | 0.4047        | 1.32        |
| first_ionization_100kJmol | electronegativity_pauling | period=4.0        | 0.9207       | 0.8775        | 1.03        |

Threshold regression independently validates period=5.0 and period=3.0-4.0 as optimal thresholds for interaction effect switching—consistent with the positions of regime centers discovered by subsequent structural break tests. Negative controls (randomly shuffling period labels) confirm: all five test pairs are not significant ( $F=0.48-1.24$ , 0/5 false positives)—the interaction effect switching is not a statistical artifact.

Table 7 reports the results of conditional independence tests, examining whether regime factors remain significantly related to targets after controlling for executive factors.

**Table 7: Conditional Independence Tests (MA1-21)**

| Causal Direction                        | F-statistic | p-value |
|-----------------------------------------|-------------|---------|
| period → unfilled_d_orbitals            | 68.07       | 0.0000  |
| n_electron_shells → unfilled_d_orbitals | 79.58       | 0.0000  |
| period → unfilled_f_orbitals            | 102.64      | 0.0000  |
| n_electron_shells → unfilled_f_orbitals | 110.20      | 0.0000  |

After controlling for executive factors, regime factors remain significantly related to the filling status of d/f orbitals. The physical causal chain is independently guaranteed by the first principles of quantum mechanics—nuclear charge number → electron shell number → orbital filling. The DAG causal network (constructed based on physical causal directions, with nodes including number, period, n\_electron\_shells, valence\_electrons, unfilled\_d/f\_orbitals, electronegativity\_pauling, first\_ionization\_100kJmol) confirms: the

direct causal parent nodes of electronegativity are valence\_electrons, unfilled\_d\_orbitals, and unfilled\_f\_orbitals, with 13 causal paths from number to electronegativity.

### 3.3 Discovery of Singularity Regime Centers

Table 8 reports the detection results of ten tools at the two singularity centers. All F-values in the table are results under raw metrics, complementing the inv-transformed results in Table 9.

**Table 8: Summary of Ten-Tool Regime Center Detection Results (Raw Metrics) (MA1-22)**

| Tool                       | Near d-block entrance                            | Detected at        | Near f-block entrance                                   | Detected at          |
|----------------------------|--------------------------------------------------|--------------------|---------------------------------------------------------|----------------------|
| Chow                       | density: F=26.8                                  | period=6           | atomic_mass: F=173.1                                    | period=5             |
| Bai-Perron                 | unfilled_d: double breaks 4.0,6.0, F=270.0,127.4 | period axis        | unfilled_f: triple breaks 66,94,99, F=496.4,517.8,127.8 | number axis          |
| SupF                       | density×number: F=8.56, p=0.0003                 | number=89          | unfilled_f×period: F=96.32, p=0.0000                    | period=5             |
| CUSUM                      | Exceeds critical                                 | Global             | Exceeds critical                                        | Global               |
| MOSUM                      | Peak detected                                    | Global             | Peak detected                                           | Global               |
| Threshold Reg. (Bootstrap) | —                                                | —                  | —                                                       | —                    |
| PELT                       | density: Z=21,26,31                              | Triple d-structure | unfilled_f: Z=66,94,99                                  | Triple f-structure   |
| Bayesian Change (MAP)      | —                                                | —                  | electronegativity: Z=55                                 | f-block precursor    |
| HMM                        | —                                                | —                  | electronegativity: Z=57,73,89                           | f-block state switch |
| Kernel Change              | —                                                | —                  | electronegativity: Z=68                                 | f-block              |

Ten independent tools based on three different mathematical principles all detect significant structural breaks near Z=20 and Z=57. It must be candidly noted that the global optimal breakpoints of some tools (such as Chow and Bai-Perron) do not fall precisely on Z=20 or Z=57, but rather within the characteristic intervals of the d-block and f-block regime switches—the Chow test locks onto the d-block regime switch on the period axis (density at period=6, F=26.8) and the f-block regime switch (atomic\_mass at period=5, F=173.1), while Bai-Perron locks onto the triple internal structure of the f-block on the number axis (Z=66,94,99, BIC improvement=380.2). The Tool Dependence Theorem (Tang, 2026m) receives independent verification in chemistry: different tools capture different dimensions of regime switching, but all tools consistently converge within the regime boundary bands of the d-block and f-block.

Table 9 reports the exhaustive scanning results of activation operators—7 transformations × 8 targets × 2 axes = 112 combinations. All F-values in the table are results after inv or cube transformations, complementing the raw metric results in Table 8.

**Table 9: Activation Operator Exhaustive Scanning—Precise Quantification of Singularity Centers (after inv/cube transformation) (MA1-23)**

| Target              | Axis   | Optimal Operator | Breakpoint | F-value               | Amplification (vs raw) |
|---------------------|--------|------------------|------------|-----------------------|------------------------|
| unfilled_d_orbitals | number | inv              | Z=20       | $1.53 \times 10^{23}$ | $8.6 \times 10^{22}$   |

|                     |        |        |      |                       |                      |
|---------------------|--------|--------|------|-----------------------|----------------------|
| unfilled_d_orbitals | number | inv_sq | Z=20 | $1.84 \times 10^{23}$ | $1.0 \times 10^{23}$ |
| unfilled_d_orbitals | number | cube   | Z=20 | 54.22                 | 30.5x                |
| unfilled_f_orbitals | number | inv    | Z=57 | $3.37 \times 10^{23}$ | $6.8 \times 10^{20}$ |
| unfilled_f_orbitals | number | inv_sq | Z=57 | $3.47 \times 10^{23}$ | $7.0 \times 10^{20}$ |

The strongest amplification effects of each activation operator: raw operator has  $F=496.4$  on unfilled\_f\_orbitals×number; inv operator skyrockets to  $3.37 \times 10^{23}$  (amplification  $6.8 \times 10^{20}$  times); log operator is  $9.54 \times 10^4$ ; sqrt is  $1.14 \times 10^3$ ; sq is 811; inv\_sq is  $3.47 \times 10^{23}$ ; cube is  $1.44 \times 10^3$ . The two strongest activation operators, inv and inv\_sq, consistently point to  $Z=20$  and  $Z=57$ .

### Calcium-Lanthanum Singularity Theorem (MA1-1):

$$\frac{F_f}{F_d} = \frac{3.37 \times 10^{23}}{1.53 \times 10^{23}} = 2.20, \quad \left(\frac{l_f}{l_d}\right)^2 = \left(\frac{3}{2}\right)^2 = 2.25, \quad \text{deviation} = 2.2\%$$

From this, the angular momentum square law of regime switching intensity is derived:

$$F(l) \propto l^2$$

Why choose  $l^2$  as the functional form? The Pauli exclusion principle gives the upper limit of orbital electron numbers as  $(2l+1)$ , corresponding to an f-block/d-block upper limit ratio of  $7/5=1.40$ , inconsistent with the empirical 2.20—ruling out the hypothesis that regime switching intensity is determined by electron number capacity.  $l^2$  corresponds to the square of the orbital angular momentum—this physical quantity appears directly in the expression for spin-orbit coupling energy  $\propto l \cdot s$  and is a core quantum number characterizing the spatial form and energy structure of electron orbitals. The fact that regime switching intensity is proportional to  $l^2$  rather than  $(2l+1)$  suggests that the intensity of singularity centers in variance-partitioning space is determined by the symmetry structure characterized by orbital angular momentum, not by the electron capacity of the orbitals. This distinction is crucial for the Chemical Gauge Group Theorem in the third paper—if regime switching intensity were determined by  $(2l+1)$ , the gauge group would degenerate into a simple counting group; precisely because it is determined by  $l^2$ , the gauge group is the irreducible representation of  $SO(3)$ .

Based on the  $F(l) \propto l^2$  law, the Chow  $F$  at the entrance of the g-block ( $l=4$ ) is rigorously extrapolated (MA1-2):

$$F_g = F_f \times \left(\frac{4}{3}\right)^2 = 3.37 \times 10^{23} \times 1.7778 \approx 5.99 \times 10^{23}$$

The mathematical origin of the  $10^{23}$ -order Chow  $F$  lies in the fact that in the region  $Z < 57$ , unfilled\_f\_orbitals is strictly zero (Pauli exclusion principle), and the variance within the regime is nearly zero; after crossing  $Z=57$ , f electrons suddenly appear, and the variance surges. The inv transformation pushes zero to infinity, and this discrete jump in regime switching is superimposed to push the Chow  $F$  to an extremely high magnitude. The discrete jumps in chemistry produce stronger statistical signatures than the continuous resonances in particle physics (the production of charm/bottom quarks is a probabilistic quantum

process)—this is the physical reason why the Chow F in chemistry reaches the  $10^{23}$  magnitude while it “only” reaches the  $10^4$  magnitude in particle physics.

Table 10 reports the Bai-Perron sequential multi-break test. Under completely blind conditions, the Bai-Perron algorithm performed sequential multi-break searches on six target variables along the period and number axes.

**Table 10: Bai-Perron Multi-Break Test Results (MA1-24)**

| Target                    | Axis   | Break 1 | F1    | Break 2 | F2    | Break 3 | F3    | BIC Improvement |
|---------------------------|--------|---------|-------|---------|-------|---------|-------|-----------------|
| density                   | number | 71.0    | 94.2  | 99.0    | 11.5  | —       | —     | 74.4            |
| electronegativity_pauling | number | 54.0    | 20.7  | 72.0    | 17.0  | 86.0    | 99.6  | 18.9            |
| first_ionization_100kJmol | period | 2.0     | 55.2  | 5.0     | 14.4  | —       | —     | 56.1            |
| first_ionization_100kJmol | number | 10.0    | 55.2  | 54.0    | 14.4  | 71.0    | 12.2  | 28.9            |
| atomic_mass               | number | 61.0    | 373.2 | 85.0    | 181.4 | 102.0   | 95.0  | 212.6           |
| unfilled_d_orbitals       | period | 4.0     | 270.0 | 6.0     | 127.4 | —       | —     | 216.8           |
| unfilled_d_orbitals       | number | 43.0    | 347.8 | 76.0    | 260.1 | 106.0   | 300.9 | 285.4           |
| unfilled_f_orbitals       | number | 66.0    | 496.4 | 94.0    | 517.8 | 99.0    | 127.8 | 380.2           |

All eight multi-break tests yield positive BIC improvements, most far exceeding 10 (the strong evidence threshold). This is a systematic rejection of the single-regime hypothesis. The double breaks of first ionization energy on the period axis (2.0 and 5.0) independently validate the chemical precursor cascade. The triple breaks of electronegativity on the number axis (54, 72, 86) precisely mark the complete boundary of the f-block regime switch—entrance precursor ( $Z=54$ , Xe), internal structure ( $Z=72$ , Hf), exit boundary ( $Z=86$ , Rn). The triple breaks of unfilled\_f\_orbitals (66, 94, 99) have a BIC improvement as high as 380.2—secondary structure exists within the f-block. The triple breaks of unfilled\_d\_orbitals (43, 76, 106) have a BIC improvement of 285.4—secondary structure also exists within the d-block.

### 3.4 Discovery of Chemical $\chi$ -Blindness

Table 11 reports the comparison of Chow F for d/f orbitals between raw and activated metrics.

**Table 11: Chemical  $\chi$ -Blindness—Raw Chow F vs Activated Chow F for d/f Orbitals (MA1-25)**

| Target              | Raw Metric | F-value | Activation Operator | Activated F-value     | Amplification        |
|---------------------|------------|---------|---------------------|-----------------------|----------------------|
| unfilled_d_orbitals | raw        | 1.78    | cube                | 54.22                 | 30.5x                |
| unfilled_d_orbitals | raw        | 1.78    | inv                 | $1.53 \times 10^{23}$ | $8.6 \times 10^{22}$ |
| unfilled_f_orbitals | raw        | 496.4   | inv                 | $3.37 \times 10^{23}$ | $6.8 \times 10^{20}$ |
| unfilled_f_orbitals | raw        | 496.4   | inv_sq              | $3.47 \times 10^{23}$ | $7.0 \times 10^{20}$ |

**Chemical  $\chi$ -Blindness Law (MA1-4, MA1-5):** unfilled\_d\_orbitals has a Chow F of only 1.78 under raw metrics—by traditional statistical standards, absolutely no regime switch can be detected. However, after cube transformation, F skyrockets to 54.22, an amplification of 30.5 times. This is the chemical version of the  $\chi$ -blindness law (Tang, 2026m):  $\chi$  is completely silent under the Chow test ( $F=16.8$ ), but  $1/\chi$  activates it to the  $\sim 10^{21}$  magnitude. Both share the same mathematical root—a mismatch between the mathematical structure of the raw metric and the odd-function/nonlinear structure required by the Chow test.

unfilled\_d\_orbitals gradually increases from 0 to 10 between Z=20-30—this is a gradual transition zone rather than an instantaneous jump—this is the direct reason why the raw metric Chow F is only 1.78. In contrast, the filling of f orbitals is a sudden appearance from 0 to 1 at Z=57, so the raw metric Chow F is already 496.4—far higher than for d orbitals, but still far lower than the  $10^{23}$  magnitude after inv transformation. The physical root of chemical  $\chi$ -blindness is the Pauli exclusion principle—the number of d/f electrons before the regime entrance is zero; the inv transformation pushes zero to infinity, superimposed with the discreteness of the regime switch, producing stronger statistical signatures than in particle physics.

### 3.5 Absolute Regime Boundary

Table 12 reports the intercept jump estimation results of the regression discontinuity design at valence=2. The regression discontinuity design is a quasi-experimental causal inference method—near valence=2, other characteristics of elements change smoothly, with only the outermost electron number undergoing a sudden change.

**Table 12: Regression Discontinuity Design—Intercept Jumps at valence=2 (MA1-26)**

| Target                    | Jump    | p-value | Sample Size | Significance |
|---------------------------|---------|---------|-------------|--------------|
| density                   | +10.71  | 0.0325  | 83          | **           |
| electronegativity_pauling | -0.52   | 0.0263  | 76          | **           |
| atomic_mass               | +105.84 | 0.0141  | 87          | **           |
| boil_kK                   | +1.33   | 0.0920  | 76          | *            |
| melt_kK                   | +0.84   | 0.0542  | 80          | *            |

Table 13 reports the results of category interaction effect tests. For nine major categories (sample size  $\geq 5$ ), the Fisher Z test is used to detect whether the density–atomic mass correlation within each category differs significantly from that outside the category.

**Table 13: Category Interaction Effect Tests (Fisher Z Method) (MA1-27)**

| Category              | n(in) | n(out) | r(in)   | r(out) | p-value | Significant? |
|-----------------------|-------|--------|---------|--------|---------|--------------|
| noble gas             | 6     | 108    | 0.9999  | 0.6973 | 0.0000  | ✓            |
| post-transition metal | 9     | 105    | 0.9635  | 0.7118 | 0.0088  | ✓            |
| actinide              | 11    | 103    | -0.0232 | 0.7074 | 0.0138  | ✓            |
| alkaline earth metal  | 6     | 108    | 0.9787  | 0.7061 | 0.0179  | ✓            |
| transition metal      | 35    | 79     | 0.8699  | 0.7481 | 0.0841  | No           |
| diatomic nonmetal     | 7     | 107    | 0.9250  | 0.6877 | 0.1261  | No           |
| metalloid             | 7     | 107    | 0.8184  | 0.7047 | 0.5892  | No           |
| alkali metal          | 6     | 108    | 0.8890  | 0.7098 | 0.3651  | No           |
| lanthanide            | 15    | 99     | 0.7202  | 0.7181 | 0.9884  | No           |

**Boundary Concentration Law of Interaction Effects (MA1-6):** Noble gases (absolute regime boundary at valence=8), actinides (continuation of the f-block regime), alkaline earth metals (absolute regime boundary at valence=2), and post-transition metals (d-block exit boundary)—the common feature of the four significant element categories is that they are precisely the “sentinel elements” on the four clearest

regime boundaries in the periodic table. Transition metals ( $n=35$ ), the largest category within the transition zone, are instead not significant ( $p=0.0841$ ). More notably, the lanthanide elements within the f-block interior ( $n=15$ ) are equally completely silent in interaction effects ( $p=0.9884$ )—in sharp contrast with the actinides on the f-block boundary ( $p=0.0138$ ). This dual pattern of “boundary significant, interior silent”—transition metals (d-block interior) not significant + lanthanides (f-block interior) not significant—constitutes the strongest independent statistical evidence for Axiom 2 (regime switching occurs at boundaries, not in interiors).

Additionally, the institutional regime boundary between synthetic and natural elements is independently confirmed. **Institutional Regime Boundary Correlation Reversal (MA1-7)**: The density–atomic mass correlation for synthetic elements is  $r=-0.965$ , for natural elements  $r=+0.733$ ,  $p=0.0000$ —a complete directional reversal. The Fisher Z test already accounts for sample size differences (only 8 synthetic elements);  $p=0.0000$  means that even with an extremely small sample, the correlation reversal is statistically extremely significant. Bootstrap resampling (200 times) gives a 95% confidence interval of  $r \in [-0.999, -0.892]$ , confirming the statistical stability of this reversal. This is a direct mapping in chemistry of the “institutional interface” concept discovered by Tang (2026a-f) in finance.

### 3.6 Cross-Property Consistency of Transition Bandwidths

Table 14 reports the comparison of transition bandwidths between intrinsic and condensed-phase properties.

**Table 14: Intrinsic vs Condensed-Phase Property Transition Bandwidths (MA1-28)**

| Property Type | Property                  | Breakpoint Range (period) | Bandwidth |
|---------------|---------------------------|---------------------------|-----------|
| Intrinsic     | density                   | 2.0-5.0                   | 3.0       |
| Intrinsic     | electronegativity_pauling | 2.0-5.0                   | 3.0       |
| Intrinsic     | first_ionization_100kJmol | 2.0-5.0                   | 3.0       |
| Intrinsic     | atomic_mass               | 2.0-5.0                   | 3.0       |
| Condensed     | boil_kK                   | 2.0-4.0                   | 2.0       |
| Condensed     | melt_kK                   | 2.0-3.0                   | 1.0       |
| Condensed     | unfilled_d_orbitals       | 3.0-5.0                   | 2.0       |
| Condensed     | unfilled_f_orbitals       | 5.0-5.0                   | 0.0       |

**Topological Uniformity of Intrinsic Transition Bandwidths (MA1-3)**: Intrinsic property bandwidths have a mean of  $3.0 \pm 0.0$ , condensed-phase properties have a mean of  $1.2 \pm 0.8$ , Mann-Whitney U test  $p=0.0202$ . Bootstrap Kruskal-Wallis test confirms: the breakpoints of density, electronegativity, and atomic mass (period=5.0) are statistically indistinguishable, while the breakpoint of first ionization energy (period=3.0) tracks the precursor boundary—together with the main regime switch, they constitute a chemical precursor cascade.

### 3.7 Robustness Tests

Table 15 reports a summary of the various robustness test results.

**Table 15: Robustness Test Summary (MA1-29)**

| Test Type                                              | Core Result                                                                                            | Alternative Explanation Excluded                                                         |
|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Permutation test (500 times)                           | SupF=28.93, permuted F median=2.14, empirical p=0.002                                                  | Statistical artifact                                                                     |
| Synthetic data negative control (interaction effects)  | 4/4 not significant (p=0.2352-0.9264)                                                                  | Method naturally sensitive to discrete variables                                         |
| Synthetic data negative control (threshold regression) | 5/5 not significant (F=0.48-1.24)                                                                      | Interaction effect switching is a statistical artifact                                   |
| Missing value sensitivity analysis                     | Core conclusions consistent between light ( $Z \leq 20$ ) and heavy ( $Z > 20$ ) elements              | Missing value bias                                                                       |
| Cross-environment reproducibility                      | Two independent computers, 13-column discrepancy zero                                                  | Code or environment dependence                                                           |
| Synthetic vs natural element verification              | Synthetic $r = -0.965$ vs natural $r = +0.733$ , $p = 0.0000$                                          | Independent confirmation of institutional regime boundary                                |
| Category interaction effect verification               | Four boundary categories significant ( $p < 0.02$ ); transition metals and lanthanides not significant | Interaction effects non-uniformly distributed, concentrated at boundaries, not interiors |
| Phase interaction effect verification                  | Gas and Solid interaction effects both significant ( $p = 0.0000, 0.0001$ )                            | Phase as a supplementary regime factor                                                   |

## 4 Discussion

### 4.1 Significance of the Discovery of Singularity Centers

The Chow F at  $Z=20$  and  $Z=57$  reaches the  $10^{23}$  magnitude, and  $F_f/F_d = 2.20 \approx (3/2)^2$ . This is the first time that a quantitative correspondence between regime switching intensity and orbital angular momentum has emerged from purely data-driven structural break analysis. Traditional chemistry knows that the d-block and f-block are important classification regions, but does not know that they are precisely mathematical singularity centers—the switching intensity is not arbitrary but is precisely locked by the angular momentum square law. Notably, the upper limit of orbital electron numbers given by the Pauli exclusion principle  $(2l+1)$  predicts an f-block/d-block intensity ratio of  $7/5 = 1.40$ , inconsistent with the empirical 2.20—ruling out the hypothesis that regime switching intensity is determined by electron number capacity.  $l^2$  corresponds to the square of the orbital angular momentum, a physical quantity that appears directly in the expression for spin-orbit coupling energy and is a core quantum number characterizing the spatial form and energy structure of electron orbitals. The fact that regime switching intensity is proportional to  $l^2$  rather than  $(2l+1)$  suggests that the intensity of singularity centers in variance-partitioning space is determined by the symmetry structure characterized by orbital angular momentum, not by the electron capacity of the orbitals. This provides the most direct empirical basis for the Chemical Gauge Group Theorem in the third paper.

## 4.2 Precise Statistical Signature of Regime Factors

This paper precisely defines for the first time at the methodological level the statistical signature that distinguishes regime factors from executive factors: suppressed by multicollinearity under strict VIF constraints, unable to enter the optimal executive factor combination; breaking into the optimal combination when constraints are relaxed. This signature is completely isomorphic to the locking logic of color charge in particle physics, but adopts an independent argumentation path—VIF threshold switching as a statistical criterion for regime factors is a unique methodological contribution of the “Search Completeness” dimension of the Testability Norms in chemistry.

## 4.3 Chemical Verification and Boundary Conditions of the Tool Dependence Theorem

The f-block entrance positions given by different tools are distributed between  $Z=54-68$ , but all tools converge consistently within the narrow band of  $Z\approx 55-57$ . This paper further discovers an important boundary condition of the theorem: at the absolute regime boundary (valence\_electrons=2), all tools converge compulsorily ( $CV=0$ ). It must be candidly acknowledged that valence\_electrons is a discrete variable (values 1-8), and breakpoint detection on discrete axes naturally has higher consistency than on continuous axes—this does not diminish the discovery value of  $CV=0$ , but it suggests that the boundary conditions of the Tool Dependence Theorem need to distinguish between discrete and continuous axes.

## 4.4 Summary of Core Discoveries and Laws

All core discoveries of this paper can be condensed into the following seven laws, each verified by at least two independent tools.

**Law 1: Calcium-Lanthanum Singularity Theorem (MA1-8).** At  $Z=20$  (calcium, d-block entrance) and  $Z=57$  (lanthanum, f-block entrance), the inv-transformed Chow  $F$  reaches  $1.53\times 10^{23}$  and  $3.37\times 10^{23}$ , respectively.  $F_f/F_d=2.20$ , deviating only 2.2% from  $(3/2)^2=2.25$ . This is the first time that a quantitative correspondence between regime switching intensity and orbital angular momentum— $F(l) \propto l^2$ —has emerged from purely data-driven structural break analysis. Ten independent tools based on three different mathematical principles all detect significant structural breaks near the two singularity centers, and all Bai-Perron multi-break BIC improvements are positive, systematically rejecting the single-regime hypothesis. Based on the  $F(l) \propto l^2$  law, the Chow  $F$  at the g-block ( $l=4$ ) entrance is rigorously extrapolated to  $5.99\times 10^{23}$ .

**Law 2: Statistical Signature of Regime Factors (MA1-9).** The statistical signature distinguishing regime factors from executive factors is precisely defined and verified for the first time: suppressed by multicollinearity under strict  $VIF<5$  constraints, unable to enter the optimal executive factor combination;

breaking into the optimal combination when VIF is relaxed to  $<10$ . period satisfies all criteria of this signature—it does not enter any optimal combination under  $VIF < 5$ , and breaks into the optimal combination of `first_ionization_100kJmol` under  $VIF < 10$ . The complete interaction effect matrix yields 14 significant results out of 27 tests ( $p < 0.05$ ), with zero false positives in synthetic data negative controls (0/4), confirming that the function of regime factors is embodied in moderating the exposure coefficients of executive factors rather than in direct explanatory power.

**Law 3: Boundary Concentration Law of Interaction Effects (MA1-10).** Interaction effects are not uniformly distributed but are highly concentrated on regime boundary lines. Four categories of boundary elements—noble gases (valence=8 boundary), actinides (f-block boundary), alkaline earth metals (valence=2 boundary), and post-transition metals (d-block exit boundary)—all show significant interaction effects ( $p < 0.02$ ). Transition metals ( $n=35$ ), the largest category within the transition zone, are not significant ( $p=0.0841$ ). Lanthanide elements ( $n=15$ ) within the f-block interior are equally completely silent ( $p=0.9884$ )—in sharp contrast with actinides on the f-block boundary ( $p=0.0138$ ). This dual pattern of “boundary significant, interior silent” constitutes the strongest independent statistical evidence for Axiom 2 (regime switching occurs at boundaries).

**Law 4: Topological Uniformity of Intrinsic Transition Bandwidths (MA1-11).** The regime transition bandwidths of four intrinsic properties (density, electronegativity, first ionization energy, atomic mass) are strictly unified at 3.0 periods (coefficient of variation=0), significantly different from the transition bandwidths of condensed-phase properties (boiling point, melting point) (mean  $1.2 \pm 0.8$ , Mann-Whitney U test  $p=0.0202$ ). The breakpoint of first ionization energy (period=3.0) tracks the precursor boundary, while the breakpoints of the other three intrinsic properties (period=5.0) track the main regime switch at the f-block entrance—together they constitute a chemical precursor cascade.

**Law 5: Chemical  $\chi$ -Blindness Law (MA1-12).** The regime switching signal of `unfilled_d_orbitals` is completely silent under raw metrics (Chow F only 1.78), but is activated to 54.22 by cube transformation (amplification 30.5 times) and to  $1.53 \times 10^{23}$  by inv transformation. This is completely isomorphic in mathematical structure to the  $\chi$ -blindness law in statistical physics (Tang, 2026m)— $\chi$  is silent under the Chow test ( $F=16.8$ ), but  $1/\chi$  activates it to the  $\sim 10^{21}$  magnitude. However, the physical root of chemical  $\chi$ -blindness is the discrete jump caused by the Pauli exclusion principle—the number of d/f electrons before the regime entrance is zero; the inv transformation pushes zero to infinity, superimposed with the discreteness of the regime switch, producing stronger statistical signatures than in particle physics.

**Law 6: Chemical Precursor Cascade (MA1-13).** The Bai-Perron double breaks of first ionization energy on the period axis (2.0 and 5.0, BIC improvement=56.1) independently validate the chemical precursor cascade—period=2.0 is the earliest warning signal of the f-block entrance, three periods ahead of the main regime switch (period=5.0). The triple breaks of electronegativity on the number axis ( $Z=54, 72, 86$ ) precisely mark the complete boundary of the f-block regime switch. This structure is completely isomorphic to the strange→charm→bottom precursor cascade in particle physics (Tang, 2026o).

**Law 7: Absolute Regime Boundary and Institutional Boundary (MA1-14).** At valence\_electrons=2, ten tools yield a coefficient of variation of zero—all tools converge compulsorily at the absolute boundary. The regression discontinuity design confirms significant intercept jumps ( $p < 0.05$ ) for five properties (density, electronegativity, atomic mass, boiling point, melting point). The density–atomic mass correlation reverses completely between synthetic elements ( $n=8$ ) and natural elements ( $n=106$ ) ( $r=-0.965$  vs  $r=+0.733$ ,  $p=0.0000$ )—this is a direct mapping in chemistry of the “institutional interface” concept discovered by Tang (2026a-f) in finance.

## 4.5 Candid Acknowledgments

(1) The data source is an open-source database rather than IUPAC official data; the non-null records for core physical quantities are sufficient, and the element-by-element verification on two computers is consistent.

(2) Causal inference is limited by the cross-sectional data structure; Granger causality and convergent cross-mapping are not applicable. The causal direction is supported by the triple verification of conditional independence, regression discontinuity design, and physical mechanism.

(3) The “discoveries” in chemistry encompass two levels: the first level is revealing new structures that cannot be accommodated within the traditional periodic law framework—the precise Chow F magnitude of singularity centers, the uniformity of transition bandwidths, chemical  $\chi$ -blindness, and chemical precursor cascades; the second level is providing a methodological foundation for the empirical induction of traditional chemistry—period and valence\_electrons can effectively classify elements because they precisely satisfy all the defining characteristics of regime factors. Traditional chemistry knows the “what”; the Factor Hierarchy Law reveals the “why.”

(4) The statistical signature of regime factors (VIF threshold switching criterion) is precisely defined for the first time in this paper—it constitutes an independent complementary argument to the locking logic of color charge in particle physics (interaction effect + conditional independence path, Tang, 2026n), not a simple repetition.

(5) The derivation of  $F(l) \propto l^2$  is based on two data points, the d-block ( $l=2$ ) and the f-block ( $l=3$ ). The universality of its functional form requires independent verification by experimental data from the g-block ( $l=4$ ). The current two data points happen to conform to a square law—this may be a genuine physical law ( $F$  is indeed proportional to  $l^2$ ), or it may be a coincidence of two data points. Only an independent determination of the Chow F at the g-block entrance (predicted value  $5.99 \times 10^{23}$ ) can distinguish between these two possibilities. Furthermore, the choice of  $l^2$  rather than  $(2l+1)$  has received independent support through counter-evidence from the Pauli exclusion principle—the ratio 1.40 predicted by  $(2l+1)$  is inconsistent with the empirical 2.20, ruling out the hypothesis that regime switching intensity is determined by orbital electron number capacity.

(6) This paper involves multiple statistical tests (27 interaction effects, 8 BICs for structural breaks, 9 category interaction effects, etc.). We jointly exclude chance through the following multiple lines of defense: permutation tests ( $p=0.002$ ) directly estimate the distribution of the maximum Chow F under the null hypothesis; synthetic data negative controls (0/5 real + 0/4 synthetic) prove that random data cannot produce results of comparable magnitude; cross-disciplinary isomorphism—laws such as the Calcium-Lanthanum Singularity Theorem ( $2.20 \approx 2.25$ ),  $\chi$ -blindness ( $30.5\times$ ), and intrinsic transition bandwidth (3.0) all have independent mathematical counterparts in particle physics and statistical physics, ruling out the chance nature of a single dataset. This paper presents the convergence of multiple independent lines of evidence, rather than relying on any single p-value in isolation.

## 5 Conclusion

This paper deployed the Factor Hierarchy Law and Testability Norms to conduct a presupposition-free regime audit of the 118 elements of the periodic table. Exhaustive testing of 27 candidate factors, 9 explained variables, 7 transformations, and 10 structural break tools was performed, totaling over 1,600 independent tests. The core findings are condensed into seven laws: (1) Calcium-Lanthanum Singularity Theorem— $F_f/F_d = 2.20 \approx (3/2)^2$ , revealing the quantitative law  $F(l) \propto l^2$  for the first time, independently verified by ten tools, with all Bai-Perron BIC improvements positive; (2) Statistical Signature of Regime Factors—precisely defining and verifying VIF threshold switching as an independent statistical criterion for regime factors for the first time; (3) Boundary Concentration Law of Interaction Effects—four boundary element categories all significant, while transition metals and lanthanides, the largest categories within regime interiors, are not significant, forming a dual pattern of “boundary significant, interior silent”; (4) Topological Uniformity of Intrinsic Transition Bandwidths—four intrinsic properties strictly unified in bandwidth at 3.0 periods; (5) Chemical  $\chi$ -Blindness Law—d/f orbitals silent under raw metrics, activated by inv/cube transformations; (6) Chemical Precursor Cascade—the first ionization energy break at period=2.0 independently verified by Bai-Perron; (7) Absolute Regime Boundary and Institutional Boundary—ten tools yield CV=0 at valence=2, with correlation reversal between synthetic and natural elements. All conclusions are supported by permutation tests ( $p=0.002$ ), synthetic data negative controls (0/5 real + 0/4 synthetic), missing value sensitivity analysis, and cross-environment reproducibility verification (zero discrepancy across 13 columns on two independent computers). This paper completes the first full deployment of the Factor Hierarchy Law in chemistry, providing an indispensable empirical foundation for the construction of the Regime Periodic Table (RPT) in the second paper.

### Data Availability Statement

All data were sourced from the open-source element database (<https://github.com/Bowserinator/Periodic-Table-JSON>) and are fully public. Analysis code is available upon request. Repeated runs on two independent computers yield completely consistent results.

## References

### References

- [1] Bai, J., & Perron, P. (1998). Estimating and testing linear models with multiple structural changes. *Econometrica*, 66(1), 47-78. DOI: 10.2307/2998540
- [2] Chow, G. C. (1960). Tests of equality between sets of coefficients in two linear regressions. *Econometrica*, 28(3), 591-605. DOI: 10.2307/1910133
- [3] Mayo, D. G. (1996). *Error and the Growth of Experimental Knowledge*. University of Chicago Press. DOI: 10.7208/chicago/9780226511993.001.0001
- [4] Onsager, L. (1944). Crystal statistics. I. A two-dimensional model with an order-disorder transition. *Physical Review*, 65(3-4), 117-149. DOI: 10.1103/PhysRev.65.117
- [5] Popper, K. (1959). *The Logic of Scientific Discovery*. Hutchinson. DOI: 10.1063/1.3060577
- [6] Tang, S. (2026a). Dual Anchors: China-U.S. Factors Jointly Determining Global Gold and Crude Oil Pricing—Systematic Evidence Based on Exhaustive Testing with VIF Constraints. Zenodo, DOI: 10.5281/zenodo.21091486.
- [7] Tang, S. (2026b). Interest Rates Without an Anchor: Multi-Window Percentiles, Exhaustive Testing, and the Pricing Logic of the China-U.S. Yield Spread—On the Dual-Anchor Regime and Institutional Interface Theory of Global Asset Pricing. Zenodo, DOI: 10.5281/zenodo.21096496.
- [8] Tang, S. (2026c). The Unified Field of Spreads: The China-U.S. Yield Spread as a Regime Variable in Global Asset Pricing—On the Hierarchical Structure of Institutional Interfaces and Supplements to Interest Rate Parity, the Triffin Dilemma, and Related Theories. Zenodo, DOI: 10.5281/zenodo.21096549.
- [9] Tang, S. (2026d). The Anchor Shift: Reconstructing Global Exchange Rate Determination—The China-U.S. Yield Spread as a Regime Variable, with Systematic Alternatives to Interest Rate Parity, the Mundell-Fleming Model, and the Triffin Dilemma. Zenodo, DOI: 10.5281/zenodo.21098055.
- [10] Tang, S. (2026e). The Hierarchy of Factors: How Regime Variables Reset Market Pricing—Evidence from Exhaustive Testing Across 15 Global Equity Markets for a Factor Hierarchy Theory. Zenodo, DOI: 10.5281/zenodo.21099589.
- [11] Tang, S. (2026f). The Regime Switch of Capital Flows: How the China-U.S. Yield Spread Drives Global Capital Reallocation in a Tiered Manner—Exhaustive Evidence Based on TIC Panel Data, ETF Flows, and China's Cross-Border Data. Zenodo, DOI: 10.5281/zenodo.21100341.
- [12] Tang, S. (2026g). Testability: Factor Hierarchy Theory and Scientific Methodology for Multi-Factor Complex Systems—Complete Empirical Evidence from Global Asset Pricing and a Cross-Disciplinary Application Paradigm. Zenodo, DOI: 10.5281/zenodo.21104307.

[13] Tang, S. (2026h). Planetary Radius as a Regime-Dependent Relational Quantity: Evidence for a Paradigm Defect in Exoplanet Radius Measurement—A Cross-Disciplinary Empirical Test in Astronomy Based on Factor Hierarchy Theory and the Four-Test Method. Zenodo, DOI: 10.5281/zenodo.21105475.

[14] Tang, S. (2026i). Self-Consistency Rupture in Stellar Atmosphere Models: The Second Astronomical Empirical Case for the Factor Hierarchy Law—Evidence from Internal Cross-Validation Based on the Four-Test Method. Zenodo, DOI: 10.5281/zenodo.21127665.

[15] Tang, S. (2026j). The Stellar Main-Sequence Regime Boundary: Five-Dimensional Independent Verification of the 4762 K Critical Point and the Systematic Establishment of the Factor Hierarchy Law—Cross-Dimensional Integrated Evidence Based on the Four-Test Method. Zenodo, DOI: 10.5281/zenodo.21128329.

[16] Tang, S. (2026k). Information-Theoretic Duality Between Regression Topology and Statistical Mechanics—A Data-Driven Equivalence of the Ehrenfest Classification Validated on the 2D Ising Model as the Physics Cornerstone for the Factor Hierarchy Law. Zenodo, DOI: 10.5281/zenodo.21154577.

[17] Tang, S. (2026l). Double-Peak Fission: The Hidden Structure of Finite-Lattice Phase Transitions in the 3D Ising Model—Verification of the Factor Hierarchy Law on an NP-Complete System: Double-Peak Fission, Transition Regime, Piecewise Control Function, and Multi-Regime State Decoupling Algorithm. Zenodo, DOI: 10.5281/zenodo.21257777.

[18] Tang, S. (2026m). The Reduction of Universality: A Regime Boundary Theory for Finite-System Phase Transitions—Cross-Model Evidence for Bimodal Splitting, the Precursor Regime Boundary, and the Tool-Dependence Theorem. Zenodo, DOI: 10.5281/zenodo.21258474.

[19] Tang, S. (2026n). Regime Audit of the Standard Model of Particle Physics by the Factor Hierarchy Law—Activation Operators, Dual-Center Regimes, and Precision Locking of Charm/Bottom Quark Thresholds(I) Zenodo, DOI: 10.5281/zenodo.21276887.

[20] Tang, S. (2026o). Strange Region Discovery, Precursor Cascade, and the Transition Zone Width Theorem—Four-Tool Cross-Validation, Cascade Asymmetry Confirmation, and Mathematical Proof of the Switching Type Dichotomy(II) Zenodo, DOI: 10.5281/zenodo.21277300.

[21] Tang, S. (2026p). Gauge Group Structure Theorem, Direct Product Theorem, and the Three-Generation Proposition—The Inevitable Emergence of  $SU(3) \times SU(2) \times U(1)$  from Regime Boundaries and the Topological Constraint on the Number of Heavy Quarks(III) Zenodo, DOI: 10.5281/zenodo.21291670.

[22] Tang, S. (2026q). The Demotion of Gauge Field Theory, the Theoretical Reconstruction of the Standard Model, and the Five-Layer Axiomatization Structure—Precursor Cascade Asymmetry, the Regime Function of the Higgs Mechanism, the Statistical Correspondence of Virtual States, and the Final Formalization of the Factor Hierarchy Law (IV) Zenodo, DOI: 10.5281/zenodo.21292223.

[23] Tang, S. (2026r). From the Law of Meta-Laws to an Operating System for Scientific Discovery: The Axiomatized Core, Philosophical Foundation, and Testability Norms of the Factor Hierarchy Law—The

Establishment of Humanity's First Proceduralized System for Scientific Discovery.Zenodo,DOI:10.5281/zenodo.21306949.

[24] Yang, C. N. (1952). The spontaneous magnetization of a two-dimensional Ising model. *Physical Review*, 85(5), 808-816. DOI: 10.1103/PhysRev.85.808

[25] Zeileis, A., et al. (2002). strucchange: An R package for testing for structural change in linear regression models. *Journal of Statistical Software*, 7(2), 1-38. DOI: 10.18637/jss.v0