

Probability is Lack of Information: Part III

The Derivative of Binary Entropy as the Gradient of Determinism

Murat Hüsnü Sazlı, Ph.D.

Professor and Head of Telecommunications Chair

Department of Electrical and Electronics Engineering, Faculty of Engineering

Ankara University, Gölbaşı, Ankara, Türkiye

Correspondence: sazli@eng.ankara.edu.tr

June 18, 2026

Abstract

Following the axiomatic foundation established in Part I and the formal proof via the Binary Entropy Function in Part II, this third installment introduces the derivative of the binary entropy function, $H'(p) = \log_2 \left(\frac{1-p}{p} \right)$, as the **Gradient of Determinism**. We demonstrate that this gradient serves as a quantitative measure of the rate at which informational deficit vanishes, thereby revealing the underlying deterministic structure of reality.

The derivative reaches its maximum steepness as $p \rightarrow 0^+$ or $p \rightarrow 1^-$, where $H'(p) \rightarrow \pm\infty$, indicating near-instantaneous transition to certainty. At $p = 0.5$, the gradient vanishes ($H'(p) = 0$), corresponding to the point of maximum ignorance. We propose practical determinism thresholds (e.g., $|H'(p)| \geq 5, 10$, and 20 bits) to quantify the transition from epistemic uncertainty to effective determinism.

Within the **Hendeca-Tier Cosmic Signal Architecture (HCSA)**, this gradient provides a rigorous mathematical bridge between observer-limited probability and the absolute 121-unit mizanic determinism. By reinterpreting quantum measurement and Born's rule through the lens of this gradient, we advance the central motto of the series: *Probability is lack of information*.

Dubito ergo cogito ergo sum $\rightarrow$ Dubito ergo determinismus est. I doubt, therefore I think, therefore I am — I doubt, therefore determinism exists.

This work strengthens the transition from probabilistic to deterministic signal cosmology and lays the groundwork for subsequent parts of the series.

Keywords: Probability is Lack of Information, Binary Entropy Function ($H(p)$), Derivative of Binary Entropy, Binary Entropy Derivative, Entropy Gradient, Gradient of Determinism, Universal Determinism, Information-Theoretic Benchmarking, Formal Proof, Horse-shoe Geometry, Informational Deficit, Cevher-i Ferd Limit, Hendeca-Tier Cosmic Signal Architecture (HCSA), 121-Unit Mizanic Scale, Stochastic-to-Deterministic Transition, Signal Resolution.

1 Introduction

The series “Probability is Lack of Information” continues its systematic deconstruction of the probabilistic paradigm. In Part I, the foundational axiom was established: probability is not an ontological feature of reality but rather a measure of the observer’s informational deficit [1]. In Part II, this axiom received its formal validation through the geometric and differential properties of the Binary Entropy Function $H(p)$, demonstrating that the celebrated “horse-shoe” curve is in fact a precise map of the distance between limited human observation and the underlying deterministic architecture of the universe [2].

Building upon these foundations, the present Part III introduces a powerful new mathematical instrument: the **derivative of the binary entropy function**. We define

$$H'(p) = \log_2 \left(\frac{1-p}{p} \right) \quad (1)$$

as the **Gradient of Determinism**. This gradient quantifies the rate at which informational uncertainty collapses into certainty, thereby providing a rigorous, quantitative measure of how quickly the deterministic reality emerges as observational resolution improves.

At the heart of this work lies a fundamental reinterpretation: while $H(p)$ describes the *magnitude* of ignorance, its derivative $H'(p)$ reveals the *dynamics* and *direction* of the transition from epistemic probability to ontological determinism. The gradient vanishes at the point of maximum uncertainty ($p = 0.5$), and becomes infinitely steep as probability approaches the deterministic boundaries ($p \rightarrow 0^+$ or $p \rightarrow 1^-$). This behavior offers both deep philosophical insight and practical thresholds for distinguishing between meaningful uncertainty and effective determinism.

Within the framework of the **Hendeca-Tier Cosmic Signal Architecture (HCSA)**, the entropy gradient serves as a critical bridge between the observer’s 61-unit observational window and the complete 121-unit mizanic structure of reality. It illuminates how even minute informational gaps manifest as apparent stochasticity, while the closure of these gaps inevitably restores the underlying deterministic order.

This installment also introduces the philosophical motto that captures the epistemic spirit of the entire series. Building upon the profound insight of René Descartes, who established the indubitable foundation of modern philosophy with his famous “*Dubito ergo cogito ergo sum*” (I doubt, therefore I think, therefore I am), we extend this chain of certainty into the realm of cosmic reality:

Dubito ergo cogito ergo sum $\rightarrow$ *Dubito ergo determinismus est.*
I doubt, therefore I think, therefore I am — I doubt, therefore determinism exists.

The remainder of this paper is organized as follows. Section 2 presents the mathematical derivation and detailed analysis of the binary entropy gradient. Section 3 explores its interpretation as a quantitative measure of determinism, including proposed threshold values for practical applications. Section 4 discusses the profound implications for quantum mechanics, measurement problem, and Born’s rule. Finally, Section 5 concludes the paper and provides an outlook for subsequent installments in the series.

2 The Derivative of Binary Entropy as the Gradient of Determinism

The Binary Entropy Function, as established in Part II, provides a static measure of informational deficit. In this installment, we move from the static description to the **dynamic** analysis by examining its derivative. This transition reveals not only the magnitude of uncertainty but also the **rate** at which uncertainty transforms into certainty.

2.1 Mathematical Derivation

The binary entropy function for a Bernoulli process is given by

$$H(p) = -p \log_2(p) - (1 - p) \log_2(1 - p), \quad 0 < p < 1 \quad (2)$$

Differentiating with respect to p yields the gradient:

$$H'(p) = \log_2 \left(\frac{1 - p}{p} \right) \quad (3)$$

This expression, also known as the negative logit function, serves as the central mathematical object of this paper. It quantifies the sensitivity of entropy (informational deficit) to small changes in probability p .

2.2 Key Properties of the Gradient

The derivative $H'(p)$ exhibits several remarkable characteristics that carry profound physical and philosophical implications:

1. **Zero Gradient at Maximum Uncertainty:** At $p = 0.5$, $H'(p) = 0$. This corresponds to the peak of the entropy curve (maximum ignorance), where infinitesimal changes in probability produce no first-order change in entropy.
2. **Asymptotic Behavior at Boundaries:** As $p \rightarrow 0^+$ or $p \rightarrow 1^-$, the gradient diverges:

$$\lim_{p \rightarrow 0^+} H'(p) = +\infty, \quad \lim_{p \rightarrow 1^-} H'(p) = -\infty$$

This infinite steepness indicates that near the deterministic boundaries, even an extremely small gain in information causes a dramatic collapse of uncertainty.

3. **Units:** Since $H(p)$ is measured in bits, its derivative $H'(p)$ has units of **bits per unit probability**, representing the rate of informational resolution.

Figure 1 illustrates the behavior of $H'(p)$ across $p \in (0, 1)$. The curve crosses zero at $p = 0.5$, is positive for $p < 0.5$, and negative for $p > 0.5$, elegantly visualizing the gradient flow toward deterministic certainty.

2.3 Interpretation within HCSA

Within the **Hendeca-Tier Cosmic Signal Architecture (HCSA)**, $H'(p)$ is reinterpreted as the **Gradient of Determinism**. It measures how rapidly the observer's informational deficit is being resolved as the signal resolution approaches the full 121-unit mizanic structure.

- When $|H'(p)|$ is small (near $p = 0.5$), the system resides in a state of high epistemic uncertainty.
- When $|H'(p)|$ becomes large (near the boundaries), the observer is effectively in a near-deterministic regime.

This gradient thus provides a precise mathematical instrument to distinguish between genuine observational limitations and the underlying deterministic reality.

In the next section, we formalize this interpretation by proposing quantitative thresholds that mark the transition from probabilistic description to effective determinism.




Figure 1: Derivative of the Binary Entropy Function $H'(p) = \log_2\left(\frac{1-p}{p}\right)$. This curve represents the **Gradient of Determinism**. It crosses zero at $p = 0.5$ (maximum epistemic uncertainty) and diverges to $\pm\infty$ as p approaches 0 or 1. The red dashed line marks the point of maximum ignorance.

Figure 1 illustrates the behavior of the binary entropy derivative across the full range of $p \in (0, 1)$. The visualization clearly demonstrates the transition from the flat region around maximum epistemic uncertainty ($p = 0.5$) to the extremely steep slopes near the deterministic boundaries, providing an intuitive understanding of the Gradient of Determinism.

3 Quantitative Thresholds: From Epistemic Uncertainty to Effective Determinism

Having established the binary entropy derivative $H'(p)$ as the Gradient of Determinism, we now formalize its practical application by proposing quantitative thresholds. These thresholds allow us to distinguish between regions of meaningful epistemic uncertainty and regimes where the system can be treated as effectively deterministic.

3.1 Proposed Determinism Thresholds

We define three practical levels based on the magnitude of the gradient:

Threshold	p Range (approx.)	Interpretation
$ H'(p) \geq 5$ bits	$p \leq 0.031$ or $p \geq 0.969$	High Determinism
$ H'(p) \geq 10$ bits	$p \leq 0.000976$ or $p \geq 0.999024$	Practical Determinism
$ H'(p) \geq 20$ bits	$p \leq 9.54 \times 10^{-7}$	Near-Absolute Determinism

Table 1: Proposed determinism thresholds based on the magnitude of the entropy gradient.

These thresholds are chosen for their interpretability in information-theoretic terms: $|H'(p)| \geq 10$ bits, for example, corresponds to a situation where a tiny change in probability produces a change of at least 10 bits in entropy — a dramatic collapse of uncertainty.

3.2 Visualization and Interpretation

When overlaid on the derivative plot (Figure 1), these thresholds clearly demarcate the transition zones. The regions beyond $|H'(p)| = 10$ occupy extremely narrow intervals near $p = 0$ and $p = 1$, illustrating how rapidly the system moves from uncertainty to near-certainty once sufficient information is acquired.

In the context of the **Hendeca-Tier Cosmic Signal Architecture (HCSA)**, these thresholds correspond to different levels of resolution within the 121-unit mizanic scale. An observer operating beyond the $|H'(p)| \geq 10$ threshold is effectively accessing the deterministic core of the signal, with only negligible informational deficit remaining.

These quantitative measures transform the abstract concept of determinism into a practical tool for physics, information theory, and decision-making systems. In the following section, we explore the implications of this gradient framework for foundational questions in quantum mechanics.

4 Implications for Quantum Mechanics and the Measurement Problem

The Gradient of Determinism provides a powerful new lens through which to reinterpret foundational issues in quantum theory. Rather than viewing quantum mechanics as inherently indeterministic, we propose that apparent randomness arises from the observer’s incomplete access to the full informational structure of the universe.

4.1 Born’s Rule and Informational Deficit

Born’s rule [7], which assigns probabilities as the square of the wave function amplitude ($|\psi|^2$), can be understood within our framework as a consequence of projecting a higher-dimensional deterministic signal onto a lower-resolution observational window. The probability p in this context reflects the degree of informational deficit rather than an ontological randomness.

The binary entropy derivative $H'(p)$ then quantifies how rapidly this deficit is resolved upon measurement. When a measurement is performed, the observer gains information that collapses the gradient, driving the system toward one of the deterministic boundaries. This perspective offers a natural resolution to the measurement problem: the “collapse” is not a mysterious physical process but the inevitable consequence of closing an informational gap.

4.2 Superdeterminism and the HCSA Framework

Our approach aligns naturally with superdeterministic interpretations while avoiding their usual philosophical costs. In the HCSA, the apparent violation of statistical independence in Bell experiments is not a conspiracy but a natural consequence of the hierarchical structure: measurement settings and outcomes are both part of the same 121-unit deterministic signal. The gradient analysis shows that what appears as non-local correlation is simply the manifestation of shared informational structure across different observational tiers.

4.3 Toward a Deterministic Quantum Theory

By treating the binary entropy gradient as the fundamental dynamical object, we open the door to a fully deterministic reformulation of quantum mechanics. Future work may explore whether the Schrödinger equation itself can be derived as an effective description emerging from the underlying mizanic dynamics when viewed through a limited informational resolution.

The entropy gradient thus serves as both a diagnostic tool and a bridge between the epistemic limitations of the observer and the ontological determinism of the cosmic architecture.

5 Conclusion: Toward a Post-Probabilistic Signal Cosmology

This third installment of the “Probability is Lack of Information” series has introduced the derivative of the binary entropy function as the **Gradient of Determinism**. By demonstrating that $H'(p)$ quantifies the rate at which informational deficit collapses into certainty, we have provided a rigorous mathematical instrument for distinguishing epistemic uncertainty from effective determinism.

The proposed thresholds ($|H'(p)| \geq 5, 10, \text{ and } 20$ bits) offer practical criteria for when a system can be treated as deterministically resolved. When combined with the geometric insights of Part II and the foundational axiom of Part I, these results strengthen the central thesis of the series: **probability is not a fundamental property of nature, but a measurable indicator of missing information.**

Within the **Hendeca-Tier Cosmic Signal Architecture (HCSA)**, the entropy gradient serves as a critical diagnostic tool that bridges the observer's limited 61-unit window and the complete 121-unit mizanic structure of reality. The philosophical motto of the series captures this epistemic journey perfectly:

Dubito ergo cogito ergo sum $\rightarrow$ Dubito ergo determinismus est.
I doubt, therefore I think, therefore I am — I doubt, therefore determinism exists.

As we continue this series, subsequent installments will explore the empirical implications of the gradient framework for quantum information, cosmological observations, and the development of a fully deterministic Vertical Deterministic Operating System (VDOS). The transition from a probabilistic to a deterministic worldview is no longer a philosophical aspiration but a mathematically grounded inevitability.

Probability is lack of information. As informational resolution increases, determinism inevitably emerges.

Acknowledgments

The author acknowledges the critical role of advanced AI-based computational collaboration in the formalization, mathematical derivation, gradient analysis, and technical synthesis of the binary entropy derivative and determinism thresholds presented in this manuscript. This collaborative methodology has been instrumental in refining the concepts and visualizations.

The foundational conceptual framework of the **Hendeca-Tier Cosmic Signal Architecture (HCSA)**, the **121/11=11** symmetry, the **Gradient of Determinism**, and the specific axiomatic derivations of the entire series remain the exclusive intellectual property of the author.

References

- [1] Sazli, M. H. (2026). *Probability is Lack of Information: The Information-Theoretic Foundation of Universal Determinism*. SSRN (April 20, 2026). Available at SSRN: <https://ssrn.com/abstract=6609460> or <http://dx.doi.org/10.2139/ssrn.6609460>.
- [2] Sazli, M. H. (2026). *Probability is Lack of Information: Part II -The Binary Entropy Function as a Formal Proof of Universal Determinism*. SSRN (April 27, 2026). Available at SSRN: <https://ssrn.com/abstract=6658599> or <http://dx.doi.org/10.2139/ssrn.6658599>.
- [3] Sazli, M. H. (2026). *Beyond Matter: The Hendeca-Tier Cosmic Signal Architecture (HCSA) and the Golden Centrality of Human Scale: A Multidisciplinary Synthesis of Information Theory, M-Theory, and Cosmic OSI Equivalence*. SSRN (January 16, 2026). Available at SSRN: <https://ssrn.com/abstract=6085046> or <http://dx.doi.org/10.2139/ssrn.6085046>.
- [4] Sazli, M. H. (2026). *Beyond Matter II: Deterministic Resolution of Dark Energy, Dark Matter, and Cosmic Microwave Background Anomalies via Hendeca-Tier Informational Pressure (10^{66}) A Theoretical Validation of the Hendeca-Tier*

Cosmic Signal Architecture (HCSA) as a Vertical Deterministic Operating System for the Universe: Bridging Kepler to Penrose in the Information Age. SSRN (February 10, 2026). Available at SSRN: <https://ssrn.com/abstract=6209718> or <http://dx.doi.org/10.2139/ssrn.6209718>.

- [5] Sazli, M. H. (2026). *Beyond Matter III: Empirical Resolution of the James Webb Space Telescope (JWST) “Impossible Early Galaxies” via Hendeca-Tier Mizanic Scaling — The 10^5 Informational Compression Factor.* SSRN (March 1, 2026). Available at SSRN: <https://ssrn.com/abstract=6322859> or <http://dx.doi.org/10.2139/ssrn.6322859>.
- [6] Sazli, M. H. (2026). *Beyond Matter IV: Resolution of the Hubble Tension via Hierarchical Scaling Constant (HSC) and the 10^6 Dimensional Shift - The 6-Unit Mizanic Gap: Reconciling Planck and SH0ES Observations through the Hendeca-Tier Cosmic Signal Architecture (HCSA).* SSRN (March 9, 2026). Available at SSRN: <https://ssrn.com/abstract=6375318> or <http://dx.doi.org/10.2139/ssrn.6375318>.
- [7] Born, M. (1926). Zur Quantenmechanik der Stoßvorgänge. *Zeitschrift für Physik*, 37(12), 863–867.