

Convergent Geometric Motifs in Recent Fundamental Physics: A Minkowski-First Comparison with Scalar–Angular–Torsion (SAT)

Nathan McKnight

Rough working draft — 22 September 2026

SANDBOXED WORKING PAPER. This manuscript is tentative, pre-peer-review, and intended for internal scientific criticism. Similarity, correspondence, or synthesis discussed here is not evidence that SAT is physically correct, nor is numerical or structural agreement treated as derivation or validation.

Abstract

Several recent and largely independent research programs have emphasized structures that are usually discussed separately: non-orientable compactification and lower-dimensional discrete-symmetry breaking; consistent coupling of classical spacetime to quantum matter; exact global closure arising from commensurable continuous quantum evolution; and closed-path holonomy capable of reversing a physical orientation. A separate higher-geometric program, Hypothesis H, proposes cohomotopical charge quantization for the M-theory C-field and develops systematic relations among branes, topology, generalized cohomology, and dimensional reduction. This paper asks a deliberately limited comparative question. If these motifs are synthesized without first invoking Scalar–Angular–Torsion (SAT), what structural picture results, and how closely does that picture resemble the independently developed Minkowski-first SAT program? We find a nontrivial structural convergence at the level of geometry/topology, continuous transport, closure/holonomy, orientation, and emergent effective distinctions. We do not claim equivalence among the cited theories, influence between them and SAT, or a derivation of SAT from them. We further formulate, but do not establish, a sharper question: whether SAT can be realized as a four-dimensional effective sector, dimensional reduction, or compactified shadow of a Hypothesis-H-like higher-geometric construction. The comparison is presented as a provenance-sensitive research program and a set of concrete mathematical tests rather than as a validation claim.

1 Question and method

The motivating observation is methodological. A growing set of contemporary papers reaches for geometric, topological, transport, closure, and orientation structures while addressing problems that are ordinarily treated in different theoretical languages. It is easy to overread such convergence. Accordingly, the comparison here is performed in two stages.

First, we construct a synthesis X using only claims made in the external literature. SAT terminology is excluded from this stage. Second, we compare X with the documented SAT design lineage. This order matters: the comparison is intended to test whether the resemblance survives a blind construction rather than to search the literature for phrases that can be retrofitted to SAT.

The claim is therefore not

external papers $\Rightarrow$ SAT,

and still less that the external authors derived SAT. The working claim is only

$$\text{independent motifs} \longrightarrow X, \quad X \sim_{\text{structural}} \text{SAT},$$

where $\sim_{\text{structural}}$ denotes a correspondence to be specified component by component and not an identity of theories.

2 The external synthesis X

2.1 Topology, compactification, and orientation

Greene, Kabat, Levin, and Porrati study six-dimensional free theories compactified on a flat Klein bottle after relaxing the usual assumption that the compact space is orientable. Their construction produces position-dependent structures localized near parity walls; for a Dirac fermion, parity, charge conjugation, and CP may be broken in $3 + 1$ dimensions, with fermion bilinears serving as order parameters [1]. The significance for the present synthesis is narrow but strong: higher-dimensional topology and boundary conditions can generate lower-dimensional distinctions conventionally represented as discrete physical symmetries.

This is not a claim that topology generically explains observed CP violation, nor that the Klein-bottle model is SAT. It establishes a clean existence result for the motif

higher-dimensional topology/boundary data $\longrightarrow$ lower-dimensional orientation/symmetry structure.

2.2 Classical spacetime coupled to quantum matter

Oppenheim and Sajjad analyze metric fluctuations in postquantum classical gravity, a covariant framework coupling classical spacetime to quantum matter. Starting from a classical–quantum path integral, they linearize around Minkowski spacetime and identify stochastic spin-2 and spin-0 metric modes [2]. Their theory is importantly unlike SAT: stochastic evolution is required by the consistency conditions of their classical–quantum framework. The relevance here is therefore not dynamical equivalence. It is the demonstrated viability, within a developed formal framework, of taking classical spacetime seriously as a participant in quantum phenomenology rather than assuming at the outset that spacetime itself must be quantized in the usual way.

For X this supplies the motif

$$\text{classical spacetime geometry} \leftrightarrow \text{quantum matter},$$

with Minkowski space appearing explicitly as the background of the linearized analysis.

2.3 Continuous evolution and exact closure

Carroll, Diachenko, and Dulani construct an exactly periodic quantum cosmological model. In a finite-dimensional Hilbert space, ordinary unitary evolution is recurrent; when differences among energy eigenvalues are commensurable, the recurrence becomes exact periodicity [3]. Their cosmological interpretation is explicitly exploratory. For the present comparison, the useful result is the more abstract one: discrete global closure can arise as a restriction on continuous unitary evolution rather than through a fundamentally discrete time or spacetime lattice.

Thus X acquires

$$\text{continuous evolution} + \text{commensurability} \longrightarrow \text{exact closure}.$$

2.4 Closed transport, holonomy, and reversal

Susskind argues that time reversal in de Sitter holography may be a spontaneously broken gauge symmetry and identifies as a central diagnostic a closed curve whose holonomy exchanges forward-going and backward-going clocks [4]. This construction is not mathematically identified here with SAT holonomy or with any particular SAT carrier. Its role is sharper and more modest: it supplies an independent contemporary example in which a closed path may return geometrically while retaining nontrivial orientation information through holonomy.

This contributes

$$\text{closed transport} + \text{nontrivial holonomy} \longrightarrow \text{orientation reversal/distinction}.$$

2.5 The minimal synthesis

Taken together, and without importing SAT terminology, these papers motivate the structural object

$$\begin{aligned} X : & \text{ geometry/topology} + \text{continuous transport} \\ & + \text{closure/holonomy} + \text{orientation structure} \\ & \longrightarrow \text{effective physical distinctions.} \end{aligned} \tag{1}$$

Equation (1) is intentionally not a unified theory assembled from the cited papers. The papers do not share a common action, ontology, scale, or empirical target. X is instead the intersection of motifs that survives after those differences are respected.

3 SAT as a Minkowski-first comparator

SAT developed as a geometric research program organized around four-dimensional histories, world-line/filament representations, slicing or intersection readout, angular misalignment, twist/torsion, recursive helical structure, braiding, and increasingly explicit closure and holonomy constraints. The public Fundamental Intuitions statement dates to February 2025, while the project archive records earlier development and was publicly released in December 2025 [8, 9].

For present purposes, the most conservative description of SAT is not a completed theory of everything but a design prescription: begin with a four-dimensional Minkowski-style representation of physical history and ask how much known or observed physics can be mapped to geometry before introducing additional primitives. Later SAT and H(s)H work increasingly emphasized continuous underlying geometry with discrete observable sectors emerging from closure, winding, braid class, holonomy, or intersection/readout constraints [8].

This makes SAT an unusually direct comparator for X . The correspondence is not based on shared vocabulary alone. The common structural questions are: (i) whether lower-dimensional or observed distinctions can arise from higher-dimensional geometry or topology; (ii) whether continuous transport can generate discrete sectors through closure; (iii) whether orientation information can be stored in transport/holonomy; and (iv) whether familiar physical labels can be treated as effective readouts of a smaller geometric grammar.

The resemblance is therefore most interesting at the level of synthesis. No one external paper resembles SAT as a whole. Conversely, SAT contains many structures not present in these papers. The observation is that X , constructed from independent recent work, lands near a region of theory space SAT has explored from a Minkowski-first direction.

Motif	External contribution	SAT comparison target
Topology/orientation	Non-orientable compactification can induce lower-dimensional P, C, CP structure [1]	Twist, chirality/orientation, slicing/intersection and higher-dimensional geometric readout
Classical space-time/quantum matter	Consistent classical-quantum framework linearized around Minkowski space [2]	Minkowski-first geometric carrier with quantum-like sectors sought as emergent constraints
Continuous evolution/closure	Commensurable energy differences yield exact periodicity [3]	Closure, winding and recurrent geometric modes as candidate sources of discrete observable sectors
Holonomy/orientation	Closed curve with time-orientation-flipping holonomy [4]	Separation of carrier closure, frame history, and nontrivial holonomy in geometric transport

Table 1: Structural comparison. Entries are correspondences to investigate, not equivalences.

4 Hypothesis H as a higher-geometric comparison

A second comparison approaches the same problem from the opposite direction. Hypothesis H, developed principally by Hisham Sati and Urs Schreiber, with important formulations by Domenico Fiorenza, proposes that the M-theory C-field is charge-quantized in J -twisted cohomotopy [5, 6]. The program relates M-brane charges to equivariant homotopy groups of spheres and develops connections among flux quantization, branes, generalized cohomology, cobordism, and compactification [6]. Recent work continues to use Hypothesis H as a proposed global completion of higher gauge sectors [7].

This program is mathematically far more developed than SAT and begins from different physical commitments. It must therefore not be used as a prestige analogy. The useful question is concrete: can any controlled map be constructed from a Hypothesis-H-like higher-dimensional structure to the four-dimensional geometric structures used in SAT?

We formulate the comparison as an open ladder of increasingly strong statements:

- $H \rightsquigarrow$ SAT-like structural shadow,
- $H \longrightarrow$ four-dimensional effective realization resembling SAT,
- $H \longrightarrow$ controlled dimensional reduction/truncation resembling SAT,
- $H \longrightarrow$ compactification whose surviving sector is SAT-like.

Only the first of these is presently asserted as a plausible comparative observation. The others are research questions. To justify the word “compactification,” one would need an explicit reduction prescription specifying the higher-dimensional fields/geometric objects, compactification data, surviving four-dimensional degrees of freedom, induced symmetries, and effective dynamics. A slogan is not a reduction map.

The reason the question is nevertheless technically meaningful is that dimensional reduction and compactification already occur inside the Hypothesis-H literature. Sati and Schreiber discuss, among other correspondences, Kaluza–Klein compactification and M/F-theoretic structures within a cohomotopical framework [6]. Thus a proposed SAT/Hypothesis-H relation can be asked in the native mathematical language of the higher-dimensional program rather than only by analogy.

5 Provenance, convergence, and what is not claimed

The chronological relation is part of the scientific question. SAT's relevant geometric motifs have dated archival and public records; the external papers have independent publication histories. The appropriate use of those records is to establish chronology, not to imply influence where none is documented. The strongest defensible observation is a proliferation of structurally convergent motifs across otherwise distinct programs.

Several exclusions are essential.

1. Structural convergence is not empirical validation of SAT.
2. Similar mathematical words do not imply identical mathematical objects. In particular, closure of a carrier, Levi–Civita holonomy, framed transport, gauge holonomy, and topological winding must be kept distinct.
3. The stochastic classical spacetime of Oppenheim–Sajjad is not the SAT spacetime model; its inclusion concerns the classical-spacetime/quantum-matter interface.
4. Carroll–Diachenko–Dulani periodicity is a Hilbert-space result under commensurability assumptions, not a derivation of SAT geometric closure.
5. Susskind's time-reversal holonomy is not identified with SAT/H(s)H holonomy; it is an independent example of orientation-bearing closed transport.
6. Hypothesis H is not claimed to reduce to SAT. The possible four-dimensional reduction/compactification relation is a testable conjectural comparison.

These exclusions are not rhetorical caution. They define the mathematical work required to turn resemblance into relation.

6 Tests that could make the comparison fail

A useful synthesis must expose failure conditions. At least four are immediate.

First, the SAT side may not admit a sufficiently precise set of geometric objects and observables to define a map from X without ambiguity. Second, once precise, SAT closure/holonomy structures may prove categorically different from those doing work in the external programs. Third, attempts at a Hypothesis-H-to-four-dimensional reduction may yield effective fields and symmetries with no natural SAT interpretation. Fourth, SAT may possess enough adjustable geometric freedom that apparent correspondences are non-diagnostic.

Accordingly, the next technical work should prioritize maps rather than analogies: object-to-object correspondences, dimensional typing, symmetry actions, limiting relations, and observables. The strongest possible outcome is not a longer list of similarities but a small number of commuting diagrams or reduction calculations that either work or fail.

7 Discussion

The comparative result can be stated without claiming more than the sources support. Recent fundamental-physics work independently exhibits a cluster of motifs in which geometry and topology, continuous transport, closure/holonomy, and orientation generate effective distinctions. SAT

was built from a deliberately Minkowski-first geometric prescription and developed many of the same structural concerns before these particular recent publications. This makes SAT a legitimate comparison object for the synthesized structure X .

The comparison becomes more consequential when placed beside Hypothesis H. The recent-paper synthesis is bottom-up in the limited sense that distinct physical questions converge on related motifs. Hypothesis H is top-down in the sense that a higher-geometric quantization proposal organizes brane and flux structures within a broad mathematical framework. SAT sits between them as a comparatively low-dimensional geometric program. Whether that position is merely suggestive or mathematically substantive is now a concrete question.

The decisive next step is therefore not to claim convergence more loudly. It is to determine whether the arrows can be written down.

8 Conclusion

A blind synthesis of several recent, independent lines of work yields a recognizable structural pattern: geometry/topology, continuous transport, closure or holonomy, and orientation can participate in generating effective physical distinctions. That pattern is structurally similar to central motifs of the independently developed SAT program. The similarity is strongest at the level of architecture and weakest at the level that ultimately matters most: explicit dynamical and reduction maps.

Hypothesis H supplies a complementary higher-geometric comparison and motivates a sharper conjectural question: whether some SAT-like four-dimensional structure can arise as an effective realization, reduction, truncation, or compactified sector of a cohomotopical M-theoretic framework. At present this is a research question, not a result.

The value of the comparison is therefore diagnostic. If the mappings can be made precise, the convergence becomes mathematically informative. If they cannot, the exercise will have located exactly where superficially similar geometric motifs cease to be the same physics.

References

- [1] B. Greene, D. Kabat, J. Levin, and M. Porrati, “Compactification Without Orientation, or a Topological Scenario for CP Violation,” arXiv:2510.05270 (2025). <https://arxiv.org/abs/2510.05270>
- [2] J. Oppenheim and M. Sajjad, “Stochastic modes in postquantum classical gravity,” arXiv:2605.05375 (2026). <https://arxiv.org/abs/2605.05375>
- [3] S. M. Carroll, N. Diachenko, and S. Dulani, “Toward a Phenomenologically Acceptable Quantum Cyclic Universe,” arXiv:2605.30405 (2026). <https://arxiv.org/abs/2605.30405>
- [4] L. Susskind, “Is Time Reversal in de Sitter Space a Spontaneously Broken Gauge Symmetry?” arXiv:2603.12434 (2026). <https://arxiv.org/abs/2603.12434>
- [5] D. Fiorenza, H. Sati, and U. Schreiber, “Twisted Cohomotopy implies twisted String structure on M5-branes,” J. Math. Phys. 62, 042301 (2021), arXiv:2002.11093. <https://arxiv.org/abs/2002.11093>
- [6] H. Sati and U. Schreiber, “M/F-Theory as Mf-Theory,” Rev. Math. Phys. 35 (2023), arXiv:2103.01877. <https://arxiv.org/abs/2103.01877>

- [7] H. Sati and U. Schreiber, “Complete Topological Quantization of Higher Gauge Fields,” arXiv:2512.12431 (2025). <https://arxiv.org/abs/2512.12431>
- [8] SAT/H(s)H project, “SAT Status and Development History,” internal/public repository orientation report, 12 September 2026. https://github.com/Satobloc/HsH/blob/main/!!_HIGH_PRIORITY_SAT_STATUS_HISTORY_REPORT_2026-09-12.md
- [9] N. McKnight et al., SAT Theory Archive 2023–25, public archive released 28 December 2025. https://github.com/Satobloc/SAT_THEORY_ARCHIVE_2023-25