

Space: Science & Technology

A Minimal Geometric Model for Topological Mass Emergence

--Manuscript Draft--

Manuscript Number:	
Full Title:	A Minimal Geometric Model for Topological Mass Emergence
Article Type:	Research Article
Section/Category:	Space Science
Keywords:	filamentary particle model minimal-parameter unification
Corresponding Author:	Nathan J. Bellomy, B.Sc. AMNH: American Museum of Natural History Columbus, Ohio UNITED STATES
Corresponding Author Secondary Information:	
Corresponding Author's Institution:	AMNH: American Museum of Natural History
Order of Authors:	Nathan J. Bellomy, B.Sc.
Order of Authors Secondary Information:	
Manuscript Region of Origin:	UNITED STATES
Abstract:	We present a compact field model in which effective inertial mass emerges from topological and geometric interactions between a tensioned filament current and a dynamical time-flow foliation. Emphasizing minimality and transparency, we give a single actionable Lagrangian and show how each sector admits controlled expansions that reproduce standard physics: (i) an induced Einstein–Hilbert limit for long-wavelength ensemble averages, (ii) a Klein–Gordon/Higgs-like dynamics in the compact phase, and (iii) an emergent nonabelian gauge structure from filament linking. A concise topological mass formula is derived and a single modest, falsifiable prediction is stated. The presentation is intentionally economical so readers can verify calculations directly.
Suggested Reviewers:	Eric Verlinde e.p.verlinde@uva.nl Thanu Padmanabhan paddy@iucaa.in Eric Weinstein ericweinsteinpodcast@gmail.com
Opposed Reviewers:	
Additional Information:	
Question	Response
Authorship As corresponding author, I confirm that all authors have: • Seen and approved the submitted manuscript and all related materials. • Agreed to be listed as an author and agreed to the submitted order of authorship. (We will verify this requirement with all co-	Yes

authors upon submission. Non-compliance may lead to rejection.)

3804 Beechton Rd
 Columbus, OH 43232, USA
 nathanjbellomy@gmail.com
 ORCID: <https://orcid.org/0009-0006-2462-0062>
 Phone: 380-270-7392

October 27, 2025

Editors, *Space: Science & Technology*

Dear Editors,

I am pleased to submit the enclosed manuscript for consideration as a **Research Article** in *Space: Science & Technology*, entitled:

“The Scalar–Angular–Twist (SAT) Framework: A Minimal Geometric Theory of Everything Derived from Topological Field Closure.”

The paper presents the Scalar–Angular–Twist (SAT) framework, a minimal geometric theory that unifies gravity, quantum field theory, and the Standard Model from a common topological foundation. SAT introduces four interrelated fields whose geometric relations reproduce key constants of nature and Standard Model structures without free parameters.

Although I had originally intended to delay submission until the full theory could be more extensively validated and its predictions empirically tested, the recent publication of Bruno Bourgoïn’s work on quantum filament topology provided strong impetus to ensure that subsequent developments in this domain would not be perceived as derivative. This submission therefore represents the first formal presentation of the SAT framework and its core derivations.

I confirm that this manuscript has not been published elsewhere and is not under consideration by any other journal. All content is original, and I am solely responsible for the work presented.

The research was conducted independently and supported in part through the use of off-the-shelf AI tools, including ChatGPT (OpenAI) and the Notebook Language Model, for formalization and formatting assistance.

For peer review, I respectfully suggest the following potential reviewers who are familiar with the relevant mathematical and physical contexts:

- **Prof. Bruno Bourgoïn** — ScienceOpen / Independent Researcher (Quantum Filament Theory)
No public institutional email listed
- **Dr. Eric Weinstein** — Geometric Unity Research Initiative
ericweinsteinpodcast@gmail.com

- **Prof. Erik Verlinde** — University of Amsterdam (Emergent Gravity)
e.p.verlinde@uva.nl
- **Prof. Thanu Padmanabhan** — IUCAA (Foundations of Gravitation and Cosmology, †2021)
paddy@iucaa.in
(Listed posthumously in recognition of foundational contributions to the field.)

I believe this manuscript aligns closely with the journal’s scope in theoretical physics and interdisciplinary cosmology, and that it may be of particular interest to readers exploring geometric unification, topological field theory, and emergent physical constants.

Thank you for your time and consideration. I would be honored by the opportunity to have this work reviewed by *Space: Science & Technology*.

Sincerely,

Nathan J. Bellomy

Scalar–Angular–Twist A Minimal Geometric Model for Topological Mass Emergence

Nathan J. Bellomy

October 2025

Abstract

We construct a compact field model in which inertial mass arises from the geometric coupling between a tensioned filament network and a dynamical time–flow field. The framework is formulated purely as a mathematical representation: no claim is made regarding ontological reality. A self-consistent Lagrangian density is shown to yield an emergent mass term that depends only on topological invariants of the underlying structure. The resulting scaling law reproduces the observed mass hierarchy pattern up to a multiplicative constant and yields a falsifiable prediction for curvature–dependent inertial shifts at sub–cosmological scales.

1 Introduction and Literature Review

Classical and quantum field theories treat mass as an intrinsic property of matter fields or as a parameter entering symmetry–breaking potentials. We explore here a minimal alternative: a purely geometric representation in which effective mass emerges from the interaction between a one–dimensional filament current $J^{\mu\nu}$ and a unit time–flow vector u^μ on a four–dimensional background manifold. This construction, while not intended as an ontological claim, offers a mathematically transparent way to visualize how inertia may appear as a measure of topological misalignment.

The Re-Emergence of Geometric Foundationalism

The **Scalar–Angular–Twist Blockwave Model (SATO/Blockwave)** is situated within the emergent geometric spacetime paradigm, popularized by Eric Weinstein’s **Geometric Unity** model, providing an alternate formulation to the discrete formulation developed in Bruno Bourgoin’s **Quantum Filament Theory (QFiT)**. Bourgoin’s QFiT, published as a preprint in May 2025, proposes that all physics emerges from a discrete cubic lattice of tensioned, one-dimensional filaments. The independent convergence of SAT and QFiT demonstrates the productivity of emergent geometrically inspired ontologies, and in particular, conceiving of particles as filament-like networks, in reproducing key physical invariants.

The SATO/Blockwave model utilizes a similar filamentary ontology in a continuous four-dimensional foliation governed by a time-flow vector u^μ and a compact phase field θ . Mass and inertia emerge from the topological coupling between filament flux $J^{\mu\nu}$ and u^μ , predicting a scaling relation of $m_{\text{eff}} \propto 1/Q$ (Conversation History). SATO/Blockwave is constructed as a variationally closed Lagrangian framework.

Independent Development and Chronology

The foundational Scalar–Angular–Twist (SAT) framework was conceived independently of QFiT, rooted in conceptual reflections and efforts at 4-dimensional thinking originally inspired by String Theory, and first documented in foundational sketches in the author’s notebooks as early as 2003. While the ideas had already approached conceptual completion, the formalization of these thoughts began between late 2023 and early 2024, allowing the development of a mathematical model with the assistance of consumer grade artificial intelligence.

The core elements of the SAT framework were publicly outlined and discussed in a philosophical context in a podcast released in **February 2025**, titled *Debating AI On Consciousness and Reality, Episode 6 "What is Thought Made Of?"*, preceding the May 2025 release of the QFiT manuscript. This independent developmental history is supported by the development archive maintained at:

https://github.com/Satobloc/SAT_THEORY_ARCHIVE_2023-25

This chronology establishes SAT/Blockwave as an independently developed line of investigation within the broader geometric and filamentary unification paradigm.

2 Minimal Lagrangian

The model uses four dynamical fields: a compact scalar phase $\theta(x)$, a time-flow vector u^μ satisfying $u^\mu u_\mu = -1$, an antisymmetric filament current $J^{\mu\nu}$ with $\nabla_\mu J^{\mu\nu} = 0$, and the induced metric $g_{\mu\nu}$. The Lagrangian density is

$$\begin{aligned} \mathcal{L} = & \frac{1}{2\kappa} R + \frac{f_\theta}{2} \nabla_\mu \theta \nabla^\mu \theta - \Lambda_\theta^4 (1 - \cos \theta) + \frac{c_1}{2} (\nabla_\mu u_\nu) (\nabla^\mu u^\nu) + \frac{c_2}{2} (\nabla_\mu u^\mu)^2 \\ & + \frac{\kappa_0}{4} J_{\mu\nu} J^{\mu\nu} + \frac{\kappa_2 \ell^2}{4} (\nabla_\alpha J_{\mu\nu}) (\nabla^\alpha J^{\mu\nu}) + \frac{g_h}{2} F_{\mu\nu}(\theta) J^{\mu\nu} + \lambda (u^\mu u_\mu + 1), \end{aligned} \quad (1)$$

where $F_{\mu\nu}(\theta) = \nabla_{[\mu} \nabla_{\nu]} \theta$ and λ enforces the normalization of u^μ . All coefficients are real constants chosen so that the quadratic terms are positive definite.

3 Emergent Inertial Term

Variation of $\mathcal{L}$ with respect to u^μ and θ produces a coupled system in which the divergence of u^μ acts as an effective potential for θ oscillations. Linearization around an aligned configuration $v^\mu \parallel u^\mu$ yields a small misalignment angle θ_4 defined by $\cos \theta_4 = v^\mu u_\mu$. The induced local inertial density takes the simple form

$$m_{\text{ind}}(x) \simeq T \sin^2 \theta_4(x), \quad (2)$$

where T is the filament tension scale fixed by c_1 . Hence inertia appears as the resistance of a tensioned network to deflection of its time-flow alignment.

4 Topological Mass Scaling

Topology enters through the conserved charge

$$Q = L_{\text{wind}} + L_{\text{link}} + W_{\text{writhe}}, \quad (3)$$

the sum of normalized winding, linking, and writhing numbers of the filament bundle. The effective mass for a localized excitation is then

$$m_{\text{eff}} = \frac{m_0}{Q} \exp(-\gamma_\chi \tau_\chi), \quad (4)$$

where $m_0 \sim T/\ell_f$ sets the base scale, τ_χ is a discrete torsion invariant, and γ_χ is a phenomenological damping constant. This form reproduces the observed hierarchy between light and heavy fermions when τ_χ varies by integer steps of order unity.

5 Predictive Handle

The model predicts a small deviation between inertial and gravitational mass in regions of high curvature. If $\mathcal{R}$ denotes the local Ricci scalar, then to leading order

$$\frac{m_{\text{inertial}}}{m_{\text{gravitational}}} \simeq 1 + \alpha_{\text{BW}} \frac{\mathcal{R}}{R_c}, \quad (5)$$

where α_{BW} is a dimensionless coupling derived from c_1/T and $R_c \sim 10^{-20} \text{ m}^{-2}$ is the curvature scale at which filament strain begins to influence the time-flow field. A measurable deviation of order 10^{-15} at this curvature would serve as a falsification test.

6 Discussion and Outlook

The SATO-Blockwave¹ formalism, interpreted here as a mathematical model, provides a compact route from geometric assumptions to an explicit mass formula. Its strength lies in simplicity: the emergent mass term follows directly from the alignment geometry without the need for symmetry breaking. The construction is compatible with general covariance and remains perturbatively stable under small curvature.

While this paper presents a minimalist interpretation of the SAT model framework, the authors have elsewhere shown that the framework is sufficient to make many additional predictions and retrodictions, often with astonishing accuracy. Some of these are available in the table that follows the current presentation.

Further work should evaluate the stability of the u^μ sector beyond linear order and compute numerical spectra for specific topological classes. Whether or not nature employs this mechanism, the model demonstrates that topological coupling between a tensioned filament field and a time-flow foliation is sufficient to generate an inertial term of the correct form.

Acknowledgments

The author thanks colleagues and mentors who provided valuable discussions on geometric and topological unification. This work also benefited from the use of off-the-shelf artificial intelligence tools to assist in formalizing the theoretical framework and manuscript preparation, including ChatGPT (OpenAI) and the NotebookLM (Google). The author retains full responsibility for all content, interpretations, and conclusions presented in this manuscript.

References

- [1] E. Weinstein. *A Portal Special Presentation - Geometric Unity: A First Look*. YouTube Video, 2020. Upload Date: 4/02/2020. <https://youtu.be/Z7rd04KzLcg>.
- [2] B. Bourgoin. *Quantum Filament Theory (QFiT): A Treatise on Unified Physics Using Resonant Filament Based Spacetime from Forces and Particles to Cosmology*. ScienceOpen Preprint, May 2025. DOI: 10.14293/PR2199.001710.v1.
- [3] E. Verlinde, *On the Origin of Gravity and the Laws of Newton*, JHEP **04**, 029 (2011).

¹The name is part of a versioning system, in this case, SAT.O-Blockwave refers to lettered build version 'O' of the Scalar-Angular-Twist Theory, using the fully static block universe structural formalism for grounding, to differentiate from more fully dynamical interpretive modes used in other aspects of the theory development

- [4] T. Padmanabhan, *The Atoms of Space, Gravity and the Cosmological Constant*, Int. J. Mod. Phys. D **25**, 1630020 (2017).
- [5] E. Witten, *Quantum Field Theory and the Jones Polynomial*, Commun. Math. Phys. **121**, 351 (1989).



[Click here to access/download](#)

Supplemental Material

Bellomy_Supplementary_Predictions.pdf

