

Edgecore SONiC 202111.2 Feature Support on 2022 Nov

Created by sc_juang, last modified just a moment ago

Category	Feature Name	Sub Item	State	AS4630-54NPE (TD3.X3) (HX5)	AS4630-54PE/TE (TD3.X3) (HX5)	AS5812-54X (TD2+)	AS5835-54T (TD3.X5) (MV2)	AS5835-54X (TD3.X5) (MV2)	AS7326-56X (TD3.X7)	AS7712-32X (TH)	AS7726-32X (TD3.X7)	AS9516-32D (TF2)	AS9716-32D (TH3)	AS9726-32D (TD4)	AS9736-64D (TH4)	Wedge100 BF-32QS/32X/65X (TF)	Feature
L2	LAG	LACP / LACP Fallback	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	LAG (LACP / LACP Fallback)
		Static LAG	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Static LAG
		LACP Rate	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	LACP Rate
	LLDP		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	LLDP
	VLAN, VLAN Trunk		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	VLAN, VLAN Trunk
	FDB (Mac Aging / Learning)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	FDB (Mac Aging / Learning)
	MCLAG		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	MCLAG
		Dynamic Configuration	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	MCLAG - Dynamic Configuration
		Unique IP	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	MCLAG - Unique IP
	QinQ		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Not supported	Supported	Not supported(Note#6)	Not supported	QinQ
	VLAN Translation		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Not supported	Supported	Not supported(Note#6)	Not supported	VLAN Translation
	Storm Control		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Not supported	Supported	Not supported	Not supported	Storm Control
	PVST		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	PVST
	TPID		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	TPID
L3	BGP		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	BGP
	BGP MP		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	BGP MP
	BGP Graceful Restart Helper		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	BGP Graceful Restart Helper
	Routing Stack Graceful Restart (BGP)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Routing Stack Graceful Restart (BGP)
	ECMP		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	ECMP
	VRF		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	VRF
	IPv6		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	IPv6
	BGP Unnumbered		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	BGP Unnumbered
	EVPN/VxLAN		Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Supported	Not supported	Supported	Not supported	Not supported	EVPN/VxLAN
		ND/ARP Suppression	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Not supported	Not supported	Supported	Not supported	Not supported	EVPN/VxLAN
		Ingress Replication for L2 BUM Traffic Over VXLAN Tunnel	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Supported	Not supported	Supported	Not supported	Not supported	EVPN/VxLAN

Category	Feature Name	Sub Item	State	AS4630-54NPE (TD3.X3) (HX5)	AS4630-54PE/TE (TD3.X3) (HX5)	AS5812-54X (TD2+)	AS5835-54T (TD3.X5) (MV2)	AS5835-54X (TD3.X5) (MV2)	AS7326-56X (TD3.X7)	AS7712-32X (TH)	AS7726-32X (TD3.X7)	AS9516-32D (TF2)	AS9716-32D (TH3)	AS9726-32D (TD4)	AS9736-64D (TH4)	Wedge100 BF-32QS/32X/ 65X (TF)	Feature
		Underlay IP Multicast	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	EVPN/VxLAN
		Remote MAC Programming over VxLAN Tunnels	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Not supported	Not supported	Supported	Not supported	Not supported	EVPN/VxLAN
		VxLAN Tunnel Statistic - Counters and Rates	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Not supported	Not supported	Not supported	Not supported	Not supported	EVPN/VxLAN
	EVPN-MH (EVPN multihoming)		Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Not supported	Not supported	Supported	Not supported	Not supported	EVPN-MH (EVPN Multihoming)
	SAG (Static Anycast Gateway)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not Supported	Supported	Supported	Supported	Not Supported	SAG (Static Anycast Gateway)
	OSPF v2		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not Supported	Supported	Supported	Supported	OSPF v2
	IS-IS		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	IS-IS
	Proxy ARP		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Proxy ARP
	BFD		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	BFD
	VRF Route Leaking		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	VRF Route Leaking
	Subport		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Subport
	Routing and Next Hop Table Enhancement		Not Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Routing and Next Hop Table Enhancement
	MPLS		Not Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	MPLS
	Segment Routing over IPv6		Not Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Segment Routing over IPv6
QoS	ECN		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	ECN
	WRED		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	WRED
	Classification																Classification
		COS	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Classification - COS
		DSCP	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Classification - DSCP
	Marking																Marking
		COS	Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Supported	Not supported	Supported	Not supported	Marking - COS
		DSCP	Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Supported	Not supported	Supported	Not supported	Marking - DSCP
	PFC (Priority Flow Control) / Asym PFC		Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Supported	Not supported	Not supported	Not supported	Supported	PFC (Priority Flow Control)/ Asym PFC
	PFC Watchdog (WD)		Supported	Not supported	Not supported	Not supported	Supported	Supported	Supported	Not supported	Supported	Supported	Not supported	Not supported	Not supported	Supported	PFC Watchdog (WD)
	PFC Watermark (WM)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	PFC Watermark (WM)
	Scheduling		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Scheduling
	Egress Shaping (Port, Queue)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Egress Shaping (port, queue)

Category	Feature Name	Sub Item	State	AS4630-54NPE (TD3.X3) (HX5)	AS4630-54PE/TE (TD3.X3) (HX5)	AS5812-54X (TD2+)	AS5835-54T (TD3.X5) (MV2)	AS5835-54X (TD3.X5) (MV2)	AS7326-56X (TD3.X7)	AS7712-32X (TH)	AS7726-32X (TD3.X7)	AS9516-32D (TF2)	AS9716-32D (TH3)	AS9726-32D (TD4)	AS9736-64D (TH4)	Wedge100 BF-32QS/32X/65X (TF)	Feature
	Ingress Port Rate Limit		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Ingress Port Rate Limit
Security	COPP (Config / Management)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	COPP (Config / Management)
	ACL Permit / Deny		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	ACL Permit / Deny
	IPv6 ACL		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	IPv6 ACL
	AAA		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA
	AAA (Authentication)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Authentication)
		TACACS+	IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Authentication) - TACACS+
		RADIUS	IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Authentication) - RADIUS
	AAA (Authorization)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Authorization)
		TACACS+ Authorization (and CLI Level Authorization)	IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Authorization) - TACACS+
	AAA (Accounting)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Accounting)
		TACACS+ Accounting (and CLI Level Accounting)	IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	AAA (Accounting) - TACACS+
System/ Managemen t	SNMP		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	SNMP
		SONiC Entity MIB Extensions	IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	SNMP - SONiC entity MIB extensions
	Syslog		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Syslog
	NTP		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	NTP
	DHCP Relay		IPv4: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	DHCP Relay
	DHCPv6 Relay		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	DHCPv6 Relay
	Sysdump		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Sysdump
	SONiC Image Upgrade		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	SONiC Image Upgrade
	Fast Reload		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Fast Reload
	Warm Reboot		Supported	Supported	Supported	Partial supported	Supported	Supported	Supported	Partial supported	Supported	Not supported	Supported	Supported	Supported	Not supported	Warm Reboot
	Platform Monitor		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Platform Monitor
	Thermal Monitor		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Thermal Monitor
	Sensor Transceiver Monitoring		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Sensor Transceiver Monitoring
	Logfiles		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Logfiles

Category	Feature Name	Sub Item	State	AS4630-54NPE (TD3.X3) (HX5)	AS4630-54PE/TE (TD3.X3) (HX5)	AS5812-54X (TD2+)	AS5835-54T (TD3.X5) (MV2)	AS5835-54X (TD3.X5) (MV2)	AS7326-56X (TD3.X7)	AS7712-32X (TH)	AS7726-32X (TD3.X7)	AS9516-32D (TF2)	AS9716-32D (TH3)	AS9726-32D (TD4)	AS9736-64D (TH4)	Wedge100 BF-32QS/32X/ 65X (TF)	Feature
	DNS Utility		Remote DNS Server Config IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	DNS Utils
	Reachability Tools		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Reachability Tools
	Open SSH/SCP/SFTP		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Open SSH/SCP/SFTP
	Critical Resource Monitoring (CRM)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Critical Resource Monitoring (CRM)
	Mgmt VRF		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Mgmt VRF
		In-band Mgmt VRF	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Mgmt VRF - In-band Mgmt VRF
	Incremental Config		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Incremental Config
	Mirroring (Everflow / SPAN / ERSPAN)		Source: IPv4: Supported IPv6: Supported Destination: IPv4: Supported IPv6: Not supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Mirroring (Everflow / SPAN / ERSPAN)
	Port Speed Setting		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Port Speed Setting
	DPB (Dynamic Port Breakout)		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	DPB (Dynamic Port Breakout)
	Telemetry		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Telemetry
	Management framework		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Management framework
	sFlow		IPv4: Supported IPv6: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported (Y2)	Supported	Supported	Supported	Supported (X2)	sFlow
	Configurable Drop Counter		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Configurable Drop Counter
	SSD Diagnostic Tooling		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	SSD Diagnostic Tooling
	MTU Setting		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	MTU Setting
	DOM Optics Data		Supported	Supported	Supported	Supported	Supported	Supported	Supported		Supported	Supported	Supported	Supported		Not Supported	DOM Optics Data
	NAT		IPv4: Supported IPv6: Not supported	Not supported	Not supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported (Y2)	Not supported	Not supported	Not Supported	Supported (X2)	NAT
	ZTP		IPv4: Supported IPv6: Not supported Out-of-band: Supported Inband: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	ZTP

Category	Feature Name	Sub Item	State	AS4630-54NPE (TD3.X3) (HX5)	AS4630-54PE/TE (TD3.X3) (HX5)	AS5812-54X (TD2+)	AS5835-54T (TD3.X5) (MV2)	AS5835-54X (TD3.X5) (MV2)	AS7326-56X (TD3.X7)	AS7712-32X (TH)	AS7726-32X (TD3.X7)	AS9516-32D (TF2)	AS9716-32D (TH3)	AS9726-32D (TD4)	AS9736-64D (TH4)	Wedge100 BF-32QS/32X/65X (TF)	Feature
	PIM Hot Swap		Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	PIM Hot Swap
	Container Warm Restart (BGP / TeamD / SWSS / SyncD)		BGP: Supported TeamD: Supported SWSS: Supported SyncD: Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported (SyncD not supported)	Supported	Supported (SyncD not supported)	Supported (SyncD not supported)	Supported (SyncD not supported)	Container Warm Restart (BGP / TeamD / SWSS / SyncD)
	TDR (Cable Diagnostic)		Supported	N/A	Supported	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	TDR (Cable Diagnostic)
	System Health		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported (32QS no support)	System Health
	Kubernetes		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Kubernetes
	PCIe Monitoring		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	PCIe Monitoring
	Dynamic Policy Based Hashing		Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Dynamic Policy Based Hashing
	PINS		Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	PINS
	Generic Update and Rollback		Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Partial Supported	Generic Update and Rollback
	DTel			Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Support	Not supported	Not supported	Not supported	Support
		Queue Report	Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Support	Not supported	Not supported	Not supported	Support
		Drop Report	Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Support	Not supported	Not supported	Not supported	Support
		Flow Report with Watchlist	Supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported	Support	Not supported	Not supported	Not supported	Support
		INT Endpoint / INT Transit	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	DTel - INT Endpoint / INT Transit
	SRv6		Preview	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Preview	Not Supported	Not Supported	Not Supported	
		SRv6 TE Policy	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	SRv6 TE Policy Traffic Engineering Policy
		SRv6 BE	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	SRv6 BE Best Effort

External Software Package

Some features can be obtained by installing software package into SONiC. Here is the list of the verified features which users can install into SONiC.

Category	Feature	Version	NOTE
System/ Management	collectd	collectd-core version collectd 5.12.0,git 'collectd-core' client side (installed on a sonic device version : 5.10.0-8-2-amd64) 'collectd-core' sever side(installed on a sonic device version : 5.10.0-8-2-amd64 / Ubuntu host :18.04.4 LTS)	A Ubuntu host is is used as collectd server to verify the functionality of 'collectd'. Ubuntu host version: Ubuntu 18.04.2 LTS

