

Asynchronous Activity 1 Evidence

KNIME Student Early Warning Tool and GitHub Submission

Student: Paolo Gorospe

Course and section: CS0065 - Intelligent Systems, AN43

Repository: SatoruAkaibara/Gorospe-Paolo-CS0065-AN43

Evidence order

1. Dataset and input configuration
2. Column selection and train/test partition
3. Decision Tree configuration and evaluation
4. Completed classifier workflow
5. Git Bash commands and successful results
6. GitHub repository verification

Screenshots are arranged in the order of the activity instructions.

Guide part-by-part evidence map

KNIME workflow evidence

Supporting evidence for Part 1 project preparation and the exported workflow.

Part 1 - Prepare the Project Folder

Dataset, workflow, README, and final DemoEarlyWarningTool folder.

Part 2 - Create README.md

README.md is included in the project folder and shown on GitHub.

Part 3 - Create the GitHub Repository

The public repository root is shown in the GitHub screenshot.

Part 4 - Open the Correct Folder in Git Bash

The repository path and file listing are shown in the command prompt evidence.

Part 5 - Configure Git Identity

The Git identity and repository branch are shown in the command prompt evidence.

Part 6 - Initialize and Commit the Project

The tracked files, commit, and clean status are shown in the command prompt evidence.

Part 7 - Connect the GitHub Repository

git remote -v is shown in the command prompt evidence.

Part 8 - Push the Project to GitHub

git push and its successful result are shown in the command prompt evidence.

Part 9 - Existing Files and Merge

The pull/merge procedure is listed for the non-fast-forward case.

Part 10 - Organize Files in the Project Folder

The GitHub DemoEarlyWarningTool folder is shown.

Part 11 - Update the Project Later

The final update commit and push are recorded.

Part 12 - Evidence PDF and MS Teams

The evidence file and final GitHub folder are shown.

Git commands and successful results


Parts 4-8: repository status, latest commit, remote URL, and push result

```
Command Prompt
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git status --untracked-files=no
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git log -1 --oneline
[main 078dcbf] Arrange evidence by guide parts
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git remote -v
origin  https://github.com/SatoruAkaibara/Gorospe-Paolo-CS0065-AN43.git (fetch)
origin  https://github.com/SatoruAkaibara/Gorospe-Paolo-CS0065-AN43.git (push)
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git push
Everything up-to-date
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>
```

Project files, commit, and successful push


Parts 6, 8, 11, and 12: required Demo files and final repository update



```
Command Prompt
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git ls-files DemoEarlyWarningTool
DemoEarlyWarningTool/DemoEarlyWarningTool.knwf
DemoEarlyWarningTool/Gorospe_Paolo_KNIME_GitHub_Evidence.pdf
DemoEarlyWarningTool/README.md
DemoEarlyWarningTool/student_performance_knime.csv
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git add DemoEarlyWarningTool/Gorospe_Paolo_KNIME
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git commit -m "Arrange evidence by guide parts"
[main 078dcbf] Arrange evidence by guide parts
1 file changed
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>git push origin main
To https://github.com/SatoruAkaibara/Gorospe-Paolo-CS0065-AN43.git
341d8c9..078dcbf  main -> main
C:\Users\paolo\Documents\Codex\2026-09-16\asynchronous-activity-1-submission-instructions-attached\work\repo>
```

Gorospe Paolo C

1.



student_performance_knime ☆ 📁 ☁

File Edit View Insert Format Data Tools Gemini Extensions Help

100% | \$ % .0 .00 123 | Default... | - 10 +

A1 fx student_id

	A	B	C	D	E	F
1	student_id	attendance	quiz_score	assignment_score	exam_score	risk_status
2	S001	95	90	92	88	Not At Risk
3	S002	88	84	86	82	Not At Risk
4	S003	76	72	75	70	Not At Risk
5	S004	62	58	60	55	At Risk
6	S005	55	48	52	50	At Risk
7	S006	91	87	89	85	Not At Risk
8	S007	68	65	61	60	At Risk
9	S008	82	78	80	76	Not At Risk
10	S009	47	50	45	48	At Risk
11	S010	73	69	72	68	Not At Risk
12	S011	85	81	79	83	Not At Risk
13	S012	59	55	57	52	At Risk
14	S013	79	74	77	73	Not At Risk
15	S014	66	62	64	58	At Risk
16	S015	93	92	90	91	Not At Risk
17	S016	71	67	69	65	At Risk
18	S017	87	83	85	80	Not At Risk
19	S018	52	46	49	44	At Risk
20	S019	74	71	73	69	Not At Risk
21	S020	64	59	62	56	At Risk
22	S021	89	86	88	84	Not At Risk
23	S022	57	53	55	49	At Risk
24	S023	81	76	78	75	Not At Risk
25	S024	69	64	66	61	At Risk
26	S025	96	94	93	95	Not At Risk
27	S026	61	57	59	54	At Risk
28	S027	78	73	76	72	Not At Risk
29	S028	49	44	47	42	At Risk
30	S029	84	80	82	79	Not At Risk
31	S030	72	66	68	63	At Risk

2.

KNIME workflow evidence - supporting Part 1: CSV Reader configured for the dataset.

CSV Reader

File

Mode

FileFiles in folders

Source

C:\Users\paolo\Downloads\student_performance_knim...

File Format

Skip first lines of file

0

Comment line character

#

Row delimiter

Line breakCustom

Column delimiter

.

Quoted strings contain no row delimiters

Quote character

"

Quote escape character

"

Autodetect format

Data Area

First row contains column names

Skip first data rows

0

Discard

Apply

Apply and Execute

Column Filter

Table Partitioner

Decision Table

84%

1: File Table

Flow Variables

Rows: 30 | Columns: 6 | Sorting | Filter

Table | Statistics

Search

#	ROWID	student_id	attendance	quiz_score	assignment_s...	exam_score	risk_status
		String	Number (Integer)	Number (Integer)	Number (Integer)	Number (Integer)	String
1	Row0	S001	95	90	92	88	Not At Risk
2	Row1	S002	88	84	86	82	Not At Risk
3	Row2	S003	76	72	75	70	Not At Risk
4	Row3	S004	62	58	60	55	At Risk
5	Row4	S005	55	48	52	50	At Risk
6	Row5	S006	91	87	89	85	Not At Risk
7	Row6	S007	68	65	61	60	At Risk
8	Row7	S008	82	78	80	76	Not At Risk
9	Row8	S009	47	50	45	48	At Risk
10	Row9	S010	73	69	72	68	Not At Risk
11	Row10	S011	85	81	79	83	Not At Risk
12	Row11	S012	59	55	57	52	At Risk
13	Row12	S013	79	74	77	73	Not At Risk

Screenshot page 2 of 11

3.

CSV Reader

Column Filter

Add comment

Table Partitioner

Decision Learner

1: Filtered table

Flow Variables

Column Filter

×

Column filter

Manual Pattern Type

Search

Excludes

student_id

Includes

attendance

quiz_score

assignment_score

exam_score

risk_status

Any unknown column

Discard

Apply

Apply and Execute

Screenshot page 3 of 11

4.

CSV Reader

Column Filter

Table Partitioner

Decision Learner

Table Partitioner

First partition type

Relative (%) Absolute

Relative size

70

Sampling strategy

Random Stratified Linear First rows

Group column

risk_status

☒ Fixed random seed

42

If input table is empty

Fail Output empty table(s)


Discard

Apply

Apply and Execute

Screenshot page 4 of 11

5.




Column Filter

Table Partitioner

Decision Tree Learner

Decision Tree Predictor



84%

Decision Tree Learner

Class column

risk_status

Quality measure

Gini index Gain ratio

Pruning method

No pruning MDL

☒ Reduced error pruning

Minimum number of records per node

2

Number of records to store for view

10000

☒ Average split point

Number threads

12

☒ Skip nominal columns without domain information

☐ Force root split column

☐ Binary nominal splits

PMML Settings

No true child strategy

Return null prediction Return last prediction

Missing value strategy

Last prediction None

Discard Apply Apply and Execute

6.

```
graph LR; Input(( )) --> CF[Column Filter]; CF --> TP[Table Partitioner]; TP --> DTL[Decision Tree Learner]; TP --> DTP[Decision Tree Predictor]; DTL --> DTP;
```

Decision Tree Predictor

Number of patterns for hiliting

10000

☐ Custom prediction column name

☐ Append columns with normalized class distribution

-

84% ▾

+

Discard

Apply

Apply and Execute

7.

Workflow diagram showing a Data Table Partitioner connected to a Decision Tree Learner and a Decision Tree Predictor. The Decision Tree Predictor is connected to a Scorer node. A preview window shows a scatter plot with a blue box.

Scorer

First column

T risk_status

Second column

T Prediction (risk_status)

Sorting strategy

Insertion order

Reverse order

Use name prefix

Missing values

Ignore

Fail

Discard

Apply

Apply and Execute

► 1: Confusion matrix

► 2: Accuracy statistics

☑ Flow Variables

Rows: 2 | Columns: 2

⬆ Sorting

⌵ Filter

Table

Statistics

🔍 Search

⌵

☐	#	RowID	Not At Risk	At Risk
			Number (Integer)	Number (Integer)
☐	1	Not A...	5	0
☐	2	At Risk	0	4

8.

Decision Tree Learner

Decision Tree Predictor

Scorer

Scorable Partitioner

Scorer

First column

Second column

Sorting strategy

Missing values

1: Confusion matrix

2: Accuracy statistics

Flow Variables

Rows: 3 | Columns: 11

Sorting

Filter

Table


Statistics

Search


#	RowID	TruePositiv...	FalsePositi...	TrueNegati...	FalseNegati...	Recall	Precision	Sensitivity
		Number (Inte...	Number (Inte...	Number (Inte...	Number (Inte...	Number (Float)	Number (Float)	Number (Float)
1	Not A...	5	0	4	0	1	1	1
2	At Risk	4	0	5	0	1	1	1
3	Overall							

9.


KNIME workflow evidence - supporting Part 1: completed classifier workflow and evaluation output.



Part 3: GitHub repository created and visible online.



11.



12.

Parts 10 and 12: GitHub DemoEarlyWarningTool folder showing the required project files.

