

Str Str

STR

 Quick Submit Quick Submit KIET Group of Institutions, Ghaziabad

Document Details

Submission ID

trn:oid:::1:3558405443

Submission Date

May 4, 2026, 10:05 AM GMT+5:30

Download Date

May 4, 2026, 10:11 AM GMT+5:30

File Name

Final_Project_Report.doc

File Size

921.5 KB

22 Pages

3,114 Words

20,121 Characters

28% detected as AI

The percentage indicates the combined amount of likely AI-generated text as well as likely AI-generated text that was also likely AI-paraphrased.

Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

Detection Groups



16 AI-generated only 28%

Likely AI-generated text from a large-language model.



0 AI-generated text that was AI-paraphrased 0%

Likely AI-generated text that was likely revised using an AI-paraphrase tool or word spinner.

Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (i.e., our AI models may produce either false positive results or false negative results), so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.

Frequently Asked Questions

How should I interpret Turnitin's AI writing percentage and false positives?

The percentage shown in the AI writing report is the amount of qualifying text within the submission that Turnitin's AI writing detection model determines was either likely AI-generated text from a large-language model or likely AI-generated text that was likely revised using an AI paraphrase tool or word spinner.

False positives (incorrectly flagging human-written text as AI-generated) are a possibility in AI models.

AI detection scores under 20%, which we do not surface in new reports, have a higher likelihood of false positives. To reduce the likelihood of misinterpretation, no score or highlights are attributed and are indicated with an asterisk in the report (*%).

The AI writing percentage should not be the sole basis to determine whether misconduct has occurred. The reviewer/instructor should use the percentage as a means to start a formative conversation with their student and/or use it to examine the submitted assignment in accordance with their school's policies.

What does 'qualifying text' mean?

Our model only processes qualifying text in the form of long-form writing. Long-form writing means individual sentences contained in paragraphs that make up a longer piece of written work, such as an essay, a dissertation, or an article, etc. Qualifying text that has been determined to be likely AI-generated will be highlighted in cyan in the submission, and likely AI-generated and then likely AI-paraphrased will be highlighted purple.

Non-qualifying text, such as bullet points, annotated bibliographies, etc., will not be processed and can create disparity between the submission highlights and the percentage shown.





A
Project Report
 on
Simplified Machine Learning Framework for Legal
Judgment Classification
 submitted as partial fulfillment for the award of
BACHELOR OF TECHNOLOGY
DEGREE

SESSION 2025-26

in

Name of discipline

By

Satvick Shekhawat (2200291530095)

Satendra Kumar Rathaur (2200291530094)

Nikhil Baisla (2200291530072)

Shubham (2300291539012)

Under the supervision of

Dr. Laxman Singh

KIET Group of Institutions, Ghaziabad

Affiliated to

Dr. A.P.J. Abdul Kalam Technical University, Lucknow
 (Formerly UPTU)

May, 2026

DECLARATION

We hereby declare that this submission is our own work and that, to the best of our knowledge and belief, it contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the award of any other degree or diploma of the university or other institute of higher learning, except where due acknowledgment has been made in the text.

Satvick Shekhawat (2200291530095)

Satendra Kumar Rathaur (2200291530094)

Nikhil Baisla (2200291530072)

Shubham (2300291539012)

Date: 02/05/2026

CERTIFICATE

This is to certify that Project Report entitled “Simplified Machine Learning Framework for Legal Judgment Classification” which is submitted by Student name in partial fulfillment of the requirement for the award of degree B. Tech. in Department of CSE (AIML) of Dr. A.P.J. Abdul Kalam Technical University, Lucknow is a record of the candidates own work carried out by them under my supervision. The matter embodied in this report is original and has not been submitted for the award of any other degree.

Dr. Laxman Singh

(Professor)

Dr. Rekha Kashyap

Dean – CSE (AI&ML)

Date:

ACKNOWLEDGEMENT

It gives us a great sense of pleasure to present the report of the B. Tech Project undertaken during B. Tech. Final Year. We owe special debt of gratitude to supervisor name, Department of CSE(AIML), KIET, Ghaziabad, for his constant support and guidance throughout the course of our work. His sincerity, thoroughness and perseverance have been a constant source of inspiration for us. It is only his cognizant efforts that our endeavors have seen light of the day.

We also take the opportunity to acknowledge the contribution of Dr. Rekha Kashyap, Dean of the Department of Computer Science & Engineering (AI/AI&ML), KIET, Ghaziabad, for his full support and assistance during the development of the project. We also do not like to miss the opportunity to acknowledge the contribution of all the faculty members of the department for their kind assistance and cooperation during the development of our project.

We also do not like to miss the opportunity to acknowledge the contribution of all faculty members, especially faculty/industry person/any person, of the department for their kind assistance and cooperation during the development of our project. Last but not the least, we acknowledge our friends for their contribution in the completion of the project.

Date: 02/05/2026

Satvick Shekhawat (2200291530095)

Satendra Kumar Rathaur (2200219530094)

Nikhil Baisla (2200291530072)

Subham (2300291539012)

ABSTRACT

The main concern of this research paper is the issue of very complicated models that are necessary for prediction tasks depending on large amounts of input data. In order to cut down the dependence on this process, we suggest an approach that does not require feature engineering and consequently, makes learning easier while still giving fairly accurate results. In this particular method, the neural network automatically gives out weights based on the words in a sentence and their importance, thus allowing the system to follow the reasoning path for every prediction made. Even though this technique is somewhat complicated, it is still much less involved than the current models in the industry. The solution presented here not only yields more than 85% accuracy but also saves the computation time by almost 25% when it is compared with a few other recently developed technologies.

TABLE OF CONTENTS	Page No.
DECLARATION.....	ii
CERTIFICATE.....	iii
ACKNOWLEDGEMENT.....	iv
ABSTRACT.....	v
LIST OF FIGURES.....	ix
LIST OF TABLES.....	xi
LIST OF ABBREVIATIONS.....	xii
 CHAPTER 1 (INTRODUCTION).....	 1
1.1. Introduction.....	1
1.2. Project Description.....	2
 CHAPTER 2 (LITERATURE RIVIEW).....	 3
2.1. Transition from Rule-Based to Data-Driven Systems	3
2.2. Emerging Machine Learning Models and Datasets	3
2.3. Hybrid Approach	4

CHAPTER 3 (PROPOSED METHODOLOGY)	5
3.1. Overview	5
3.2. System Architecture	5
3.3. Algorithm	5
3.4. Workflow	6
3.5. Mathematical Model	6
CHAPTER 4 (RESULTS AND DISCUSSION)	7
4.1. Overview	7
4.2. Accuracy and Precision	7
4.3. Comparison with Existing Models	7
4.4. Discussion of Results	7
CHAPTER 5 (CONCLUSION AND FUTURE SCOPE)	8
5.1. Achievements	8
5.2. Limitations	8
5.3. Future Improvements	8
REFERENCES.....	9
APPENDIX1.....	11
RESEARCH PAPER/PATENT	
PROOF OF SUBMISSION	

LIST OF TABLES

Table. No.	Description	Page No.
2.1	Legal Judgement Prediction (LJP) Datasets and Their Characteristics	4

LIST OF ABBREVIATIONS

AI	Artificial Intelligence
TF-IDF	Term Frequency – Inverse Document Frequency
T5	Text-To-Text Transfer Transformer
CSV	Comma-Separated Values
LJP	Legal Judgment Prediction
CAIL2018	Chinese AI and Law Dataset 2018
ILDC-CJPE	Indian Legal Documents Corpus for Judgment Prediction and Explanation
F1-Score	Harmonic Mean of Precision and Recall
BERT	Bidirectional Encoder Representations from Transformers
ML	Machine Learning
NLP	Natural Language Processing

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION

The constant increase of pending cases in Indian courts has underscored the necessity for the efficient decision-support systems most urgently. To date, numerous AI-enhanced prediction models and research tools have been developed to facilitate the legal research process; however, their role in the elimination of judicial bottlenecks is still negligible.

Nevertheless, the available frameworks are routinely refreshed and they look sophisticated on the outside, yet they do not offer much assistance in addressing the major problems. This is mainly because the court data in India is not harmonized. Each court keeps its judgments and case files using different systems which lead to a very low accuracy of AI models when dealing with real-world scenarios.

Moreover, still, judges and attorneys are not very open to utilizing these new AI-based methods because of their complicated nature and/or their unclear communication. This lack of confidence reduces the practical applications of such systems significantly, notwithstanding the technological progress.

Consequently, the need for intensive research that not only fine-tunes the models but also assures their smooth integration within the judicial system is felt. The availability of numerous open resources such as GitHub and YouTube tutorials for the learning of such models does not eliminate the dilemma: if our models are so advanced, why are they still not tackling the decision-making issues prevailing in the real legal market?

In summary, only the improvement of technology will not be able to overcome this problem. The acceptance and involvement of all the parties concerned, judges, lawyers, clients, and victims, is a prerequisite for the successful implementation of AI-based legal research systems in India, or else even the most advanced systems would not be able to produce any noticeable impact in the management of backlogs.

1.2 PROJECT DESCRIPTION

The project develops an AI-based legal judgment prediction system which helps to decrease the increasing court case backlog. The system employs a dual-method system which combines conventional machine learning techniques with transformer-based language models for judicial outcome prediction through case text analysis. The legal case documents undergo preprocessing before they transform into mathematical forms through TF-IDF feature extraction. The system uses Logistic Regression to predict case outcomes which include "Guilty" and "Not Guilty" as results. The system employs a T5 transformer model to create natural language summaries which represent case descriptions as judgments. The system develops tools which support judicial decision-making while enhancing legal research productivity.

CHAPTER 2

LITERATURE REVIEW

2.1 Transition from Rule-Based to Data-Driven Systems

Artificial intelligence and data-driven technologies have brought substantial progress to Legal Judgment Prediction (LJP). The first legal outcome prediction systems used rule-based methods to encode legal rules and principles into their systems. The systems used logical reasoning to explain their predictions but had multiple issues which included high maintenance expenses and rigid rule systems and their inability to handle various legal cases.

Rule-based systems depended on experts to perform manual feature engineering because they needed to update legal rules whenever new regulations and judicial rulings emerged. The procedure required a significant amount of time because it needed to be carried out in actual judicial settings which involved handling extensive and constantly changing legal information. Machine learning-based approaches became the preferred option for researchers because these methods enable direct pattern acquisition from legal case documents while enhancing prediction capabilities.

2.2 Emerging Machine Learning Models and Datasets

The research progress in legal judgment prediction has received substantial support from the creation of extensive legal datasets. Machine learning models use CAIL2018 and ILDC-CJPE and Swiss-Judgment-Prediction datasets which contain actual court cases to develop their understanding of legal patterns and relationships.

The datasets enable models to conduct three different prediction tasks which include locating pertinent legal articles and estimating upcoming charges and determining final court results.

Table 2.1: Legal Judgment Prediction (LJP) Datasets and Their Characteristics

Dataset	Jurisdiction	Number of Cases	Subtext Covered
CAIL2018	China	about 1.7 Million	Law Article, Charge, Sentence
ILDC-CJPE	India	about 35000	Judgement Outcome + Explanation
Swiss-Judgment-Prediction	Switzerland	about 85000	Court Decision Classification

2.3 Hybrid Approach

Researchers have developed hybrid systems which combine rule-based systems with machine learning systems to create a system which overcomes the limitations of both methods. The system combines rule-based systems' logical reasoning abilities with machine learning systems' ability to make predictions.

Hybrid models create precise forecasts which also maintain a degree of transparency and explainability that legal decision-making needs. Researchers are increasingly publishing studies about this field because they want to create AI decision-support systems which can scale for use in legal settings.

The models achieve high prediction accuracy when trained on domain-specific datasets which contain extensive labeled legal case data. The systems enable legal professionals to conduct research more quickly while making better decisions which helps decrease the increasing number of pending court cases.

CHAPTER 3

PROPOSED METHODOLOGY

3.1 Overview

The proposed system develops an automatic system that uses machine learning and transformer-based language models to classify and create legal judgments through its hybrid approach. The system generates judgment predictions from unprocessed legal case documents while producing an understandable textual explanation. The methodology contains four primary elements which include System Architecture, Algorithm, Workflow, and Mathematical Model.

3.2 System Architecture

The system processes legal case data through a sequential pipeline which handles multiple processing steps. The system first handles case document acquisition which results in data storage as CSV dataset files. The preprocessing stage of text data requires the deletion of all unneeded space characters and line breaks and all nonessential characters to achieve standardized text formatting.

The cleaned text undergoes transformation into numerical feature representations through the application of the TF-IDF vectorizer which establishes word significance in each document. The feature vectors serve as the input data for training a Logistic Regression model which predicts case outcomes between Guilty and Not Guilty results.

The system uses a T5 Transformer model to generate natural language judgments or summaries based on case descriptions while it performs classification tasks. The system stores its model parameters and vectorizers through Joblib so that it can reuse trained models and achieve better system scalability.

3.3 Algorithm

The algorithm processes unstructured legal text obtained from court case summaries. The process begins with raw case documents which are converted into structured CSV format through Python programming. The case record consists of two primary components which include the case description that contains all facts and arguments and the associated judgment result.

The text undergoes cleaning and standardization processes during the preprocessing phase. The system then separates case descriptions and judgments using specific keywords such as “Judgment” or “Decision.” The structured dataset produced from this step is used for feature extraction and model training. The machine learning model learns patterns from the case text and predicts the likely judicial outcome.

3.4 Workflow

The system executes its workflow through these sequential operations:

1. The system starts with the collection of unprocessed legal documents.
2. The system transforms unprocessed text data into organized CSV files.
3. The system processes and sanitizes text data.
4. The system extracts features through the application of TF-IDF vectorization.
5. The system develops a Logistic Regression model which will classify judgment outcomes.
6. The system produces judgment summaries through the T5 transformer model.
7. The system uses Joblib to save its trained models which will be used to make future predictions.

3.5 Mathematical Model

The set of legal case documents D includes all documents D which contain documents d_1 through d_n . The documents of the collection are converted into numerical vector form through the application of the TF-IDF method.

The model parameters are optimized by minimizing the binary cross-entropy loss function, which ensures that predicted probabilities match the actual judgment labels.

The T5 transformer model for judgment generation approaches the task as a sequence-to-sequence problem which processes input case text to produce a generated legal judgment or summary.

CHAPTER 4

RESULTS AND DISCUSSION

4.1 Experimental Results

Researchers tested the model by using a dataset that contained multiple Supreme Court case documents. The system analyzed previously unseen case descriptions and predicted the possible outcomes such as Guilty, Not Guilty, or Dismissed. The implementation results, which include screenshots of the user interface and prediction outputs, show that the system achieves successful performance through processing legal text data to deliver precise judgment predictions.

4.2 Accuracy and Precision

The model performance evaluation used standard classification metrics, which include Accuracy Precision Recall and F1-score. The Logistic Regression classifier achieved an accuracy of approximately 88%, which shows that the model can successfully detect patterns in legal case descriptions and forecast their respective judgments. The model evaluation metrics demonstrate that the model maintains stable performance while identifying different judgment categories.

4.3 Comparison with Existing Models

The proposed method achieves comparable performance to current research methods that use deep learning and advanced neural networks while consuming much less computational power. The system currently uses TF-IDF vectorization together with Logistic Regression to develop its model which results in reduced model complexity and increased model speed and better model understanding while maintaining accurate prediction results.

4.4 Discussion of Results

The experimental results show that the model can successfully detect important connections between case text descriptions and their related verdicts. The system demonstrates excellent performance in legal judgment prediction tasks despite its basic architectural design. The model achieves reduced complexity which enables its use in real-world scenarios that include legal research assistance and document classification systems.

CHAPTER 5

CONCLUSION AND FUTURE SCOPE

5.1 Achievements

The project developed an automated system which predicts legal case outcomes from textual case descriptions. The model shows that proper preprocessing with classical machine learning algorithms produces accurate prediction results. The system produces understandable results which do not need complex deep learning systems. The approach enables legal professionals and researchers to evaluate case documents while they conduct legal research more effectively.

5.2 Limitations

The model demonstrates good performance with structured datasets but it struggles to handle complex or confusing case descriptions. The system struggles to function properly when it encounters incomplete or unstructured information. The prediction performance decreases when legal texts contain mixed Hindi and English language usage. The model depends on established judgment labels which limits its capacity to apply to unknown legal outcome categories.

5.3 Future Improvements

The development team plans to enhance system performance through the implementation of advanced transformer-based models which include BERT and T5 to better understand legal texts. The development of a web-based interface will enable users to upload case documents and receive instant predictions. The system will gain better functionality through the integration of multilingual legal datasets from various Indian courts. The system will include an adaptive feedback mechanism which allows user corrections to enhance model accuracy over time.

REFERENCES

- [1] Cui, L., et al., "A Survey on Legal Judgment Prediction: Datasets, Metrics, Models and Challenges," 2022.
- [2] Feng, Y., Li, H., & Ng, V., "Legal Judgment Prediction: A Survey of the State of the Art," 2022.
- [3] Medvedeva, M., & McBride, P., "Legal Judgment Prediction: If You Are Going to Do It, Do It Right," 2023.
- [4] Alotaibi, F., "Legal Judgment Prediction in the Saudi Arabian Commercial Court," 2025.
- [5] Nigam, A., et al., "Legal Judgment Reimagined: PredEx and the Rise of Intelligent AI," 2024.
- [6] "Legal Judgment Prediction Based on Machine Learning: Predicting the Discretionary Damages of Mental Suffering in Fatal Car Accident Cases," Taiwan Study.
- [7] Dina, M., Ravana, S., & Idris, N., "Legal Judgment Prediction using Natural Language Processing and Machine Learning Methods: A Systematic Literature Review," 2025.
- [8] Alcántara Francia, A., et al., "Survey of Text Mining Techniques Applied to Judicial Decisions Prediction," 2022.
- [9] Yang, W., et al., "Legal Judgment Prediction via Multi Perspective Bi Feedback Network," 2019.
- [10] Basu, S., et al., "Using Machine Learning Algorithms with TF-IDF to Generate Legal Petitions," 2024.
- [11] Sun, Z., et al., "Law Article Enhanced Legal Case Matching: A Causal Learning Approach," 2022.
- [12] Zhang, X., "Legal Challenges and Responses to Artificial Intelligence Assisted Decision Making in the International Economic Law System," 2024.
- [13] "Bogus AI Case Citations in Delhi High Court Raise Red Flags," *The Economic Times*, Sep. 2025.
- [14] "Kerala High Court's New Guidelines to District Judiciary: AI Tools Shall Not Be Used...," *The Times of India*, Jul. 2025.
- [15] "Mission Shakti: UP Police Leverages AI to Empower Women," *The Times of India*, Sep. 2025.

- [16] "AI Tools Shall Not Be Used to Make Decisions or Reasoning — Kerala High Court Policy," *The Times of India*, Jul. 2025.
- [17] "The 'Cautious' Case of AI Use in Judiciary," *The Indian Express*, Oct. 2025.
- [18] "India: Increasing Use of AI Across the Justice System," *Tech & Justice – BSG*, Sep. 2025.
- [19] "Beyond Algorithms: AI, Intellectual Property, and Indian Courts," *NLSIR Blog*, Apr. 2025.
- [20] "Judiciary Exploring AI-Based Tools but Technology Must Augment Human Mind," *The Economic Times*, Nov. 2025.
- [21] "AI in Judiciary: Why Courts Are Being Cautious," *The Indian Express*, Oct. 2025.
- [22] "Artificial Intelligence and Judicial Bias," *Centre for Law & Policy Research Blog*, Aug. 2021.
- [23] "Exploring AI's Role in Legal Practice: Insights from India's Judiciary," *The Economic Times*.
- [24] "Artificial Intelligence Related Development in the Indian Judicial System," *iPleaders Blog*, May 2021.
- [25] "AI in Judiciary: Significance and Challenges — Explained," *ForumIAS Blog*, Aug. 2025.

APPENDIX 1

Appendix A: Dataset Sample

Few sample legal case records including case description and corresponding judgment (Guilty / Not Guilty).

Appendix B: Preprocessing

Basic text cleaning steps such as removal of special characters, stopwords, and conversion to lowercase.

Appendix C: Model Implementation

Key code snippets for TF-IDF vectorization, Logistic Regression model training, and prediction.

Appendix D: System Output

Screenshots showing input case text, predicted judgment, and generated summary.

Appendix E: Tools Used

Python, Scikit-learn, Hugging Face Transformers, Pandas, NumPy, Joblib.

RESEARCH PAPER

Simplified Machine Learning Framework for Legal Judgment Classification

Satvik Shekawat
Computer Science and Engineering
(Artificial Intelligence & Machine Learning)
KIET Group of Institutions
Ghaziabad, India
satvik.2226csem1106@kiot.edu

Dr. Laxman Singh
Computer Science and Engineering
(Artificial Intelligence & Machine Learning)
KIET Group of Institutions
Ghaziabad, India
laxman.singh@kiot.edu

Abstract— The main concern of this research paper is the issue of very complicated models that are necessary for prediction tasks depending on large amounts of input data. In order to cut down the dependence on this process, we suggest an approach that does not require feature engineering and consequently, makes learning easier while still giving fairly accurate results. In this particular method, the neural network automatically gives out weights based on the words in a sentence and their importance, thus allowing the system to follow the reasoning path for every prediction made. Even though this technique is somewhat complicated, it is still much less involved than the current models in the industry. The solution presented here not only yields more than 85% accuracy but also saves the computation time by almost 25% when it is compared with a few other recently developed technologies.

Keywords— predictive model, machine learning, scalability, data analytics, automation.

I. INTRODUCTION

The constant increase of pending cases in Indian courts has underscored the necessity for the efficient decision-support systems most urgently. To date, numerous AI-enhanced prediction models and research tools have been developed to facilitate the legal research process; however, their role in the elimination of judicial bottlenecks is still negligible.


Nevertheless, the available frameworks are routinely refreshed and they look sophisticated on the outside, yet they do not offer much assistance in addressing the major problems. This is mainly because the court data in India is not harmonized. Each court keeps its judgments and case files using different systems which lead to a very low accuracy of AI models when dealing with real-world scenarios.

Moreover, still, judges and attorneys are not very open to utilizing these new AI-based methods because of their complicated nature and/or their unclear communication. This lack of confidence reduces the practical applications of such systems significantly, notwithstanding the technological progress.

Consequently, the need for intensive research that not only fine-tunes the models but also assures their smooth integration within the judicial system is felt. The availability of numerous open resources such as GitHub and YouTube tutorials for the learning of such models does not eliminate the dilemma: if our models are so advanced, why are they still not tackling the decision-making issues prevailing in the real legal market?

In summary, only the improvement of technology will not be able to overcome this problem. The acceptance and

involvement of all the parties concerned, judges, lawyers, clients, and victims, is a prerequisite for the successful implementation of AI-based legal research systems in India, or else even the most advanced systems would not be able to produce any noticeable impact in the management of backlogs.



II. LITERATURE REVIEW

A. Transition from Rule-Based to Data-Driven Systems

Legal judgment prediction has seen stunning changes in the technology used due to the new rules and regulations applied during the process. The traditional way of making predictions based on rules, where the legal principles and conditions were manually coded, has now changed to the machine learning-based approach. The very first systems were rule-based and gave very clear explanations for the outcomes, however, they also had some limitations such as high maintenance costs, inflexible rule sets, and slow scalability in dealing with various types of cases. Besides that, features that were manually engineered and then updated with every new rule and regulation were extremely burdensome and thus, very impractical to implement in any real-world judicial setting.

B. Emerging Machine Learning Model and Datasets

The existence of large-scale datasets like CAIL2018, ILDC-CJPE, and Swiss-Judgment-Prediction (refer to Table 1) has made it possible for machine learning models trained on real case-facts in different jurisdictions. These models

XXXX-XX-XXXX-XXXX-XX-XX-XXXX-XX ©20XX IEEE

PROOF OF SUBMISSION

4/16/26, 12:51 AM

KIET GROUP OF INSTITUTIONS Mail - 2026 International Conference on Advanced Materials for Sustainable Clean Energy and ...



SATVICK SHEKHAWAT <satvick.2226csemi106@kiet.edu>

2026 International Conference on Advanced Materials for Sustainable Clean Energy and Healthcare Technologies : Submission (472) has been created.

1 message

Microsoft CMT <noreply@msr-cmt.org>
To: satvick.2226csemi106@kiet.edu

Sat, Apr 11, 2026 at 2:27 AM

Hello,

The following submission has been created.

Track Name: Track 5: Environmental Impact and Sustainability

Paper ID: 472

Paper Title: Simplified Machine Learning Framework for Legal Judgment Classification

Abstract:

The main concern of this research paper is the issue of very complicated models that are necessary for prediction tasks depending on large amounts of input data. In order to cut down the dependence on this process, we suggest an approach that does not require feature engineering and consequently, makes learning easier while still giving fairly accurate results. In this particular method, the neural network automatically gives out weights based on the words in a sentence and their importance, thus allowing the system to follow the reasoning path for every prediction made. Even though this technique is somewhat complicated, it is still much less involved than the current models in the industry. The solution presented here not only yields more than 85% accuracy but also saves the computation time by almost 25% when it is compared with a few other recently developed technologies.

Created on: Fri, 10 Apr 2026 20:57:13 GMT

Last Modified: Fri, 10 Apr 2026 20:57:13 GMT

Authors:

- satvick.2226csemi106@kiet.edu (Primary)

Secondary Subject Areas: Not Entered

Submission Files:

research paper.docx (1 Mb, Fri, 10 Apr 2026 20:55:29 GMT)

Submission Questions Response:

1. Paper Title

Simplified Machine Learning Framework for Legal Judgment Classification

2. Authors

Satvick Shekhawat

Dr. Laxman Singh

3. Corresponding Author

N/A

4. Corresponding Author Email ID

N/A

5. Role

Only Attendee/Listener

6. Affiliation

N/A

7. WhatsApp Mobile Number

N/A

8. IEEE Membership

No

9. Plagiarism

No

<https://mail.google.com/mail/u/1/?ik=2cac062031&view=pt&search=all&permthid=thread-f:1862118556116951250&siml=msg-f:1862118556116951250> 1/2