

Capstone in Software Engineering: Beta Checkpoint

SENG 701 – Fall 2025

Project Title: Software Bill of Materials for Applications and Apps Management System

Under the guidance of

Prof. Mohammad Samarah & Prof. Melissa Sahl

Satwik Alla

MPS Software Engineering

University of Maryland Baltimore County

November 24, 2025.

Table of Contents

- 1) Project data
- 2) Abstract
- 3) Introduction
 - a. Purpose of project
 - b. Problem statement
 - c. Background of the problem
 - d. Background of sponsor organization
- 4) Product review of existing similar ideas
- 5) Detailed requirements – functional and non-functional
 - a. Functional requirement summary
 - b. User stories implemented (beta phase)
 - c. Non-functional requirements
 - d. Requirement engineering methods used
 - e. Data Sources, Management, and Collection Plan
- 6) Design, architecture and methodology
 - a. Software engineering methodology
 - b. System Architecture
 - c. Technology stack summary
 - d. High-level and low-level diagrams
- 7) Features implemented (beta checkpoint)
 - a. Alpha Features (Foundation)
 - b. Beta Features (Major Additions)
 - c. Alpha vs Beta Comparison
 - d. User stories implemented in beta checkpoint
- 8) Known problems, gaps, and resolution plan
 - a. Known issues summary
 - b. Difference in known problems between alpha and beta
 - c. Resolution plan
 - d. Beta quality assessment
- 9) Sponsor feedback
- 10) Result and discussion
- 11) Conclusion
- 12) Recommendations to the sponsor
- 13) Limitations of the current approach
- 14) Future work
- 15) References
- 16) Appendices

Project Data

Student Information

- 1) Student Name: Satwik Alla
- 2) Contact Phone Number: 410-905-4899
- 3) UMBC Email Address: satwika1@umbc.edu
- 4) Semester and Year of Capstone experience: Fall 2025
- 5) Expected graduation date: 17 December 2025

Capstone Course Information

- 1) Capstone faculty: Prof. Mohammad Samarah & Prof. Melissa Sahl
- 2) Capstone Advisor: Prof. Mohammad Samarah & Prof. Melissa Sahl

Sponsor Client Information

- 1) Client organization name: Ethical Software Lab
- 2) Client contact name: Dr. Mohammad Samarah
- 3) Client contact title: Director
- 4) Client contact number: 410-455-8038
- 5) Client contact email address: msamarah@umbc.edu

Project Information:

- 1) Project Title: Software Bill of Materials for Apps and Applications
- 2) Live Product Link: <https://sbom-manager.vercel.app>
- 3) GitHub Repository: https://github.com/Satwik-Dev/SENG701_CapStone_Project

Abstract

The SBOM Manager is a web-based application designed to automate the generation, management, and analysis of Software Bills of Materials (SBOMs) across multiple platforms including iOS, Android, macOS, Windows, and Linux. Built with FastAPI (Python) for the backend and React with TypeScript for the frontend, the system leverages Anchore Syft for component detection and Supabase for data management.

At the Beta checkpoint, the system has achieved 85% of planned functionality with all critical features implemented. Key capabilities include secure JWT-based authentication, automated SBOM generation in SPDX and CycloneDX formats, comprehensive component analysis, side-by-side application comparison with PDF export, and a responsive user interface with advanced search and filtering.

This Beta release represents significant progress from Alpha, including complete implementation of the comparison feature, enhanced UI/UX with improved dashboard statistics, password reset functionality, performance optimizations, and comprehensive error handling. The system demonstrates sufficient quality for limited production use, supporting multiple concurrent users with reliable SBOM generation across various application types

Introduction

1. Purpose of the Project

The SBOM Manager aims to provide comprehensive software supply chain transparency and security management through:

1. Automated SBOM Generation: Generate accurate SBOMs across multiple platforms without manual intervention
2. Centralized Management: Provide a single platform for storing and organizing SBOMs
3. Component Analysis: Enable detailed analysis of components, dependencies, and licenses
4. Comparison Capabilities: Facilitate version tracking and dependency change analysis
5. Standards Compliance: Support SPDX and CycloneDX industry-standard formats
6. Accessibility: Offer user-friendly web interface accessible from any device

2. Problem Statement

Modern software relies heavily on third-party libraries and dependencies, creating complex supply chains that are difficult to secure. Organizations face critical challenges:

1. Lack of Visibility: Without comprehensive component tracking, assessing security risks is nearly impossible
2. Manual Processes: Traditional documentation methods are time-consuming, error-prone, and quickly outdated
3. Multi-Platform Complexity: Different platforms require different tools and approaches
4. Vulnerability Management: Identifying affected applications when vulnerabilities are discovered is difficult
5. Compliance Requirements: Executive Order 14028 and industry standards mandate SBOM maintenance
6. Version Tracking: Understanding dependency changes across application versions is complex

The SBOM Manager addresses these challenges through automated, platform-agnostic SBOM generation with centralized management capabilities.

3. Background of the Problem

The importance of SBOMs has grown significantly due to:

1. SolarWinds Attack (2020): Demonstrated critical need for supply chain transparency
2. Executive Order 14028 (2021): Mandated SBOMs for software sold to federal agencies
3. Log4Shell Vulnerability (2021): Organizations with SBOMs quickly identified affected applications
4. Industry Standards: NTIA and CISA published SBOM guidelines establishing SPDX and CycloneDX standards

5. Open-Source Security: Most applications contain 80-90% open-source code requiring visibility

4. Background of Sponsor Organization

This project is undertaken as an academic capstone project at the University of Maryland, Baltimore County (UMBC) for the Master of Professional Studies in Software Engineering program. The project aligns with UMBC's mission to foster innovation in software engineering education and prepare students for real-world challenges in cybersecurity and software supply chain management.

The project addresses a genuine industry need identified through research of current SBOM practices and gaps in existing tooling. While developed in an academic context, the SBOM Manager is designed to meet professional standards and could potentially be deployed for real-world use, serving as both a learning vehicle and a practical contribution to the software security community.

Product Review of Existing Similar Ideas

Comparative Analysis:

Solution	Strengths	Limitations	Cost
Anchore Syft	Excellent accuracy, open-source, multi-format support	CLI only, no web UI, no centralized management	Free
GitHub Dependency Graph	Integrated with GitHub, automatic updates, vulnerability alerts	GitHub-only, no compiled app support	Free Paid
Snyk	Comprehensive scanning, CI/CD integration, good reporting	Expensive, vulnerability-focused not SBOM management	~\$500/mo
Black Duck	Enterprise-grade, comprehensive features, compliance tools	Very expensive, complex set-up, enterprise-only	~\$1000+/mo
SBOM Manager	Multi-platform, web UI, comparison features, accessible pricing	Beta stage, no vulnerability DB (yet)	~\$100/mo

Differentiation:

SBOM Manager combines Syft's accuracy with user-friendly web interface and centralized management, remaining accessible to organizations of all sizes without enterprise-level budgets.

Detailed Requirements – Functional and Non-Functional

1. Functional Requirements Summary

Authentication & Security

- User registration with email verification
- JWT-based secure login (15-min access tokens, 7-day refresh tokens)
- Password reset via email
- Role-based access control

SBOM Generation

- Multi-platform support (iOS, Android, macOS, Windows, Linux)
- Automated component detection via Syft
- Asynchronous processing with status tracking
- License detection and categorization

Application Management

- File upload with validation (max 50MB)
- Application listing with pagination
- Advanced search with autocomplete
- Filtering by platform, date, component count
- Delete with automatic cleanup

Component Analysis

- Detailed component information (name, version, type, license)
- Component statistics and distribution
- Search and filter within applications
- Export capabilities

Comparison Features

- Side-by-side application comparison
- Version difference detection
- Added/removed component identification
- License change detection
- Similarity calculation
- PDF report export

Export Capabilities

- SPDX 2.3 format

- CycloneDX 1.4 format
- PDF comparison reports
- Component list exports

2. User Stories Implemented (Beta Scope)

Complete User Story Table:

ID	User Story	Priority	Status	Implementation Details
1	As a new user, I want to create an account with email verification so that I can securely access the SBOM management system	High	Complete	Supabase Auth integration, email verification flow
2	As a registered user, I want to log in securely with JWT authentication so that my session remains protected	High	Complete	JWT tokens (15-min access, 7-day refresh), automatic refresh
3	As a user who forgot my password, I want to reset it via email so that I can regain access to my account	Medium	Complete	Resend email integration, secure token generation, 1-hour expiry
4	As a developer, I want to upload application files through a simple interface so that the system can automatically generate an SBOM	High	Complete	Drag-and-drop upload, validation, async processing
5	As a developer working across multiple platforms, I want to generate SBOMs for iOS, Android, Windows, macOS, and Linux applications	High	Complete	Syft integration supporting all major platforms
6	As a user, I want to view detailed information about my uploaded applications	High	Complete	Application detail page with metadata and statistics

	including component count and processing status			
7	As a security analyst, I want to view all components within an application including versions and licenses	High	Complete	Component table with search, filter, sort capabilities
8	As a user with many applications, I want to search and filter my applications so that I can quickly find specific ones	Medium	Complete	Autocomplete search, multi-criteria filtering
9	As a developer, I want to compare two versions of my application side-by-side	High	Complete	Full comparison engine with difference detection
10	As a security analyst, I want the system to highlight version differences between components	High	Complete	Automated difference categorization (added/removed/changed)
11	As a compliance officer, I want to export SBOMs in SPDX and CycloneDX formats	High	Complete	Both formats supported with proper schema compliance
12	As a manager, I want to see a dashboard with graphical statistics to help me visualize content	Medium	Incomplete	Enhanced dashboard with stats cards, graphical representation based on different categories
13	As a legal counsel, I want to view license information for all components	High	Complete	License display with SPDX identifiers
14	As a project manager, I want to export comparison results as PDF reports	Medium	Complete	Professional PDF reports with jsPDF library
15	As a user, I want to delete applications I no longer need	High	Complete	Delete with confirmation, automatic cleanup

Additional User Stories (Planned for Final):

ID	User Story	Priority	Status	Target
16	As a security analyst, I want to see vulnerability information for components	Medium	Planned	Final Release
17	As a power user, I want to perform bulk operations on multiple applications	Low	Planned	Final Release
18	As a user, I want real-time updates on SBOM generation progress	Low	Planned	Final Release
19	As a developer, I want to search for applications containing specific components	Low	Planned	Final Release
20	As a user, I want to quantitatively check stats of all my applications based on different attributes	High	Planned	Final Release

3. Non-Functional Requirements

Performance:

- API response times < 200ms for standard operations
- SBOM generation: 1-5 minutes for typical applications
- Database queries < 100ms with proper indexing
- Frontend initial load < 2 seconds
- Page transitions < 500ms

Scalability:

- Support 10 concurrent users per backend instance
- Handle applications up to 50MB
- Database designed to scale to 1,000+ components
- Pagination for large datasets

Security:

- HTTPS/TLS 1.3 for all communications
- Passwords hashed with bcrypt
- JWT token expiration and refresh
- Row-level security in database
- Input validation on all endpoints

- SQL injection prevention

Usability:

- Intuitive interface requiring minimal training
- Responsive design (mobile, tablet, desktop)
- Clear error messages with guidance
- Comprehensive documentation
- Accessibility features

Maintainability:

- Modular architecture
- Comprehensive code documentation
- RESTful API design
- Version control with semantic commits
- Automated deployment pipeline

4. Requirements Engineering Methods Used

The SBOM Manager requirements were developed through systematic analysis combining multiple methodologies:

- Stakeholder Analysis: Identified key user groups (developers, security analysts, compliance officers, managers, legal counsel) and analyzed their distinct needs. Conducted thorough research on educational resources and reviewed security forum discussions to understand pain points in existing SBOM workflows.
- User Story Mapping: Created 15 comprehensive user stories following standard format ("As a [user type], I want [capability], so that [benefit]"). Prioritized using high, medium and low levels to focus on critical features first.
- Competitive Analysis: Analyzed existing solutions (Syft CLI, GitHub Dependency Graph, Snyk, Black Duck) to identify market gaps. Focused on accessibility, user experience, and cost-effectiveness as primary differentiators.
- Regulatory Review: Studied Executive Order 14028 and NTIA's "Minimum Elements for a Software Bill of Materials" to ensure compliance with government and industry requirements. Validated support for mandated SBOM formats (SPDX 2.3, CycloneDX 1.4).
- Prototyping and Validation: Developed low-fidelity wireframes during proposal phase and high-fidelity prototypes during Alpha. Gathered peer feedback to refine requirements for Beta implementation.
- Iterative Refinement: Continuously adjusted requirements based on technical feasibility and implementation challenges. Deferred complex features (vulnerability integration) to maintain schedule while focusing on core SBOM management capabilities.

- Standards Compliance Review: Ensured alignment with SPDX and CycloneDX specifications for interoperability. Validated SBOM output against official schema validators to guarantee standards compliance.

5. Data Sources, Management, and Collection Plan

Data Sources:

- Application Files: User-uploaded binaries (APK, IPA, EXE, APP, ELF) ranging from 1-50MB
- Syft Analysis Output: JSON-formatted component data including package names, versions, types (npm, pypi, maven, etc.), licenses (SPDX identifiers), CPEs, and PURLs
- User Input: Application metadata (names, descriptions, platform selection), account information (email, password hash), preferences
- System Generated: Timestamps, processing status, comparison results, audit logs, error logs

Database Architecture:

PostgreSQL database via Supabase with normalized schema:

- Users: Authentication (user_id, email, password_hash, email_verified, created_at)
- Applications: Metadata (app_id, user_id, name, platform, version, file_size, component_count, processing_status)
- Components: Catalog (component_id, name, version, type, license, cpe, purl) with unique constraint on (name, version, type)
- Application_components: Many-to-many junction table linking applications to components.

Storage Management:

Supabase Storage for uploaded files with:

- 50MB per-file limit enforced
- Automatic cleanup of failed uploads after 24 hours
- Preassigned URLs with expiration for secure file access
- Organization by user_id and application_id

Design, Architecture and Methodology

1. Software Engineering Methodology

Agile Iterative Development

- Three major iterations: Proposal → Alpha → Beta
- Each iteration building upon previous work
- Regular commits to GitHub (50+ commits)
- Continuous integration with automated deployments

User-Centered Design

- Requirements prioritized based on user needs
- User stories guiding implementation
- Iterative UI/UX refinement based on testing

Modular Architecture

- Clear separation of concerns
- Independent frontend/backend development
- Service layer isolating business logic
- Component-based UI architecture

2. System Architecture

Three-Tier Architecture:

Frontend (Presentation Tier)

- Technology: React + TypeScript
- Build Tool: Vite
- Styling: Tailwind CSS
- Routing: React Router
- Structure:
 1. 10 pages (Login, Register, Password Reset, Dashboard, Upload, Applications, Detail, Compare, About, Contact)
 2. Reusable components (Button, Input, Spinner, SearchAutocomplete)
 3. Service layer for API calls
 4. Custom hooks (useAuth, useDebounce)
 5. TypeScript types for safety

Backend (Business Logic Tier)

- Framework: FastAPI

- Runtime: Python
- Server: Uvicorn
- Structure:
 1. API Layer: RESTful endpoints (/api/v1/*)
 2. Service Layer: Business logic (auth, sbom, syft, storage, comparison, password_reset, contact)
 3. Models Layer: Pydantic validation
 4. Core Layer: Config, security, database

Data (Persistence Tier)

- Database: Supabase PostgreSQL
- Storage: Supabase Storage (for uploaded files)
- Auth: Supabase Auth (JWT tokens)
- Security: Row-Level Security (RLS) policies

Key Integrations:

- Frontend ↔ Backend: REST API
- Backend ↔ Database: Supabase Python client
- Backend ↔ Syft: Subprocess calls for SBOM generation
- Backend ↔ Resend: Email API for notifications

3. Technology Stack Summary

Backend Dependencies (26 core packages):

- fastapi, uvicorn, pydantic, starlette
- python-jose, bcrypt, passlib (authentication)
- supabase, postgrest, storage3, gotrue (database)
- httpx, requests (HTTP clients)
- resend, email-validator (email)
- python-dotenv, click, PyYAML (utilities)

Frontend Dependencies (16 core packages):

- react, react-dom, @types/react
- vite, @vitejs/plugin-react
- react-router-dom (routing)
- zustand, @tanstack/react-query (state)
- react-hook-form, zod (forms)
- axios (HTTP)
- tailwindcss, lucide-react (UI)


- @supabase/supabase-js
- jspdf, jspdf-autotable (PDF)
- react-hot-toast (notifications)

External Tools:

- Anchore Syft (SBOM generation)
- Vercel (frontend hosting)
- Render (backend hosting)
- Supabase (database + storage + auth)
- Resend (email service)


4. High-Level and Low-Level Diagram

High-Level Diagram




Three-Tier System Architecture showing Frontend, Backend, and Data layers with external integrations

Low-Level Diagram



Database Entity-Relationship Diagram with normalized schema and relationship cardinalities

SBOM Generation - Data Flow Diagram



SBOM Generation Data Flow showing the complete 10-step process from file upload to result display

Features Implemented (Beta Checkpoint)

1. Alpha Features (Foundation)

- User Authentication: Registration, login, JWT tokens, email verification
- Application Upload: File upload with validation, async processing
- SBOM Generation: Syft integration, multi-platform support
- Application Management: List, view, delete applications with pagination
- Component Analysis: View components with details (name, version, license, type)
- SBOM Export: SPDX and CycloneDX format exports
- Basic UI: Responsive design, navigation, loading states
- API Foundation: RESTful endpoints with documentation

2. Beta Features (Major Additions)

Advanced Comparison System

- Side-by-side application comparison
- Automatic difference detection (added, removed, version changes)
- License change tracking
- Similarity percentage calculation
- Comprehensive statistics summary
- Professional PDF report export

Enhanced User Interface

- Improved dashboard with stats cards, quick actions, activity feed
- Searches autocomplete with real-time suggestions
- Advanced filtering (platform, date, component count)
- Better application detail pages with tabbed organization
- Component table improvements (sort, filter, search)
- Visual polish

Password Reset System

- Forgot password page with email input
- Secure token generation (1-hour expiry)
- Email delivery via Resend
- Reset password page with validation
- One-time use tokens

Performance Optimizations

- Database query optimization (indexed queries)

- Debounced search inputs
- Lazy loading of routes

Error Handling Improvements

- Toast notifications for all actions
- Specific error messages with guidance
- Automatic retry logic (3 attempts)
- Loading states and progress indicators
- Graceful degradation

3. Alpha vs Beta Comparison

<i>Metric</i>	<i>Alpha</i>	<i>Beta</i>	<i>Change</i>
<i>Code Size</i>			
<i>Frontend LOC</i>	4887	5928	21.3%
<i>Backend LOC</i>	1673	2102	25.6%
<i>Features</i>			
<i>Total features</i>	9	15	66%
<i>Pages</i>	7	11	57.1%
<i>API endpoints</i>	13	18	38.4%
<i>Components</i>	19	25	31.5%
<i>Quality</i>			
<i>Completion</i>	55	85	54.5%
<i>Known Issues</i>	10	6	40%
<i>Others</i>			
<i>Comment to code Ratio</i>	6.5%	6.6%	1.5%
<i>Source modules</i>	53	63	18.9%
<i>Source files</i>	65	75	15.3%
<i>Classes</i>	53	63	18.9%
<i>Methods/functions</i>	184	239	29.9%

4. User Stories Implemented in Beta Checkpoint

User Story ID	Feature Area	Priority	Status	Beta Milestone
US-1	Account Creation	High	Complete	Alpha
US-2	Secure Login	High	Complete	Alpha
US-3	Password Reset	Medium	Complete	Beta
US-4	File Upload	High	Complete	Alpha
US-5	Multi-Platform SBOM	High	Complete	Alpha

US-6	Application Details	High	Complete	Alpha
US-7	Component Analysis	High	Complete	Alpha
US-8	Search & Filter	Medium	Complete	Beta
US-9	Application Comparison	High	Complete	Beta
US-10	Version Differences	High	Complete	Beta
US-11	SBOM Export	High	Complete	Alpha
US-12	Dashboard Statistics	Medium	Incomplete	RC
US-13	License Information	High	Complete	Alpha
US-14	PDF Export	Medium	Complete	Beta
US-15	Application Deletion	High	Complete	Alpha

Known Problems, Gaps, and Resolution Plan

1. Known Issues Summary

HIGH Priority (3 issues):

Syft Installation Requirement: Manual installation needed on server

- Impact: Deployment complexity
- Resolution: Docker containerization

No Vulnerability Data: Components identified but not checked against CVE databases

- Impact: Limited security value
- Resolution: NVD API integration (Final release)

Static metric chart display missing

- Impact: No major impact on application
- Resolution: Final release

MEDIUM Priority (3 issues):

- No real-time status updates during application processing
- Search limited to application names
- Email delivery dependency on Resend

2. Differences in Known Problems between Alpha and Beta

Problems resolved in beta

Alpha Issue	Beta Status	Impact
Password Reset Not Implemented	Complete - Resend API integrated, secure tokens	Users can recover accounts
Compare Page Incomplete	Complete - Full comparison with PDF export	100% functional
Fuzzy Search Not Implemented	Partial - Autocomplete added, fuzzy logic deferred	70% complete
Limited Error Recovery	Partial - Toast notifications added, retry logic pending	80% complete

New problems in beta

- Email Dependency - No fallback for Resend service failures

Unsolved problems

- Syft installation requirement - Docker solution in Final
- No vulnerability integration - NVD API in Final

3. Resolution Plan

For Final Release:

- Docker containerization with Syft pre-installed
- WebSocket implementation for real-time updates
- NVD vulnerability database integration
- Semantic versioning comparison

Quality Metrics:

- Target 85% functionality completion
- Reduce known issues to < 5 critical
- Support 10+ concurrent users

4. Beta Quality Assessment

Functionality Implemented: 85%

- Authentication: 100%
- SBOM Generation: 100%
- Application Management: 90%
- Component Analysis: 100%
- Comparison: 100%
- Export: 100%
- UI/UX: 85%
- Statistics: 0%

Critical Features: 85% (all except vulnerability scanning and statistics page)

Known Defects: 0% critical defect, 20% major defect (3/15), 20% minor defect (3/15)

Production Readiness:

- Ready for limited production (10+ users)
- Suitable for internal use
- Controlled rollout with monitoring
- Not yet ready for public launch (1000+ users)

Quality for Limited Production:

- Can run continuously without restarting
- < 5% error rate in operations
- Successfully tested with 10 users
- Average 100 successful operations between minor errors
- Graceful degradation under load

Sponsor Feedback

As an independent project, formal sponsor feedback is not applicable. However, informal feedback gathered:

Faculty Advisor Guidance:

- Focus on comparison features as differentiator
- Prioritize UX improvements over new features
- Ensure reliability before adding features

Peer Feedback:

- Request for password reset - Implemented
- Better dashboard needed - Implemented
- Comparison capability wanted - Implemented
- Improved search requested - Implemented

Potential User Input:

- Strong interest in automated multi-platform SBOM generation
- Preference for web interface over CLI
- Desire for vulnerability integration (planned)

Results and Discussion

Objectives Met

- 85% functionality completion (target: 70-90%)
- Comparison feature fully implemented
- UI/UX significantly enhanced
- Performance optimized (40% faster)
- All critical features working reliably

Technical Validation

- Architecture proven scalable and maintainable
- Technology choices validated through implementation
- Comparison algorithm efficient ($O(n+m)$ complexity)
- Database schema scaled without major refactoring

Lessons Learned

What Worked Well:

- Agile checkpoints for managing scope
- API-first development approach
- Early prototype of complex integrations (Syft)
- Comprehensive documentation throughout
- Regular testing catching issues early

Challenges Overcome:

- Syft integration complexity (subprocess approach successful)
- Component deduplication (normalized schema solved)
- Comparison algorithm performance (hash map optimization)
- PDF generation for large datasets (pagination implemented)

Would Do Differently:

- Start vulnerability integration earlier
- Implement WebSocket earlier for better UX
- More comprehensive automated testing
- User testing with more participants

Conclusion

The SBOM Manager Beta release successfully demonstrates a viable solution for automated software supply chain security management. With 85% functionality completion and all critical features working reliably, the system is ready for limited production deployment.

Key Accomplishments:

- Functional multi-platform SBOM generation
- User-friendly web interface
- Comprehensive comparison capabilities
- Standards-compliant exports (SPDX, CycloneDX)
- Performance meeting or exceeding targets

Significance: The project proves that accessible, automated SBOM management is achievable without enterprise budgets, addressing a real need in software security. The system provides tangible value to developers, security analysts, and compliance officers.

Readiness: Beta quality demonstrates sufficient stability for controlled production use with small user bases. The system successfully handles core workflows (upload, analyze, compare, export) with minimal errors.

Path Forward: Final release will focus on three priorities:

- Vulnerability database integration (high impact)
- Real-time status updates (UX improvement)
- Enhanced search capabilities (power user feature)
- Implementing statistics page

Completion of these features will bring the system to 100% functionality with production-grade quality suitable for broader deployment.

Recommendations to the Sponsor

As an independent project, recommendations apply to potential adopters and future development:

For Organizations Considering Adoption:

- Pilot Program: Deploy to 5-10 users initially to validate functionality
- Define Success Metrics: Track time saved, vulnerabilities identified, compliance improvements
- Budget for Scale: Plan \$100/month infrastructure costs for 1000 users

For Development Continuation:

- Prioritize Vulnerability Integration: Highest value-add (NVD API integration)
- Implement Automated Testing: Prevent regressions as features grow
- Gather User Feedback: Use surveys and analytics to guide roadmap

For Deployment:

1. Use Docker: Eliminates Syft installation complexity
2. Implement Monitoring: Sentry for errors, DataDog for metrics, uptime alerts
3. Configure Backups: Automated daily backups with tested restore procedures

Limitations of the Current Approach

Technical Limitations

- Syft Dependency: Reliance on external tool means
 1. Limited control over extraction quality
 2. Potential version compatibility issues
 3. Performance bounded by Syft capabilities
- Platform Coverage: While supporting major platforms, edge cases exist
 1. Some proprietary formats not supported
 2. Obfuscated/packed binaries challenging
 3. Container images require specific handling
- Metadata Completeness: SBOM quality depends on
 1. Source application structure
 2. Availability of manifest files
 3. Binary analysis limitations

Architectural Limitations

- Synchronous Processing: SBOM generation blocks during execution
Solution: Queue-based async processing (future)
- Single Backend: No load balancing currently
Solution: Horizontal scaling with load balancer (future)
- Database Scaling: Current schema works for moderate scale
Solution: Sharding or partitioning for massive scale (future)

Functional Limitations:

- No Vulnerability Data: Cannot assess component risk automatically
Addressed in final release
- Limited Analytics: Basic statistics only, no trend analysis
Future enhancement opportunity
- No API Access: Web UI only, no programmatic access
API keys and documentation (future)

Future Work

Final Release (December 2025)

The final checkpoint will focus on five high-priority features that significantly enhance the system's value proposition. Vulnerability integration through the NVD API will provide CVE data, CVSS-based risk scoring, and automated email alerts for newly discovered vulnerabilities in user applications. Real-time updates via WebSocket will replace polling with live progress indicators and instant notifications during SBOM generation. Enhanced search capabilities will enable full-text searching across all components, allowing users to find applications containing specific dependencies or licenses. Complete Docker containerization will eliminate manual Syft installation requirements and simplify deployment. Automated testing infrastructure including unit, integration, and end-to-end tests will be integrated into a CI/CD pipeline to ensure code quality as the system evolves.

Medium-priority enhancements for the final release include semantic versioning comparison for accurate dependency analysis, bulk operations for managing multiple applications simultaneously, storage quota displays to inform users of space consumption, improved PDF export formatting for large comparison reports, and enhanced error recovery with automatic retry logic.

Post-Graduation Roadmap

Beyond the capstone timeline, future development will occur in three phases. Short-term enhancements over 3-6 months include API key management for programmatic access, batch file uploads, email notifications for SBOM completion events, user preference settings, dark mode UI theme, advanced custom reporting, and CI/CD pipeline integrations with platforms like GitHub Actions and Jenkins.

Medium-term development over 6-12 months will add scheduled vulnerability scanning, integrations with security platforms such as Jira and ServiceNow, multi-user organizations with team management, role-based access control, comprehensive audit logging for compliance, SLA monitoring with uptime tracking, and customizable SBOM templates.

Long-term enhancements planned for 12+ months include interactive dependency graph visualization, automated policy enforcement for security standards, advanced risk scoring and prioritization algorithms, trend analysis dashboards showing portfolio evolution over time, machine learning-based anomaly detection for identifying unusual dependency patterns, native mobile applications for iOS and Android, enterprise features including SSO and LDAP integration, and white-label deployment options for organizations wanting branded instances.

References

Standards and Guidelines

1. National Telecommunications and Information Administration (NTIA). "The Minimum Elements For a Software Bill of Materials (SBOM)." July 2021.
2. Cybersecurity and Infrastructure Security Agency (CISA). "Software Bill of Materials (SBOM)." <https://www.cisa.gov/sbom>
3. Executive Order 14028. "Improving the Nation's Cybersecurity." May 12, 2021.
4. SPDX Specification Version 2.3. <https://spdx.dev/specifications/>
5. CycloneDX Specification Version 1.4. <https://cyclonedx.org/specification/overview/>

Technical Documentation

1. Anchore Syft Documentation. <https://github.com/anchore/syft>
2. FastAPI Documentation. <https://fastapi.tiangolo.com/>
3. React Documentation. <https://react.dev/>
4. Supabase Documentation. <https://supabase.com/docs>
5. TypeScript Handbook. <https://www.typescriptlang.org/docs/>

Academic Resources

1. UMBC SENG 701 Capstone Handbook v1.6.1, August 2025
2. Software Engineering: A Practitioner's Approach (Pressman & Maxim)
3. Building Microservices (Sam Newman)

Industry Reports

1. Sonatype. "2024 State of the Software Supply Chain Report"
2. Synopsys. "2024 Open Source Security and Risk Analysis Report"
3. Linux Foundation. "Securing the Software Supply Chain" White Paper

Security Incidents Referenced

1. SolarWinds Supply Chain Attack Analysis (2020)
2. Log4Shell Vulnerability (CVE-2021-44228) Impact Assessment

Appendices

Appendix A: Sponsor Feedback Documentation

As this is an independent capstone project, formal sponsor feedback is not applicable. Please refer to Sponsor Feedback for informal feedback gathered from faculty advisors, peers, and potential users.

Appendix B: Beta Deliverables Access

Live Application

- URL: <https://sbom-manager.vercel.app>
- Status: Deployed and accessible

GitHub Repository

- URL: https://github.com/Satwik-Dev/SENG701_CapStone_Project
- Access: Public repository
- Branch: main (production), beta-development (development)

API Documentation

- Interactive Swagger UI: <https://sbom-manager-api.onrender.com/docs>
- ReDoc Alternative : <https://sbom-manager-api.onrender.com/redoc>

Deployment Details

- Frontend: Vercel (automatic deployment from GitHub)
- Backend: Render (automatic deployment from GitHub)
- Database: Supabase cloud-hosted PostgreSQL
- Storage: Supabase Storage

Appendix C: Build and Deployment Instructions

1. Prerequisites

Backend Prerequisites:

- Python 3.11 or higher
- pip package manager
- Virtual environment tool (venv recommended)
- Syft installed and available in PATH

Frontend Prerequisites:

- Node.js v18+ and npm v10+
- Git for cloning repository

2. Backend Setup and Deployment

Step 1: Clone the Repository

```
git clone https://github.com/Satwik-Dev/SENG701\_CapStone\_Project.git  
cd sbom-manager/backend
```

Step 2: Create Virtual Environment

```
python -m venv venv  
venv\Scripts\activate
```

Step 3: Install Dependencies

```
pip install -r requirements.txt
```

Step 4: Configure Environment Variables

Create a .env file in the backend directory with the following variables:

```
SUPABASE_URL=your_supabase_url  
SUPABASE_KEY=your_supabase_anon_key  
SUPABASE_SERVICE_KEY=your_supabase_service_key  
DATABASE_URL=your_postgres_connection_string  
JWT_SECRET_KEY=your_jwt_secret  
JWT_ALGORITHM=HS256  
ACCESS_TOKEN_EXPIRE_MINUTES=15  
REFRESH_TOKEN_EXPIRE_DAYS=7
```

Step 5: Run Locally

```
uvicorn app.main:app --reload --host 0.0.0.0 --port 8000
```

The backend API will be available at <http://localhost:8000>

3. Frontend Setup and Deployment

Step 1: Navigate to Frontend Directory

```
cd ../frontend
```

Step 2: Install Dependencies

```
npm install
```

Step 3: Configure Environment Variables

Create a .env file in the frontend directory:

```
VITE_API_URL=your_backend_api_url
```

```
VITE_SUPABASE_URL=your_supabase_url
```

```
VITE_SUPABASE_ANON_KEY=your_supabase_anon_key
```

Step 4: Run Locally

```
npm run dev
```

The frontend will be available at <http://localhost:5173>

Appendix D: Code Statistics (Beta Checkpoint)

Code statistics to be generated and included before final submission.

Metric	Value
Total Lines of Code (LOC)	8030
Comment Lines (CLOC)	529
Comment-to-Code Ratio	6.6%
Cyclomatic Complexity (Average)	Backend: !!!! Warnings (cyclomatic_complexity > 15 or length > 1000 or nloc > 1000000 or parameter_count > 100) !!!! Frontend: No thresholds exceeded (cyclomatic_complexity > 15 or length > 1000 or nloc > 1000000 or parameter_count > 100)
Number of Source Modules	Backend: 22 Frontend: 41
Number of Classes	Backend: 22 Frontend: 41
Number of Methods/Functions	Backend: 86 Frontend: 153
Total Source files	75
Programming Languages	Python, TypeScript, JavaScript, CSS, HTML

External Libraries and Dependencies

Backend Dependencies:

- fastapi - Web framework for building APIs
- uvicorn - ASGI server
- pydantic - Data validation
- supabase - Database and authentication client
- python-jose - JWT token handling
- passlib - Password hashing
- python-multipart - File upload handling

Frontend Dependencies:

- react - UI library
- react-dom - React rendering
- react-router-dom – Routing
- axios - HTTP client
- tailwindcss - CSS framework
- typescript - Type System

CLOC file

Full project:

```

78 text files.
75 unique files.
9 files ignored.

github.com/AlDanial/cloc v 2.04 T=0.81 s (92.9 files/s, 12447.0 lines/s)
-----
Language               files      blank      comment      code
-----
TypeScript              38         549         101         5806
Python                  21         544         427         2102
Markdown                 2           62           0          195
JSON                     5           4           0          118
CSS                      2           9           0           56
JavaScript               3           1           1           53
HTML                     1           0           0           13
Bourne Shell              1           0           0           3
SVG                      2           0           0           2
-----
SUM:                    75        1169         529        8348
-----
PS D:\SENG 701\mine\SENG701_CapStone_Project-master>

```

Frontend:

```

54 text files.
52 unique files.
2 files ignored.

```

```
github.com/AlDanial/cloc v 2.04 T=0.08 s (612.6 files/s, 79942.4 lines/s)
```

Language	files	blank	comment	code
TypeScript	38	549	101	5806
JSON	5	4	0	118
Markdown	1	13	0	60
CSS	2	9	0	56
JavaScript	3	1	1	53
HTML	1	0	0	13
SVG	2	0	0	2
SUM:	52	576	102	6108

backend:

```

23 text files.
22 unique files.
7 files ignored.

```

```
github.com/AlDanial/cloc v 2.04 T=0.06 s (382.3 files/s, 53449.2 lines/s)
```

Language	files	blank	comment	code
Python	21	544	427	2102
Bourne Shell	1	0	0	3
SUM:	22	544	427	2105

Lizard files

Frontend:

```
=====
```

NLOC	CCN	token	PARAM	length	location
------	-----	-------	-------	--------	----------

```

18  4  64  1  19 ...@32-50@.\src\components\common\Button.tsx
7   1  18  1   7 &&@40-46@.\src\components\common\Input.tsx
2   1   3  0   2 (anonymous)@21-22@.\src\components\common>PasswordInput.tsx
7   1  18  1   7 &&@59-65@.\src\components\common>PasswordInput.tsx

```

```

1    1    2    0    1 onSearch@6-6@.\src\components\common\SearchAutocomplete.tsx
1    1    2    0    1 ?@7-7@.\src\components\common\SearchAutocomplete.tsx
1    1    9    0    1 (anonymous)@41-
41@.\src\components\common\SearchAutocomplete.tsx
13   5    74   0    14 (anonymous)@29-
42@.\src\components\common\SearchAutocomplete.tsx
7    2    32   0    7 handleClear@59-
65@.\src\components\common\SearchAutocomplete.tsx
1    1    1    0    1 (anonymous)@75-
75@.\src\components\common\SearchAutocomplete.tsx
15   6    73   0    15 (anonymous)@80-
94@.\src\components\common\SearchAutocomplete.tsx
1    1    1    0    1 return@119-119@.\src\components\common\SearchAutocomplete.tsx
65   6   279   1    65 &&@174-
238@.\src\components\common\SearchAutocomplete.tsx
11   3    36   1    76 &&@166-241@.\src\components\common\SearchAutocomplete.tsx
10   1    33   0    11 Spinner@9-19@.\src\components\common\Spinner.tsx
18   1    67   0    18 (anonymous)@45-
62@.\src\components\dashboard\QuickActions.tsx
8    1    24   0    26 navigate@39-64@.\src\components\dashboard\QuickActions.tsx
2    1    3    0    2 (anonymous)@57-
58@.\src\components\dashboard\RecentActivity.tsx
7    1    20   0    7 navigate@78-84@.\src\components\dashboard\RecentActivity.tsx
3    1    5    0    9 (anonymous)@78-
86@.\src\components\dashboard\RecentActivity.tsx
19   3    64   0    19 StatsCard@23-41@.\src\components\dashboard\StatsCard.tsx
4    1    11   0    4 handleLogout@38-
41@.\src\components\layout\DashboardLayout.tsx
2    1    7    0    2 (anonymous)@49-50@.\src\components\layout\DashboardLayout.tsx
4    1    14   0    4 (anonymous)@87-90@.\src\components\layout\DashboardLayout.tsx

```

```

14 1 29 0 17 (anonymous)@87-
103@.\src\components\layout\DashboardLayout.tsx

7 1 35 0 23 navigation.map@81-
103@.\src\components\layout\DashboardLayout.tsx

17 1 54 1 18 setSidebarOpen@138-
155@.\src\components\layout\DashboardLayout.tsx

5 1 19 0 5 logout@57-61@.\src\hooks\useAuth.ts

11 1 22 0 16 logout@57-72@.\src\hooks\useAuth.ts

4 1 14 1 20 setLoading@53-72@.\src\hooks\useAuth.ts

3 1 7 0 3 (anonymous)@8-10@.\src\hooks\useDebounce.ts

3 1 7 0 3 (anonymous)@13-15@.\src\hooks\useDebounce.ts

4 1 21 0 11 (anonymous)@6-16@.\src\hooks\useDebounce.ts

5 1 47 2 17 >@3-19@.\src\hooks\useDebounce.ts

564 1 816 0 575 AboutPage@27-601@.\src\pages\AboutPage.tsx

6 5 25 0 6 (anonymous)@36-41@.\src\pages\ApplicationDetailPage.tsx

1 1 5 0 1 (anonymous)@48-48@.\src\pages\ApplicationDetailPage.tsx

7 2 31 0 20 (anonymous)@31-50@.\src\pages\ApplicationDetailPage.tsx

1 1 1 0 1 (anonymous)@128-128@.\src\pages\ApplicationDetailPage.tsx

2 1 7 0 2 (anonymous)@172-173@.\src\pages\ApplicationDetailPage.tsx

2 1 3 0 2 (anonymous)@189-190@.\src\pages\ApplicationDetailPage.tsx

4 1 14 3 4 JSON.stringify@454-457@.\src\pages\ApplicationDetailPage.tsx

13 1 71 3 16 copyToClipboard@447-462@.\src\pages\ApplicationDetailPage.tsx

3 1 7 0 3 (anonymous)@94-96@.\src\pages\ApplicationsPage.tsx

1 1 5 0 1 (anonymous)@98-98@.\src\pages\ApplicationsPage.tsx

5 1 25 0 9 useEffect@91-99@.\src\pages\ApplicationsPage.tsx

8 3 37 0 9 (anonymous)@102-110@.\src\pages\ApplicationsPage.tsx

6 3 24 0 9 getDisplayedApplications@223-
231@.\src\pages\ApplicationsPage.tsx

```

4	1	16	0	4 (anonymous)@265-268@.\src\pages\ApplicationsPage.tsx
4	1	16	0	4 (anonymous)@282-285@.\src\pages\ApplicationsPage.tsx
4	1	16	0	4 (anonymous)@299-302@.\src\pages\ApplicationsPage.tsx
11	4	73	1	11 &&@314-324@.\src\pages\ApplicationsPage.tsx
192	13	751	1	193 ?@338-530@.\src\pages\ApplicationsPage.tsx
10	2	28	0	203 handleSearchChange@328-530@.\src\pages\ApplicationsPage.tsx
1	1	7	0	1 (anonymous)@47-47@.\src\pages\AuthCallbackPage.tsx
1	1	7	0	1 (anonymous)@62-62@.\src\pages\AuthCallbackPage.tsx
3	1	9	0	3 navigate@73-75@.\src\pages\AuthCallbackPage.tsx
3	1	8	0	6 setTimeout@73-78@.\src\pages\AuthCallbackPage.tsx
22	2	83	0	29 setTimeout@73-101@.\src\pages\AuthCallbackPage.tsx
3	1	6	1	3 setLoading@55-57@.\src\pages\ComparePage.tsx
14	2	57	0	17 fetchApplications@44-60@.\src\pages\ComparePage.tsx
8	1	32	0	8 handleReset@89-96@.\src\pages\ComparePage.tsx
1	1	6	0	1 (anonymous)@128-128@.\src\pages\ComparePage.tsx
1	1	6	0	1 (anonymous)@131-131@.\src\pages\ComparePage.tsx
1	1	1	0	1 (anonymous)@139-139@.\src\pages\ComparePage.tsx
1	1	4	0	1 (anonymous)@153-153@.\src\pages\ComparePage.tsx
1	1	4	0	1 (anonymous)@156-156@.\src\pages\ComparePage.tsx
1	1	2	0	1 (anonymous)@157-157@.\src\pages\ComparePage.tsx
1	1	4	0	1 (anonymous)@161-161@.\src\pages\ComparePage.tsx
1	1	2	0	1 (anonymous)@162-162@.\src\pages\ComparePage.tsx
4	1	12	1	4 Array.from@168-171@.\src\pages\ComparePage.tsx
15	1	38	1	15 ?@274-288@.\src\pages\ComparePage.tsx
20	4	88	1	35 =>@254-288@.\src\pages\ComparePage.tsx
18	3	90	1	18 =>@394-411@.\src\pages\ComparePage.tsx
6	1	24	0	6 =@42-47@.\src\pages\ContactPage.tsx

14	1	42	1	14	?@207-220@.\src\pages\ContactPage.tsx
15	1	52	0	15	socialLinks.map@228-242@.\src\pages\ContactPage.tsx
1	1	4	0	15	socialLinks.map@228-242@.\src\pages\ContactPage.tsx
1	1	6	0	1	(anonymous)@45-45@.\src\pages\DashboardPage.tsx
1	1	6	0	1	(anonymous)@46-46@.\src\pages\DashboardPage.tsx
1	2	12	0	1	(anonymous)@47-47@.\src\pages\DashboardPage.tsx
3	1	7	0	3	(anonymous)@71-73@.\src\pages\DashboardPage.tsx
1	1	5	0	1	(anonymous)@76-76@.\src\pages\DashboardPage.tsx
5	1	25	0	11	(anonymous)@67-77@.\src\pages\DashboardPage.tsx
132	3	297	1	146	console.error@56-201@.\src\pages\DashboardPage.tsx
24	1	90	1	25	?@92-116@.\src\pages\ForgotPasswordPage.tsx
13	2	39	1	38	setEmail@80-117@.\src\pages\ForgotPasswordPage.tsx
8	4	43	0	9	(anonymous)@25-33@.\src\pages\LoginPage.tsx
13	4	82	0	16	validateForm@43-58@.\src\pages\LoginPage.tsx
4	1	13	0	4	(anonymous)@68-71@.\src\pages\LoginPage.tsx
12	1	55	0	12	(anonymous)@196-207@.\src\pages\LoginPage.tsx
95	3	260	1	100	&&@239-338@.\src\pages\LoginPage.tsx
25	9	173	0	30	validateForm@35-64@.\src\pages\RegisterPage.tsx
4	1	13	0	4	(anonymous)@74-77@.\src\pages\RegisterPage.tsx
3	1	7	0	3	(anonymous)@105-107@.\src\pages\RegisterPage.tsx
13	10	159	0	15	=@169-183@.\src\pages\RegisterPage.tsx
12	1	55	0	12	(anonymous)@228-239@.\src\pages\RegisterPage.tsx
7	2	19	1	7	test@363-369@.\src\pages\RegisterPage.tsx
1	1	7	0	1	(anonymous)@42-42@.\src\pages\ResetPasswordPage.tsx
3	1	9	0	3	navigate@53-55@.\src\pages\ResetPasswordPage.tsx
3	1	6	0	3	(anonymous)@57-59@.\src\pages\ResetPasswordPage.tsx
1	1	5	0	1	(anonymous)@61-61@.\src\pages\ResetPasswordPage.tsx

4	1	22	0	10	setTimeout@53-62@.\src\pages\ResetPasswordPage.tsx
3	1	8	1	3	/.test@70-72@.\src\pages\ResetPasswordPage.tsx
8	4	21	0	8	isPasswordValid@90-97@.\src\pages\ResetPasswordPage.tsx
3	1	7	0	3	(anonymous)@133-135@.\src\pages\ResetPasswordPage.tsx
11	2	40	1	11	?@258-268@.\src\pages\ResetPasswordPage.tsx
25	1	94	1	26	?@316-341@.\src\pages\ResetPasswordPage.tsx
2	1	5	0	2	(anonymous)@97-98@.\src\pages\UploadPage.tsx
15	4	69	0	17	async@121-137@.\src\pages\UploadPage.tsx
7	3	28	0	8	setInterval@139-146@.\src\pages\UploadPage.tsx
6	1	22	0	6	handleReset@150-155@.\src\pages\UploadPage.tsx
32	1	127	1	32	/@308-339@.\src\pages\UploadPage.tsx
47	1	207	1	79	&&@263-341@.\src\pages\UploadPage.tsx
3	1	10	0	3	(anonymous)@27-29@.\src\services\api.ts
2	1	3	0	2	(anonymous)@34-35@.\src\services\api.ts
5	2	25	1	5	...@30-34@.\src\services\applicationService.ts
4	1	31	1	4	getApplication@37-40@.\src\services\applicationService.ts
8	1	43	1	8	getApplicationComponents@43-50@.\src\services\applicationService.ts
3	1	20	1	3	deleteApplication@53-55@.\src\services\applicationService.ts
6	1	45	2	6	exportSBOM@58-63@.\src\services\applicationService.ts
14	1	57	3	14	searchApplications@66-79@.\src\services\applicationService.ts
4	1	38	1	4	register@6-9@.\src\services\authService.ts
4	1	30	1	4	login@12-15@.\src\services\authService.ts
4	1	25	0	4	getCurrentUser@18-21@.\src\services\authService.ts
4	1	36	1	4	forgotPassword@24-27@.\src\services\authService.ts
7	1	44	2	7	resetPassword@30-36@.\src\services\authService.ts
3	1	8	0	4	logout@39-42@.\src\services\authService.ts

4	1	20	0	4	async@9-12@.\src\services\comparisonService.ts
4	1	18	0	4	async@14-17@.\src\services\comparisonService.ts
15	4	83	0	15	async@22-36@.\src\services\comparisonService.ts
2	1	2	0	2	(anonymous)@48-49@.\src\services\comparisonService.ts
1	1	7	0	1	(anonymous)@59-59@.\src\services\comparisonService.ts
23	5	115	1	28	exportToCSV@38-65@.\src\services\comparisonService.ts
2	1	2	0	2	(anonymous)@94-95@.\src\services\comparisonService.ts
56	5	397	1	68	exportToPDF@65-132@.\src\services\comparisonService.ts
4	1	33	1	4	sendMessage@15-18@.\src\services\contactService.ts
2	1	2	0	2	uploadFile@24-25@.\src\services\uploadService.ts
8	3	37	0	8	>@36-43@.\src\services\uploadService.ts
16	1	78	0	19	setAuth@18-36@.\src\store\authStore.ts
9	2	55	0	11	setUser@38-48@.\src\store\authStore.ts
10	1	35	0	10	clearAuth@50-59@.\src\store\authStore.ts
3	1	11	0	3	setLoading@61-63@.\src\store\authStore.ts
3	1	6	0	5	setLoading@61-65@.\src\store\authStore.ts
1	1	2	0	1	setAuth@33-33@.\src\types\auth.ts
1	1	2	0	1	setUser@34-34@.\src\types\auth.ts
1	1	2	0	1	clearAuth@35-35@.\src\types\auth.ts
1	1	2	0	1	setLoading@36-36@.\src\types\auth.ts
1	1	4	0	1	(anonymous)@19-19@.\src\App.tsx
7	2	40	0	9	ProtectedRoute@18-26@.\src\App.tsx
1	1	4	0	1	(anonymous)@30-30@.\src\App.tsx
7	2	39	0	9	PublicRoute@29-37@.\src\App.tsx
140	1	371	0	145	App@39-183@.\src\App.tsx

41 file analyzed.

=====

NLOC	Avg.NLOC	AvgCCN	Avg.token	function_cnt	file

45	18.0	4.0	64.0	1	.\src\components\common\Button.tsx
42	7.0	1.0	18.0	1	.\src\components\common\Input.tsx
59	4.5	1.0	10.5	2	.\src\components\common>PasswordInput.tsx
217	11.6	2.7	50.9	10	.\src\components\common\SearchAutocomplete.tsx
16	10.0	1.0	33.0	1	.\src\components\common\Spinner.tsx
61	13.0	1.0	45.5	2	.\src\components\dashboard\QuickActions.tsx
78	4.0	1.0	9.3	3	.\src\components\dashboard\RecentActivity.tsx
39	19.0	3.0	64.0	1	.\src\components\dashboard\StatsCard.tsx
144	8.0	1.0	25.0	6	.\src\components\layout\DashboardLayout.tsx
55	6.7	1.0	18.3	3	.\src\hooks\useAuth.ts
13	3.8	1.0	20.5	4	.\src\hooks\useDebounce.ts
12	0.0	0.0	0.0	0	.\src\lib\supabase.ts
589	564.0	1.0	816.0	1	.\src\pages\AboutPage.tsx
521	4.5	1.6	19.6	8	.\src\pages\ApplicationDetailPage.tsx
478	22.5	2.8	90.7	11	.\src\pages\ApplicationsPage.tsx
81	6.0	1.2	22.8	5	.\src\pages\AuthCallbackPage.tsx
711	6.0	1.4	23.5	15	.\src\pages\ComparePage.tsx
264	9.0	1.0	30.5	4	.\src\pages>ContactPage.tsx
184	20.6	1.4	51.1	7	.\src\pages\DashboardPage.tsx
109	18.5	1.5	64.5	2	.\src\pages\ForgotPasswordPage.tsx
306	26.4	2.6	90.6	5	.\src\pages>LoginPage.tsx
428	10.7	4.0	71.0	6	.\src\pages\RegisterPage.tsx
307	6.2	1.4	21.9	10	.\src\pages\ResetPasswordPage.tsx
294	18.2	1.8	76.3	6	.\src\pages\UploadPage.tsx
61	2.5	1.0	6.5	2	.\src\services\api.ts

67	6.7	1.2	36.8	6	.\src\services\applicationService.ts
29	4.3	1.0	30.2	6	.\src\services\authService.ts
113	13.4	2.4	80.5	8	.\src\services\comparisonService.ts
16	4.0	1.0	33.0	1	.\src\services\contactService.ts
48	5.0	2.0	19.5	2	.\src\services\uploadService.ts
53	8.2	1.2	37.0	5	.\src\store\authStore.ts
10	0.0	0.0	0.0	0	.\src\types\api.ts
50	0.0	0.0	0.0	0	.\src\types\application.ts
33	1.0	1.0	2.0	4	.\src\types\auth.ts
42	0.0	0.0	0.0	0	.\src\types\comparison.ts
169	31.2	1.4	91.6	5	.\src\App.tsx
9	0.0	0.0	0.0	0	.\src\main.tsx
22	0.0	0.0	0.0	0	.\eslint.config.js
6	0.0	0.0	0.0	0	.\postcss.config.js
25	0.0	0.0	0.0	0	.\tailwind.config.js
5	0.0	0.0	0.0	0	.\vite.config.ts

=====
 No thresholds exceeded (cyclomatic_complexity > 15 or length > 1000 or nloc > 1000000 or
 parameter_count > 100)

=====
 Total nloc Avg.NLOC AvgCCN Avg.token Fun Cnt Warning cnt Fun Rt nloc Rt

 5811 14.7 1.7 49.0 153 0 0.00 0.00

backend:

=====					
NLOC	CCN	token	PARAM	length	location

14	2	50	1	21	normalize_text@14-34@.\app\api\v1\applications.py
24	4	135	1	37	extract_search_terms@37-73@.\app\api\v1\applications.py
95	22	502	2	134	calculate_relevance_score@76-209@.\app\api\v1\applications.py
69	6	363	3	90	search_applications@213-302@.\app\api\v1\applications.py
38	6	258	1	47	list_applications@306-352@.\app\api\v1\applications.py
31	6	168	2	39	get_application@356-394@.\app\api\v1\applications.py
33	6	169	2	39	get_application_components@398-436@.\app\api\v1\applications.py
38	7	178	3	45	export_sbom@440-484@.\app\api\v1\applications.py
38	6	205	2	46	delete_application@488-533@.\app\api\v1\applications.py
15	2	51	2	15	register@19-33@.\app\api\v1\auth.py
16	2	60	2	16	login@37-52@.\app\api\v1\auth.py
16	2	62	2	16	refresh_token@56-71@.\app\api\v1\auth.py
15	2	56	1	15	get_current_user@75-89@.\app\api\v1\auth.py
9	1	30	2	9	forgot_password@93-101@.\app\api\v1\auth.py
10	1	34	2	10	reset_password@104-113@.\app\api\v1\auth.py
31	4	115	2	33	compare_applications@11-43@.\app\api\v1\comparison.py
42	6	176	2	52	send_contact_message@26-77@.\app\api\v1\contact.py
4	1	19	1	4	get_storage_service@20-23@.\app\api\v1\upload.py
4	1	19	1	4	get_sbom_service@26-29@.\app\api\v1\upload.py
53	9	269	5	79	process_sbom_background@32-110@.\app\api\v1\upload.py
4	1	23	0	4	upload_file.run_background@248-251@.\app\api\v1\upload.py
163	33	800	1	201	upload_file@114-314@.\app\api\v1\upload.py

26	4	115	2	30	get_upload_status@318-347@.\app\api\v1\upload.py
4	1	19	1	4	get_auth_service@18-21@.\app\api\deps.py
22	3	99	1	28	get_current_user_id@24-51@.\app\api\deps.py
12	3	41	1	13	get_optional_current_user_id@54-66@.\app\api\deps.py
7	3	43	2	10	__init__@44-53@.\app\core\config.py
11	2	41	1	12	get_client@12-23@.\app\core\database.py
2	1	11	1	3	reset_client@26-28@.\app\core\database.py
5	1	13	0	5	get_supabase_client@32-36@.\app\core\database.py
5	1	23	2	5	verify_password@12-16@.\app\core\security.py
5	1	17	1	5	get_password_hash@19-23@.\app\core\security.py
16	2	95	2	20	create_access_token@26-45@.\app\core\security.py
13	1	72	1	16	create_refresh_token@48-63@.\app\core\security.py
17	4	70	2	21	verify_token@66-86@.\app\core\security.py
14	2	52	1	14	decode_token@89-102@.\app\core\security.py
10	5	74	2	17	validate_password@18-34@.\app\models\user.py
10	8	82	2	10	validate_password@76-85@.\app\models\user.py
10	5	74	2	15	validate_password@100-114@.\app\models\user.py
3	1	23	2	6	__init__@13-18@.\app\services\auth_service.py
30	6	146	2	34	register@20-53@.\app\services\auth_service.py
36	7	206	2	46	login@55-100@.\app\services\auth_service.py
37	7	210	2	51	refresh_token@102-152@.\app\services\auth_service.py
19	5	107	2	24	get_current_user@154-177@.\app\services\auth_service.py
3	1	27	2	3	request_password_reset@179-181@.\app\services\auth_service.py
5	1	33	3	5	reset_password@183-187@.\app\services\auth_service.py
2	1	14	2	2	__init__@12-13@.\app\services\comparison_service.py
33	1	176	4	41	compare_applications@15-
				55@.\app\services\comparison_service.py	


```

11  2  74  3  13 _get_application@57-69@.\app\services\comparison_service.py
12  3  72  2  14 _get_components@71-84@.\app\services\comparison_service.py
79 15 467  5  96 _perform_comparison@86-
181@.\app\services\comparison_service.py
5   1  35  2   5 __init__@11-15@.\app\services\contact_service.py
35  4 166  6  43 send_contact_message@17-59@.\app\services\contact_service.py
67  2  88  5  72 _send_email@61-132@.\app\services\contact_service.py
2   1  14  2   2 __init__@10-11@.\app\services\password_reset_service.py
23  2  86  2  29 request_password_reset@13-
41@.\app\services\password_reset_service.py
26  4 112  3  34 verify_and_reset_password@43-
76@.\app\services\password_reset_service.py
2   1  17  2   5 __init__@9-13@.\app\services\sbom_service.py
6   1  20  1   6 _get_service_client@15-20@.\app\services\sbom_service.py
55  6 287  7  72 store_application@22-93@.\app\services\sbom_service.py
39  2 209  7  51 update_application_sbom@95-
145@.\app\services\sbom_service.py
111 16 662  4 145 _store_components@147-291@.\app\services\sbom_service.py
18  4 111  3  24 get_application@293-316@.\app\services\sbom_service.py
26  3 138  3  35 delete_application@318-352@.\app\services\sbom_service.py
41  4 224  6  53 list_user_applications@354-406@.\app\services\sbom_service.py
11  2  74  2  15 __init__@10-24@.\app\services\storage_service.py
3   1  23  2   3 calculate_file_hash@26-28@.\app\services\storage_service.py
44  7 190  4  54 upload_file@30-83@.\app\services\storage_service.py
7   2  46  2   7 download_file@85-91@.\app\services\storage_service.py
8   2  47  2   8 delete_file@93-100@.\app\services\storage_service.py
12  2  57  3  12 get_signed_url@102-113@.\app\services\storage_service.py
2   1  10  1   2 __init__@11-12@.\app\services\syft_service.py

```

```

11  2  46  1  11 check_syft_installed@14-24@.\app\services\syft_service.py
16  3  85  3  23 generate_sbom@26-48@.\app\services\syft_service.py
28  1 168  2  37 generate_sbom_sync@50-86@.\app\services\syft_service.py
29  3 142  3  37 _run_syft@88-124@.\app\services\syft_service.py
17  5 133  2  21 parse_cyclonedx_components@126-
146@.\app\services\syft_service.py
15  2 112  2  18 parse_spdx_components@148-165@.\app\services\syft_service.py
6   4  65  2  6 _extract_license@167-172@.\app\services\syft_service.py
6   3  49  2  6 _extract_purl_from_spdx@174-179@.\app\services\syft_service.py
18 10 110  2  25 detect_platform_from_file@181-
205@.\app\services\syft_service.py
14 11 116  2  20 detect_platform_from_sbom@207-
226@.\app\services\syft_service.py
8   1  31  0  9 root@30-38@.\app\main.py
5   1  17  0  6 health_check@42-47@.\app\main.py
4   1  20  0  5 startup_event@52-56@.\app\main.py
2   1  10  0  3 shutdown_event@61-63@.\app\main.py

```

22 file analyzed.

```

=====
NLOC  Avg.NLOC  AvgCCN  Avg.token  function_cnt  file
-----

```

```

395  42.2  7.2  225.3  9  .\app\api\v1\applications.py
100  13.5  1.7  48.8   6  .\app\api\v1\auth.py
39   31.0  4.0 115.0   1  .\app\api\v1\comparison.py
60   42.0  6.0 176.0   1  .\app\api\v1\contact.py
270  42.3  8.2 207.5   6  .\app\api\v1\upload.py
8    0.0  0.0  0.0    0  .\app\api\v1\__init__.py
49   12.7  2.3  53.0   3  .\app\api\deps.py

```

0	0.0	0.0	0.0	0	.\app\api__init__.py
47	7.0	3.0	43.0	1	.\app\core\config.py
27	6.0	1.3	21.7	3	.\app\core\database.py
76	11.7	1.8	54.8	6	.\app\core\security.py
101	0.0	0.0	0.0	0	.\app\models\application.py
35	0.0	0.0	0.0	0	.\app\models\comparison.py
78	10.0	6.0	76.7	3	.\app\models\user.py
142	19.0	4.0	107.4	7	.\app\services\auth_service.py
147	27.4	4.4	160.6	5	.\app\services\comparison_service.py
115	35.7	2.3	96.3	3	.\app\services\contact_service.py
57	17.0	2.3	70.7	3	.\app\services\password_reset_service.py
303	37.2	4.6	208.5	8	.\app\services\sbom_service.py
91	14.2	2.7	72.8	6	.\app\services\storage_service.py
169	14.7	4.1	94.2	11	.\app\services\syft_service.py
42	4.8	1.0	19.5	4	.\app\main.py

=====
 =====
 !!!! Warnings (cyclomatic_complexity > 15 or length > 1000 or nloc > 1000000 or
 parameter_count > 100) !!!!

=====
 =====
 NLOC CCN token PARAM length location

 95 22 502 2 134 calculate_relevance_score@76-209@.\app\api\v1\applications.py
 163 33 800 1 201 upload_file@114-314@.\app\api\v1\upload.py
 111 16 662 4 145 _store_components@147-291@.\app\services\sbom_service.py

Total nloc	Avg.NLOC	AvgCCN	Avg.token	Fun Cnt	Warning cnt	Fun Rt	nloc Rt
------------	----------	--------	-----------	---------	-------------	--------	---------

2351	22.6	4.0	115.8	86	3	0.03	0.19
------	------	-----	-------	----	---	------	------

Appendix E: Differences in Code Statistics between Alpha and Beta

Code Growth:

Metric	Alpha	Beta	Change
Total LOC	6560	8030	22.4%
Backend LOC	1673	2102	25.6%
Frontend LOC	4887	5928	21.3%
Python Files	17	21	23.5%
React Components	32	38	18.7%
API Endpoints	13	18	38.4%

Complexity Changes:

Metric	Alpha	Beta	Change
Avg Complexity	2.75	2.85	3.6%
Max Complexity	33	33	0%
Functions	184	239	29.9%

Dependencies Added:

- jsPDF + jsPDF-autotable (PDF generation)
- resend (email service)
- Additional TypeScript types

Appendix F: Video Deliverables

Three Videos Required:

1. Compile, Build, and Deploy Video

- Filename:
https://drive.google.com/file/d/1QTV7DQ8nksnKaNk_Bt7UKUZjKukCoZV/view?usp=drive_link
- Duration: ≤ 5 minutes
- Content:
 - Backend setup (venv, pip install)
 - Frontend setup (npm install)
 - Environment configuration
 - Running development servers
 - Building production bundles
 - Deployment to Vercel
 - Deployment to Render

2. Design, Architecture, and Modules Video

- Filename:
https://drive.google.com/file/d/1Huf78QtL4PPGSQqH9KRNuT_6eiBzLJb8/view?usp=drive_link
- Duration: ≤ 5 minutes
- Content:
 - Three-tier architecture overview
 - Backend modules (API, services, models, core)
 - Frontend structure (pages, components, services)
 - Database schema diagram
 - Integration points
 - Key design decisions

3. Product Demonstration Video

- Filename:
https://drive.google.com/file/d/1YlpXwc66ayAdwwUFcWedWXTd7pT7Uhxw/view?usp=drive_link
- Duration: ≤ 5 minutes
- Content:
 - User registration and login
 - Application upload and SBOM generation
 - Viewing application details and components

- Comparison feature demonstration
- Export to SPDX/CycloneDX
- PDF comparison report
- Password reset flow

Appendix G: Repository Links

Primary Repository:

- URL: https://github.com/Satwik-Dev/SENG701_CapStone_Project
- Branch: master (production-ready code)
- Commit History: 50+ commits demonstrating continuous work
- README: Comprehensive setup and usage of instructions

Deployment Links:

- Live Application: <https://sbom-manager.vercel.app>
- API Documentation : <https://sbom-manager-api.onrender.com/docs>

Access Instructions:

- Repository: Public, no authentication required
- Live App: Registration required for full access
- Demo Account: Available upon request

Appendix H: Beta Deliverable Checklist

Beta Functionality (70-90% Completion):

- 85% of product functionality implemented
- 95% of critical functions implemented
- 20% of features with known defects (all minor)
- Quality sufficient for limited production use

The 13 Beta Capstone Checkpoint Items:

1. **In-Progress Capstone Report:**

https://docs.google.com/document/d/1aW2j4vYZS167HMyYPovikRsR5B_RCdf7/edit?usp=drive_link&oid=104488317704678371726&rtpof=true&sd=true

2. **Sponsor Feedback:** included

3. **Features Implemented:** included

4. **Source Code Repository:**

- Filename:
https://drive.google.com/file/d/1A5KjKGBNAOqf11En845X02ZXsJfSXdlV/view?usp=drive_link
- Contents: Complete project code from GitHub

5. **Build and Deployment Instructions:** Appendix C with step-by-step guide

6. **Code Statistics:** Appendix D with LOC, complexity, dependencies, metrics

7. **Repository Link:** https://github.com/Satwik-Dev/SENG701_CapStone_Project

- Regular commits demonstrating continuous work
- Complete commit history preserved

8. **Public Link:** <https://sbom-manager.vercel.app>

- Live, accessible application
- All Beta features functional

9. **Compile/Build/Deploy Video:**

https://drive.google.com/file/d/1QT_v7DQ8nksnKaNk_Bt7UKUZjKukCoZV/view?usp=drive_link

- Duration: ≤ 5 minutes

- Shows complete build process

10. Design/Architecture Video:

https://drive.google.com/file/d/1Huf78QtL4PPGSQqH9KRNuT_6eiBzLJb8/view?usp=drive_link

- Duration: ≤ 5 minutes
- Explaining system architecture

11. Product Demo Video:

https://drive.google.com/file/d/1YlpXwc66ayAdwwUFcWedWXTd7pT7Uhwxw/view?usp=drive_link

- Duration: ≤ 5 minutes
- Demonstrates all Beta features

12. Known Problems and Plan: included

13. Differences from Alpha: included