



Reptile Search Algorithm (RSA): A nature-inspired meta-heuristic optimizer

Laith Abualigah ^{a,b,*}, Mohamed Abd Elaziz ^{c,d,e}, Putra Sumari ^b, Zong Woo Geem ^f,
Amir H. Gandomi ^g

^a Faculty of Computer Sciences and Informatics, Amman Arab University, Amman 11953, Jordan

^b School of Computer Sciences, Universiti Sains Malaysia, Pulau Pinang 11800, Malaysia

^c Department of Mathematics, Faculty of Science, Zagazig University, Egypt

^d Artificial Intelligence Research Center (AIRC), Ajman University, Ajman 346, United Arab Emirates

^e Department of Artificial Intelligence Science &Engineering, Faculty of computer Science &Engineering, Galala University, Egypt

^f Department of Energy and Information Technology, Gachon University, Seongnam-si, Republic of Korea

^g Faculty of Engineering and Information Technology, University of Technology Sydney, Ultimo, NSW 2007, Australia

ARTICLE INFO

Keywords:

Reptile Search Algorithm (RSA)

Optimization algorithms

Meta-heuristics

Real-word problems

Optimization problems

ABSTRACT

This paper proposes a novel nature-inspired meta-heuristic optimizer, called Reptile Search Algorithm (RSA), motivated by the hunting behaviour of Crocodiles. Two main steps of Crocodile behaviour are implemented, such as encircling, which is performed by high walking or belly walking, and hunting, which is performed by hunting coordination or hunting cooperation. The mentioned search methods of the proposed RSA are unique compared to other existing algorithms. The performance of the proposed RSA is evaluated using twenty-three classical test functions, thirty CEC2017 test functions, ten CEC2019 test functions, and seven real-world engineering problems. The obtained results of the proposed RSA are compared to various existing optimization algorithms in the literature. The results of the tested three benchmark functions revealed that the proposed RSA achieved better results than the other competitive optimization algorithms. The results of the Friedman ranking test proved that the RSA is a significantly superior method than other comparative methods. Finally, the results of the examined engineering problems showed that the RSA obtained better results compared to other various methods. Source codes of RSA are publicly available at <https://www.mathworks.com/matlabcentral/fileexchange/101385-reptile-search-algorithm-rsa-a-nature-inspired-optimizer>

1. Introduction

There is a well-known theory said, “survival of the fittest”. Hence, predators have to choose a robust approach to maximize the hunting the prey in natural life (Bartumeus, da Luz, Viswanathan, & Catalán, 2005). Generally, the foraging activity of various animals in nature is a dramatically random walk approach; a stochastic manner in which the next position is subject to the current situation/position and a change likelihood to the next position which can be mathematically represented as an optimization technique (Shcherbacheva, 2019; Viswanathan et al., 1999). These approaches have been developed by the environment and typically chosen by predators to survive.

There are two main classes for optimization techniques: (1) deterministic methods, which are divided into linear and non-linear approaches (Horst & Tuy, 2013). These approaches are the most used deterministic methods, designated by utilizing the gradient erudition

of the problem to explore the search space and find the optimal solution (Abualigah, 2020a; Abualigah & Diabat, 2020). In spite of these approaches are useful for linear search problems (Unimodal), they are susceptible to local optima trap when implementing to non-linear search problems (Multimodal), including real-world optimization problems. To overcome this problem, several methods can be used such as a different initial population strategy, hybridize, or modify the algorithm (Luenberger, Ye, et al., 1984). (2) Stochastic methods, which are another alternative that generates and utilizes random variables such as the meta-heuristic optimization algorithms. These optimization algorithms are utilized to globally search in the available search space of the problem to obtain the near-optimal solution (Gardiner et al., 1985). The advantages of these algorithms are simplicity, flexibility, independency to the problem, easy to use, and gradient-free

* Corresponding author at: Faculty of Computer Sciences and Informatics, Amman Arab University, Amman 11953, Jordan.

E-mail addresses: Aligh.2020@gmail.com (L. Abualigah), abd_el_aziz_m@yahoo.com (M.A. Elaziz), putras@usm.my (P. Sumari), geem@gachon.ac.kr (Z.W. Geem), Gandomi@uts.edu.au (A.H. Gandomi).

nature (Abualigah, 2020b; Abualigah, Shehab, Alshinwan, Mirjalili, and Abd Elaziz, 2020).

Recently, meta-heuristic algorithms have been successfully employed to address various complicated optimization problems (Gandomi, 2014; Gandomi & Alavi, 2012). These algorithms are exposed to be more robust than the other traditional methods that are based on conventional logic or mathematical programming. Exploration (diversification) and exploitation (Intensification) search strategies are two chief merits of the meta-heuristic algorithms. The exploration search strategy works to ensure that the algorithm explores the given search space widely and efficiently. While the exploitation search strategy searches around the obtained-optimal solution to find the best candidate solution. The main objectives of introducing advanced meta-heuristic algorithms are to solve various complicated optimization problems faster and to get more robust optimization methods (Erol & Eksin, 2006; Geem, Kim, & Loganathan, 2001; Kaveh & Farhoudi, 2013).

According to the nature of inspiration, meta-heuristic algorithms are classified into main four classes (Abualigah & Diabat, 2021): (1) evolutionary-based algorithms (EA) (Fonseca & Fleming, 1995), (2) swarm-based intelligence (SI) (Parpinelli & Lopes, 2011), (3) physics-based methods (PM) (Biswas, Mishra, Tiwari, & Misra, 2013), and (4) human-based methods (HM) (Kosorukoff, 2001). EAs mimic the behaviour of natural evolution. These algorithms utilize operators (i.e., crossover and mutation) inspired by biologies. The most commonly utilized EA is GA. GA uses these operators to generate improved solutions. Other examples of the EA class are evolutionary programming (Fogel, Owens, & Walsh, 1966), differential evolution (Storn & Price, 1997), and evolution strategy (Hansen, Müller, & Koumoutsakos, 2003). SI simulates the social behaviour of animals in swarms (i.e., herds, flocks, or schools). Mainly, the characteristic of this class is the sharing of joint information of all animals through the optimization process. The most utilized algorithm in this class is particle swarm optimization (PSO), developed by Kennedy and Eberhart (Eberhart & Kennedy, 1995). The Fox Red Optimization Algorithm is suggested based on a mathematical representation of red fox rules and hunting for food (Połap & Woźniak, 2021). Black Widow Optimization Algorithm is proposed in Hayyolalam and Kazem (2020) based on the inspiration of mating behaviour of black widow spiders. Other examples of SI class are Salp Swarm Algorithm (Abualigah, Shehab, Alshinwan, & Alabool, 2019), Ant Colony Optimization (Dorigo, Birattari, & Stutzle, 2006), and Dolphin Echolocation (Kaveh & Farhoudi, 2013). PMs are inspired by physical laws in life, and mainly defines the communication of the candidate solutions based on controlling rules of the physical methods. One of the most commonly utilized algorithms in PM class is Simulated Annealing, which utilizes thermodynamics laws to heating and the next handler cooling of an element to grow the volume of its crystals. Other examples of PM class are Gravitational Search Algorithm (Rashedi, Nezamabadi-Pour, & Saryazdi, 2009), Henry Gas Solubility Optimization (Hashim, Houssein, Mabrouk, Al-Atabany, & Mirjalili, 2019), and Charged System Search (Kaveh & Talatahari, 2010b). Finally, HMs are motivated by human communications and behaviour in communities. This class is consequently emphasized to generate better solutions until met the termination criteria. Examples of HMs are the Imperialist Competitive Algorithm (ICA) (Atashpaz-Gargari & Lucas, 2007), and Teaching-Learning-Based Optimization (TLBO) (Rao, Savsani, & Vakharia, 2011). Moreover, these various methods have been widely used to solve different problems such as image segmentation (Abuwaida, Chan, Alshdaifat, & Abualigah, 2021), microscopy image analysis (Altabeeb, Mohsen, Abualigah, & Ghallab, 2021; Połap, 2020), task scheduling (Abd Elaziz, Abualigah, & Attiya, 2021), economic emission dispatch (Hassan, Kamel, Abualigah, & Eid, 2021), optimal allocation of power resources (Eid, Kamel, & Abualigah, 2021), feature selection (Jiang, Luo, Wei, Abualigah, et al., 2021), vulnerability detection (Şahin & Abualigah, 2021), images classification (Yousri et al., 2021), intrusion detection system (Safaldin,

Otair, & Abualigah, 2021), identifying photovoltaic models (Yousri et al., 2020), and others.

Genetic Algorithms (GA) (Holland et al., 1992), Harmony Search (HS) Algorithm (Geem et al., 2001), Cuckoo Search Optimization (CS) (Yang & Deb, 2009), Krill Herd Algorithm (KHA) (Gandomi & Alavi, 2012), Gray Wolf Optimizer (GWO) (Mirjalili, Mirjalili, & Lewis, 2014), Artificial Bee Colony (ABC) (Karaboga & Akay, 2009), Aquila Optimizer (AO) (Abualigah et al., 2021), and Arithmetic Optimization Algorithm (AOA) (Abualigah, Diabat, Mirjalili, Abd Elaziz and Gandomi, 2021) are some of the common traditional meta-heuristics optimization algorithms. Despite the success of traditional and recent optimization algorithms, no algorithm can guarantee to achieve the best global optimum solutions for various optimization problems. This has been proven by the theorem of the No-Free-Lunch in search and optimization (Abualigah, Diabat and Geem, 2020; Wolpert & Macready, 1997). This theory motivated us to introduce a new optimization algorithm and solve various optimization problems more efficiently.

We intend to propose a more dynamic and effective algorithm; this paper introduces a new natural-inspired based meta-heuristic optimizer, called Reptile Search Algorithm (RSA). This algorithm is stimulated by the encircling and hunting behaviours of Crocodiles in the real-life. The main difference between the proposed RSA and others is that RSA has a unique procedure modelled to update the solutions' positions using four novel mechanisms. For example, encircling is performed by high walking or belly walking, and hunting is conducted by hunting coordination or hunting cooperation. The main motivation behind RSA is to find powerful search methods that can produce better quality solutions for the complicated problems and get new best results that can help solve complex real-world problems. A set of twenty-three classical test functions, thirty CEC2017 test functions, and ten CEC2019 test functions is used to verify the robustness and effectiveness of the proposed RSA rigorously. Moreover, eight real-world engineering problems are used to investigate the effectiveness of the proposed RSA further.

The remainder of the paper is organized as: Section 2 describes the Reptile Search Algorithm developed in this paper. Section 3 presents the results, discussion, and evaluation of RSA on various optimization problems. Section 4 presents the conclusion of the current work and recommends future directions. Thus, two mathematical models were introduced to update the positions of candidate solutions; one for diverse search and another toward the optimal search region.

2. The Reptile Search Algorithm (RSA)

In this section, the exploration (global search) and exploitation (local search) phases of the proposed Reptile Search Algorithm (RSA) are presented, which is inspired by the encircling mechanisms, hunting mechanisms, and the social behaviour of Crocodiles in nature. Crocodiles behaviours consist of encircling and hunting the prey. These mechanisms are mathematically modelled to present the proposed RSA and perform the optimization processes. RSA is a population-based and gradient-free method, so it can be used to address complicated or straightforward optimization problems subject to specific constraints. Cohesive groups are helpful for active co-operation between Crocodiles and also maximize their robustness.

2.1. Biology and behaviour of Crocodiles

Crocodiles (subfamily includes the true crocodiles) are colossal semi-aquatic semiaquatic creepers that live everywhere in tropics such as Australia, Africa, Asia, and the Americas. The word crocodile refers to only the kinds within the subfamily of "Crocodylinae". Generally, a crocodile's physical characteristics support them to be a strong predator (Dinets, Brueggen, & Brueggen, 2015; Kushlan & Mazzotti, 1989). Their external shape is a sign of its water and predatory lifestyle.

Crocodiles have very little resistance to a flow of air and water (streamlined body); this shape increases its speed. It makes their movement easier, which enables them to move quickly. As well, Crocodiles also raise their feet to the side during walking, which runs faster. Crocodiles' webbed feet allow them to walk turns and sudden movements quickly in the swimming. These feet are a distinctive feature, where the animals usually move from one place to another by walking (Dinets, 2015; Platt et al., 2006). The main characterizations of the Crocodile behaviour are given as follows.

Vision: Crocodiles have perfect night eyesight and are mainly nocturnal hunters. They utilize the weakness (i.e., miserable night eyesight) of prey animals to their support.

Hunting and diet: Crocodiles are snare predators, looking for nearby fish or land animals, and then running out to attack. Crocodiles hunt fish, reptiles, crustaceans, amphibians, mollusks, mammals, and birds, and sometimes they eat smaller crocodiles. Crocodiles often hunt small fish and invertebrates, gradually moving on to larger prey. Crocodiles are predators (in cold-blooded); they have a prolonged metabolism so that they can survive for a long time without food. Notwithstanding their appearance of moving slow, crocodiles have a swift beating. They are top and powerful predators in their habitat, and several classes have been recognized, attacking and killing other predators such as sharks and deer. As well, when given a chance, they would prey on young or dying elephants and other different animals. Evidence implies that crocodiles also feed on several kinds of fruits.

Locomotion: Crocodiles can run very fast over small distances, even out of water. When a crocodile moves quickly, it keeps its legs in a straighter and more straightforward situation under its body (called the high walk). This kind of walk allows crocodiles a high speed.

Cognition: Crocodiles own some advanced cognitive skills. They can recognize and utilize patterns of prey behaviour, such as while prey closes to the river to drink frequently.

Hunting: Crocodiles are advanced hunters: cooperate as a team to hunt their prey. Hunting is carried out by crocodiles cooperatively based on coordination and collaboration. Coordinated hunting is a sophisticated form of collaborative hunting, in which particular predators associate in each other's movements adjusted on the target-prey during organized hunting. Coordinated hunting is a sophisticated form of cooperative hunting, in which specific predators associate in each other's actions, which is considered to be uncommon for the animal lacking a backbone. In some instances, individual Crocodile runs on the same role (being the ambusher or the driver) during various hunts, as seen in lions.

Coordination and collaboration of crocodiles: Crocodiles hunt in a team, as the modern study has shown. This distinguished them, members, as one of the best sophisticated and intelligent teams that can make cooperation between different individuals with different roles. Seeing crocodiles hunting operation is very complicated. They hunt by ambush; they occasionally eat due to their metabolism is slow, and almost all hunting happens at night and maybe in shallow waters. For example, the crocodiles moved together to force a group of fishes to gather in a small group (dense group). They then took turns hunting fish from this group (bait ball). Next, the crocodiles will take turns cutting over the circle centroid, attack the fishes. Often, Crocodiles of various sizes follow various roles. More giant Crocodiles lead fishes from the deeper area of a lagoon into the shallows, where

smaller, more intelligent Crocodiles prevents its escape. Other cases included a crocodile scared a pig or a zebra (wildebeests), making it move quickly into a lagoon where other crocs were disappearing and waiting for the attack. Hunting behaviour of Crocodiles is relatively constant; when a Crocodile caught a prey, it would move out of the hunting space and join the Crocodiles again after eating its victim. It seems that the animals after hunting take some resting and wait their turn to join the active hunting team.

A conclusion is that crocodiles are one of the most intelligent and expert hunters and possibly next behind humans. We modelled Crocodile behaviours as a mathematical optimization, and it is determining the best solution subjected to specific constraints. Optimization problems occur in various quantitative disciplines, from engineering, economics, and computer sciences to operations research and industry, and improvements in searching techniques have been attracting interest in several domains of sciences. The main inspiration of the proposed algorithm (RSA) derived from the encircling and hunting the prey. In the following subsections, the descriptions of these processes in the RSA are discussed. RSA is then proposed based on the mathematical model.

2.2. Initialization phase

In RSA, the optimization process starts with a set of candidate solutions (X) as shown in Eq. (1), which is generated stochastically, and the best-obtained solution is considered as the nearly the optimum in each iteration.

$$X = \begin{bmatrix} x_{1,1} & \cdots & x_{1,j} & x_{1,n-1} & x_{1,n} \\ x_{2,1} & \cdots & x_{2,j} & \cdots & x_{2,n} \\ \cdots & \cdots & x_{i,j} & \cdots & \cdots \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ x_{N-1,1} & \cdots & x_{N-1,j} & \cdots & x_{N-1,n} \\ x_{N,1} & \cdots & x_{N,j} & x_{N,n-1} & x_{N,n} \end{bmatrix} \quad (1)$$

where X is a set of the candidate solutions that are generated randomly by using Eq. (2), $x_{i,j}$ denotes to the j_{th} position of the i_{th} solution, N is the number of candidate solutions, and n denotes to the dimension size of the given problem.

$$x_{ij} = \text{rand} \times (UB - LB) + LB, j = 1, 2, \dots, n \quad (2)$$

where rand is a random value, LB and UB denote to the lower and upper bound of the given problem, respectively.

2.3. Encircling phase (exploration)

In this section, the exploratory behaviour (encircling) of RSA is introduced. According to the encircling behaviour, Crocodiles have two movements during the encircling are high walking and belly walk. These movements refer to different reigns, which commitment to the exploration search (globally). Crocodile movements (high and belly walking) cannot allow them to approach the target prey due to their disturbance easily, unlike another search phase (hunting phase). Hence, the exploration search discovers a wide search space; it can find the density area maybe after several endeavours. In addition, the exploration mechanisms (high and belly walking) are operated at this stage of optimization to support the other phase (hunting/exploration) in the search process through extensive and spread research.

The RSA can transfer between encircling (exploration) and hunting (exploitation) search phases, this change between various behaviours is done based on four conditions; divide the total number of iterations into four parts. The exploration mechanisms of RSA explore the search regions and approach to find a better solution based on two main search strategies (high walking strategy and belly walking strategy).

This phase of searching is conditioned on two conditions. The high walking movement strategy is conditioned by $t \leq \frac{T}{4}$, and the belly




Fig. 1. Encircling the prey, when ($t \leq \frac{T}{2}$).




Fig. 2. Attacking the prey, when ($t > \frac{T}{2}$).

walking movement strategy is conditioned by $t \leq 2\frac{T}{4}$ and $t > \frac{T}{4}$.

This means that this condition will be satisfied for almost the half number of exploration iterations (High walking) and another half for the Belly walking. These are two exploration search methods. Note, a stochastic scaling coefficient is examined for the element to generate more diverse-solutions and explore diverse-regions. We employed the most straightforward rule, which can mimic the encircling behaviour of Crocodiles. In this paper, the position updating equations are proposed for the exploration phase as in Eq. (3).

$$\eta_{(i,j)}(t+1) = \begin{cases} Best_j(t) \times -\eta_{(i,j)}(t) \times \beta - R_{(i,j)}(t) \times rand, & t \leq \frac{T}{4} \\ Best_j(t) \times x_{(r_1,j)} \times ES(t) \times rand, & t \leq 2\frac{T}{4} \text{ and } t > \frac{T}{4} \end{cases} \quad (3)$$

where $Best_j(t)$ is the j_{th} position in the best-obtained solution so far, $rand$ denotes to a random number between 0 and 1, t is the number of the current iteration, and T is the maximum number of iterations. $\eta_{(i,j)}$ denotes to the hunting operator for the j_{th} position in the i_{th} solution, which is calculated using Eq. (4). β is a sensitive parameter, controls the exploration accuracy (i.e., High walking) for encircling phase over the course of iterations, which is fixed equal to 0.1. Reduce function ($R_{(i,j)}$) is a value used to reduce the search area, which is calculated using Eq. (5). r_1 is a random number between [1 N] and $x_{(r_1,j)}$ denotes to a random position of the i_{th} solution. N is the number of the candidate solutions. Evolutionary Sense ($ES(t)$) is a probability ratio takes randomly decreasing values between 2 and -2 throughout the number of iterations, which is calculated using Eq. (6).

$$\eta_{(i,j)} = Best_j(t) \times P_{(i,j)}, \quad (4)$$

$$R_{(i,j)} = \frac{Best_j(t) - x_{(r_2,j)}}{Best_j(t) + \epsilon}, \quad (5)$$

$$ES(t) = 2 \times r_3 \times \left(1 - \frac{1}{T}\right), \quad (6)$$

where, ϵ a small value and r_2 is a random number between [1 N]. In Eq. (6), 2 is used as a correlation value to give values between 2 and 0, r_3 denotes to a random integer number between -1 and 1. $P_{(i,j)}$ is the percentage difference between the j_{th} position of the best-obtained solution and the j_{th} position of the current solution, which is calculated

using Eq. (7).

$$P_{(i,j)} = \alpha + \frac{x_{(i,j)} - M(x_i)}{Best_j(t) \times (UB_{(j)} - LB_{(j)}) + \epsilon}, \quad (7)$$

where $M(x_i)$, as in Eq. (7), is the average positions of the i_{th} solution, which is calculated using Eq. (8). $UB_{(j)}$ and $LB_{(j)}$ are the upper and lower boundaries of the j_{th} position, respectively. α is a sensitive parameter, controls also the exploration accuracy (the difference between candidate solutions) for the hunting cooperation over the course of iterations, which is fixed equal to 0.1 in this paper.

$$M(x_i) = \frac{1}{n} \sum_{j=1}^n x_{(i,j)}, \quad (8)$$

2.4. Hunting phase (exploitation)

In this section, the exploitative behaviour (hunting) of RSA is introduced. According to the hunting behaviour, Crocodiles have two strategies during the hunting are hunting coordination and cooperation. These strategies refer to different intensify techniques, which commitment to the exploitation search (locally). Crocodile strategies (hunting coordination and cooperation) allow them to approach the target prey easily due to their intensification, unlike encircling mechanisms. Hence, the exploitation search discovers the near-optimal solution, maybe after several endeavours. Besides, the exploitation mechanisms are operated at this stage of optimization to conduct an intensification search near the optimal solution and emphasized communication between them.

The exploitation mechanisms of RSA exploit the search space and approach to find the optimal solution based on using two main search strategies (i.e., (1) hunting coordination and (2) hunting cooperation), which is modelled as in Eq. (9). The searching in this phase is conditioned as the hunting coordination strategy is conditioned by $t \leq 3\frac{T}{4}$ and $t > 2\frac{T}{4}$, otherwise, the hunting cooperation strategy is performed, when $t \leq T$ and $t > 3\frac{T}{4}$. Note, stochastic coefficients are considered to generate more dense-solutions and exploit the promising regions (locally). We employed the most straightforward rule, which can mimic the hunting behaviour of Crocodiles. In this paper, the following position updating equations are proposed for the exploitation

phase (Eq. (9)):

$$x_{(i,j)}(t+1) = \begin{cases} Best_j(t) \times P_{(i,j)}(t) \times rand, & t \leq 3\frac{T}{4} \text{ and } t > 2\frac{T}{4} \\ Best_j(t) - \eta_{(i,j)}(t) \times \epsilon - R_{(i,j)}(t) \times rand, & t \leq T \text{ and } t > 3\frac{T}{4} \end{cases} \quad (9)$$

where $Best_j(t)$ is the j_{th} position in the best-obtained solution so far, $\eta_{(i,j)}$ denotes to the hunting operator for the j_{th} position in the i_{th} solution, which is calculated using Eq. (4). $P_{(i,j)}$ is the percentage difference between the j_{th} position of the best-obtained solution and the j_{th} position of the current solution, which is calculated using Eq. (7). $\eta_{(i,j)}$ denotes to the hunting operator for the j_{th} position in the i_{th} solution, which is calculated using Eq. (4). ϵ a small value. $R_{(i,j)}$ is a value used to reduce the search area, which is calculated using Eq. (5).

In this respect, Figs. 1 and 2 show that when $t \leq \frac{T}{2}$, the encircling phase (exploration) happens, otherwise; when $t > \frac{T}{2}$, the hunting phase (exploitation) occurs to be close enough to prey when attacking.

Exploitation search mechanisms (hunting coordination and cooperation) are attempting to evade getting trapped in the local optima. These procedures assist the exploration search in determining the optimal solution and maintain the diversity over the candidate solutions. We carefully designed two parameters (i.e., β and α) to produce a stochastic value at each iteration, continue exploration not only during the first iterations but also last iterations. This part of searching is beneficial in the situation of local optima stagnation, particularly in the last iterations.

Algorithm 1 Pseudo-code of the Reptile Search Algorithm (RSA)

```

1: Initialization phase
2: Initialize RSA parameters  $\alpha$ ,  $\beta$ , etc.
3: Initialize the solutions' positions randomly.  $X: i = 1, \dots, N$ .
4: while ( $t < T$ ) do
5:   Calculate the Fitness Function for the candidate solutions ( $X$ ).
6:   Find the Best solution so far.
7:   Update the  $ES$  using Equations (6).
8: The beginning of the RSA
9: for ( $i=1$  to  $N$ ) do
10:  for ( $j=1$  to  $n$ ) do
11:    Update the  $\eta$ ,  $R$ ,  $P$  and values using Equations (4), (5) and
12:    (7), respectively.
13:    if ( $t \leq \frac{T}{4}$ ) then
14:       $x_{(i,j)}(t+1) = Best_j(t) \times -\eta_{(i,j)}(t) \times \beta - R_{(i,j)}(t) \times rand$ ,  $\triangleright$  {High walking}
15:    else if ( $t \leq 2\frac{T}{4}$  and  $t > \frac{T}{4}$ ) then
16:       $x_{(i,j)}(t+1) = Best_j(t) \times x_{(r,j)} \times ES(t) \times rand$ ,  $\triangleright$  {Belly
17:      walking}
18:    else if ( $t \leq 3\frac{T}{4}$  and  $t > 2\frac{T}{4}$ ) then
19:       $x_{(i,j)}(t+1) = Best_j(t) \times P_{(i,j)}(t) \times rand$ ,  $\triangleright$  {Hunting
20:      coordination}
21:    else
22:       $x_{(i,j)}(t+1) = Best_j(t) - \eta_{(i,j)}(t) \times \epsilon - R_{(i,j)}(t) \times rand$ ,  $\triangleright$ 
23:      {Hunting cooperation}
24:    end if
25:  end for
26: end for
27:  $t=t+1$ 
28: end while
29: Return the best solution ( $Best(X)$ ).

```

2.5. Pseudo-code of the Reptile Search Algorithm (RSA)

To recap, in RSA, the optimization process begins with generating a random set of candidate solutions (population). During the trajectory of repetition, the search mechanisms of the RSA explore the possible positions of the near-optimal solution. Each solution replaces its positions from the best-obtained solution according to the processes of the proposed RSA.

To emphasize exploration and exploitation, the search processes are divided into two main methods (exploration and exploitation) with four strategies. Exploration: high walking strategy and belly walking strategy. Exploitation: hunting coordination and cooperation. Candidate solutions attempt to expand the search area when $t \leq \frac{T}{2}$ and attempt to converge towards the near-optimal solution when $t > \frac{T}{2}$. In the exploration phase, the high walking movement strategy is performed when $t \leq \frac{T}{4}$, and the belly walking movement strategy is performed when $t \leq 2\frac{T}{4}$ and $t > \frac{T}{4}$. In the exploitation phase, the hunting coordination strategy is performed when $t \leq 3\frac{T}{4}$ and $t > 2\frac{T}{4}$, otherwise, the hunting cooperation strategy is performed, when $t \leq T$ and $t > 3\frac{T}{4}$. Finally, the RSA is stopped when it met the end criterion. The Pseudo-code of the proposed RSA is detailed in Algorithm 1. The intuitive and detailed process of RSA is shown in Fig. 3.

2.6. Time complexity

The complexity of the developed RSA depends on the complexity of three main parameters (i.e., initialization processes, number of fitness evaluation, and updating of solutions) and it is given as follows.

Note that the computational complexity of the initialization process, with N solutions, is $O(N)$. The computational complexity of the updating processes is $O(T \times N) + O(T \times N \times D)$. Consequently, the computational complexity of the proposed RSA is as follows.

$$O(RSA) = O(N \times (T \times D + 1)) \quad (10)$$

where, T number of iterations, N presents the number of used solutions, and D presents the solution size.

3. Experimental results and discussions

In this study, the new developed meta-heuristic method RSA is applied to solve different global optimization problems, including twenty-three classical, thirty CEC2017, and ten CEC2019 benchmark test functions. In addition, it is used to find the best solution for seven engineering problems and several feature selection problems. During the evaluation of RSA over the tested problems, its results are compared with grasshopper optimization algorithm (GOA) (Saremi, Mirjalili, & Lewis, 2017), salp swarm algorithm (SSA) (Mirjalili et al., 2017), whale optimization algorithm (WOA) (Mirjalili & Lewis, 2016), sine cosine algorithm (SCA) (Mirjalili, 2016b), dragonfly algorithm (DA) (Mirjalili, 2016a), grey wolf optimizer (GWO) (Mirjalili et al., 2014), PSO (Eberhart & Kennedy, 1995), ant lion optimizer (ALO) (Mirjalili, 2015a), marine predators Algorithm (MPA) (Faramarzi, Heidarinejad, Mirjalili and Gandomi, 2020), equilibrium optimizer (EO) (Faramarzi, Heidarinejad, Stephens and Mirjalili, 2020), and covariance matrix adaptation evolution strategy (CMAES) (Hansen & Ostermeier, 2001).

The common parameters in the current study, such as the total number of iterations is set to 500, and the number of Crocodiles is 30. In addition, the statistical measures are computed for each algorithm after performing it 25 runs. So, the number of function evaluations is 15000. Also, the parameter setting of each algorithm is defined according to its implementation, whereas, the parameters of the RSA are given as α is fixed equal to 0.1 and β is fixed equal to 0.1 by experiments. The experiments are conducted using a computer Core i7-8565U with 16 GB RAM and 64-bit for Microsoft Windows 10. The source code is implemented using MATLAB (R2015a).

To assess the quality of the obtained results by RSA and other Comparative algorithms, a set of performance measures is used. Such as the worst, best, average, and standard deviation (STD) of the fitness value overall the independents 25 times for each tested problem. Moreover, a non-parametric statistical tests called Friedman ranking test is applied for a fair comparison. In general, Friedman ranking test produces a mean rank for each algorithm and ranking them (Martin, Leblanc, & Toan, 1993).




Fig. 3. Flowchart of the proposed Reptile Search Algorithm (RSA).

Table 1
Unimodal benchmark functions.

Function	Description	Dimensions	Range	f_{min}
F1	$f(x) = \sum_{i=1}^n x_i^2$	30, 100, 500, 1000	[-100,100]	0
F2	$f(x) = \sum_{i=0}^n x_i + \prod_{i=0}^n x_i $	30, 100, 500, 1000	[-10,10]	0
F3	$f(x) = \sum_{i=1}^n (\sum_{j=1}^i x_j)^2$	30, 100, 500, 1000	[-100,100]	0
F4	$f(x) = \max\{ x_i , 1 \leq i \leq n\}$	30, 100, 500, 1000	[-100,100]	0
F5	$f(x) = \sum_{i=1}^{n-1} [100(x_i^2 - x_{i+1})^2 + (1 - x_i)^2]$	30, 100, 500, 1000	[-30,30]	0
F6	$f(x) = \sum_{i=1}^n ((x_i + 0.5))^2$	30, 100, 500, 1000	[-100,100]	0
F7	$f(x) = \sum_{i=0}^n ix_i^3 + \text{random}[0, 1)$	30, 100, 500, 1000	[-128,128]	0

Table 2

Multimodal benchmark functions.

Function	Description	Dimensions	Range	f_{min}
F8	$f(x) = \sum_{i=1}^n (-x_i \sin(\sqrt{ x_i }))$	30, 100, 500, 1000	[-500,500]	-418.9829 × n
F9	$f(x) = \sum_{i=1}^n [x_i^2 - 10\cos(2\pi x_i) + 10]$	30, 100, 500, 1000	[-5.12, 5.12]	0
F10	$f(x) = -20\exp(-0.2\sqrt{\frac{1}{n} \sum_{i=1}^n x_i^2}) - \exp(\frac{1}{n} \sum_{i=1}^n \cos(2\pi x_i)) + 20 + e$	30, 100, 500, 1000	[-32, 32]	0
F11	$f(x) = 1 + \frac{1}{4000} \sum_{i=1}^n x_i^2 - \prod_{i=1}^n \cos(\frac{x_i}{\sqrt{i}})$	30, 100, 500, 1000	[-600, 600]	0
F12	$f(x) = \sum_{i=1}^n \left\{ 10 \sin(\pi y_1) \right\} + \sum_{i=1}^{n-1} (y_i - 1)^2 [1 + 10 \sin^2(\pi y_{i+1})] + \sum_{i=1}^n u(x_i, 10, 100, 4) ,$ <p>where $y_i = 1 + \frac{x_i + 1}{4}, u(x_i, a, k, m) \begin{cases} K(x_i - a)^m & \text{if } x_i > a \\ 0 & -a \leq x_i \geq a \\ K(-x_i - a)^m & \text{if } x_i < -a \end{cases}$</p>	30, 100, 500, 1000	[-50, 50]	0
F13	$f(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^n (x_i - 1)^2 [1 + \sin^2(3\pi x_i + 1)] + (x_n - 1)^2) + \sin^2(2\pi x_n)) + \sum_{i=1}^n u(x_i, 5, 100, 4)$	30, 100, 500, 1000	[-50, 50]	0

Table 3
Fixed-dimension multimodal benchmark functions.

Function	Description	Dimensions	Range	f_{min}
F14	$f(x) = \left(\frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j+\sum_{i=1}^2 (x_i - a_{ij})} \right)^{-1}$	2	[-65,65]	1
F15	$f(x) = \sum_{i=1}^{11} \left[a_i - \frac{x_i(b_i^2 + b_i x_3)}{b_i^2 + b_i x_3 + x_4} \right]^2$	4	[-5,5]	0.00030
F16	$f(x) = 4x_1^2 - 2.1x_1^4 + \frac{1}{3}x_1^6 + x_1x_2 - 4x_2^2 + 4x_2^4$	2	[-5,5]	-1.0316
F17	$f(x) = \left(x_2 - \frac{5.1}{4\pi^2}x_1^2 + \frac{5}{\pi}x_1 - 6 \right)^2 + 10(1 - \frac{1}{8\pi})\cos x_1 + 10$	2	[-5,5]	0.398
F18	$f(x) = [1 + (x_1 + x_2 + 1)^2(19 - 14x_1 + 3x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] \times [30 + (2x_1 - 3x_2)^2 \times (18 - 32x_1 + 12x_1^2 + 48x_2 - 36x_1x_2 + 27x_2^2)]$	2	[-2,2]	3
F19	$f(x) = -\sum_{i=1}^4 c_i \exp \left(-\sum_{j=1}^4 a_{ij}(x_j - p_{ij})^2 \right)$	3	[-1,2]	-3.86
F20	$f(x) = -\sum_{i=1}^4 c_i \exp \left(-\sum_{j=1}^6 a_{ij}(x_j - p_{ij})^2 \right)$	6	[0,1]	-.32
F21	$f(x) = -\sum_{i=1}^5 [(X - a_i)(X - a_i)^T + c_i]^{-1}$	4	[0,1]	-10.1532
F22	$f(x) = -\sum_{i=1}^7 [(X - a_i)(X - a_i)^T + c_i]^{-1}$	4	[0,1]	-10.4028
F23	$f(x) = -\sum_{i=1}^{10} [(X - a_i)(X - a_i)^T + c_i]^{-1}$	4	[0,1]	-10.5363

Table 4
Scenarios of the tuning perimeters.

Scenario No.	α value	β value
1	0.1	0.1
2	0.1	0.5
3	0.1	0.9
4	0.5	0.1
5	0.5	0.5
6	0.5	0.9
7	0.9	0.1
8	0.9	0.5
9	0.9	0.9

3.1. Definition of twenty-three classical test functions

The process of evaluating the quality of RSA starting by using a set of twenty-three 2005 classical functions (Suganthan et al., May 2005). This set of functions is classified into three categories; the first category is called unimodal functions, and the main characteristics that discriminant this type is that they have a single extreme point in the search domain. The functions F1–F7 are examples of this type, and their definition are given in Table 1. The second and third type is named multimodal and multimodal with fixed dimension. These functions have more than an extreme solution. Functions F8–F13 are multimodal functions (see Table 2) and functions F14–F23 are examples from multimodal with fixed dimension, and their definitions are given in Table 3.

3.1.1. Parameters sensitivity of the RSA

In this section, the effect of adjusting the parameters' values of RSA is tested. Two main sensitive parameters (i.e., $\alpha = 0.1$ and $\beta = 0.1$) in RSA are studied, so we test different scenarios according to the value of these parameters. These parameters are evaluated at one value from 0.1, 0.5, and 0.9; therefore, we have nine scenarios (as in Table 4). We conducted extensive experiments before adding the results in this paper, in which we tested the parameter values, and we recognized that the parameter ranges are between 0.1 and 1. Thus, we presented coverage samples (0.1, 0.5, and 0.9) to show the effects of these values on the performance of the proposed optimizer. Note that a set of values were taken in the range of [0.1 0.9] to study their effect on the proposed RSA's performance. These numbers are chosen to cover the specified range with several equal periods. More extensive values can be taken to determine the best deals for these variables.

Table 5 depicts the statistical results achieved in each scenario among the used thirteen functions. From these results, it can be seen that the first scenario (i.e., $\alpha = 0.1$ and $\beta = 0.1$) has better results among all the tested functions in all scenarios. Followed by sixth and fifth scenarios that earmarked the second and third rank, respectively. Nevertheless, it can be seen that the performance of the proposed RSA at all of these scenarios is similar at F8, F10, and F11. Moreover, by comparing the third scenario (first rank) with the ninth scenario (final rank), it can be remarked that the RSA at the third scenario wins eight times while at another scenario wins three times. Additionally, in the third scenario, RSA lost only five times but RSA using the ninth scenario lost ten times.

3.1.2. Qualitative analysis for the convergence of RSA

In this section, we qualitatively analyse the convergence of the RSA using trajectories and convergence curves. Fig. 4 shows the different qualitative metrics for convergence of RSA. For example, the first column in Fig. 4 illustrates the shape of the tested functions in 2D to focus on the topology of the domain.

Moreover, the second column in Fig. 4 indicates the search history that illustrates the behaviour of collective and interactional between crocodiles and prey. This provides RSA with a suitable tool to detect the modality of the collective search of Crocodiles. This modality illustrates

the collection of Crocodiles around the optimal point in unimodal functions, whereas the scattering of Crocodiles when RSA is used to solve the multimodal functions. All of these properties of modality helps in exploring and exploiting the results when RSA is applied to multimodal and unimodal functions, respectively.

Furthermore, the average fitness value of agents during the iterations is given in the third column in Fig. 4. It can be seen from these curves that the agents have variant values at the initial the iterations and in most cases this variation still to the end iterations. This verified the RSA has a high ability to maintain the diversity over the iterations.

In addition, the topological variations of a Crocodiles during the process of optimization is measures using the trajectory metric as in the fourth column. It can be noticed from the curve of trajectory that the first solution in the first dimension has high frequency and magnitude, specifically at the early generations, which can be vanished in the last generations. This refers to that RSA has a high exploration ability at the initial process of optimization, then switching to the exploitation phase in the later period of generation. According to this behaviour, the RSA can converge to the global solution (Van den Bergh & Engelbrecht, 2006).

Also, one can be seen that the frequency and magnitude of topological variations for multimodal and composition functions are occurred several times than those for the unimodal functions and especially last longer. This indicates the high robustness and adaptability of the RSA when used to solve different optimization functions since it has a high ability to balance between exploration and exploitation.

From the last column in Fig. 4 it can be seen the convergence curve that represents the best agent determined so far. According to the type of each function, the convergence curve has a specific pattern. For example, the convergence curve of the unimodal functions is smooth and it is enhanced with a small number of iterations. Whereas, the convergence curve of the multimodal functions is improved in stepwise behaviour since those functions are more complex than unimodal functions. Moreover, it can be seen that the agents of RSA at the initial iterations are encircling the optimum agent and they aim to improve the position of agents with increasing the iteration. Meanwhile, the agents explore the search space from the first iteration till the last iteration with trying to determine the better position of agents.

3.1.3. Comparison with other MH methods using classical functions

In this section, the performance of the RSA to find the optimal solution for unimodal and multimodal functions is evaluated. Tables 6–9 show the comparison results between the RSA and other meta-heuristic techniques, including GOA, SSA, WOA, SCA, DA, GWO, PSO, ALO, MPA, EO, and CMA-ES. Those MH algorithms are used since they established their abilities to solve this kind of global optimization problems.

From Table 6 it can be seen that the RSA achieves the first rank overall other algorithms followed by CMA-ES, MPA, and EO, which allocate second, third, and fourth rank, respectively. Moreover, from thirteen functions, the RSA provides a high ability to find the smallest average of fitness value at eight functions which represent nearly 62%. While, CMA-ES has a better average of fitness value at six functions (i.e., 46%) followed by PSO, which has the best value at function F6.

In addition, the performance of RSA and other MH techniques is assessed at variant dimensions 50, 100, and 5000 as in Tables 7–9. From these tables, it can be noticed that the RSA provides a better average of fitness value at these dimensions, which has the first rank. However, MPA at dimension 100 has the same rank (first rank) similar to RSA. However, by analysing the behaviour of the two algorithms at this dimension, it can be observed that RSA has the first rank at eight functions. At the same time, MPA achieves better performance only at function F9. The main reason for both of them (i.e., MPA and RSA) have the same performance is that the RSA allocates later rank at functions F5, F6, F8, and F12 however, its performance at those functions are competitive.

Table 5The influence of the RSA parameters (i.e., α and β) tested on various test functions.

Fun	Measure	Scenario No.									
		Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	
F1	Worst	2.9726E-139	4.5873E-146	1.6338E-157	5.1699E-171	1.7344E-165	4.5736E-148	1.6476E-154	1.4740E-153	9.62E-168	
	Average	5.9452E-140	9.1747E-147	3.2679E-158	1.1228E-171	4.7511E-166	9.1473E-149	3.3267E-155	2.9480E-154	1.93E-168	
	Best	4.3644E-159	6.6540E-166	3.5363E-174	6.5145E-178	4.1126E-174	5.9392E-185	9.8708E-171	9.5832E-179	2.14E-174	
	STD	1.3294E-139	2.0515E-146	7.3062E-158	0.0000E+00	0.0000E+00	2.0454E-148	7.3511E-155	6.5920E-154	0.00E+00	
	Rank	9	8	4	1	3	7	5	6	2	
	F2	Worst	1.0336E-64	7.8114E-83	1.9162E-87	8.8143E-89	1.3987E-86	1.6705E-91	1.4983E-81	6.1081E-86	3.27E-84
	Average	2.5840E-65	1.9536E-83	4.8503E-88	4.2369E-89	3.4969E-87	7.8710E-92	3.7456E-82	1.5816E-86	8.17E-85	
	Best	1.3589E-81	1.6671E-93	1.8202E-95	3.1742E-93	5.5908E-94	6.4421E-94	4.5301E-93	2.6738E-94	9.94E-94	
	STD	5.1680E-65	3.9052E-83	9.5415E-88	4.8728E-89	6.9935E-87	7.9993E-92	7.4913E-82	3.0184E-86	1.63E-84	
F3	Rank	9	7	3	2	4	1	8	5	6	
	Worst	1.9258E-96	1.0538E-103	6.7198E-126	4.0726E-111	5.9064E-130	3.1028E-112	4.0648E-119	4.9366E-123	4.25E-122	
	Average	4.8144E-97	2.7844E-104	2.3623E-126	1.0182E-111	1.4766E-130	7.7570E-113	1.0406E-119	1.2342E-123	1.06E-122	
	Best	3.0968E-112	1.2938E-120	2.4357E-141	2.3414E-147	2.7999E-151	4.7313E-130	1.6856E-124	2.2717E-153	1.89E-142	
	STD	9.6289E-97	5.1743E-104	3.1772E-126	2.0363E-111	2.9532E-130	1.5514E-112	2.0164E-119	2.4683E-123	2.12E-122	
	Rank	9	8	2	7	1	6	5	3	4	
	F4	Worst	7.1543E-63	4.7120E-67	5.3059E-79	5.5196E-78	7.5783E-79	2.9953E-76	1.7624E-75	4.1342E-75	9.55E-78
	Average	1.7887E-63	1.3062E-67	1.3267E-79	1.3799E-78	1.8963E-79	1.2007E-76	4.7395E-76	1.1448E-75	2.39E-78	
	Best	5.2599E-69	1.4221E-78	1.3705E-88	1.0499E-90	1.5501E-83	5.0723E-79	1.8144E-85	2.1469E-87	1.25E-84	
F5	STD	3.5771E-63	2.2834E-67	2.6529E-79	2.7598E-78	3.7880E-79	1.4285E-76	8.5960E-76	2.0039E-75	4.77E-78	
	Rank	9	8	1	3	2	5	6	7	4	
	Worst	2.8981E+01	2.8983E+01	2.8995E+01	2.8992E+01	2.8990E+01	2.8980E+01	2.8987E+01	2.8984E+01	2.90E+01	
	Average	2.8931E+01	2.8976E+01	2.8991E+01	2.8984E+01	2.8980E+01	2.8975E+01	2.8979E+01	2.8980E+01	2.90E+01	
	Best	2.8812E+01	2.8969E+01	2.8984E+01	2.8974E+01	2.8970E+01	2.8960E+01	2.8971E+01	2.8972E+01	2.89E+01	
	STD	8.0079E-02	6.8193E-03	5.2820E-03	7.5520E-03	8.0779E-03	9.7193E-03	7.0393E-03	5.6050E-03	2.22E-02	
	Rank	1	4	9	8	6	3	5	7	2	
	F6	Worst	6.6513E+00	7.0289E+00	7.4195E+00	7.2288E+00	7.1179E+00	7.2659E+00	7.1355E+00	7.1569E+00	7.28E+00
	Average	6.4199E+00	6.7310E+00	7.3179E+00	7.0070E+00	7.0125E+00	7.0855E+00	7.0092E+00	7.0307E+00	7.14E+00	
F7	Best	6.2061E+00	6.5659E+00	7.2507E+00	6.7356E+00	6.8213E+00	6.8716E+00	6.8980E+00	6.9506E+00	6.80E+00	
	STD	2.2444E-01	2.0413E-01	7.1784E-02	2.1039E-01	1.3266E-01	1.7479E-01	9.7678E-02	8.9708E-02	2.28E-01	
	Rank	1	2	9	3	5	7	4	6	8	
	Worst	1.8584E-04	4.6636E-04	2.5236E-03	1.0740E-03	9.8080E-04	4.0462E-04	1.1080E-03	2.2067E-03	3.41E-03	
	Average	8.5611E-05	2.0017E-04	1.3702E-03	3.7573E-04	5.9518E-04	2.9627E-04	5.9084E-04	8.5127E-04	1.33E-03	
	Best	7.6870E-06	2.9867E-05	2.4748E-05	9.4919E-05	1.1975E-04	1.2066E-04	1.7343E-04	2.2633E-05	3.34E-05	
	STD	7.9871E-05	1.9039E-04	1.2968E-03	4.6681E-04	3.7166E-04	1.2552E-04	3.9577E-04	9.9148E-04	1.52E-03	
	Rank	1	2	9	4	6	3	5	7	8	
F8	Worst	-4.8545E+03	-2.8849E+03	-1.2858E+03	-1.9232E+03	-2.0809E+03	-4.8269E+03	-2.6107E+03	-4.1314E+03	-1.95E+03	
	Average	-5.2996E+03	-4.1857E+03	-3.5857E+03	-3.4489E+03	-3.8105E+03	-5.0747E+03	-4.2818E+03	-4.8366E+03	-2.87E+03	
	Best	-5.6561E+03	-5.1984E+03	-5.5435E+03	-5.3504E+03	-5.6182E+03	-5.4177E+03	-5.3888E+03	-5.4841E+03	-4.23E+03	
	STD	3.3664E+02	1.0474E+03	1.8107E+03	1.6898E+03	1.8798E+03	2.5223E+02	1.1872E+03	6.8133E+02	1.03E+03	
	Rank	1	5	7	8	6	2	4	3	9	
	F9	Worst	0.0000E+00	0.0000E+00	0.00E+00						
	Average	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	Best	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	STD	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
F10	Rank	1	1	1	1	1	1	1	1	1	
	Worst	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.88E-16	
	Average	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.88E-16	
	Best	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.8818E-16	8.88E-16	
	STD	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	Rank	1	1	1	1	1	1	1	1	1	
F11	Worst	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	Average	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	Best	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	STD	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.00E+00	
	Rank	1	1	1	1	1	1	1	1	1	
F12	F12	Worst	1.4808E+00	1.4296E+00	1.5564E+00	1.6158E+00	1.5458E+00	1.5738E+00	1.5213E+00	1.5712E+00	1.63E+00
	Average	1.1817E+00	1.2638E+00	1.3766E+00	1.5422E+00	1.3887E+00	1.4567E+00	1.4875E+00	1.4791E+00	1.55E+00	
	Best	7.3178E-01	1.0229E+00	9.0488E-01	1.4412E+00	1.0528E+00	1.3599E+00	1.4639E+00	1.4430E+00	1.47E+00	
	STD	3.3233E-01	2.0011E-01	3.1487E-01	7.7043E-02	2.3072E-01	1.0209E-01	2.4895E-02	6.1508E-02	7.15E-02	
	Rank	1	2	3	8	4	5	7	6	9	
F13	Worst	2.9970E+00	2.9947E+00	2.9997E+00	3.1230E+00	2.9987E+00	2.9977E+00	2.9977E+00	2.9992E+00	3.00E+00	
	Average	2.9723E+00	2.9671E+00	2.9896E+00	3.0300E+00	2.9976E+00	2.9909E+00	2.9969E+00	2.9848E+00	3.00E+00	
	Best	2.9445E+00	2.9399E+00	2.9611E+00	2.9990E+00	2.9963E+00	2.9732E+00	2.9964E+00	2.9433E+00	3.00E+00	
	STD	2.8529E-02	2.8321E-02	1.9043E-02	6.1946E-02	1.0335E-03	1.1851E-02	5.9045E-04	2.7716E-02	1.49E-03	
	Rank	2	1	4	9	8	5	6	3	7	
Mean	Rank	3.54	3.85	4.15	4.31	3.69	3.62	4.46	4.31	4.77	
Final	Ranking	1	4	5	6	3	2	8	6	9	

Furthermore, it can be observed that the performance of RSA provides better results than other methods at high dimension (i.e., 500). As well as, there is no large difference between the performance of the RSA at these dimensions which indicates RSA is more applicable than

other methods for applying it in different real-world applications that depend on high dimensions.

Fig. 5 depicts the convergence curve of the RSA and other MH method. It can be seen from these figures that the RSA has a convergence rate faster than other algorithms among the tested functions




Fig. 4. Qualitative results for the studied problems.

except at F6, F8, and F13. However, its convergence still competitive with other MH methods. In addition, it can be observed that the RSA

need less than 350 iterations to reached to optimal value in most tested functions.

Table 6

Results of the RSA using unimodal and multimodal test functions (F1–F13), with 10 dimensions.

Fun	Measure	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
F1	Worst	6.37E-171	3.70E-04	1.49E-09	3.00E-69	8.10E-10	2.36E+01	1.46E-48	6.23E-19	1.43E-07	1.09E-29	7.75E-55	7.52E-46
	Average	1.27E-171	9.23E-05	8.89E-10	1.02E-69	2.04E-10	1.31E+01	7.03E-49	1.68E-19	4.38E-08	5.16E-30	1.94E-55	3.85E-46
	Best	2.85E-181	4.53E-06	4.53E-10	1.30E-74	2.30E-15	9.41E-01	3.40E-51	2.89E-21	1.39E-08	4.83E-31	4.33E-58	9.01E-47
	STD	0.00E+00	1.57E-04	4.06E-10	1.43E-69	3.49E-10	8.56E+00	5.58E-49	2.59E-19	5.62E-08	3.90E-30	3.32E-55	2.46E-46
	Rank	1	11	9	2	8	12	4	7	10	6	3	5
F2	Worst	6.89E-86	8.07E+00	1.60E-01	7.05E-49	1.93E-08	5.00E+00	5.05E-27	5.68E-09	1.82E+00	2.66E-16	1.74E-32	1.30E-22
	Average	1.38E-86	1.99E+00	3.30E-02	1.41E-49	7.16E-09	2.68E+00	1.83E-27	1.82E-09	6.57E-01	1.11E-16	4.75E-33	7.53E-23
	Best	4.05E-94	4.28E-02	7.86E-06	2.33E-54	2.27E-11	1.12E+00	5.23E-29	1.85E-10	2.06E-05	1.56E-17	4.46E-34	4.53E-23
	STD	3.08E-86	3.46E+00	7.11E-02	3.15E-49	9.79E-09	1.49E+00	2.27E-27	2.32E-09	9.09E-01	1.30E-16	7.11E-33	3.52E-23
	Rank	1	11	9	2	8	12	4	7	10	6	3	5
F3	Worst	2.67E-142	7.92E+00	1.61E-02	9.11E+02	1.58E+00	2.30E+02	5.93E-19	8.94E-05	3.57E+01	8.90E-13	1.37E-26	2.10E-37
	Average	6.35E-143	2.37E+00	3.25E-03	4.20E+02	3.19E-01	1.51E+02	1.44E-19	2.44E-05	9.77E+00	2.95E-13	2.80E-27	7.68E-38
	Best	1.20E-149	7.67E-01	5.50E-06	1.80E+01	8.79E-06	4.94E+01	5.84E-22	3.02E-07	7.71E-01	4.33E-15	3.28E-30	8.51E-39
	STD	1.15E-142	3.12E+00	7.21E-03	3.74E+02	7.07E-01	6.70E+01	2.52E-19	3.72E-05	1.49E+01	4.10E-13	6.08E-27	8.74E-38
	Rank	1	9	7	12	8	11	4	6	10	5	3	2
F4	Worst	1.04E-81	3.68E-01	6.63E-04	1.02E+01	4.25E-03	5.49E+00	5.96E-15	9.07E-04	1.44E-01	8.96E-13	4.50E-18	9.80E-21
	Average	2.70E-82	1.60E-01	1.73E-04	3.16E+00	1.33E-03	3.12E+00	2.14E-15	2.49E-04	3.42E-02	4.83E-13	9.10E-19	4.95E-21
	Best	2.17E-89	8.75E-02	1.62E-05	2.10E-03	4.38E-06	1.59E+00	2.36E-16	2.09E-05	1.05E-03	2.31E-13	7.25E-22	2.73E-21
	STD	4.44E-82	1.18E-01	2.79E-04	4.05E+00	1.88E-03	1.62E+00	2.55E-15	3.73E-04	6.17E-02	2.71E-13	2.01E-18	2.88E-21
	Rank	1	10	6	12	8	11	4	7	9	5	3	2
F5	Worst	3.98E+00	4.73E+02	6.43E+02	8.93E+00	8.23E+00	1.21E+04	8.06E+00	7.65E+00	2.13E+02	8.82E+00	5.82E+00	2.36E-02
	Average	3.17E+00	1.32E+02	1.87E+02	7.65E+00	7.68E+00	2.71E+03	6.99E+00	4.92E+00	1.16E+02	8.78E+00	5.53E+00	1.87E-02
	Best	2.38E+00	3.59E+00	7.89E+00	6.82E+00	7.28E+00	1.35E+02	6.24E+00	1.02E-01	6.00E+00	8.76E+00	5.30E+00	1.46E-02
	STD	6.10E-01	1.98E+02	2.60E+02	8.26E-01	4.45E-01	5.28E+03	7.64E-01	2.84E+00	1.01E+02	2.38E-02	2.44E-01	3.31E-03
	Rank	2	10	11	6	7	12	5	3	9	8	4	1
F6	Worst	1.73E-09	7.23E-04	9.36E-01	2.34E-01	5.16E-01	4.58E+01	5.33E-06	2.03E-16	1.18E-07	8.61E-11	8.55E-14	4.18E-04
	Average	1.31E-09	2.23E-04	6.15E-01	5.02E-02	4.11E-01	1.69E+01	3.59E-06	4.36E-17	3.29E-08	2.88E-11	4.11E-14	3.29E-04
	Best	1.12E-09	3.70E-07	3.13E-01	1.20E-03	2.91E-01	1.03E+00	2.53E-06	2.89E-21	7.90E-09	3.76E-12	4.84E-16	7.90E-04
	STD	2.45E-10	2.95E-04	2.36E-01	1.03E-01	9.67E-02	1.86E+01	1.11E-06	8.96E-17	4.77E-08	3.28E-11	3.29E-14	4.77E-04
	Rank	4	7	11	9	10	12	6	1	5	3	2	8
F7	Worst	9.04E-05	1.52E-01	3.64E-02	8.91E-03	3.84E-03	4.22E-02	1.34E-03	1.61E-02	6.18E-02	2.17E-03	1.87E-03	1.94E-03
	Average	6.76E-05	1.08E-01	2.18E-02	5.21E-03	2.42E-03	2.40E-02	6.44E-04	9.41E-03	3.49E-02	1.08E-03	1.31E-03	1.09E-03
	Best	2.02E-05	5.45E-02	1.40E-02	1.99E-03	1.48E-03	7.39E-03	3.95E-04	3.96E-03	1.64E-02	3.95E-04	7.18E-04	5.06E-04
	STD	2.85E-05	4.36E-02	8.74E-03	3.33E-03	9.66E-04	1.64E-02	3.90E-04	4.37E-03	1.91E-02	7.20E-04	4.89E-04	5.82E-04
	Rank	1	12	9	7	6	10	2	8	11	3	5	4
F8	Worst	-2.88E+03	-2.41E+03	-2.49E+03	-2.60E+03	-1.90E+03	-2.58E+03	-2.29E+03	-1.52E+03	-2.03E+03	-3.24E+03	-2.64E+03	6.55E+04
	Average	-2.04E+03	-2.75E+03	-2.98E+03	-3.09E+03	-2.00E+03	-2.75E+03	-2.71E+03	-2.11E+03	-2.46E+03	-3.53E+03	-3.20E+03	6.55E+04
	Best	-3.59E+03	-3.32E+03	-3.26E+03	-3.82E+03	-2.10E+03	-3.00E+03	-3.14E+03	-2.59E+03	-3.22E+03	-3.95E+03	-3.59E+03	6.55E+04
	STD	5.62E+02	3.47E+02	3.01E+02	4.47E+02	7.80E+01	1.65E+02	3.48E+02	4.43E+02	4.97E+02	2.72E+02	3.91E+02	6.55E+04
	Rank	3	7	9	10	2	8	6	4	5	12	11	1
F9	Worst	0.00E+00	6.27E+01	2.59E+01	1.42E-14	6.37E+00	4.73E+01	1.51E+01	1.29E+01	4.28E+01	5.03E-07	0.00E+00	1.61E+01
	Average	0.00E+00	4.34E+01	1.43E+01	2.84E-15	1.27E+00	3.13E+01	4.31E+00	5.61E+00	3.14E+01	1.01E-07	0.00E+00	6.33E+00
	Best	0.00E+00	2.89E+01	5.97E+00	0.00E+00	2.71E-12	1.06E+01	0.00E+00	1.99E+00	1.59E+01	0.00E+00	0.00E+00	0.00E+00
	STD	0.00E+00	1.41E+01	8.75E+00	6.36E-15	2.85E+00	1.51E+01	6.66E+00	4.31E+00	1.14E+01	2.25E-07	0.00E+00	7.50E+00
	Rank	1	12	9	3	5	10	6	7	11	4	1	8
F10	Worst	8.88E-16	3.57E+00	2.81E+00	7.99E-15	6.91E-06	1.27E+01	1.51E-14	1.20E-09	2.01E+00	7.99E-15	4.44E-15	8.88E-16
	Average	8.88E-16	1.68E+00	1.49E+00	4.44E-15	1.72E-06	4.98E+00	1.15E-14	7.06E-10	4.03E-01	5.15E-15	4.44E-15	8.88E-16
	Best	8.88E-16	1.04E-03	9.23E-06	8.88E-16	5.66E-08	1.43E+00	7.99E-15	3.21E-10	8.18E-05	4.44E-15	4.44E-15	8.88E-16
	STD	0.00E+00	1.30E+00	1.10E+00	3.55E-15	2.95E-06	4.44E+00	3.55E-15	3.73E-10	9.00E-01	1.59E-15	0.00E+00	0.00E+00
	Rank	1	11	10	3	8	12	6	7	9	5	3	1
F11	Worst	0.00E+00	2.95E-01	2.65E-01	2.46E-01	4.73E-02	1.05E+00	5.92E-02	5.34E-01	3.76E-01	0.00E+00	2.95E-02	0.00E+00
	Average	0.00E+00	2.58E-01	1.94E-01	9.75E-02	1.22E-02	5.89E-01	1.39E-02	2.45E-01	2.35E-01	0.00E+00	5.90E-03	0.00E+00
	Best	0.00E+00	1.96E-01	1.33E-01	0.00E+00	6.63E-12	6.52E-02	0.00E+00	1.01E-01	1.21E-01	0.00E+00	0.00E+00	0.00E+00
	STD	0.00E+00	4.19E-02	5.83E-02	1.33E-01	2.04E-02	3.75E-01	2.57E-02	1.79E-01	1.13E-01	0.00E+00	1.32E-02	0.00E+00
	Rank	1	11	8	7	5	12	6	10	9	1	4	1
F12	Worst	9.17E-02	3.53E+00	5.18E-01	2.32E-02	2.19E-01	4.64E+00	2.03E-02	2.81E-19	5.63E+00	4.35E-11	6.85E-14	4.71E-32
	Average	6.18E-03	1.27E+00	1.93E-01	1.15E-02	1.34E-01	1.63E+00	1.02E-02	5.82E-20	2.90E+00	2.54E-11	1.78E-14	4.71E-32
	Best	3.55E-04	8.35E-04	5.15E-11	1.48E-03	6.60E-02	7.58E-02	2.74E-06	2.04E-21	2.63E-01	1.17E-11	5.98E-17	4.71E-32
	STD	2.81E-02	1.43E+00	2.14E-01	9.02E-03	6.02E-02	1.80E+00	9.98E-03	1.24E-19	1.95E+00	1.32E-11	2.88E-14	6.12E-48
	Rank	5	10	9	7	8	11	6	2	12	4	3	1
F13	Worst	3.94E-01	5.56E-02	1.10E-02	1.57E-01	4.75E-01	1.59E+00	2.00E-01	1.10E-02	1.10E-02	9.50E-11	4.39E-02	1.35E-32
	Average	1.40E-04	2.23E-02	2.20E-03	7.27E-02	3.93E-01	9.39E-01	4.00E-02	2.20E-03	4.40E-03	5.67E-11	8.79E-03	1.35E-32
	Best	3.76E-09	8.25E-04	5.78E-10	2.50E-03	3.35E-01	2.89E-01	6.55E-06	8.61E-22	2.25E-07	3.59E-11	4.03E-16	1.35E-32
	STD	1.58E-01	2.29E-02	4.91E-03	6.47E-02	5.09E-02	4.69E-01	8.94E-02	4.91E-03	6.02E-03	2.38E-11	1.97E-02	0.00E+00
	Rank	3	8	5	10	11	12	9	4	6	2	7	1
Mean	Rank	1.9231	9.0000	8.4000	7.2000	7.6000	9.9333	5.6000	5.6667	8.2667	4.9333	5.0667	4.1333
Final	Ranking	1	11	10	7	8	12	5	6	9	3	4	2

In Table 10, the comparison between the algorithms to find the solution for the fixed-dimension multimodal. From these results, it can be noticed that RSA and MPA are the best algorithms that ranked first. Where RSA allocates the best value overall functions except at F15, and

F21–F23, while, MPA does not achieve the best value at F15 and F20. The PSO and EO allocate the second rank which provide better results than rest algorithms.

Table 7

Results of the RSA using unimodal and multimodal test functions (F1–F13), with 50 dimensions.

Fun	Measure	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
F1	Worst	1.20E-159	7.80E+03	1.02E+03	5.58E-42	7.02E+03	3.64E+03	3.70E-11	6.97E+00	1.11E+04	1.55E-21	4.07E-21	2.91E-06
	Average	2.99E-160	6.72E+03	6.14E+02	1.40E-42	3.28E+03	3.02E+03	1.21E-11	3.99E+00	6.73E+03	4.25E-22	1.08E-21	2.11E-06
	Best	8.94E-169	4.78E+03	2.80E+02	4.56E-58	5.74E+02	2.48E+03	3.01E-12	2.36E+00	3.74E+03	3.66E-24	3.20E-23	1.03E-06
	STD	5.98E-160	1.36E+03	3.05E+02	2.79E-42	2.70E+03	5.52E+02	1.66E-11	2.03E+00	3.11E+03	7.48E-22	1.99E-21	8.47E-07
	Rank	1	11	8	2	10	9	5	7	12	3	4	6
F2	Worst	5.79E-81	4.13E+24	1.76E+06	9.37E-36	1.58E+01	1.23E+02	7.17E-05	1.09E+02	3.83E+02	7.92E-12	1.29E-11	2.49E-01
	Average	1.45E-81	1.03E+24	4.45E+05	3.66E-36	7.97E+00	8.00E+01	6.72E-05	9.39E+01	2.16E+02	3.44E-12	9.36E-12	2.13E-01
	Best	3.55E-86	5.80E+02	2.31E+02	2.97E-43	1.43E+00	5.45E+01	6.35E-05	7.56E+01	1.44E+02	5.30E-13	5.36E-12	1.89E-01
	STD	2.89E-81	2.07E+24	8.75E+05	4.07E-36	7.01E+00	3.03E+01	3.52E-06	1.39E+01	1.12E+02	3.55E-12	3.37E-12	2.70E-02
	Rank	1	12	11	2	7	8	5	9	10	3	4	6
F3	Worst	2.24E-104	8.16E+04	6.14E+04	5.53E+05	1.52E+05	1.64E+05	3.37E+03	1.65E+04	1.67E+05	1.22E+01	2.16E+02	6.54E+00
	Average	5.60E-105	7.19E+04	5.64E+04	3.89E+05	8.90E+04	1.28E+05	1.62E+03	1.39E+04	1.20E+05	3.28E+00	6.02E+01	3.25E+00
	Best	5.26E-128	5.74E+04	5.21E+04	3.11E+05	3.35E+04	8.91E+04	2.77E+02	9.04E+03	8.76E+04	8.41E-02	1.83E+00	1.71E+00
	STD	1.12E-104	1.03E+04	4.66E+03	1.11E+05	5.65E+04	3.89E+04	1.58E+03	3.44E+03	3.72E+04	5.94E+00	1.04E+02	2.27E+00
	Rank	1	8	7	12	9	11	5	6	10	3	4	2
F4	Worst	7.22E+08	7.04E+08	8.00E+08	7.98E+08	7.30E+08	6.80E+08	8.53E+08	7.56E+08	8.89E+08	5.93E+08	6.87E+08	9.03E+08
	Average	5.52E+08	6.51E+08	6.77E+08	6.98E+08	6.31E+08	5.59E+08	6.45E+08	6.51E+08	7.61E+08	5.37E+08	6.18E+08	7.87E+08
	Best	4.80E+08	5.58E+08	4.58E+08	6.49E+08	4.50E+08	4.47E+08	4.83E+08	5.53E+08	6.73E+08	4.91E+08	4.40E+08	5.91E+08
	STD	6.25E+07	6.40E+07	1.51E+08	6.78E+07	1.24E+08	9.54E+07	1.56E+08	8.32E+07	9.23E+07	4.23E+07	1.19E+08	1.39E+08
	Rank	2	7	9	10	5	3	6	7	11	1	4	12
F5	Worst	4.90E+01	7.21E+07	3.21E+07	4.88E+01	5.68E+07	9.10E+07	4.88E+01	1.45E+05	2.54E+07	4.87E+01	4.86E+01	1.46E+02
	Average	4.60E+01	5.04E+07	2.40E+07	4.88E+01	2.52E+07	4.29E+07	4.87E+01	6.08E+04	1.65E+07	4.87E+01	4.79E+01	6.90E+01
	Best	4.89E+01	3.80E+07	1.78E+07	4.88E+01	1.97E+06	7.77E+06	4.86E+01	1.68E+04	5.52E+06	4.85E+01	4.72E+01	4.29E+01
	STD	1.80E-02	1.50E+07	6.57E+06	2.87E-02	2.76E+07	3.70E+07	1.06E-01	6.03E+04	8.22E+06	1.09E-01	7.60E-01	5.13E+01
	Rank	1	12	9	5	10	11	3	7	8	3	2	6
F6	Worst	1.22E+01	2.86E+04	1.66E+04	8.39E+00	8.98E+03	3.52E+04	7.91E+00	8.91E+01	2.90E+04	5.26E+00	6.77E+00	1.79E-06
	Average	1.18E+01	2.03E+04	1.07E+04	6.55E+04	4.02E+03	2.37E+04	7.11E+00	6.90E+01	2.41E+04	4.33E+00	6.37E+00	1.45E-06
	Best	1.14E+01	1.42E+04	5.78E+03	5.44E+00	4.04E+02	1.36E+04	6.23E+00	4.91E+01	2.17E+04	3.69E+00	5.67E+00	8.61E-07
	STD	3.54E-01	6.06E+03	4.48E+03	1.35E+00	3.76E+03	9.34E+03	6.91E-01	1.79E+01	3.34E+03	7.14E-01	4.79E-01	4.29E-07
	Rank	6	10	9	4	8	11	5	7	12	2	3	1
F7	Worst	3.02E-04	4.04E+02	1.22E+01	3.08E-02	2.02E+01	3.05E+01	5.04E-02	3.20E+02	3.15E+01	8.14E-03	1.70E-02	6.32E-03
	Average	1.75E-04	3.00E+02	1.05E+01	1.62E-02	1.52E+01	1.52E+01	2.69E-02	2.01E+02	1.88E+01	4.80E-03	6.78E-03	5.87E-03
	Best	7.86E-07	2.48E+02	8.51E+00	7.29E-03	4.56E+00	1.90E+00	1.21E-02	1.22E+02	9.03E+00	2.47E-03	1.08E-03	5.21E-03
	STD	1.49E-04	7.02E+01	1.69E+00	1.09E-02	7.22E+00	1.18E+01	1.74E-02	9.00E+01	1.03E+01	2.49E-03	7.12E-03	4.96E-04
	Rank	1	12	7	5	8	8	6	11	10	2	4	3
F8	Worst	-6.65E+03	-8.25E+03	-8.64E+03	-8.60E+03	-3.67E+03	-4.20E+03	-6.84E+03	-2.82E+03	-9.03E+03	-1.04E+04	-7.91E+03	-5.77E+12
	Average	-7.50E+03	-9.30E+03	-9.08E+03	-1.24E+04	-4.02E+03	-5.67E+03	-7.70E+03	-3.90E+03	-9.03E+03	-1.14E+04	-1.07E+04	-2.53E+17
	Best	-8.80E+03	-9.85E+03	-9.61E+03	-1.50E+04	-4.25E+03	-6.61E+03	-8.88E+03	-5.27E+03	-9.03E+03	-1.26E+04	-1.28E+04	-9.98E+17
	STD	9.24E+02	7.23E+02	4.37E+02	2.99E+03	4.28E+02	1.12E+03	8.91E+02	1.02E+03	9.00E+00	9.64E+02	2.08E+03	4.97E+17
	Rank	9	5	6	2	11	10	8	12	7	3	4	1
F9	Worst	0.00E+00	6.92E+02	4.36E+02	0.00E+00	3.56E+02	5.32E+02	3.06E+01	4.74E+02	4.37E+02	0.00E+00	9.98E-01	3.34E+02
	Average	0.00E+00	6.02E+02	3.83E+02	0.00E+00	2.03E+02	4.51E+02	2.08E+01	3.59E+02	3.80E+02	0.00E+00	4.99E-01	3.23E+02
	Best	0.00E+00	5.22E+02	3.11E+02	0.00E+00	1.07E+02	3.09E+02	8.94E+00	3.02E+02	2.95E+02	0.00E+00	1.14E-13	3.08E+02
	STD	0.00E+00	7.00E+01	5.84E+01	0.00E+00	1.10E+02	9.89E+01	1.08E+01	8.07E+01	6.74E+01	0.00E+00	5.76E-01	1.13E+01
	Rank	1	12	10	1	6	11	5	8	9	1	4	7
F10	Worst	4.44E-15	2.06E+01	1.90E+01	1.47E-13	2.06E+01	1.89E+01	2.18E-04	6.38E+00	1.79E+01	2.31E-12	3.52E-08	4.15E-04
	Average	1.78E-15	2.00E+01	1.83E+01	5.06E-14	1.95E+01	1.55E+01	1.44E-04	4.97E+00	1.27E+01	1.60E-12	1.76E-08	2.98E-04
	Best	8.88E-16	1.93E+01	1.72E+01	4.44E-15	1.62E+01	1.27E+01	9.61E-05	4.37E+00	1.73E+00	2.92E-13	8.23E-09	2.50E-04
	STD	1.78E-15	5.43E-01	7.76E-01	6.58E-14	2.19E+00	2.56E+00	5.22E-05	9.42E-01	7.42E+00	8.95E-13	1.20E-08	7.83E-05
	Rank	1	12	10	2	11	9	5	7	8	3	4	6
F11	Worst	0.00E+00	2.17E+02	1.63E+02	0.00E+00	2.21E+01	1.28E+02	7.68E-02	1.33E+02	2.57E+02	1.05E-02	7.99E-15	1.68E-05
	Average	0.00E+00	1.53E+02	1.03E+02	0.00E+00	1.46E+01	9.05E+01	4.71E-02	1.17E+02	2.26E+02	2.63E-03	2.47E-15	1.60E-05
	Best	0.00E+00	1.13E+02	7.03E+01	0.00E+00	2.58E+00	4.30E+01	5.22E-06	8.97E+01	2.05E+02	0.00E+00	0.00E+00	1.47E-05
	STD	0.00E+00	4.45E+01	4.16E+01	0.00E+00	8.81E+00	3.79E+01	3.30E-02	1.94E+01	2.47E+01	5.26E-03	3.74E-15	9.94E-07
	Rank	1	11	9	1	7	8	6	10	12	5	3	4
F12	Worst	1.37E+00	7.29E+07	1.94E+07	7.04E-01	9.21E+07	7.48E+05	7.40E-01	2.29E+01	4.71E+07	2.01E-01	3.57E-01	5.41E-08
	Average	1.26E+00	3.61E+07	1.01E+07	4.79E-01	6.45E+07	4.76E+05	6.13E-01	1.44E+01	1.57E+07	1.37E-01	3.01E-01	4.06E-08
	Best	9.54E-01	1.69E+07	2.10E+06	2.25E-01	1.33E+07	1.68E+01	4.20E-01	9.81E+00	2.12E+06	7.66E-02	2.58E-01	2.57E-08
	STD	2.03E-01	2.57E+07	7.46E+06	2.38E-01	3.50E+07	3.38E+05	1.53E-01	5.81E+00	2.13E+07	5.52E-02	4.65E-02	1.16E-08
	Rank	6	11	9	4	12	8	5	7	10	2	3	1
F13	Worst	5.00E+00	1.77E+08	4.00E+07	4.45E+00	2.12E+08	5.52E+07	4.62E+00	1.24E+03	1.78E+08	4.70E+00	4.34E+00	1.33E-06
	Average	5.00E+00	1.29E+08	2.55E+07	3.75E+00	9.36E+07	1.91E+07	4.05E+00	3.38E+02	9.67E+07	4.22E+00	4.11E+00	1.08E-06
	Best	5.00E+00	7.40E+07	7.59E+06	3.21E+00	1.91E+07	4.13E+06	3.59E+00	3.22E+01	2.65E+07	3.71E+00	3.82E+00	8.29E-07
	STD	1.30E-03	4.41E+07	1.34E+07	5.45E-01	8.26E+07	2.43E+07	4.91E-01	5.99E+02	7.71E+07	4.08E-01	2.20E-01	2.09E-07
	Rank	6	12	9	2	10	8	3	7	11	5	4	1
Mean	Rank	2.8462	10.2000	8.2000	4.2667	7.8667	9.1333	5.8000	8.0667	10.2667	3.3333	3.5333	4.2667
Final	Ranking	1	11	9	4	7	10	6	8	12	2	3	4

In order to further investigate the effectiveness of RSA, the running time used by algorithms is recorded to discover the solutions for F1–F13 functions with 10 dimensions, and the results are presented in Table 11. As the results given in Table 11, we found that the RSA takes a fairly fast and competitive performance in determining the best solutions

related to other used algorithms. According to the average running time on thirteen functions, the RSA works faster than GOA, SSA, WOA, DA, A

Table 8

Results of the RSA using unimodal and multimodal test functions (F1–F13), with 100 dimensions.

Fun	Measure	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
F1	Worst	2.58E-157	3.97E+04	2.04E+04	9.72E-41	1.57E+04	1.72E+04	1.04E-06	1.39E+02	5.77E+04	2.59E-21	2.30E-17	1.28E-02
	Average	6.48E-158	3.51E+04	1.89E+04	2.43E-41	9.44E+03	1.18E+04	5.19E-07	1.03E+02	3.48E+04	1.56E-21	6.21E-18	9.47E-03
	Best	9.29E-165	3.12E+04	1.75E+04	2.74E-47	4.82E+03	7.07E+03	2.13E-07	7.61E+01	1.79E+04	3.72E-22	2.09E-19	5.88E-03
	STD	1.29E-157	3.65E+03	1.19E+03	4.86E-41	4.97E+03	5.29E+03	3.64E-07	2.91E+01	2.01E+04	1.03E-21	1.12E-17	3.17E-03
	Rank	1	12	10	2	8	9	5	7	11	3	4	6
F2	Worst	2.66E-83	1.15E+21	2.96E+06	1.01E-20	3.74E+00	2.01E+02	1.63E-04	7.77E+01	2.12E+02	4.21E-13	5.29E-09	5.14E-03
	Average	7.23E-84	2.86E+20	7.41E+05	2.53E-21	2.14E+00	1.47E+02	9.64E-05	6.05E+01	2.01E+02	1.56E-13	3.35E-09	3.32E-03
	Best	4.15E-89	2.28E+07	1.43E+02	6.11E-30	6.79E-01	7.48E+01	4.54E-05	4.19E+01	1.82E+02	5.07E-14	1.09E-09	2.30E-03
	STD	1.30E-83	5.73E+20	1.48E+06	5.06E-21	1.61E+00	5.81E+01	5.32E-05	1.86E+01	1.33E+01	1.77E-13	1.85E-09	1.26E-03
	Rank	1	12	11	2	7	9	5	8	10	3	4	6
F3	Worst	1.28E-91	8.72E+04	6.59E+04	4.79E+05	9.56E+04	1.98E+05	6.84E+02	1.57E+04	1.78E+05	1.84E+00	5.99E+01	6.75E+00
	Average	3.21E-92	6.71E+04	5.60E+04	3.82E+05	6.78E+04	1.28E+05	4.61E+02	1.24E+04	1.30E+05	4.94E-01	1.79E+01	3.87E+00
	Best	3.70E-116	5.42E+04	4.63E+04	3.04E+05	4.03E+04	5.59E+04	1.40E+02	1.07E+04	9.11E+04	5.12E-07	4.40E-02	4.07E-01
	STD	6.42E-92	1.45E+04	8.63E+03	7.67E+04	2.81E+04	5.79E+04	2.29E+02	2.34E+03	3.90E+04	8.99E-01	2.85E+01	2.79E+00
	Rank	1	8	7	12	9	10	5	6	11	2	4	3
F4	Worst	4.42E-71	6.60E+01	6.96E+01	9.82E+01	8.97E+01	5.53E+01	1.48E+00	2.84E+01	7.09E+01	1.09E-08	7.86E-03	2.07E-02
	Average	1.11E-71	6.27E+01	6.51E+01	8.54E+01	7.95E+01	4.39E+01	1.17E+00	2.48E+01	5.54E+01	5.97E-09	4.20E-03	1.62E-02
	Best	1.23E-81	5.54E+01	5.27E+01	5.46E+01	6.90E+01	3.29E+01	8.81E-01	2.19E+01	3.51E+01	2.89E-09	4.23E-04	1.27E-02
	STD	2.21E-71	4.95E+00	8.28E+00	2.06E+01	8.65E+00	9.37E+00	3.12E-01	3.29E+00	1.49E+01	3.71E-09	3.19E-03	3.36E-03
	Rank	1	9	10	12	11	7	5	6	8	2	3	4
F5	Worst	4.90E+01	1.38E+08	3.33E+07	4.89E+01	3.12E+07	1.69E+07	4.88E+01	3.66E+04	3.12E+07	4.87E+01	4.80E+01	4.41E+01
	Average	4.90E+01	9.11E+07	1.23E+07	4.88E+01	1.66E+07	9.53E+06	4.87E+01	2.80E+04	1.94E+07	4.84E+01	4.79E+01	4.34E+01
	Best	4.90E+01	4.41E+07	3.81E+06	4.87E+01	7.65E+05	2.21E+05	4.86E+01	1.92E+04	8.88E+06	4.79E+01	4.75E+01	4.27E+01
	STD	8.25E-03	4.45E+07	1.41E+07	6.84E-02	1.67E+07	8.68E+06	1.12E-01	9.62E+03	9.27E+06	3.74E-01	2.60E-01	5.93E-01
	Rank	6	12	9	5	10	8	4	7	11	3	2	1
F6	Worst	1.21E+01	2.57E+04	1.41E+04	7.31E+00	5.27E+03	3.35E+04	7.36E+00	1.33E+02	4.25E+04	5.18E+00	6.22E+00	2.91E-06
	Average	1.20E+01	1.96E+04	1.08E+04	6.91E+00	3.02E+03	1.62E+04	6.99E+00	6.39E+01	2.78E+04	4.05E+00	5.90E+00	2.11E-06
	Best	1.18E+01	1.29E+04	7.11E+03	6.33E+00	4.93E+02	5.27E+03	5.96E+00	3.08E+01	1.99E+04	2.79E+00	5.48E+00	1.23E-06
	STD	1.62E-01	5.28E+03	3.39E+03	4.14E-01	1.98E+03	1.35E+04	6.84E-01	4.76E+01	1.04E+04	1.11E+00	3.51E-01	7.53E-07
	Rank	6	11	9	4	8	10	5	7	12	2	3	1
F7	Worst	1.69E-03	4.84E+02	1.64E+01	1.79E-02	2.24E+01	4.36E+01	2.76E-02	2.61E+02	3.09E+01	4.56E-03	9.19E-03	1.07E-02
	Average	5.63E-04	3.67E+02	1.11E+01	9.30E-03	1.40E+01	1.92E+01	1.97E-02	9.58E+01	1.79E+01	2.12E-03	6.43E-03	8.12E-03
	Best	1.38E-04	2.41E+02	8.74E+00	4.10E-03	5.78E+00	8.19E+00	1.28E-02	3.17E+01	7.18E+00	3.02E-04	5.11E-03	5.90E-03
	STD	7.53E-04	1.18E+02	3.55E+00	6.26E-03	7.49E+00	1.64E+01	7.09E-03	1.11E+02	1.08E+01	1.78E-03	1.87E-03	2.00E-03
	Rank	1	12	7	5	8	10	6	11	9	2	3	4
F8	Worst	-9.52E+03	-8.98E+03	-8.15E+03	-7.83E+03	-3.46E+03	-3.62E+03	-6.68E+03	-2.77E+03	-9.03E+03	-1.03E+04	-8.43E+03	-1.30E+14
	Average	-1.03E+04	-9.87E+03	-8.58E+03	-8.87E+03	-3.89E+03	-5.10E+03	-7.85E+03	-3.92E+03	-9.05E+03	-1.14E+04	-1.01E+04	-4.15E+17
	Best	-1.22E+04	-1.05E+04	-9.06E+03	-9.99E+03	-4.08E+03	-6.36E+03	-8.86E+03	-5.85E+03	-9.13E+03	-1.31E+04	-1.08E+04	-1.13E+18
	STD	1.24E+03	6.55E+02	4.09E+02	5.11E+02	2.88E+02	1.28E+03	1.16E+03	1.34E+03	4.82E+01	1.26E+03	1.15E+03	5.38E+17
	Rank	3	5	8	7	12	10	9	11	6	2	4	1
F9	Worst	0.00E+00	7.07E+02	4.03E+02	0.00E+00	1.71E+02	5.68E+02	1.79E+01	3.39E+02	3.74E+02	0.00E+00	2.09E+00	3.33E+02
	Average	0.00E+00	6.63E+02	3.51E+02	0.00E+00	7.28E+01	4.51E+02	1.40E+01	2.94E+02	3.37E+02	0.00E+00	5.23E-01	3.17E+02
	Best	0.00E+00	6.30E+02	3.27E+02	0.00E+00	2.65E+01	3.84E+02	8.78E+00	2.47E+02	2.94E+02	0.00E+00	5.68E-14	2.94E+02
	STD	0.00E+00	3.19E+01	3.61E+01	0.00E+00	6.61E+01	8.20E+01	4.17E+00	3.78E+01	4.02E+01	0.00E+00	1.05E+00	1.67E+01
	Rank	1	12	10	1	6	11	5	7	9	1	4	8
F10	Worst	8.88E-16	1.99E+01	3.40E+00	2.93E-14	4.34E-01	8.46E+00	7.85E-10	1.93E-02	1.63E+01	2.58E-14	1.64E-13	8.88E-16
	Average	8.88E-16	1.94E+01	1.82E+00	1.15E-14	1.10E-01	7.77E+00	4.15E-10	9.45E-03	9.81E+00	9.77E-15	1.03E-13	8.88E-16
	Best	8.88E-16	1.90E+01	1.16E+00	8.88E-16	6.61E-04	7.09E+00	6.48E-11	3.38E-04	2.32E+00	4.44E-15	4.35E-14	8.88E-16
	STD	0.00E+00	4.00E-01	1.07E+00	1.26E-14	2.16E-01	6.80E-01	3.22E-10	8.02E-03	5.75E+00	1.07E-14	5.39E-14	0.00E+00
	Rank	1	12	9	4	8	10	6	7	11	3	5	1
F11	Worst	0.00E+00	5.88E-01	3.29E-01	3.01E-01	6.75E-01	1.50E+01	5.94E-02	3.10E+01	4.60E-01	3.95E-02	2.02E-02	1.14E-02
	Average	0.00E+00	5.41E-01	1.99E-01	1.32E-01	3.80E-01	5.95E+00	2.75E-02	9.08E+00	2.30E-01	1.67E-02	5.06E-03	2.84E-03
	Best	0.00E+00	4.50E-01	7.15E-02	0.00E+00	4.41E-04	2.64E+00	1.11E-16	5.46E-01	1.13E-01	0.00E+00	0.00E+00	0.00E+00
	STD	0.00E+00	6.17E-02	1.05E-01	1.56E-01	3.31E-01	6.06E+00	3.20E-02	1.47E+01	1.56E-01	1.99E-02	1.01E-02	5.69E-03
	Rank	1	10	7	6	9	11	5	12	8	4	3	2
F12	Worst	1.08E+00	5.31E+04	9.94E+00	3.54E-01	3.24E-01	4.49E+06	6.43E-02	4.23E-04	4.32E+01	2.52E-03	1.99E-02	4.71E-32
	Average	3.83E-01	1.34E+04	4.59E+00	2.00E-01	2.30E-01	1.12E+06	5.63E-02	1.34E-04	2.44E+01	7.86E-04	7.27E-03	4.71E-32
	Best	1.62E-01	2.22E+01	1.23E+00	1.38E-01	1.50E-01	1.02E+01	4.13E-02	3.60E-06	1.36E+01	3.89E-10	4.81E-05	4.71E-32
	STD	5.98E-01	2.65E+04	3.80E+00	1.03E-01	7.67E-02	2.24E+06	1.04E-02	1.96E-04	1.35E+01	1.19E-03	9.43E-03	0.00E+00
	Rank	8	11	9	6	7	12	5	2	10	3	4	1
F13	Worst	9.69E-01	3.70E+04	3.06E-01	7.31E-01	6.83E-01	8.41E+05	6.01E-01	2.13E-02	3.17E+01	1.18E-01	7.71E-01	1.35E-32
	Average	8.12E-02	1.49E+04	1.65E-01	4.49E-01	5.46E-01	2.40E+05	3.80E-01	5.47E-03	1.31E+01	3.73E-02	2.89E-01	1.35E-32
	Best	6.10E-02	5.80E+01	1.70E-02	1.54E-01	4.60E-01	2.50E+03	2.15E-01	1.71E-05	1.99E+00	2.73E-04	9.93E-02	1.35E-32
	STD	1.49E-01	1.82E+04	1.19E-01	3.22E-01	9.61E-02	4.03E+05	1.65E-01	1.06E-02	1.29E+01	5.44E-02	3.23E-01	0.00E+00
	Rank	4	11	5	8	9	12	7	2	10	3	6	1
Mean	Rank	2.692	10.0666	8.0666	6.040	7.8666	10.2	6.1333	7.400	9.8666	3.000	3.5333	3.1333
Final	Ranking	1	11	9	5	8	12	6	7	10	2	4	3

3.2. Results comparisons using CEC2017 test functions

In this experiment, we evaluate the ability of RSA to find the solution for CEC2017 functions (Awad et al., 2016) that defined in Table 12. These functions are more complex than those functions illustrated in the previous experiment which have at least half of them are

Table 9

Results of the RSA using the unimodal and multimodal functions (F1–F13), with 500 dimensions.

Fun	Measure	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
F1	Worst	1.91E-150	9.19E+04	9.45E+04	9.49E-24	2.11E+04	4.81E+04	3.03E-03	2.28E+03	1.25E+05	2.62E-22	4.23E-12	1.82E-02
	Average	4.78E-151	8.89E+04	7.61E+04	2.67E-24	1.55E+04	3.74E+04	1.68E-03	1.67E+03	9.06E+04	1.34E-22	1.53E-12	1.24E-02
	Best	2.69E-162	8.19E+04	5.89E+04	1.48E-37	1.09E+04	2.74E+04	7.69E-04	1.23E+03	5.92E+04	4.72E-24	1.37E-13	9.97E-03
	STD	9.55E-151	4.70E+03	1.46E+04	4.58E-24	5.19E+03	8.70E+03	9.85E-04	4.54E+02	3.07E+04	1.06E-22	1.91E-12	3.86E-03
	Rank	1	11	10	2	8	9	5	7	12	3	4	6
F2	Worst	6.28E-77	1.72E+137	1.33E+171	3.93E-21	2.31E+02	1.24E+03	2.95E+00	1.62E+161	2.69E+247	1.94E-10	5.08E-06	9.24E+01
	Average	1.60E-77	4.31E+136	3.32E+170	1.18E-21	1.78E+02	1.04E+03	1.82E+00	4.05E+160	6.72E+246	1.06E-10	3.80E-06	8.48E+01
	Best	1.12E-83	2.25E+103	1.69E+132	6.41E-25	1.35E+02	7.16E+02	3.96E-01	1.04E+67	2.06E+03	1.38E-11	2.73E-06	7.94E+01
	STD	3.12E-77	8.61E+136	6.55E+04	1.87E-21	4.39E+01	2.25E+02	1.14E+00	6.55E+04	9.52E-11	1.12E-06	5.91E+00	
	Rank	1	9	11	2	7	8	5	10	12	3	4	6
F3	Worst	1.57E-73	7.64E+06	8.51E+06	1.44E+08	1.23E+07	1.70E+07	1.05E+06	2.71E+06	1.05E+07	8.77E+04	2.01E+05	9.85E+06
	Average	3.91E-74	6.05E+06	5.69E+06	8.56E+07	8.56E+06	1.15E+07	8.89E+05	1.55E+06	8.13E+06	4.89E+04	1.18E+05	7.58E+06
	Best	1.84E-95	3.39E+06	2.79E+06	3.38E+07	6.29E+06	5.97E+06	7.38E+05	7.85E+05	4.81E+06	1.51E+04	3.61E+04	5.89E+06
	STD	7.83E-74	1.87E+06	2.35E+06	5.71E+07	2.60E+06	4.69E+06	1.47E+05	8.78E+05	2.39E+06	3.92E+04	9.32E+04	1.68E+06
	Rank	1	7	6	12	10	11	4	5	9	2	3	8
F4	Worst	1.87E-67	9.55E+01	9.76E+01	9.96E+01	9.97E+01	9.95E+01	9.09E+01	6.33E+01	8.83E+01	1.21E-05	9.82E+01	3.58E+01
	Average	4.92E-68	8.97E+01	9.71E+01	9.24E+01	9.96E+01	9.86E+01	8.06E+01	5.83E+01	8.41E+01	3.57E-06	7.55E+01	3.32E+01
	Best	4.26E-71	8.70E+01	9.64E+01	7.99E+01	9.95E+01	9.68E+01	7.12E+01	5.53E+01	7.93E+01	2.96E-07	5.25E+01	3.14E+01
	STD	9.19E-68	3.91E+00	5.55E-01	8.76E+00	1.15E-01	1.23E+00	1.01E+01	3.51E+00	4.41E+00	5.70E-06	1.94E+01	1.94E+00
	Rank	1	8	10	9	12	11	6	4	7	2	5	3
F5	Worst	4.99E+02	2.59E+09	4.92E+09	4.98E+02	3.21E+09	1.81E+09	1.07E+06	5.87E+08	3.37E+09	4.99E+02	4.99E+02	1.17E+05
	Average	4.99E+02	2.41E+09	4.38E+09	4.98E+02	2.54E+09	1.16E+09	6.54E+05	5.51E+08	2.20E+09	4.98E+02	4.99E+02	7.99E+04
	Best	4.99E+02	2.29E+09	3.97E+09	4.97E+02	1.77E+09	6.90E+08	1.30E+05	4.51E+08	1.77E+09	4.98E+02	4.99E+02	6.18E+04
	STD	5.09E-03	1.27E+08	4.03E+08	4.21E-01	6.13E+08	5.33E+08	3.97E+05	6.67E+07	7.81E+08	8.98E-02	2.51E-02	2.54E+04
	Rank	3	10	12	1	11	8	6	7	9	1	3	5
F6	Worst	1.25E+02	8.08E+05	1.05E+06	1.04E+02	2.69E+05	3.58E+05	1.63E+02	2.30E+05	1.09E+06	1.08E+02	1.19E+02	5.00E+02
	Average	1.24E+02	7.61E+05	9.53E+05	1.01E+02	2.52E+05	3.15E+05	1.45E+02	2.27E+05	1.00E+06	1.07E+02	1.18E+02	4.89E+02
	Best	1.24E+02	7.33E+05	8.59E+05	9.86E+01	2.37E+05	2.31E+05	1.20E+02	2.22E+05	8.73E+05	1.06E+02	1.17E+02	4.81E+02
	STD	1.97E-01	4.13E+04	9.81E+04	2.62E+00	1.63E+04	7.24E+04	2.24E+01	4.29E+03	1.14E+05	1.44E+00	9.18E-01	9.39E+00
	Rank	4	10	11	1	8	9	5	7	12	2	3	6
F7	Worst	3.60E-04	5.11E+04	1.87E+04	4.92E-02	2.07E+04	7.92E+03	9.85E-01	6.18E+04	1.39E+04	8.09E-03	3.05E-02	5.01E-01
	Average	1.79E-04	4.73E+04	1.17E+04	3.31E-02	1.76E+04	4.06E+03	7.11E-01	5.84E+04	1.02E+04	4.48E-03	1.82E-02	4.23E-01
	Best	3.85E-05	4.25E+04	8.65E+03	1.30E-02	1.52E+04	1.21E+03	5.28E-01	5.23E+04	5.95E+03	2.46E-03	9.02E-03	3.61E-01
	STD	1.51E-04	3.57E+03	4.70E+03	1.55E-02	2.74E+03	2.82E+03	2.18E-01	4.30E+03	4.13E+03	2.49E-03	1.01E-02	5.90E-02
	Rank	1	11	9	4	10	7	6	12	8	2	3	5
F8	Worst	-7.46E+04	-3.32E+04	-2.67E+04	-1.26E+05	-1.21E+04	-1.50E+04	-1.02E+04	-9.56E+03	-9.03E+04	-5.10E+04	-3.85E+04	-6.06E+04
	Average	-7.86E+04	-3.70E+04	-3.25E+04	-1.39E+05	-1.33E+04	-1.70E+04	-2.91E+04	-1.19E+04	-9.03E+04	-5.53E+04	-4.26E+04	-6.64E+04
	Best	-8.10E+04	-3.95E+04	-3.73E+04	-1.50E+05	-1.45E+04	-1.90E+04	-3.63E+04	-1.56E+04	-9.03E+04	-5.96E+04	-4.58E+04	-7.17E+04
	STD	2.78E+03	2.69E+03	4.71E+03	9.97E+03	1.04E+03	1.64E+03	2.85E+04	0.00E+00	4.72E+03	3.26E+03	5.66E+03	
	Rank	3	7	8	1	11	10	9	12	2	5	6	4
F9	Worst	0.00E+00	8.48E+03	6.00E+03	0.00E+00	1.48E+03	6.65E+03	3.58E+02	8.35E+03	6.18E+03	0.00E+00	1.02E+00	4.87E+03
	Average	0.00E+00	8.16E+03	5.95E+03	0.00E+00	1.27E+03	5.97E+03	2.77E+02	7.82E+03	5.79E+03	0.00E+00	2.55E-01	4.78E+03
	Best	0.00E+00	8.04E+03	5.87E+03	0.00E+00	1.14E+03	5.27E+03	1.21E+02	7.26E+03	5.29E+03	0.00E+00	5.06E-10	4.74E+03
	STD	0.00E+00	2.11E+02	5.46E+01	0.00E+00	1.44E+02	5.81E+02	1.06E+02	5.34E+02	3.79E+02	0.00E+00	5.09E-01	5.85E+01
	Rank	1	12	9	1	6	10	5	11	8	1	4	7
F10	Worst	8.88E-16	2.04E+01	3.92E-09	2.09E+01	1.91E+01	2.52E+00	1.89E+01	1.98E+01	3.77E+09	1.58E-03	4.38E+00	
	Average	8.88E-16	2.01E+01	2.05E+01	1.21E-09	2.09E+01	1.85E+01	2.14E+00	1.86E+01	1.35E+01	2.42E-09	7.09E-04	4.18E+00
	Best	8.88E-16	1.98E+01	2.02E+01	1.11E-10	2.09E+01	1.73E+01	1.48E+00	1.83E+01	8.88E-16	1.41E-09	1.91E-04	3.94E+00
	STD	0.00E+00	2.61E-01	2.60E-01	1.82E-09	2.17E-02	8.65E-01	4.57E-01	2.52E-01	9.08E+00	1.01E-09	6.27E-04	1.79E-01
	Rank	1	10	11	2	12	8	5	9	7	3	4	6
F11	Worst	0.00E+00	6.37E+03	6.65E+03	0.00E+00	2.24E+03	2.80E+03	1.34E+00	1.97E+03	8.28E+03	0.00E+00	1.46E-09	5.00E+00
	Average	0.00E+00	5.72E+03	6.51E+03	0.00E+00	1.65E+03	2.05E+03	1.14E+00	1.89E+03	6.46E+03	0.00E+00	7.45E-10	4.89E+00
	Best	0.00E+00	5.29E+03	6.15E+03	0.00E+00	7.95E+02	1.44E+03	9.19E-01	1.81E+03	5.57E+03	0.00E+00	2.62E-10	4.81E+00
	STD	0.00E+00	4.84E+02	2.41E+02	0.00E+00	6.26E+02	5.64E+02	1.71E-01	6.67E+01	1.23E+03	0.00E+00	5.19E-10	8.53E-02
	Rank	1	10	12	1	7	9	5	8	11	1	4	6
F12	Worst	0.00E+00	6.35E+03	6.16E+03	1.11E-16	3.36E+03	3.24E+03	1.28E+00	2.06E+03	6.24E+03	0.00E+00	7.08E-09	5.35E+00
	Average	0.00E+00	5.87E+03	5.65E+03	2.78E-17	2.23E+03	2.13E+03	1.01E+00	1.93E+03	5.49E+03	0.00E+00	3.66E-09	5.05E+00
	Best	0.00E+00	5.44E+03	5.25E+03	0.00E+00	1.30E+03	1.23E+03	3.67E-01	1.83E+03	4.29E+03	0.00E+00	5.50E-10	4.61E+00
	STD	0.00E+00	3.75E+02	3.83E+02	5.55E-17	8.86E+02	8.65E+02	4.31E-01	9.73E+01	8.61E+02	0.00E+00	2.80E-09	3.61E-01
	Rank	1	12	11	3	9	8	5	7	10	1	4	6
F13	Worst	5.00E+01	7.80E+09	8.62E+09	4.78E+01	1.06E+10	2.76E+09	3.06E+02	2.83E+08	7.83E+09	4.98E+01	4.98E+01	2.15E+02
	Average	5.00E+01	7.20E+09	7.83E+09	3.90E+01	8.82E+09	1.59E+09	2.04E+02	2.64E+08	7.23E+09	4.98E+01	4.96E+01	1.97E+02
	Best	5.00E+01	6.57E+09	7.27E+09	3.01E+01	6.56E+09	1.12E+09	1.05E+02	2.45E+08	6.63E+09	4.98E+01	4.92E+01	1.82E+02
	STD	1.19E+03	6.05E+08	6.34E+08	8.05E+00	1.72E+09	7.84E+08	8.38E+01	1.55E+07	5.79E+08	3.71E-02	2.93E-01	1.39E+01
	Rank	4	9	11	1	12	8	6	7	10	3	2	5
Mean	Rank	1.7692	8.8000	9.6666	3.73333	8.3333	9.2000	6.1333	8.2666	9.4000	2.2000	3.9333	5.6667
Final	Ranking	1	9	12	3	8	10	6	7	11	2	4	5

last row. Followed by the EO and PSO that allocate the second and third rank, respectively. For more details, the RSA provides a better average of fitness value at twelve functions which represent nearly 42% from the total test CEC2017 functions (i.e., F6–F8, F10, F11, F14, F17, F22–F25, and F30). In addition, it is noticed from these results that the

mean ranks of RSA, EO, and PSO are far from the other MH techniques and




Fig. 5. Convergence behaviour results for the studied problems from F1–F13.

Table 10

Results of the RSA using the fixed-dimension multimodal benchmark functions (F14–F23).

Fun	Measure	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
F14	Worst	9.98E-01	1.46E+01	2.98E+00	1.08E+01	2.98E+00	1.99E+00	1.08E+01	3.97E+00	5.93E+00	9.98E-01	9.98E-01	7.98E+00
	Average	9.98E-01	1.23E+01	1.59E+00	4.14E+00	1.49E+00	1.40E+00	6.29E+00	2.78E+00	3.57E+00	9.98E-01	9.98E-01	6.92E+00
	Best	9.98E-01	9.80E+00	9.98E-01	9.98E-01	9.98E-01	9.98E-01	2.98E+00	1.99E+00	9.98E-01	9.98E-01	9.98E-01	4.00E+00
	STD	0.00E+00	1.86E+00	8.88E-01	4.23E+00	8.59E-01	5.44E-01	4.10E+00	1.08E+00	2.27E+00	0.00E+00	1.57E-16	1.66E+00
	Rank	1	12	6	9	5	4	10	7	8	1	1	11
F15	Worst	8.39E-04	2.18E-02	2.08E-02	1.52E-03	1.91E-03	2.04E-02	2.04E-02	9.93E-04	2.04E-02	3.07E-04	3.53E-04	0.00E+00
	Average	5.76E-04	9.79E-03	4.80E-03	7.74E-04	1.28E-03	5.72E-03	8.45E-03	9.20E-04	4.95E-03	3.07E-04	3.21E-04	0.00E+00
	Best	3.64E-04	7.85E-04	7.43E-04	3.13E-04	6.92E-04	1.50E-03	3.08E-04	8.66E-04	7.78E-04	3.07E-04	3.08E-04	0.00E+00
	STD	2.24E-04	1.05E-02	8.95E-03	4.56E-04	4.90E-04	8.19E-03	1.09E-02	6.64E-05	8.65E-03	2.90E-15	1.98E-05	0.00E+00
	Rank	4	12	8	5	7	10	11	6	9	2	3	1
F16	Worst	-1.03E+00	0.00E+00										
	Average	-1.03E+00	0.00E+00										
	Best	-1.03E+00	0.00E+00										
	STD	1.19E-03	2.14E-13	1.52E-14	1.18E-09	2.17E-05	4.23E-07	2.80E-08	1.92E-16	2.93E-13	0.00E+00	1.92E-16	0.00E+00
	Rank	1	1	1	1	1	1	1	1	1	1	1	12
F17	Worst	3.98E-01	0.00E+00	0.00E+00	3.98E-01	4.02E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	0.00E+00
	Average	3.98E-01	0.00E+00	0.00E+00	3.98E-01	4.00E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	0.00E+00
	Best	3.98E-01	0.00E+00	0.00E+00	3.98E-01	3.99E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	3.98E-01	0.00E+00
	STD	1.57E-02	0.00E+00	0.00E+00	1.98E-04	1.37E-03	1.19E-06	1.05E-05	0.00E+00	1.80E-13	4.37E-14	0.00E+00	0.00E+00
	Rank	1	10	10	1	9	1	1	1	1	1	1	10
F18	Worst	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	8.40E+01	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00
	Average	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	1.92E+01	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00
	Best	3.00E+00											
	STD	1.75E-12	1.75E-12	5.95E-13	1.55E-04	1.13E-03	4.63E-13	3.62E+01	1.26E-15	1.54E-12	1.13E-15	1.13E-15	0.00E+00
	Rank	1	1	1	1	1	12	1	1	1	1	1	1
F19	Worst	-3.86E+00	-3.08E+00	-3.86E+00	-3.85E+00	-3.85E+00	-3.86E+00						
	Average	-3.86E+00	-3.54E+00	-3.86E+00	-3.85E+00	-3.85E+00	-3.86E+00						
	Best	-3.86E+00											
	STD	3.37E-01	3.29E-01	2.81E-10	4.46E-03	1.32E-03	1.48E-03	1.82E-03	3.14E-16	4.65E-11	3.14E-16	6.28E-16	0.00E+00
	Rank	1	12	1	10	1	1	1	1	1	1	1	1
F20	Worst	-1.03E+00	-3.20E+00	-3.16E+00	-3.09E+00	-2.60E+00	-3.18E+00	-3.08E+00	-3.20E+00	-3.19E+00	-3.20E+00	-3.20E+00	-3.20E+00
	Average	-2.05E+00	-3.30E+00	-3.24E+00	-3.26E+00	-2.93E+00	-3.21E+00	-3.20E+00	-3.25E+00	-3.27E+00	-3.30E+00	-3.30E+00	-3.23E+00
	Best	-2.63E+00	-3.32E+00	-3.32E+00	-3.32E+00	-3.07E+00	-3.32E+00						
	STD	6.34E-01	5.56E-02	7.70E-02	9.92E-02	1.89E-01	6.05E-02	8.59E-02	6.51E-02	6.90E-02	5.32E-02	5.32E-02	5.32E-02
	Rank	1	10	6	8	2	4	3	7	9	10	10	5
F21	Worst	-5.06E+00	-2.68E+00	-5.06E+00	-5.05E+00	-4.96E-01	-2.63E+00	-1.01E+01	-2.63E+00	-2.68E+00	-1.02E+01	-2.94E-01	-1.02E+01
	Average	-9.13E+00	-6.15E+00	-6.08E+00	-8.07E+00	-8.94E-01	-6.63E+00	-1.01E+01	-7.15E+00	-4.61E+00	-1.02E+01	-4.66E-01	-1.02E+01
	Best	-1.02E+01	-1.02E+01	-1.02E+01	-1.01E+01	-2.10E+00	-1.02E+01	-1.02E+01	-5.10E+00	-1.02E+01	-7.11E-01	-1.02E+01	-1.02E+01
	STD	2.28E+00	3.78E+00	2.27E+00	2.75E+00	6.93E-01	3.37E+00	2.99E-03	4.11E+00	1.08E+00	1.78E-11	1.59E-01	0.00E+00
	Rank	4	8	9	5	11	7	3	6	10	1	12	1
F22	Worst	-5.09E+00	-2.75E+00	-3.72E+00	-2.94E-01	-9.06E-01	-2.75E+00	-1.04E+01	-2.75E+00	-3.72E+00	-1.04E+01	-5.09E+00	-1.04E+01
	Average	-9.25E+00	-7.34E+00	-8.01E+00	-5.56E-01	-1.90E+00	-6.38E+00	-1.04E+01	-6.47E+00	-7.73E+00	-1.04E+01	-9.34E+00	-1.04E+01
	Best	-1.04E+01	-1.04E+01	-1.04E+01	-8.58E-01	-4.02E+00	-1.03E+01	-1.04E+01	-1.04E+01	-1.04E+01	-1.04E+01	-1.04E+01	-1.04E+01
	STD	2.33E+00	4.19E+00	3.31E+00	2.72E-01	1.43E+00	3.54E+00	1.34E-03	3.68E+00	3.66E+00	1.04E-11	2.38E+00	0.00E+00
	Rank	5	8	6	12	11	10	1	9	7	1	4	1
F23	Worst	-2.87E+00	-1.68E+00	-1.05E+01	-5.10E+00	-2.46E+00	-1.68E+00	-1.05E+01	-1.05E+01	-3.84E+00	-7.89E-01	-3.84E+00	-1.05E+01
	Average	-6.59E+00	-4.26E+00	-1.05E+01	-9.42E+00	-4.14E+00	-6.52E+00	-1.05E+01	-1.05E+01	-9.20E+00	-2.09E+00	-9.20E+00	-1.05E+01
	Best	-1.05E+01	-1.05E+01	-1.05E+01	-1.05E+01	-7.27E+00	-1.05E+01	-1.05E+01	-1.05E+01	-5.13E+00	-1.05E+01	-1.05E+01	-1.05E+01
	STD	3.69E+00	3.60E+00	2.10E-11	2.42E+00	1.90E+00	3.74E+00	1.98E-03	1.54E-15	3.00E+00	1.90E+00	3.00E+00	0.00E+00
	Rank	8	10	1	5	11	9	1	1	6	8	6	1
Mean	Rank	2.7	8.4	4.9	5.7	6.8	4.8	4.4	4	5.3	2.7	4	4.4
Final	Ranking	1	12	8	10	11	7	5	3	9	1	3	5

3.3. Results comparisons using CEC2019 test functions

This experiment assesses the performance of RSA to solve another set of complex functions called CEC2019 (Price, Awad, Ali, & Suganthan, 2018). In CEC2019, there are ten functions and each of them has its own dimension and search range as described in Table 14. In contrast to other CEC benchmarks used in this study (i.e., classical functions and CEC2017), the complexity of the functions of CEC2019 is significantly increased. In addition, the process of finding an accurate solution has more attention to evaluate the algorithm. The same algorithms used in the previous experiments are used with the same parameters.

The comparison results between the competitive algorithms in terms of performance metrics are given in Table 15. From those results, one can be seen that the mean rank of RSA overall the ten tested functions are better than other methods which has the first rank. Followed by the MPA which has mean rank 3.9, then the EO allocates the 3rd rank with mean 4.5. In addition, RSA has a better average in the most tested

ten functions which indicates its ability to solve this kind of function CEC2019.

To further analysis, the performance of RSA to find the optimal solution for CEC2019 functions, Fig. 6 shows the convergence curves of RSA and other methods. It can be seen that the RSA has a fast convergence rate than other methods at some functions such as F1, F4, and F5. As well as, at the most functions its convergence rate is competitive with other methods especially CMA-ES, SHO, and MPA. Moreover, the accounts for the satisfactory achievement of the proposed RSA in sustaining the stability of exploitation and exploration capabilities can be probably attributed to the following features:

- The adaptive ES value allows the RSA to keep a certain disturbance rate while supporting fast convergence, so evading optimal local trapping through high-speed convergence.

Table 11

Comparison results of average running time (seconds) over 10 independent runs for test problems (F1–F13) with 10 dimensions.

Function	Metric	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
F1	Average	3.2172E-02	2.7875E+01	1.4338E-01	3.4594E-01	9.4782E-02	4.4401E+00	1.1545E-01	4.9913E-01	5.0246E+00	3.2567E-01	2.4921E-01	2.4116E+00
	STD	5.4976E-02	4.4465E-01	5.3080E-03	6.3660E-03	2.4486E-03	6.2985E-02	1.0307E-02	1.3794E-03	4.7268E-02	1.1314E-02	1.2481E-02	1.5425E-02
	Rank	1	12	4	7	2	10	3	8	11	6	5	9
F2	Average	5.8828E-01	9.8145E+01	5.6230E-01	1.1134E+00	4.5597E-01	1.6442E+01	4.8294E-01	2.3644E-01	1.8685E+01	1.1860E+00	8.8009E-01	8.4677E+00
	STD	1.7538E+00	1.7741E+01	1.2131E-01	1.8789E-01	6.6271E-02	2.3875E+00	7.9893E-02	3.9256E-02	2.4342E+00	3.2151E-01	2.2735E-01	1.3641E+00
	Rank	5	12	4	7	2	10	3	1	11	8	6	9
F3	Average	8.6391E-01	9.9638E+01	1.3412E+00	1.8652E+00	1.2049E+00	1.7218E+01	1.2642E+00	1.0838E+00	1.8767E+01	2.8935E+00	1.7321E+00	1.2643E+01
	STD	1.9116E+00	1.3803E+01	1.5503E-01	2.6547E-01	1.4965E-01	2.2633E+00	1.6665E-01	1.1012E-01	2.3936E+00	3.3900E-01	1.2822E-01	1.2818E+00
	Rank	1	12	5	7	3	10	4	2	11	8	6	9
F4	Average	6.3668E-01	1.0128E+02	5.8734E-01	1.0231E+00	4.3502E-01	1.5402E+01	5.5706E-01	2.9102E-01	1.9093E+01	1.5229E+00	1.1256E+00	9.6949E+00
	STD	1.7131E+00	1.3956E+01	1.4401E-01	2.9237E-01	1.1216E-01	1.9936E+00	5.4488E-02	3.6138E-02	1.8516E+00	1.6390E-01	7.7539E-02	7.3131E-01
	Rank	5	12	4	6	2	10	3	1	11	8	7	9
F5	Average	6.0534E-01	1.0129E+02	8.7885E-01	1.4350E+00	7.1702E-01	1.6520E+01	7.7544E-01	4.3968E-01	1.8404E+01	1.8817E+00	1.3109E+00	1.0017E+01
	STD	1.8343E+00	1.1361E+01	1.5260E-01	1.8468E-01	1.1536E-01	1.7670E+00	6.5519E-02	3.3253E-02	2.2054E+00	1.3334E-01	6.9053E-02	8.3396E-01
	Rank	2	12	5	7	3	10	4	1	11	8	6	9
F6	Average	6.8281E-02	1.0177E+02	4.9876E-01	1.0577E+00	3.9925E-01	1.6225E+01	4.1733E-01	2.1842E-01	1.8591E+01	1.3243E+00	1.0024E+00	9.3970E+00
	STD	5.4480E-01	1.1022E+01	4.2569E-02	1.1180E-01	4.9893E-02	9.6447E-01	3.6281E-02	3.0515E-02	2.1904E+00	1.3282E-01	1.7435E-01	1.3470E+00
	Rank	1	12	5	7	3	10	4	1	11	8	6	9
F7	Average	6.5693E+00	1.0093E+02	6.2153E-01	1.2433E+00	5.0066E-01	1.6072E+01	5.5113E-01	3.0141E-01	1.8811E+01	1.5786E+00	1.1968E+00	9.9114E+00
	STD	7.0767E-01	1.0025E+01	6.1293E-02	1.3001E-01	6.9859E-02	1.8000E+00	2.8436E-02	2.0819E-02	2.2745E+00	6.0705E-02	7.6440E-02	7.7761E-01
	Rank	8	12	4	6	2	10	3	1	11	7	5	9
F8	Average	7.2978E-01	1.0122E+02	5.6452E-01	1.1411E+00	4.5463E-01	1.5469E+01	4.5497E-01	2.1675E-01	1.9257E+01	1.4413E+00	1.0674E+00	9.1825E+00
	STD	1.1514E+00	1.1564E+01	4.2612E-02	7.0411E-02	6.4605E-02	1.9428E+00	5.0117E-02	2.1778E-02	1.7361E+00	1.0574E-01	4.5980E-02	1.6726E+00
	Rank	5	12	4	7	2	10	3	1	11	8	6	9
F9	Average	6.7546E-01	8.4904E+01	6.5542E-01	1.2058E+00	4.8481E-01	1.4253E+01	5.2338E-01	2.8175E-01	1.5867E+01	1.2326E+00	9.7515E-01	8.3052E+00
	STD	7.8670E-01	8.7717E+00	2.7999E-02	9.6884E-02	3.2282E-02	3.4804E-01	9.6827E-02	2.8887E-02	6.0103E-01	9.9609E-02	4.8100E-03	3.6052E-01
	Rank	5	12	4	7	2	10	3	1	11	8	6	9
F10	Average	1.5403E-01	8.6224E+01	6.3696E-01	1.0763E+00	5.2417E-01	1.3460E+01	5.5973E-01	3.0979E-01	1.6048E+01	1.2763E+00	9.6439E-01	7.5298E+00
	STD	1.1758E+00	7.5414E+00	8.3612E-02	1.2452E-01	4.3289E-02	5.3142E-01	8.1630E-02	1.0022E-01	3.2669E-01	2.4381E-01	1.2767E-01	9.2171E-01
	Rank	1	12	5	7	3	10	4	2	11	8	6	9
F11	Average	7.1132E-01	8.7313E+01	6.1277E-01	1.0923E+00	4.4249E-01	1.3900E+01	4.9247E-01	2.9836E-01	1.4868E+01	1.2838E+00	9.3286E-01	7.1048E+00
	STD	7.8975E-01	4.7479E+00	1.2756E-01	1.1171E-01	6.4018E-02	6.7009E-01	2.8571E-02	2.2482E-02	1.8047E+00	1.4572E-01	1.7244E-01	2.3576E+00
	Rank	5	12	4	7	2	10	3	1	11	8	6	9
F12	Average	9.2742E-01	8.6970E+01	9.2729E-01	1.3327E+00	7.9022E-01	1.2516E+01	8.2789E-01	6.2175E-01	1.5072E+01	1.9835E+00	1.1935E+00	9.8499E+00
	STD	8.2052E-01	3.6139E+00	2.0303E-01	2.9486E-01	1.2054E-01	2.7038E+00	1.0553E-01	9.0698E-02	2.5856E+00	4.4094E-01	3.7534E-01	1.2597E+00
	Rank	5	12	4	7	2	10	3	1	11	8	6	9
F13	Average	9.4400E-01	8.5774E+01	9.5983E-01	1.4259E+00	8.3512E-01	1.3270E+01	8.8748E-01	6.4852E-01	1.5467E+01	1.9280E+00	1.2378E+00	9.2636E+00
	STD	9.1199E-01	4.4410E+00	1.9925E-01	1.2138E-01	1.3035E-01	2.4908E+00	1.5567E-01	1.9785E-01	2.7953E+00	6.2193E-01	2.6149E-01	2.2980E+00
	Rank	4	12	5	7	2	10	3	1	11	8	6	9
Mean	Rank	3.69	12.00	4.38	6.85	2.31	10.00	3.31	1.69	11.00	7.77	5.92	9.00
Final	Ranking	4	12	5	7	2	10	3	1	11	8	6	9

- η parameter supports the individual position of RSA to engage in a specific way to generate better solution positions, thus guaranteeing the effectiveness of the initial exploration and the efficiency of the next exploitation.
- The satisfactory utilization of the best fitness values allows RSA to obtain better decisions based on historical learning.

3.4. Real-world applications

In this section, we applied the RSA to solve real-world engineering problems with constraints. These problems including pressure vessel design, welded beam design, tension/compression spring design, 3-bar truss design problem, Speed reducer problem, Cantilever beam design problem, and Multiple disc clutch brake problem.

The parameters setting for RSA is similar to the above experiments. This means the number of iterations is 500 and the population size is 30. The mathematical definition of these problems can be found in Chen, Xu, Wang, and Zhao (2019), Cheng and Prayogo (2017), Gandomi and Yang (2011) and Samma, Mohamad-Saleh, Suandi, and Lahasan (2019).

3.4.1. Welded beam design problem

The performance of RSA to solve this engineering problem (i.e., welded beam design) is discussed in this section. Fig. 7 shows the shape of the welded beam as can be seen in this figure that there are four parameters deflection (h), shear stress (I), buckling load (t) and bending stress (p). The main aim of any optimization technique used

to solve this problem is to minimize the total fabrication cost. In this experiment, the results of the RSA are compared with other literature including OBSCA (Elaziz, Oliva, & Xiong, 2017), GSA (Saremi et al., 2017), RSA (Kaveh & Khayatazar, 2012), DAVID (Ragsdell & Phillips, 1976), MVO (Mirjalili, Mirjalili, & Hatamlou, 2016), WOA (Mirjalili & Lewis, 2016), CPSO (He & Wang, 2007a), HS (Lee & Geem, 2005), APPROX (Ragsdell & Phillips, 1976), SIMPLEX (Ragsdell & Phillips, 1976), CSCA (Huang, Wang, & He, 2007), and GA (Deb, 1991). The mathematical representation of this problem can be found below.

Consider $\vec{x} = [x_1 \ x_2 \ x_3 \ x_4] = [h \ I \ t \ p]$,

$$\text{Minimize } f(\vec{x}) = 1.10471x_1^2x_1 + 0.04811x_3x_4(14.0 + x_2)$$

$$\text{Subject to } g_1(\vec{x}) = \tau(\vec{x}) - \tau_{max} \leq 0,$$

$$g_2(\vec{x}) = \sigma(\vec{x}) - \sigma_{max} \leq 0,$$

$$g_3(\vec{x}) = \delta(\vec{x}) - \delta_{max} \leq 0,$$

$$g_4(\vec{x}) = x_1 - x_4 \leq 0,$$

$$g_5(\vec{x}) = p - p_c(\vec{x}) \leq 0,$$

$$g_6(\vec{x}) = 0.125 - x_1 \leq 0,$$

$$g_7(\vec{x}) = 1.10471x_1^2 + 0.04811x_3x_4(14.0 + x_2) - 0.5 \leq 0,$$

where,

$$\tau(\vec{x}) = \sqrt{(\tau')^2 + 2\tau'\tau'' \frac{x_2}{2R} + (\tau'')^2}, \tau' = \frac{P}{\sqrt{2x_1x_2}},$$

$$\tau'' = \frac{MR}{J}, M = P(L + \frac{x_2}{2}), R = \sqrt{\frac{x_2^2}{4} + \left(\frac{x_1 + x_3}{2}\right)^2},$$




Fig. 6. Convergence behaviour results for the CEC2019 test problems.




Fig. 7. Welded beam design problem.

Table 12
Review of CEC2017 benchmark function problems.

Type	No.	Description	Fi*
Unimodal functions	1	Shifted and Rotated Bent Cigar Function	100
	3	Shifted and Rotated Zakharov Function	300
Simple multimodal functions	4	Shifted and Rotated Rosenbrock's Function	400
	5	Shifted and Rotated Rastrigin's Function	500
	6	Shifted and Rotated Expanded Scaffer's F6 Function	600
	7	Shifted and Rotated Lunacek Bi-Rastrigin Function	700
	8	Shifted and Rotated Non-Continuous Rastrigin's Function	800
	9	Shifted and Rotated Levy Function	900
	10	Shifted and Rotated Schwefel's Function	1000
	11	Hybrid Function 1 (N = 3)	1100
	12	Hybrid Function 2 (N = 3)	1200
	13	Hybrid Function 3 (N = 3)	1300
Composition functions	14	Hybrid Function 4 (N = 4)	1400
	15	Hybrid Function 5 (N = 4)	1500
	16	Hybrid Function 6 (N = 4)	1600
	17	Hybrid Function 6 (N = 5)	1700
	18	Hybrid Function 6 (N = 5)	1800
	19	Hybrid Function 6 (N = 5)	1900
	20	Hybrid Function 6 (N = 6)	2000
	21	Composition Function 1 (N = 3)	2100
	22	Composition Function 2 (N = 3)	2200
	23	Composition Function 3 (N = 4)	2300
	24	Composition Function 4 (N = 4)	2400
	25	Composition Function 5 (N = 5)	2500
	26	Composition Function 6 (N = 5)	2600
	27	Composition Function 7 (N = 6)	2700
	28	Composition Function 8 (N = 6)	2800
	29	Composition Function 9 (N = 3)	2900
	30	Composition Function 10 (N = 3)	3000

$$P_c(\vec{x}) = \frac{\sqrt{\frac{x_3^2 x_4^6}{0}}}{L^2}, (1 - \frac{x_3}{2L} \sqrt{\frac{E}{4G}}), \left(1 - \frac{x_3}{2L} \sqrt{\frac{E}{4G}}\right),$$

$$J = 2 \left\{ \sqrt{2x_1 x_2} \left[\frac{x_3^2}{4} + \left(\frac{x_1 + x_3}{2} \right)^2 \right] \right\}, \sigma(\vec{x}) = \frac{6PL}{x_4 x_3^2}, \delta(\vec{x}) = \frac{6PL^3}{Ex_4 x_3^2},$$

Note that, $P = 6000$ lb, $L = 14$ in, $\delta_{max} = 0.25$ in, $E = 30 \times 10^6$ psi, $G = 12 \times 10^6$ psi, $\tau_{max} = 13600$ psi, and $\sigma_{max} = 30000$ psi.

Table 16 shows the performance of the proposed method compared to the other methods. One can be seen that the smallest cost function is that obtained by the RSA, followed by the OBSCA algorithm. In addition, Fig. 8 depicts the behaviour of RSA to solve WBD during

the iterations. It can be seen objective values for each parameter among the iterations as in the second column. While the trajectory of the first solution is represented in the third column which indicates the RSA starting exploration small then pass exploitation followed by exploration again and finally back again to the exploitation. This refers to the ability of RSA to search the domain and avoiding attractive at the local point. Also, from the fourth column that represents the convergence curve of RSA, it can be seen its fitness value is decreased in step-wise form nearly after 100 iterations.

3.4.2. Tension/compression spring design problem

The main target of this engineering problem is to determine the value of three parameters to minimize the weight of a tension/compression spring (see Fig. 9). The three parameters are the wire diameter (d), number of active coils (N), mean coil diameter (D). The mathematical representation of this problem can be found below.

Consider $\vec{x} = [x_1 \ x_2 \ x_3] = [d \ D \ N]$,

$$\text{Minimize } f(\vec{x}) = (x_3 + 2)x_2 x_1^2,$$

$$\text{Subject to } g_1(\vec{x}) = 1 - \frac{x_3 x_2^3}{71785 x_1^4} \leq 0,$$

$$g_2(\vec{x}) = \frac{4x_2^2 - x_1 x_1}{12566(x_2 x_1^3 - x_1^4)} + \frac{1}{5108 x_1^2} \leq 0,$$

$$g_3(\vec{x}) = 1 - \frac{140.54 x_1}{x_2^2 x_3} \leq 0,$$

$$g_4(\vec{x}) = \frac{x_1 x_2}{1.5} - 1 \leq 0,$$

Variables range ($0.05 \leq x_1 \leq 2$), ($0.25 \leq x_2 \leq 1.30$), ($2.00 \leq x_3 \leq 15$).

This problem has been solved by using several techniques we compared the results of RSA with some of them as in Table 17. It is observed that most of the algorithms nearly have the same optimal weight except the RSA which has the smallest weight overall of them. Moreover, Fig. 10 shows the qualitative results of RSA during solving this problem. It can be observed that the convergence curve of the RSA is reached to the optimal weight nearly in the second period of iterations (i.e., after 450 iterations) which stay fixed till the end of iterations. The same observation can be noticed from the trajectory of the first solution as in the third column in the figure.

3.4.3. Pressure vessel design problem

The pressure vessel design (PVD) problem is one of the most popular design problems of mixed-integer type. Fig. 11 depicts the PVD which aims to minimize the cost of material, welding, and forming of the pressure vessel. In the PVD problem, there are four variables that control on the optimization process including the inner radius (R), the thickness of the head (Th), length of the cylindrical section of the vessel (L), and the thickness of the shell (T_s). According to the requirement of the ASME boiler, TS and Th are integer times 0.0625 inch. The mathematical representation of this problem can be found below.

Consider $\vec{x} = [x_1 \ x_2 \ x_3 \ x_4] = [T_s \ Th \ R \ L]$,

$$\text{Minimize } f(\vec{x}) = 0.6224 x_1 x_3 x_4 + 1.7781 x_2 x_3^2 + 3.1661 x_1^2 x_4 + 19.84 x_1^2 x_3,$$

$$\text{Subject to } g_1(\vec{x}) = -x_1 + 0.0193 x_3 \leq 0,$$

Table 13

Results of the RSA using the CEC2017 test functions.

Fun	Measure	RSA	GA	PSO	EO	GWO	SSA	CS	GSA	CMA-ES
CEC-2017-F1	Average	2.47E+03	9.80E+03	3.96E+03	2.47E+03	3.25E+05	3.40E+03	2.96E+02	2.96E+02	1.00E+02
	STD	2.65E+02	5.94E+03	4.46E+03	2.21E+03	1.07E+05	3.67E+03	2.75E+02	2.75E+02	0.00E+00
	Rank	4	8	7	4	9	6	2	2	1
CEC-2017-F3	Average	1.51E+03	8.72E+03	3.00E+02	3.00E+02	1.54E+03	3.00E+02	1.08E+04	1.08E+04	3.00E+02
	STD	2.54E+01	5.90E+03	1.90E-10	2.40E-08	1.89E+03	0.00E+00	1.60E+03	1.62E+03	0.00E+00
	Rank	5	7	1	1	6	1	8	8	1
CEC-2017-F4	Average	4.04E+02	4.11E+02	4.06E+02	4.04E+02	4.10E+02	4.06E+02	4.07E+02	4.07E+02	4.00E+02
	STD	8.17E+00	1.85E+01	3.28E+00	7.91E-01	7.55E+00	1.01E+01	2.92E+00	2.92E+00	0.00E+00
	Rank	2	9	4	2	8	4	6	6	1
CEC-2017-F5	Average	5.13E+02	5.16E+02	5.13E+02	5.11E+02	5.14E+02	5.22E+02	5.57E+02	5.57E+02	5.30E+02
	STD	2.43E+01	6.93E+00	6.54E+00	3.67E+00	6.10E+00	1.05E+01	8.41E+00	8.40E+00	5.83E+01
	Rank	2	5	2	1	4	6	8	8	7
CEC-2017-F6	Average	6.00E+02	6.00E+02	6.00E+02	6.00E+02	6.01E+02	6.10E+02	6.22E+02	6.22E+02	6.82E+02
	STD	1.40E+00	6.68E-02	9.80E-01	1.50E-04	8.80E-01	8.26E+00	9.02E+00	9.02E+00	3.54E+01
	Rank	1	1	1	1	5	6	7	7	9
CEC-2017-F7	Average	7.13E+02	7.28E+02	7.19E+02	7.21E+02	7.30E+02	7.41E+02	7.15E+02	7.15E+02	7.13E+02
	STD	4.30E+00	7.29E+00	5.10E+00	5.74E+00	8.60E+00	1.66E+01	1.56E+00	1.55E+00	1.63E+00
	Rank	1	7	5	6	8	9	3	3	1
CEC-2017-F8	Average	8.09E+02	8.21E+02	8.11E+02	8.10E+02	8.14E+02	8.23E+02	8.21E+02	8.21E+02	8.29E+02
	STD	8.01E+00	8.96E+00	5.47E+00	2.92E+00	8.26E+00	9.95E+00	4.69E+00	4.69E+00	5.30E+01
	Rank	1	5	3	2	4	8	5	5	9
CEC-2017-F9	Average	9.10E+02	9.10E+02	9.00E+02	9.00E+02	9.11E+02	9.44E+02	9.00E+02	9.00E+02	4.67E+03
	STD	2.00E+01	1.52E+01	5.90E-14	2.27E-02	1.95E+01	1.05E+02	0.00E+00	5.90E-15	2.06E+03
	Rank	5	5	1	1	7	8	1	1	9
CEC-2017-F10	Average	1.41E+03	1.72E+03	1.47E+03	1.42E+03	1.53E+03	1.86E+03	2.69E+03	2.69E+03	2.59E+03
	STD	3.50E+01	2.52E+02	2.15E+02	2.62E+02	2.87E+02	2.95E+02	2.98E+02	2.98E+02	4.14E+02
	Rank	1	5	3	2	4	6	8	8	7
CEC-2017-F11	Average	1.11E+03	1.13E+03	1.11E+03	1.11E+03	1.14E+03	1.18E+03	1.13E+03	1.13E+03	1.11E+03
	STD	1.12E+01	2.38E+01	6.28E+00	5.02E+00	5.41E+01	5.98E+01	1.05E+01	1.05E+01	2.54E+01
	Rank	1	5	1	1	8	9	5	5	1
CEC-2017-F12	Average	1.52E+04	3.73E+04	1.45E+04	1.03E+04	6.25E+05	1.98E+06	7.10E+05	7.03E+05	1.63E+03
	STD	2.68E+03	3.48E+04	1.13E+04	9.79E+03	1.13E+06	1.91E+06	4.20E+05	4.21E+04	1.98E+02
	Rank	4	5	3	2	6	9	8	7	1
CEC-2017-F13	Average	6.82E+03	1.08E+04	8.60E+03	8.02E+03	9.84E+03	1.61E+04	1.11E+04	1.11E+04	1.32E+03
	STD	4.26E+03	8.93E+03	5.12E+03	6.72E+03	5.63E+03	1.05E+04	2.11E+03	2.11E+03	7.83E+01
	Rank	2	6	4	3	5	9	7	7	1
CEC-2017-F14	Average	1.45E+03	7.05E+03	1.48E+03	1.46E+03	3.40E+03	1.51E+03	7.15E+03	7.15E+03	1.45E+03
	STD	2.24E+01	8.16E+03	4.25E+01	3.25E+01	1.95E+03	5.11E+01	1.49E+03	1.49E+03	5.60E+01
	Rank	1	7	4	3	6	5	8	8	1
CEC-2017-F15	Average	1.58E+03	9.30E+03	1.71E+03	1.59E+03	3.81E+03	2.24E+03	1.80E+04	1.80E+04	1.51E+03
	STD	1.28E+02	8.98E+03	2.83E+02	4.80E+01	3.86E+03	5.71E+02	5.50E+03	5.50E+03	1.64E+01
	Rank	2	7	4	3	6	5	8	8	1
CEC-2017-F16	Average	1.73E+03	1.79E+03	1.86E+03	1.65E+03	1.73E+03	1.73E+03	2.15E+03	2.15E+03	1.82E+03
	STD	1.20E+02	1.29E+02	1.28E+02	5.09E+01	1.24E+02	1.27E+02	1.06E+02	1.06E+02	2.30E+02
	Rank	2	5	7	1	2	2	8	8	6
CEC-2017-F17	Average	1.73E+03	1.75E+03	1.76E+03	1.73E+03	1.76E+03	1.77E+03	1.86E+03	1.86E+03	1.83E+03
	STD	3.45E+01	3.98E+01	4.75E+01	1.81E+01	3.13E+01	3.42E+01	1.08E+02	1.08E+02	1.76E+02
	Rank	1	3	4	1	4	6	8	8	7
CEC-2017-F18	Average	7.44E+03	1.57E+04	1.46E+04	1.25E+04	2.58E+04	2.34E+04	8.72E+03	8.72E+03	1.83E+03
	STD	4.52E+03	1.28E+04	1.19E+04	1.14E+04	1.58E+04	1.40E+04	5.06E+03	5.06E+03	1.35E+01
	Rank	2	7	6	5	9	8	3	3	1
CEC-2017-F19	Average	1.95E+03	9.69E+03	2.60E+03	1.95E+03	9.87E+03	2.92E+03	4.50E+04	1.37E+04	1.92E+03
	STD	5.53E+01	6.77E+03	2.19E+03	4.71E+01	6.37E+03	1.87E+03	1.90E+04	1.92E+04	2.87E+01
	Rank	2	6	4	2	7	5	9	8	1
CEC-2017-F20	Average	2.02E+03	2.06E+03	2.09E+03	2.02E+03	2.08E+03	2.09E+03	2.27E+03	2.27E+03	2.49E+03
	STD	2.53E+01	6.00E+01	6.23E+01	2.23E+01	5.20E+01	4.93E+01	8.17E+01	8.17E+01	2.43E+02
	Rank	1	5	1	4	5	7	7	9	
CEC-2017-F21	Average	2.23E+03	2.30E+03	2.28E+03	2.31E+03	2.32E+03	2.25E+03	2.36E+03	2.36E+03	2.32E+03
	STD	4.35E+01	4.38E+01	5.40E+01	2.10E+01	7.00E+00	6.04E+01	2.82E+01	2.82E+01	6.78E+01
	Rank	1	4	3	5	6	2	8	8	6
CEC-2017-F22	Average	2.28E+03	2.30E+03	2.31E+03	2.30E+03	2.31E+03	2.30E+03	2.30E+03	2.30E+03	3.53E+03
	STD	1.33E+01	2.38E+00	6.61E+01	1.84E+01	1.68E+01	1.18E+01	7.00E-02	7.20E-02	8.48E+02
	Rank	1	2	7	2	7	2	2	2	9
CEC-2017-F23	Average	2.61E+03	2.63E+03	2.62E+03	2.62E+03	2.62E+03	2.62E+03	2.74E+03	2.74E+03	2.73E+03
	STD	4.12E+00	1.34E+01	9.23E+00	5.53E+00	8.47E+00	8.69E+00	3.91E+01	3.91E+01	2.43E+02
	Rank	1	6	2	2	2	2	8	8	7
CEC-2017-F24	Average	2.62E+03	2.76E+03	2.69E+03	2.74E+03	2.74E+03	2.73E+03	2.74E+03	2.74E+03	2.70E+03
	STD	7.96E+01	1.49E+01	1.08E+02	6.90E+00	8.73E+00	6.44E+01	5.55E+00	5.52E+00	7.34E+01
	Rank	1	9	2	5	5	4	5	5	3
CEC-2017-F25	Average	2.92E+03	2.95E+03	2.92E+03	2.93E+03	2.94E+03	2.92E+03	2.94E+03	2.94E+03	2.93E+03
	STD	1.26E+01	1.93E+01	2.50E+01	1.98E+01	2.36E+01	2.39E+01	1.53E+01	1.54E+01	2.09E+01
	Rank	1	9	1	4	6	1	6	6	4

(continued on next page)

Table 13 (continued).

Fun	Measure	RSA	GA	PSO	EO	GWO	SSA	CS	GSA	CMA-ES
CEC-2017-F26	Average	3.11E+03	3.11E+03	2.95E+03	2.97E+03	3.22E+03	2.90E+03	3.44E+03	3.44E+04	3.46E+03
	STD	2.89E+02	3.35E+02	2.50E+02	1.65E+02	4.27E+02	3.66E+01	6.29E+02	6.29E+02	5.99E+02
	Rank	4	4	2	3	6	1	7	9	8
CEC-2017-F27	Average	3.11E+03	3.12E+03	3.12E+03	3.09E+03	3.10E+03	3.09E+03	3.26E+03	3.26E+03	3.14E+03
	STD	2.09E+01	1.92E+01	2.50E+01	2.24E+00	2.18E+01	2.78E+00	4.17E+01	4.17E+01	2.14E+01
	Rank	4	5	5	1	3	1	8	8	7
CEC-2017-F28	Average	2.30E+03	3.32E+03	3.32E+03	3.30E+03	3.39E+03	3.21E+03	3.46E+03	3.46E+03	3.40E+03
	STD	1.24E+02	1.26E+02	1.22E+02	1.34E+02	1.02E+02	1.13E+02	3.38E+01	3.38E+01	1.31E+02
	Rank	1	4	4	3	6	2	8	8	7
CEC-2017-F29	Average	3.21E+03	3.25E+03	3.20E+03	3.17E+03	3.19E+03	3.21E+03	3.45E+03	3.45E+03	3.21E+03
	STD	5.66E+01	8.20E+01	5.23E+01	2.47E+01	4.29E+01	5.17E+01	1.71E+02	1.71E+02	1.10E+02
	Rank	4	7	3	1	2	4	1	1	4
CEC-2017-F30	Average	2.96E+05	5.37E+05	3.51E+05	2.97E+05	2.98E+05	4.21E+05	9.40E+05	1.30E+06	3.05E+05
	STD	2.14E+04	6.37E+05	5.05E+05	4.59E+05	5.28E+05	5.68E+05	3.60E+05	3.64E+05	4.45E+05
	Rank	1	7	5	2	3	6	8	9	4
Mean	Rank	2.034	5.6206	3.5517	2.413	5.4482	4.896	6.4482	6.4827	4.586
Final	Ranking	1	6	3	2	7	5	8	9	4




Fig. 8. Qualitative results for the welded beam design problem.




Fig. 9. Tension/compression spring design problem.

$$\begin{aligned}
 g_2(\vec{x}) &= -x_3 + 0.000954x_3 \leq 0, \\
 g_3(\vec{x}) &= -\pi x_3^2 x_4 - \frac{4}{3} \pi x_3^3 + 1296000 \leq 0, \\
 g_4(\vec{x}) &= x_4 - 240 \leq 0, \\
 \text{Variables range } &(0 \leq x_1, x_2 \leq 99), (10 \leq x_3, x_4 \leq 200),
 \end{aligned}$$

The results of RSA are given in Fig. 12 and Table 18. One can be observed from the results in Table 18 that the RSA has the smallest cost with nearly 24.955 difference between it and HPSO that followed it. In addition, from Fig. 12 it can be seen the convergence curve of




Fig. 10. Qualitative results for the tension/compression spring design problem.




Fig. 11. Pressure vessel design problem.

RSA reached the optimal cost nearly after 400 iterations similar to the previous problem. The main change is the behaviour of RSA occurs when moving from exploration to exploitation phase as reflected from the trajectory of the first solution.

3.4.4. 3-bar truss design problem

The main objective of study the three-bar truss design problem is to minimize the structure weight subject to supporting a total load P acting vertically downward (Mirjalili, 2015b; Ray & Liew, 2003). The geometry structure of this problem in given Fig. 13 where the cross-sectional areas represent the variables of design. Due to the symmetric

Table 14
Review of CEC2019 benchmark function problems.

No.	Functions	$F_i^* = F_i(x^*)$	Dim	Search range
1	Storn's Chebyshev Polynomial Fitting Problem	1	9	[−8192, 8192]
2	Inverse Hilbert Matrix Problem	1	16	[−16384, 16384]
3	Lennard-Jones Minimum Energy Cluster	1	18	[−4,4]
4	Rastrigin's Function	1	10	[−100,100]
5	Griewangk's Function	1	10	[−100,100]
6	Weierstrass Function	1	10	[−100,100]
7	Modified Schwefel's Function	1	10	[−100,100]
8	Expanded Schaffer's F6 Function	1	10	[−100,100]
9	Happy Cat Function	1	10	[−100,100]
10	Ackley Function	1	10	[−100,100]




Fig. 13. 3-bar truss design problem.

of the system, so the cross-sections with $A_1 (= x_1)$ and $A_2 (= x_2)$ are need to be determined (Ray & Liew, 2003). The mathematical representation of this problem can be found below.




Fig. 12. Qualitative results for the pressure vessel design problem.

Table 15

Results of the RSA using the CEC2019 test functions.

Fun	Measure	RSA	GOA	SSA	WOA	SCA	DA	GWO	PSO	ALO	MPA	EO	CMA-ES
CEC-2019-F1	Worst	6.30E+04	4.01E+10	1.13E+10	1.24E+11	1.20E+10	3.62E+10	3.28E+08	2.15E+13	5.31E+10	4.41E+04	2.85E+09	1.02E+09
	Average	5.62E+04	1.32E+10	7.32E+09	5.74E+10	4.61E+09	2.11E+10	1.07E+08	8.04E+12	2.44E+10	3.75E+04	9.31E+08	5.16E+08
	Best	5.01E+04	2.98E+09	2.46E+09	1.53E+09	1.31E+09	1.29E+10	5.17E+05	8.20E+11	4.52E+09	3.24E+04	3.97E+04	2.88E+08
	STD	4.84E+03	1.54E+10	3.48E+09	4.70E+10	4.22E+09	9.29E+09	1.51E+08	8.64E+12	2.20E+10	4.79E+03	1.33E+09	2.92E+08
	Rank	2	8	7	11	6	9	3	12	10	1	5	4
CEC-2019-F2	Worst	1.73E+01	1.75E+01	1.74E+01	1.74E+01	1.75E+01	6.04E+02	1.73E+01	1.58E+04	1.73E+01	1.73E+01	1.73E+01	1.28E+02
	Average	1.73E+01	1.74E+01	1.74E+01	1.74E+01	1.75E+01	1.35E+02	1.73E+01	1.23E+04	1.73E+01	1.73E+01	1.73E+01	8.54E+01
	Best	1.73E+01	1.74E+01	1.73E+01	1.73E+01	1.74E+01	1.73E+01	1.73E+01	8.28E+03	1.73E+01	1.73E+01	1.73E+01	4.38E+01
	STD	1.26E-07	4.08E-02	2.08E-02	6.19E-03	4.61E-02	2.62E+02	1.40E-04	3.02E+03	2.21E-03	1.26E-07	5.02E-15	3.18E+01
	Rank	2	8	7	6	9	11	4	12	5	2	1	10
CEC-2019-F3	Worst	1.27E+01	1.27E+01	1.27E+01	1.27E+01	1.27E+01							
	Average	1.27E+01	1.27E+01	1.27E+01	1.27E+01	1.27E+01							
	Best	1.27E+01	1.27E+01	1.27E+01	1.27E+01	1.27E+01							
	STD	5.43E-05	8.19E-12	1.78E-15	7.43E-07	8.14E-05	1.12E-03	1.79E-06	0.00E+00	8.88E-16	0.00E+00	1.54E-15	1.16E-05
	Rank	1	7	5	8	11	12	9	2	2	2	5	10
CEC-2019-F4	Worst	2.75E+01	5.47E+01	4.88E+01	8.66E+02	3.62E+03	3.22E+03	1.68E+02	2.39E+01	1.13E+02	1.30E+01	2.41E+01	2.75E+01
	Average	2.45E+01	3.29E+01	3.42E+01	5.89E+02	1.98E+03	1.28E+03	7.59E+01	1.73E+01	5.61E+01	8.99E+00	1.79E+01	2.45E+01
	Best	2.09E+01	8.96E+00	2.19E+01	2.27E+02	1.10E+03	3.43E+01	4.91E+01	4.98E+00	1.09E+01	5.00E+00	7.00E+00	2.09E+01
	STD	2.42E+00	1.97E+01	1.08E+01	2.83E+02	9.63E+02	1.47E+03	5.16E+01	7.38E+00	3.71E+01	3.38E+00	6.83E+00	2.42E+00
	Rank	4	6	7	10	12	11	9	2	8	1	3	4
CEC-2019-F5	Worst	1.09E+00	1.39E+00	1.36E+00	1.53E+00	2.65E+00	1.29E+00	2.66E+00	1.63E+00	1.09E+00	1.93E+00	2.86E+00	1.73E+00
	Average	1.05E+00	1.21E+00	1.18E+00	1.25E+00	2.34E+00	1.21E+00	2.39E+00	1.48E+00	1.05E+00	1.05E+00	2.14E+00	1.56E+00
	Best	1.00E+00	1.05E+00	1.09E+00	1.11E+00	2.14E+00	1.17E+00	2.15E+00	1.21E+00	1.00E+00	1.27E+00	1.72E+00	1.33E+00
	STD	4.23E-02	1.38E-01	1.20E-01	1.63E-01	1.87E-01	5.05E-02	1.97E-01	1.59E-01	4.23E-02	5.13E-01	5.30E-01	1.72E-01
	Rank	2	5	4	7	11	6	12	8	2	1	10	9
CEC-2019-F6	Worst	8.58E+00	9.78E+00	6.28E+00	1.13E+01	1.18E+01	1.08E+01	1.21E+01	1.13E+01	1.22E+01	1.40E+01	1.14E+01	1.13E+01
	Average	5.29E+00	8.48E+00	5.49E+00	9.64E+00	1.11E+01	9.63E+00	1.16E+01	9.98E+00	1.15E+01	1.23E+01	1.08E+01	1.04E+01
	Best	2.98E+00	7.66E+00	4.51E+00	8.28E+00	9.87E+00	8.52E+00	1.15E+01	8.90E+00	1.09E+01	1.12E+01	9.89E+00	9.13E+00
	STD	2.36E+00	8.76E-01	8.53E-01	1.15E+00	7.51E-01	8.85E-01	2.40E-01	9.32E-01	4.74E-01	1.13E+01	6.60E-01	7.99E-01
	Rank	1	3	2	5	9	4	11	6	10	12	8	7
CEC-2019-F7	Worst	6.65E+02	7.68E+02	5.64E+02	1.13E+03	1.06E+03	1.26E+03	6.59E+02	4.15E+02	1.40E+03	1.46E+02	5.42E+02	6.08E+02
	Average	4.43E+02	5.01E+02	4.61E+02	8.06E+02	8.50E+02	9.48E+02	3.53E+02	2.01E+02	6.56E+02	4.73E+01	2.04E+02	2.60E+02
	Best	2.83E+02	2.50E+02	2.89E+02	4.62E+02	4.78E+02	4.93E+02	1.24E+02	-3.41E+00	1.87E+02	-8.88E+01	-2.23E+02	-2.92E+01
	STD	1.57E+02	2.19E+02	1.18E+02	2.53E+02	2.24E+02	3.07E+02	2.29E+02	1.80E+02	4.47E+02	9.78E+01	2.86E+02	2.91E+02
	Rank	6	8	7	10	11	12	5	2	9	1	3	4
CEC-2019-F8	Worst	6.58E+00	6.20E+00	6.71E+00	6.64E+00	6.69E+00	6.47E+00	6.81E+00	5.63E+00	6.10E+00	4.90E+00	5.60E+00	6.62E+00
	Average	5.60E+00	5.59E+00	5.48E+00	6.10E+00	5.90E+00	5.95E+00	5.48E+00	4.95E+00	5.70E+00	4.09E+00	3.91E+00	5.85E+00
	Best	4.67E+00	5.16E+00	4.86E+00	5.67E+00	5.38E+00	5.20E+00	2.90E+00	4.35E+00	5.12E+00	2.56E+00	2.42E+00	4.58E+00
	STD	7.59E-01	4.30E-01	7.11E-01	4.24E-01	5.74E-01	4.93E-01	1.69E+00	6.17E-01	3.92E-01	9.14E-01	1.16E+00	8.08E-01
	Rank	7	6	4	12	10	11	5	3	8	2	1	9
CEC-2019-F9	Worst	2.44E+00	2.98E+00	2.93E+00	6.40E+00	4.59E+02	1.96E+02	7.14E+00	2.44E+00	2.83E+00	2.50E+00	2.48E+00	2.41E+00
	Average	2.40E+00	2.66E+00	2.73E+00	5.40E+00	2.03E+02	5.64E+01	4.93E+00	2.41E+00	2.60E+00	2.42E+00	2.40E+00	2.39E+00
	Best	2.37E+00	2.52E+00	2.38E+00	3.95E+00	4.52E+01	2.74E+00	3.27E+00	2.39E+00	2.41E+00	2.35E+00	2.36E+00	2.38E+00
	STD	3.20E-02	1.83E-01	2.19E-01	9.34E-01	1.58E+02	8.01E+01	1.53E+00	3.38E-02	1.74E-01	5.96E-02	4.82E-02	1.12E-02
	Rank	2	7	8	10	12	11	9	4	6	5	3	1
CEC-2019-F10	Worst	2.05E+01	2.00E+01	2.00E+01	2.05E+01	2.06E+01	2.06E+01	2.07E+01	2.01E+01	2.10E+01	2.05E+01	2.05E+01	2.05E+01
	Average	2.03E+01	2.00E+01	2.00E+01	2.03E+01	2.05E+01	2.04E+01	2.05E+01	2.04E+01	2.00E+01	2.10E+01	2.04E+01	2.04E+01
	Best	2.02E+01	2.00E+01	2.00E+01	2.02E+01	2.04E+01	2.03E+01	2.05E+01	2.01E+01	2.00E+01	2.10E+01	2.03E+01	2.04E+01
	STD	1.22E-01	3.72E-04	1.88E-03	1.02E-01	5.89E-02	1.40E-01	4.52E-02	2.02E-01	3.93E-02	3.56E-02	5.61E-02	6.71E-02
	Rank	4	1	2	5	10	9	11	8	3	12	6	7
Mean	Rank	3.1	5.9	5.3	8.4	10.1	9.6	7.8	5.9	6.3	3.9	4.5	6.5
Final	Ranking	1	5	4	10	12	11	9	5	7	2	3	8

$$\text{Minimize } f(x) = (2\sqrt{2x_1} + x_2)x_1$$

Subject to:

$$g_1x = \frac{\sqrt{x_1x_1+x_2}}{\sqrt{2x_1^2+2x_1x_2}} P - \sigma \leq 0$$

$$g_2x = \frac{x_2}{\sqrt{2x_1^2+2x_1x_2}} P - \sigma \leq 0$$

$$g_3x = \frac{1}{\sqrt{2x_2+x_1}} P - \sigma \leq 0$$

$$l = 100 \text{ cm}, P = 2 \text{ kN/cm}^2, \sigma = 2 \text{ kN/cm}^2,$$

Variables range ($0 \leq x_i \leq 1, i = 1, 2$)

The RSA is applied to determine the design variables and it is compared with some optimization techniques that have been applied to solve the problem as given in Table 19. From the results in this table, it is observed that the RSA provides the best solution since it obtained the smallest weight. Moreover, the Qualitative results of RSA to solve the 3-bar truss design problem are given in Fig. 14. From this figure, it can be noticed the best position over the dimensions and the objective value of each dimension overall the iterations. In addition, the ability of RSA to searching the space using the exploration and exploitation

phases is represented by the trajectory of the first solution. Also, from the last column in this figure, it can be seen the convergence of the RSA that similar to previous experiments and this indicates the stable in the behaviour of RSA overall the tested problems.

3.4.5. Speed reducer problem

The Speed reducer problem is a gearbox between propeller and engine of airplane to allow each of them to rotate with efficient speed (as in Fig. 15). The objective of any optimization technique used to solve the problem of speed reducer (Siddall, 1972) is to minimize the weight of the design subject to constraints on bending stress of the gear teeth, surface stress, transverse deflections of the shafts and stresses in the shafts. To solve this problem, the optimal value of the seven design variables are required to be determined. Those variables including face width (x_1), the module of teeth (x_2), number of teeth on pinion (x_3), length of the first shaft between bearings (x_4), length of the second shaft between bearings (x_5), the diameter of the first shaft (x_6), and diameter of second shaft (x_7). According to the definition of the Speed

Table 16

Results of the comparative algorithms for solving the welded beam design problem.

Algorithm	Optimal values for variables				Optimal cost
	h	l	t	b	
OBSCA (Elaziz et al., 2017)	0.230824	3.069152	8.988479	0.208795	1.722315
GSA (Saremi et al., 2017)	0.182129	3.856979	10.000	0.202376	1.87995
RSA (Kaveh & Khayatazad, 2012)	0.203687	3.528467	9.004233	0.207241	1.735344
CSCA (Huang et al., 2007)	0.203137	3.542998	9.033498	0.206179	1.733461
GA (Deb, 1991)	0.2489	6.1730	8.1789	0.2533	2.4300
DAVID (Ragsdell & Phillips, 1976)	0.2434	6.2552	8.2915	0.2444	2.3841
SIMPLEX (Ragsdell & Phillips, 1976)	0.2792	5.6256	7.7512	0.2796	2.5307
APPROX (Ragsdell & Phillips, 1976)	0.2444	6.2189	8.2915	0.2444	2.3815
HS (Lee & Geem, 2005)	0.2442	6.2231	8.2915	0.2400	2.3807
CPSO (He & Wang, 2007a)	0.202369	3.544214	9.04821	0.205723	1.72802
WOA (Mirjalili & Lewis, 2016)	0.205396	3.484293	9.037426	0.206276	1.730499
MVO (Mirjalili et al., 2016)	0.205463	3.473193	9.044502	0.205695	1.72645
MPA (Faramarzi, Heidarnejad, Mirjalili et al., 2020)	0.205728	3.470509	9.036624	0.205730	1.724853
RSA	0.14468	3.514	8.9251	0.21162	1.6726

Table 17

Results of the comparative algorithms for solving the tension/compression spring design problem.

Algorithm	Optimal values for variables			Optimal weight
	d	D	N	
OBSCA (Elaziz et al., 2017)	0.05230	0.31728	12.54854	0.012625
GSA (Saremi et al., 2017)	0.050276	0.323680	13.525410	0.0127022
RSA (Kaveh & Khayatazad, 2012)	0.051370	0.349096	11.76279	0.0126788
CPSO (He & Wang, 2007a)	0.051728	0.357644	11.244543	0.0126747
CSCA (Huang et al., 2007)	0.051609	0.354714	11.410831	0.0126702
GA (Coello, 2000)	0.051480	0.351661	11.632201	0.01270478
CC (Arora, 2004)	70.050000	0.315900	14.250000	0.0128334
HS (Mahdavi, Fesanghary, & Damangir, 2007)	0.051154	0.349871	12.076432	0.0126706
PSO (He & Wang, 2007a)	0.051728	0.357644	11.244543	0.0126747
ES (Mezura-Montes & Coello, 2008)	0.051643	0.355360	11.397926	0.012698
WOA (Mirjalili & Lewis, 2016)	0.051207	0.345215	12.004032	0.0126763
MVO (Mirjalili et al., 2016)	0.05251	0.37602	10.33513	0.012790
RSA	0.057814	0.58478	4.0167	0.01176

Table 18

Results of the comparative algorithms for solving the pressure vessel design problem.

Algorithm	Optimal values for variables				Optimal cost
	T_s	T_h	R	L	
Branch-bound (Sandgren, 1990)	1.125	0.625	48.97	106.72	7982.5
GWO (Mirjalili et al., 2014)	0.8125	0.4345	42.0892	176.7587	6051.5639
MVO (Mirjalili et al., 2016)	0.8125	0.4375	42.090738	176.73869	6060.8066
WOA (Mirjalili & Lewis, 2016)	0.812500	0.437500	42.0982699	176.638998	6059.7410
ES (Mezura-Montes & Coello, 2008)	0.8125	0.4375	42.098087	176.640518	6059.74560
CPSO (He & Wang, 2007a)	0.8125	0.4375	42.091266	176.7465	6061.0777
CSCA (Huang et al., 2007)	0.8125	0.4375	42.098411	176.63769	6059.7340
HS (Mahdavi et al., 2007)	1.125000	0.625000	58.29015	43.69268	7197.730
GA (Coello, 2000)	0.81250	0.43750	42.097398	176.65405	6059.94634
PSO-SCA (Liu, Cai, & Wang, 2010)	0.8125	0.4375	42.098446	176.6366	6059.71433
HPSO (He & Wang, 2007b)	0.8125	0.4375	42.0984	176.6366	6059.7143
ACO (Kaveh & Talatohari, 2010a)	0.812500	0.437500	42.098353	176.637751	6059.7258
GSA (Rashedi et al., 2009)	1.125	0.625	55.9886598	84.4542025	8538.8359
RSA	0.8400693	0.4189594	43.38117	161.5556	6034.7591

Table 19

Results of the comparative algorithms for solving the 3-bar truss design problem.

Algorithm	Optimal values for variables		Optimal weight
	x_1	x_2	
DEDS (Zhang, Luo, & Wang, 2008)	0.78867513	0.40824828	263.89584
SSA (Mirjalili et al., 2017)	0.78866541	0.408275784	263.89584
MBA (Sadollah, Bahreininejad, Eskandar, & Hamdi, 2013)	0.7885650	0.4085597	263.89585
PSO-DE (Liu et al., 2010)	0.7886751	0.4082482	263.89584
Ray and Saini (Ray & Saini, 2001)	0.795	0.395	264.3
CS (Gandomi, Yang, & Alavi, 2013)	0.78867	0.40902	263.9716
AAA (Yildirim & Karci, 2018)	0.7887354	0.408078	263.895880
GOA (Saremi et al., 2017)	0.78889755557	0.40761957011	263.89588149
RSA	0.78873	0.40805	263.8928




Fig. 14. Qualitative results for the 3-bar truss design problem.




Fig. 15. Speed reducer problem.

reducer problem, it is high complexity than other problems since it has a higher number of constraints. The mathematical representation of this problem can be found below.

Consider $\vec{x} = 0.7854x_1x_2^2(3.3333x_3^2 + 14.9334x_3 - 43.0934) - 1.508x_1(x_6^2 + x_7^2) + 7.4777x_6^3 + x_7^3 + 0.7854x_4x_6^2 + x_5x_7^2$

Subject to:

$$g(1) = \frac{27}{x_1x_2^2x_3} - 1 \leq 0,$$

$$g(2) = \frac{397.5}{x_1x_2^2x_3^2} - 1 \leq 0,$$

$$g(3) = \frac{1.93x_4^4}{x_2x_3x_6^6} - 1 \leq 0,$$

$$g(4) = \frac{1.93x_5^4}{x_2x_3x_7^4} - 1 \leq 0,$$

$$g(5) = \frac{1}{110x_6^3} \sqrt{\left(\frac{745x_4}{x_2x_3}\right)^2 + 16.9 \times 10^6} - 1 \leq 0,$$

$$g(6) = \frac{1}{85x_7^3} \sqrt{\left(\frac{745x_5}{x_2x_3}\right)^2 + 157.5 \times 10^6} - 1 \leq 0,$$

$$g(7) = \frac{x_2x_3}{40} - 1 \leq 0,$$

$$g(8) = \frac{5x_2}{x_1} - 1 \leq 0,$$

$$g(9) = (x_1/12x_2) - 1 \leq 0,$$

$$g(10) = \frac{1.5x_6+1.9}{x_4} - 1 \leq 0,$$

$$g(11) = \frac{1.1x_7+1.9}{x_5} - 1 \leq 0$$

Variables range ($2.6 \leq x_1 \leq 3.6$), ($0.7 \leq x_2 \leq 0.8$), ($17 \leq x_3 \leq 28$), ($7.3 \leq x_4 \leq 8.3$), ($7.3 \leq x_5 \leq 8.3$), ($2.9 \leq x_6 \leq 3.9$), ($5 \leq x_7 \leq 5.5$)

The qualitative results of the speed reducer problem over 500 iterations are given in Fig. 16. It depicts the convergence curve has step-wise behaviour. Also, it is clear that the trajectory begins the exploration search than changing the state of the solution to the exploitation stage to obtain the solution in the feasible region.

The comparison results of RSA and other MH techniques published in the literature are given in Table 20. It can be noticed that the RSA outperforms most of the compared techniques and, in general, it allocates the 3^rd rank. Since, CS (Gandomi et al., 2013) and SBSM (Akhtar,

Tai, & Ray, 2002) which allocate the first and second rank, respectively. However, the no significant difference between the three algorithms since all of them nearly have the same optimal weight.

3.4.6. Cantilever beam design problem

In this part, the proposed RSA is applied to solve another design problem called Cantilever beam (Chickermane & Gea, 1996). This problem has five design variables that should be determined during the optimization process as depicted in Fig. 17. The mathematical representation of this problem can be found below.

Consider $x = [x_1 \ x_2 \ x_3 \ x_4 \ x_5]$

Minimize $f(\vec{x}) = 0.6224(x_1 + x_2 + x_3 + x_4 + x_5)$,

subject to $g(\vec{x}) = \frac{60}{x_1^3} + \frac{27}{x_2^3} + \frac{19}{x_3^3} + \frac{7}{x_4^3} + \frac{1}{x_5^3} - 1 \leq 0$

Variable range $0.01 \leq x_1, x_2, x_3, x_4, x_5 \leq 100$

Table 21 shows the values of the five design variables and the optimal weight. From this table, it can be observed that the RSA provides better weight than other methods. Followed by CS (Gandomi et al., 2013) which allocates the second rank.

Fig. 18 depicts the Qualitative results of RSA over 500 iterations which can be noticed the convergence curve has step-wise behaviour. Also, the trajectory starts by exploration the search space followed by changing the status of the solution to the exploitation phase to find the solution in the feasible region.

3.4.7. Multiple disc clutch brake problem

The main objective of study the Multiple disc clutch brake (MDCB) problem is to find the value of five design variables to minimize the mass of the MDCB (Sadollah et al., 2013). The design variables are inner radius x_1 , outer radius x_2 , thickness of the disc x_3 , actuating force x_4 , and number of friction surfaces x_5 as depicted in Fig. 19. The mathematical representation of this problem can be found below.

$$f(x) = \Pi(r_o^2 - r_i^2)t(Z + 1)\rho$$

$$\text{subject to } g_1(x) = r_o - r_i - \Delta r \geq 0$$

Table 20

Results of the comparative algorithms for solving the speed reducer design problem.

Algorithm	Optimal values for variables							Optimal weight
	x_1	x_2	x_3	x_4	x_5	x_6	x_7	
GA (Saruhan & Uygur, 2003)	3.510253	0.7	17	8.35	7.8	3.362201	5.287723	3067.561
GSA (Rashedi et al., 2009)	3.600000	0.7	17	8.3	7.8	3.369658	5.289224	3051.120
HS (Geem et al., 2001)	3.520124	0.7	17	8.37	7.8	3.366970	5.288719	3029.002
SES (Mezura-Montes, Coello, & Landa-Becerra, 2003)	3.506163	0.700831	17	7.460181	7.962143	3.362900	5.308949	3025.005127
MDA (Lu & Kim, 2010)	3.5	0.7	17	7.3	7.670396	3.542421	5.245814	3019.583365
SBSM (Akhtar et al., 2002)	3.506122	0.700006	17	7.549126	7.859330	3.365576	5.289773	3008.08
SCA (Mirjalili, 2016b)	3.508755	0.7	17	7.3	7.8	3.461020	5.289213	3030.563
CS (Gandomi et al., 2013)	3.5015	0.7000	17	7.6050	7.8181	3.3520	5.2875	3000.9810
PSO (Stephen, Christu, & Dalvi, 2018)	3.5001	0.7000	17.0002	7.5177	7.7832	3.3508	5.2867	3145.922
FA (Baykasoglu & Ozsoydan, 2015)	3.507495	0.7001	17	7.719674	8.080854	3.351512	5.287051	3010.137492
hHHO-SCA (Kamboj, Nandi, Bhaduria, & Sehgal, 2020)	3.506119	0.7	17	7.3	7.99141	3.452569	5.286749	3029.873076
RSA	3.50279	0.7	17	7.30812	7.74715	3.35067	5.28675	2996.5157




Fig. 16. Qualitative results for the speed reducer design problem.




Fig. 17. Cantilever beam design problem.

Table 21

Results of the comparative algorithms for solving the cantilever beam design problem.

Algorithm	Optimal values for variables					Optimal weight
	x_1	x_2	x_3	x_4	x_5	
GCA_I (Chickermane & Gea, 1996)	6.0100	5.30400	4.4900	3.4980	2.1500	1.3400
GCA_II (Chickermane & Gea, 1996)	6.0100	5.3000	4.4900	3.4900	2.1500	1.3400
ALO (Mirjalili, 2015a)	6.01812	5.31142	4.48836	3.49751	2.158329	1.33995
CS (Gandomi et al., 2013)	6.0089	5.3049	4.5023	3.5077	2.1504	1.3399
SOS (Cheng & Prayogo, 2014)	6.01878	5.30344	4.49587	3.49896	2.15564	1.33996
MMA (Chickermane & Gea, 1996)	6.0100	5.3000	4.4900	3.4900	2.1500	1.3400
RSA	6.0231	5.4457	4.277	3.5853	2.1767	1.3386




Fig. 18. Qualitative results for the cantilever beam design problem.

Table 22

Results of the comparative algorithms for solving the multiple disc clutch brake problem.

Algorithm	Optimal values for variables					Optimal weight
	x_1	x_2	x_3	x_4	x_5	
TLBO (Rao et al., 2011)	70	90	1	810	3	0.313656611
NSGA-II (Deb & Srinivasan, 2008)	70	90	1.5	1000	3	0.470400
WCA (Eskandar, Sadollah, Bahreininejad, & Hamdi, 2012)	70	90	1	910	3	0.313656
MVO (Sayed, Darwish, & Hassanien, 2018)	70	90	1	910	3	0.313656
CMVO (Sayed et al., 2018)	70	90	1	910	3	0.313656
MFO (Bhedsadiya, Trivedi, Jangir, & Jangir, 2018)	70	90	1	910	3	0.313656
RSA	70.0347	90.0349	1.0000	801.7285	2.9740	0.31176




Fig. 19. Multiple disc clutch brake problem.




Fig. 21. Rolling element bearing design.

$$\begin{aligned} g_2(x) &= l_{max} - (Z + 1)(t + \delta) \geq 0 \\ g_3(x) &= P_{max} - Prz \geq 0 \\ g_4(x) &= P_{max} v_{sr\ max} - P_{rz} v_{sr} \geq 0 \\ g_5(x) &= v_{sr\ max} - v_{sr} \geq 0 \\ g_6 &= T_{max} - T \geq 0 \\ g_7(x) &= M_h - sM_s \geq 0 \\ g_8(x) &= T \geq 0 \end{aligned}$$

where

$$\begin{aligned} M_h &= \frac{2}{3}\mu F Z \frac{r_o^3 - r_i^3}{r_o^2 - r_i^2}, \quad P_{rz} = \frac{F}{\pi(r_o^2 - r_i^2)}, \\ v_{rz} &= \frac{2\pi(r_o^3 - r_i^3)}{90(r_o^2 - r_i^2)}, \quad T = \frac{I_z \cdot \pi n}{30(M_h + M_f)} \\ \Delta r &= 20 \text{ mm}, \quad I_z = 55 \text{ kg mm}^2, \quad P_{max} = 1 \text{ MPa}, \quad F_{max} = 1000 \text{ N}, \\ T_{max} &= 15 \text{ s}, \quad \mu = 0.5, \quad s = 1.5, \quad M_s = 40 \text{ Nm}, \\ M_f &= 3 \text{ N m}, \quad n = 250 \text{ rpm}, \\ v_{sr\ max} &= 10 \text{ m/s}, \quad l_{max} = 30 \text{ mm}, \quad r_i\ min = 60, \\ r_i\ max &= 80, \quad r_o\ min = 90, \end{aligned}$$




Fig. 20. Qualitative results for the multiple disc clutch brake problem.

Table 23

Comparison results between RSA and other MH techniques to solve REBD problem.

Variable	HHO	TLBO	PVS	LSHSPCM	LSHcEpS	SaDE	RSA
D_m	125	125.7191	125.7191	125.4293	125.7227	125.7227	125.1722
D_b	21	21.42559	21.42559	20.7121	21.4233	21.4233	21.29734
Z	11.09207	11	11	9.8719	10.14	10.14	10.88521
f_i	0.515	0.515	0.515	0.5226	0.515	0.515	0.515253
f_o	0.515	0.515	0.515	0.5173	0.515	0.515	0.517764
K_dmin	0.4	0.424266	0.40043	0.4776	0.4565	0.4264	0.41245
K_dmax	0.6	0.633948	0.68016	0.6217	0.6494	0.6313	0.632338
ϵ	0.3	0.3	0.3	0.3041	0.3	0.3	0.301911
e	0.050474	0.068858	0.07999	0.0285	0.0246	0.0237	0.024395
ξ	0.6	0.799498	0.7	0.6041	0.6079	0.6432	0.6024
Capacity	83011.88	81859.74	81859.74	63734.24	81014.88	81014.88	83486.64

The mathematics formulation of REBD problem can be given as:

$$\begin{aligned}
 & \text{Maximize} \quad C_d = f_c U^{2/3} D_b^{1.8}, \text{ if } D \leq 25.4 \text{ mm,} \\
 & \quad C_d = 3.647 f_c U^{2/3} D_b^{1.4}, \text{ if } D \leq 25.4 \text{ mm,} \\
 & \text{Subject to} \quad g_1(\vec{c}) = \frac{\phi_0}{2\sin^{-1}(D_b/D_m)} \leq 0, \\
 & \quad g_2(\vec{u}) = 2D_b - K_{Dmin}(D-d) > 0, \\
 & \quad g_3(\vec{u}) = K_{Dmax}(D-d) - 2D_b > 0, \\
 & \quad g_4(\vec{u}) = \xi B_w - D_b \leq 0, \\
 & \quad g_5(\vec{u}) = D_m - 0.5(D-d) \geq 0, \\
 & \quad g_6(\vec{u}) = (0.5 + e)(D+d) - D_m \geq 0, \\
 & \quad g_7(\vec{u}) = 0.5(D-D_m-D_b) - eD_b \geq 0, \\
 & \quad g_8(\vec{u}) = f_i \geq 0.515, \\
 & \quad g_9(\vec{u}) = f_o \geq 0.515, \\
 & \text{where} \quad f_c = 37.91 \left[1 + \left\{ 1.64 \left(\frac{1-\gamma}{1-\gamma} \right)^{1.72} \left(\frac{f_i(2f_0-1)}{f_0(2f_i-1)} \right)^{0.41} \right\}^{10/3} \right]^{-0.3} \\
 & \quad \times \left[\frac{\gamma^{0.3}(1-\gamma)^{0.39}}{(1-\gamma)^{1/3}} \right] \left[\frac{2f_i}{2f_i-1} \right]^{0.41}, \\
 & \quad x = [(D-d)/2 - 3(T/4)]^2 + \{D/2 - T/4 - D_b\}^2 \\
 & \quad - \{d/2 + T/4\}^2, \\
 & \quad y = 2\{(D-d)/2 - 3(T/4)\}\{D/2 - T/4 - D_b\}, \\
 & \quad \phi_0 = 2\pi - \cos^{-1}\left(\frac{u}{y}\right), \\
 & \quad \gamma = \frac{D_b}{D_m}, f_i = \frac{r_i}{D_b}, f_o = \frac{r_0}{D_b}, \\
 & \quad T = D - d - 2D_b, D = 160, d = 90, \\
 & \quad B = 30, r_i = r_0 = 11.033, 0.5(D+d) \leq D_m \leq 0.6(D+d), \\
 & \quad 0.15(D-d) \leq D_b \leq 0.45(D-d), 4 \leq Z \leq 50, 0.515 \leq f_i \text{ and} \\
 & \quad f_o \leq 0.6, \\
 & \quad 0.4 \leq K_{Dmin} \leq 0.5, \\
 & \quad 0.6 \leq K_{Dmax} \leq 0.7, 0.3 \leq e \leq 0.4, 0.02 \leq e \leq 0.1, \\
 & \quad 0.6 \leq \xi \leq 0.85
 \end{aligned} \tag{11}$$

The results of RSA are compared with other MH techniques including TLBO (Rao et al., 2011), CMVOHIO (Ewees & Elaziz, 2020), MVO, PVS (Savani & Savani, 2016), HHO, LSHSPCM, LSHcEpS, and SaDE. Table 23 shows the comparison between the RSA and other methods. It can be observed that RSA has the largest cost value than other methods. It is followed by HHO, which allocates the second rank. The same observation can be noticed from Fig. 22.

3.5. Feature selection application

Recently, feature selection becomes one of the most prepossessing steps in data analysis since it aims to reduce the high dimensional of

Table 24

Datasets description.

Datasets	Number of features	Number of instances	Number of classes	Data category
Breastcancer	9	699	2	Biology
BreastEW	30	569	2	Biology
CongressEW	16	435	2	Politics
Exactly	13	1000	2	Biology
Exactly2	13	1000	2	Biology
HeartEW	13	270	2	Biology
IonosphereEW	34	351	2	Electromagnetic
KrvskpEW	36	3196	2	Game
Lymphography	18	148	2	Biology
M-of-n	13	1000	2	Biology
PenglunEW	325	73	2	Biology
SonarEW	60	208	2	Biology
SpectEW	22	267	2	Biology
Tic-tac-toe	9	958	2	Game
Vote	16	300	2	Politics
WaveformEW	40	5000	3	Physics
WineEW	13	178	3	Chemistry

the data by removing the irrelevant and redundancy features. Therefore, they have been applied in several fields including detection of cancer (Halvorsen et al., 2017), medical diagnosis (Tourassi, Frederick, Markey, & Floyd Jr, 2001), genomics (Allen et al., 2003), combinatorial chemistry (Osborne & Ellington, 1997), and computer vision (Zhang, Wang, Ji, & Phillips, 2014),

To tackling this FS problem, the main target of the FS optimization technique is to determine the relevant features with minimization of the classification error. The mathematical formulation of FS can be represented as a minimize optimization problem:

$$Fit_i = \lambda \times \gamma_i + (1 - \lambda) \times \left(\frac{|BX_i|}{Dim} \right) \tag{12}$$

In Eq. (12), the classification error is represented by γ_i , and it is computed using the KNN classifier based on selected features from the training set. Dim denotes the total number of features, and $|BX_i|$ refers to the total number of features chosen which corresponding to ones in the binary solution BX_i and it is obtained using the following formula:

$$BX_{ij} = \begin{cases} 1 & \text{if } X_{ij} > 0.5 \\ 0 & \text{otherwise} \end{cases} \tag{13}$$

In addition, $\lambda \in [0, 1]$, in Eq. (12), represents the weight parameter applied to balance between the two terms of Eq. (12).

3.5.1. Datasets descriptions

In this study, a set of sixteen UCI datasets is used to evaluate the applicability of the proposed method to tackling real-world applications. The properties of these datasets are given in Table 24, and they contain data collected from variant fields.




Fig. 22. Qualitative results for the rolling element bearing design.

3.5.2. Results and discussion

The comparison results of the RSA and other MH techniques are given in Tables 25–31 and Fig. 23. The average and standard deviation of the classification accuracy are given in Tables 25 and 26, respectively. It can be seen from these tables that the RSA has better accuracy at seven datasets, followed by MPA, which has high accuracy at four datasets. In addition, by analysing the stability of the algorithms as given in Table 26, one can be observed that the RSA is more stable than others which has the smallest standard deviation at five datasets. In contrast, the MRFO has the smallest standard deviation at four datasets, followed by AEO and GA, which have the best stability at three datasets.

Moreover, Tables 27–30 show the performance of the algorithms in terms of fitness value measures (i.e., average, standard deviation, best and worst). From Table 27 it can be seen that the RSA can reach the smallest fitness value at five datasets, while both MPA and HHO have the smallest average fitness value at three datasets. In terms of standard deviation, one can be observed that most of the competitive algorithms nearly have the same stability in fitness value. For example, RSA, TLBO, and MPA have the best standard deviation at three datasets, followed by MRFO and GA since each of them has the best standard deviation at only one dataset. In addition, from Table 29, which shows the best fitness value obtained by each algorithm at each dataset, it can be concluded that the algorithm nearly has the same fitness value at some datasets such as Exactly and M-of-n, as well as the RSA and MPA, nearly have the same performance in terms of best fitness value. In terms of the worst fitness value obtained by each algorithm, as in Table 30, it can be observed that the worst fitness value obtained by RSA is better than other methods in six datasets, followed by MPA, which provides results better than other methods at three datasets.

Table 31 depicts the average number of selected features obtained by each algorithm over the tested datasets. From these results, it can be noticed that the RSA has the smallest number of features chosen at six datasets. In comparison, the WOA and TLBO have the best-selected features in the three datasets. In addition, the average of the selected features overall in the tested datasets is better than other methods. The same observation can be noticed from Fig. 23 which depicts the average of each measure. These results indicate the behaviour of RSA to balance between exploration and exploitation, and this leads to improving the convergence rate and the quality of output.

3.6. The pros and cons of the proposed RSA

From the above analysis, it is observed the high capability of RSA to handle variant problems of engineering design with different constraints, and it can obtain the optimal solution for those problems. So, it can be concluded that the RSA is a powerful, effective, and attractive meta-heuristic algorithm to solve a global optimization problems with/without constraints. The main advantages of the proposed RSA are ease of implementation, finding new best solutions for the tested problems, fast response, smooth converge curves, better-targeted delivery of new solutions, a few control parameters, etc. Also, some minor weaknesses can be handled, such as the miss self-learning mechanism,



Fig. 23. Comparisons among the results by the RSA and other in terms of average of (a) Accuracy, (b) Fitness value, and (c) Selected features.

the effect of the fitness values on the updating solutions' mechanisms, and a new transition method between the search methods.

Table 25
Average of accuracy for each algorithm.

Mean	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	0.9843	0.9557	0.9819	0.9619	0.9643	0.9752	0.9476	0.9567	0.9462	0.9790	0.9729
BreastEW	0.9737	0.9807	0.9749	0.9760	0.9731	0.9333	0.9433	0.9415	0.9351	0.9719	0.9573
CongressEW	0.9885	0.9923	0.9655	0.9716	0.9640	0.9854	0.9448	0.9157	0.9609	0.9594	0.9655
Exactly	1.0000	0.9990	1.0000	0.9993	0.9720	0.9743	0.8960	0.8987	0.8667	0.9587	1.0000
Exactly2	0.7750	0.7437	0.7357	0.7650	0.7450	0.7260	0.7703	0.7900	0.7130	0.7653	0.7507
HeartEW	0.8704	0.9049	0.8568	0.8654	0.9062	0.8914	0.7988	0.8272	0.8753	0.8975	0.8877
IonosphereEW	0.9872	0.9408	0.9624	0.9681	0.9268	0.9117	0.9174	0.9380	0.9577	0.9700	0.9859
KrvskpEW	0.9844	0.9720	0.9741	0.9779	0.9725	0.9495	0.9507	0.9577	0.9616	0.9655	0.9547
Lymphography	0.9533	0.9542	0.9660	0.9289	0.9133	0.9319	0.8821	0.8756	0.8844	0.9685	0.9337
M-of-n	1.0000	1.0000	0.9993	0.9990	0.9947	0.9853	0.9497	0.9627	0.9477	0.9637	0.9990
PenglungEW	0.9857	0.9378	1.0000	1.0000	0.9556	1.0000	0.9686	0.9822	0.8667	1.0000	0.9511
SonarEW	0.9524	0.9683	0.9476	0.9571	0.9571	0.9556	0.9825	0.9381	0.9937	0.9190	0.9794
SpectEW	0.9333	0.8790	0.8469	0.8506	0.9309	0.9148	0.7593	0.7716	0.8580	0.8099	0.8531
Tic-tac-toe	0.8229	0.8556	0.8375	0.8226	0.8177	0.8101	0.7809	0.7819	0.8250	0.7990	0.8354
Vote	0.9833	0.9622	0.9656	0.9778	0.9667	0.9444	0.9622	0.9700	0.9600	0.9567	0.9711
WaveformEW	0.7590	0.7589	0.7764	0.7665	0.7287	0.7283	0.7283	0.7186	0.7533	0.7381	0.7530

Table 26
Standard deviation of accuracy.

STD	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	0.0130	0.0055	0.0053	0.0052	0.0108	0.0076	0.0110	0.0184	0.0085	0.0083	0.0090
BreastEW	0.0057	0.0068	0.0114	0.0062	0.0062	0.0104	0.0178	0.0147	0.0065	0.0089	0.0144
CongressEW	0.0000	0.0071	0.0123	0.0150	0.0105	0.0053	0.0164	0.0207	0.0105	0.0122	0.0000
Exactly	0.0487	0.0387	0.0000	0.0018	0.0794	0.0314	0.1008	0.1064	0.0820	0.0406	0.0000
Exactly2	0.0018	0.0117	0.0080	0.0000	0.0000	0.0173	0.0181	0.0000	0.0151	0.0193	0.0026
HeartEW	0.0321	0.0196	0.0191	0.0204	0.0226	0.0327	0.0231	0.0249	0.0085	0.0251	0.0275
IonosphereEW	0.0263	0.0095	0.0182	0.0195	0.0170	0.0164	0.0219	0.0117	0.0092	0.0139	0.0106
KrvskpEW	0.0065	0.0050	0.0053	0.0046	0.0092	0.0123	0.0164	0.0116	0.0099	0.0115	0.0128
Lymphography	0.0020	0.0204	0.0181	0.0117	0.0246	0.0159	0.0520	0.0317	0.0278	0.0087	0.0253
M-of-n	0.0120	0.0000	0.0026	0.0028	0.0093	0.0194	0.0365	0.0408	0.0395	0.0350	0.0028
PenglungEW	0.0267	0.0172	0.0000	0.0000	0.0411	0.0000	0.0348	0.0305	0.0000	0.0000	0.0396
SonarEW	0.0110	0.0147	0.0184	0.0184	0.0161	0.0199	0.0168	0.0296	0.0109	0.0197	0.0218
SpectEW	0.0110	0.0138	0.0130	0.0434	0.0226	0.0195	0.0313	0.0218	0.0134	0.0191	0.0191
Tic-tac-toe	0.0044	0.0037	0.0129	0.0054	0.0136	0.0048	0.0200	0.0319	0.0267	0.0167	0.0038
Vote	0.0051	0.0076	0.0204	0.0059	0.0126	0.0133	0.0076	0.0157	0.0207	0.0123	0.0160
WaveformEW	0.0109	0.0094	0.0067	0.0131	0.0126	0.0151	0.0121	0.0153	0.0070	0.0069	0.0124

Table 27
Average of fitness value obtained by each algorithm.

Mean	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	0.0555	0.0724	0.0578	0.0684	0.0521	0.0601	0.0738	0.0679	0.1018	0.0552	0.0824
BreastEW	0.0638	0.0400	0.0709	0.0456	0.0529	0.0911	0.0699	0.0809	0.1280	0.0777	0.0752
CongressEW	0.0373	0.0377	0.0681	0.0476	0.0495	0.0302	0.0738	0.1075	0.1018	0.0895	0.0191
Exactly	0.0467	0.0501	0.0492	0.0539	0.0770	0.0852	0.1598	0.1415	0.1923	0.1008	0.1103
Exactly2	0.2357	0.2615	0.2805	0.2192	0.2372	0.2902	0.2170	0.1998	0.3306	0.2743	0.2868
HeartEW	0.1457	0.1297	0.1915	0.1647	0.1137	0.1301	0.2160	0.2038	0.1958	0.1450	0.1733
IonosphereEW	0.0352	0.0809	0.0913	0.0525	0.0938	0.1057	0.0993	0.0817	0.1206	0.0831	0.0887
KrvskpEW	0.0784	0.0656	0.0856	0.0745	0.0777	0.0949	0.0971	0.0955	0.1148	0.0947	0.0953
Lymphography	0.0938	0.0919	0.0866	0.1318	0.1258	0.1009	0.1287	0.1564	0.1818	0.0835	0.1424
M-of-n	0.0491	0.0497	0.0514	0.0512	0.0622	0.0768	0.1176	0.0998	0.1179	0.0999	0.1181
PenglungEW	0.0546	0.0739	0.0394	0.0150	0.0514	0.0239	0.0408	0.0489	0.2022	0.0570	0.1308
SonarEW	0.0571	0.0777	0.1058	0.0835	0.0799	0.0832	0.0673	0.0965	0.0890	0.1317	0.1213
SpectEW	0.1568	0.1456	0.1926	0.1557	0.1001	0.1115	0.2336	0.2353	0.2047	0.2284	0.2058
Tic-tac-toe	0.2148	0.1981	0.2107	0.2315	0.2300	0.2228	0.2572	0.2548	0.2279	0.2461	0.2276
Vote	0.0568	0.0636	0.0689	0.0378	0.0604	0.0465	0.0457	0.0533	0.1052	0.0823	0.0353
WaveformEW	0.2568	0.2639	0.2766	0.2750	0.2905	0.2942	0.2996	0.3026	0.3075	0.3027	0.2969

4. Conclusion and potential future works

This paper presented a novel natural-inspired meta-heuristic called Reptile Search Algorithm (RSA), which is motivated by the Crocodile hunting behaviour. Two main steps of Crocodile behaviour are implemented, i.e., encircling, which is performed by high walking or belly walking, and hunting, which is performed by hunting coordination or

hunting cooperation. Thus, two mathematical models were introduced to update the positions of candidate solutions; one for diverse search and another toward the optimal search region.

In this paper, four metrics (i.e., search history, average fitness function, the trajectory of the first dimension, and convergence curve) are implemented to investigate the proposed RSA qualitatively. Next, the

Table 28

STD of fitness value obtained by each algorithm.

	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	0.0073	0.0013	0.0054	0.0066	0.0034	0.0018	0.0113	0.0061	0.0120	0.0053	0.0045
BreastEW	0.0122	0.0068	0.0115	0.0068	0.0053	0.0058	0.0115	0.0114	0.0067	0.0081	0.0087
CongressEW	0.0056	0.0062	0.0140	0.0087	0.0051	0.0019	0.0153	0.0196	0.0119	0.0087	0.0000
Exactly	0.0521	0.0077	0.0049	0.0065	0.0647	0.0330	0.0963	0.0810	0.0823	0.0418	0.0020
Exactly2	0.0073	0.0236	0.0223	0.0000	0.0000	0.0417	0.0262	0.0049	0.0164	0.0164	0.0116
HeartEW	0.0143	0.0152	0.0188	0.0277	0.0378	0.0182	0.0225	0.0319	0.0105	0.0240	0.0202
IonosphereEW	0.0140	0.0110	0.0239	0.0165	0.0174	0.0165	0.0177	0.0094	0.0091	0.0174	0.0079
KrvskpEW	0.0119	0.0080	0.0079	0.0050	0.0107	0.0079	0.0150	0.0141	0.0106	0.0092	0.0077
Lymphography	0.0070	0.0216	0.0187	0.0075	0.0278	0.0134	0.0597	0.0255	0.0271	0.0132	0.0297
M-of-n	0.0565	0.0040	0.0066	0.0069	0.0141	0.0236	0.0410	0.0416	0.0425	0.0384	0.0069
PenglungEW	0.0399	0.0148	0.0146	0.0075	0.0405	0.0116	0.0314	0.0266	0.0023	0.0025	0.0357
SonarEW	0.0097	0.0164	0.0251	0.0139	0.0142	0.0170	0.0128	0.0202	0.0106	0.0168	0.0184
SpectEW	0.0155	0.0097	0.0108	0.0223	0.0181	0.0152	0.0072	0.0177	0.0119	0.0158	0.0163
Tic-tac-toe	0.0084	0.0006	0.0070	0.0009	0.0109	0.0093	0.0180	0.0177	0.0231	0.0188	0.0035
Vote	0.0014	0.0070	0.0259	0.0073	0.0087	0.0053	0.0168	0.0201	0.0232	0.0173	0.0147
WaveformEW	0.0080	0.0135	0.0067	0.0111	0.0096	0.0103	0.0174	0.0115	0.0085	0.0102	0.0121

Table 29

Best of fitness value obtained by each algorithm.

	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	0.0526	0.0719	0.0526	0.0655	0.0497	0.0590	0.0590	0.0573	0.0830	0.0462	0.0766
BreastEW	0.0458	0.0291	0.0512	0.0325	0.0437	0.0786	0.0491	0.0607	0.1107	0.0646	0.0595
CongressEW	0.0373	0.0313	0.0394	0.0394	0.0435	0.0291	0.0560	0.0664	0.0769	0.0769	0.0166
Exactly	0.0462	0.0462	0.0462	0.0462	0.0462	0.0538	0.0462	0.0462	0.0615	0.0538	0.0538
Exactly2	0.2327	0.2372	0.2507	0.2192	0.2372	0.2417	0.2102	0.1967	0.3032	0.2505	0.2794
HeartEW	0.1205	0.1128	0.1628	0.1231	0.0744	0.1064	0.1731	0.1628	0.1692	0.1128	0.1551
IonosphereEW	0.0176	0.0616	0.0518	0.0274	0.0595	0.0654	0.0742	0.0674	0.1048	0.0441	0.0751
KrvskpEW	0.0645	0.0503	0.0641	0.0642	0.0572	0.0809	0.0660	0.0683	0.1003	0.0822	0.0758
Lymphography	0.0556	0.0699	0.0500	0.1156	0.0989	0.0624	0.0471	0.1065	0.1322	0.0444	0.1322
M-of-n	0.0462	0.0462	0.0462	0.0462	0.0462	0.0538	0.0615	0.0538	0.0615	0.0538	0.0538
PenglungEW	0.0071	0.0222	0.0108	0.0052	0.0037	0.0108	0.0031	0.0203	0.1982	0.0532	0.0760
SonarEW	0.0300	0.0467	0.0631	0.0598	0.0614	0.0564	0.0481	0.0648	0.0750	0.1045	0.1057
SpectEW	0.1394	0.1242	0.1712	0.0985	0.0652	0.0894	0.2182	0.1939	0.1773	0.2045	0.1818
Tic-tac-toe	0.2120	0.1979	0.2073	0.2307	0.2214	0.2179	0.2354	0.2307	0.2120	0.2290	0.2196
Vote	0.0275	0.0550	0.0338	0.0250	0.0488	0.0375	0.0363	0.0338	0.0625	0.0525	0.0338
WaveformEW	0.2354	0.2380	0.2660	0.2482	0.2779	0.2758	0.2730	0.2847	0.2951	0.2843	0.2877

Table 30

Worst of fitness value obtained by each algorithm.

	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	0.0655	0.0766	0.0702	0.0894	0.0590	0.0637	0.0976	0.0818	0.1228	0.0637	0.0941
BreastEW	0.0819	0.0537	0.0995	0.0604	0.0616	0.1023	0.0856	0.1011	0.1365	0.0882	0.0907
CongressEW	0.0373	0.0478	0.0873	0.0769	0.0623	0.0332	0.1037	0.1431	0.1330	0.1080	0.0291
Exactly	0.0538	0.0750	0.0615	0.0660	0.3021	0.1547	0.2822	0.2372	0.3096	0.1727	0.1894
Exactly2	0.2775	0.2950	0.3032	0.2192	0.2372	0.3334	0.3117	0.2121	0.3559	0.3000	0.2961
HeartEW	0.1731	0.1551	0.2269	0.2115	0.1628	0.1577	0.2513	0.2692	0.2090	0.2026	0.1910
IonosphereEW	0.0489	0.1075	0.1428	0.0851	0.1270	0.1299	0.1279	0.0996	0.1389	0.1057	0.1093
KrvskpEW	0.0894	0.0755	0.0975	0.0821	0.1033	0.1051	0.1160	0.1215	0.1340	0.1089	0.1049
Lymphography	0.1254	0.1289	0.1232	0.1456	0.2089	0.1198	0.2467	0.2052	0.2278	0.1022	0.1489
M-of-n	0.0538	0.0705	0.0705	0.0705	0.0917	0.1219	0.1836	0.1785	0.2106	0.1868	0.1804
PenglungEW	0.1348	0.0825	0.0594	0.0338	0.1375	0.0542	0.0852	0.0905	0.2065	0.0618	0.1843
SonarEW	0.0862	0.1029	0.1376	0.1076	0.1126	0.1110	0.0867	0.1243	0.1081	0.1621	0.1295
SpectEW	0.1939	0.1652	0.2091	0.1712	0.1288	0.1439	0.2379	0.2652	0.2227	0.2591	0.2212
Tic-tac-toe	0.1997	0.2214	0.2243	0.2325	0.2635	0.2418	0.2917	0.2924	0.2793	0.2964	0.2418
Vote	0.0738	0.0763	0.1250	0.0500	0.0800	0.0550	0.0950	0.0975	0.1438	0.1100	0.0363
WaveformEW	0.2741	0.2882	0.2858	0.2942	0.3114	0.3152	0.3229	0.3215	0.3215	0.3157	0.3062

RSA is proposed for solving a set of various optimization problems belonging to classical, CEC-2017, and CEC-2019 benchmark test functions to investigate the exploration, exploitation, local optima escape, and convergence performance. The results demonstrated the effectiveness of RSA towards achieving optimal global solutions having more reliable convergence compared to other well-known optimization algorithms published in the literature. Freidman ranking test is applied to evaluate the efficacy of the proposed RSA scientifically. The statistical results demonstrated that the RSA can guarantee the effectiveness of explorations while producing excellent exploitation, hence maintaining an equilibrium between exploitation and explorations strategies, which reveals the superior performance of the RSA in a statistical sense against

other comparative algorithms. Moreover, seven real-world engineering problems are used to investigate the effectiveness of the proposed RSA further. The results of the engineering design problems proved that the RSA achieved extremely better results against the other well-known optimization algorithms, and it can handle various constraints problems.

RSA tackled single-objective optimization problems with contentious variables. Several research directions can be recommended for future works. Binary, modify, and multi-objective variants of the RSA may be extended to tackle various discrete, multi-objective, and many-objective real-life optimization problems. As well, tackling problems in different fields (i.e., neural network, image processing, feature

Table 31

Average of selected features by each algorithm.

	RSA	MPA	AEO	MRFO	HHO	HGSO	WOA	GWO	GA	SSA	TLBO
Breastcancer	3.60	2.93	3.73	3.07	2.80	3.40	2.40	2.60	4.80	3.27	3.00
BreastEW	11.20	6.80	14.47	7.20	8.60	9.33	5.67	8.47	20.87	15.73	10.27
CongressEW	1.40	4.93	5.93	3.53	2.73	2.73	3.87	5.07	10.67	8.47	5.93
Exactly	8.60	6.40	6.40	6.93	6.73	8.07	8.60	6.53	9.40	8.27	6.20
Exactly2	9.20	4.00	5.53	3.00	3.00	5.67	3.33	3.40	9.40	8.20	3.00
HeartEW	5.20	5.73	8.13	5.67	3.80	4.20	4.53	6.27	10.87	6.87	5.47
IonosphereEW	8.60	9.40	19.53	8.07	9.47	8.93	8.47	8.80	28.07	19.07	11.00
KrvskpEW	10.80	14.53	22.40	19.67	19.07	17.80	19.00	20.67	28.87	22.93	16.20
Lymphography	11.60	9.13	10.07	12.20	8.60	7.13	4.07	8.00	14.00	9.93	7.40
M-of-n	8.80	6.47	6.60	6.53	7.47	8.27	9.40	8.60	9.20	8.73	6.13
PenglungEW	19.60	58.13	128.00	48.67	37.20	77.73	40.53	106.80	267.27	185.33	134.60
SonarEW	18.80	29.47	35.20	26.93	24.80	25.93	30.93	24.47	50.00	35.33	28.67
SpectEW	6.40	8.07	12.07	4.67	8.33	7.67	3.73	6.53	16.93	12.60	7.87
Tic-tac-toe	5.80	6.13	5.80	6.47	5.93	4.67	5.40	5.27	6.33	5.87	5.00
Vote	3.80	4.73	6.07	5.73	4.87	5.20	3.87	4.20	11.07	6.93	4.07
WaveformEW	15.00	18.73	30.13	25.93	18.53	19.87	22.00	19.73	34.20	26.80	17.33

selection, scheduling, text and data mining, big data, signal denoising, smart home, networking, industry, etc.) and tuning the controlling parameters of RSA could be a valuable contribution and beneficial.

CRediT authorship contribution statement

Laith Abualigah: Software, Resources, Writing – original draft, Supervision, Methodology, Conceptualization, Formal analysis, Review & editing. **Mohamed Abd Elaziz:** Supervision, Methodology, Conceptualization, Writing – original draft. **Putra Sumari:** Formal analysis, Writing – review & editing. **Zong Woo Geem:** Formal analysis, Writing – review & editing. **Amir H. Gandomi:** Resources, Formal analysis, Methodology, Writing – review & editing.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgement

All authors read and approved the final paper.

References

- Abd Elaziz, M., Abualigah, L., & Attiya, I. (2021). Advanced optimization technique for scheduling IoT tasks in cloud-fog computing environments. *Future Generation Computer Systems*.
- Abualigah, L. (2020a). Group search optimizer: a nature-inspired meta-heuristic optimization algorithm with its results, variants, and applications. *Neural Computing and Applications*, 1–24.
- Abualigah, L. (2020b). Multi-verse optimizer algorithm: a comprehensive survey of its results, variants, and applications. *Neural Computing and Applications*, 1–21.
- Abualigah, L., & Diabat, A. (2020). A comprehensive survey of the Grasshopper optimization algorithm: results, variants, and applications. *Neural Computing and Applications*, 1–24.
- Abualigah, L., & Diabat, A. (2021). Advances in Sine Cosine Algorithm: A comprehensive survey. *Artificial Intelligence Review*, 1–42.
- Abualigah, L., Diabat, A., & Geem, Z. W. (2020). A comprehensive survey of the harmony search algorithm in clustering applications. *Applied Sciences*, 10(11), 3827.
- Abualigah, L., Diabat, A., Mirjalili, S., Abd Elaziz, M., & Gandomi, A. H. (2021). The arithmetic optimization algorithm. *Computer Methods in Applied Mechanics and Engineering*, 376, Article 113609.
- Abualigah, L., Shehab, M., Alshinwan, M., & Alabool, H. (2019). Salm swarm algorithm: a comprehensive survey. *Neural Computing and Applications*, 1–21.
- Abualigah, L., Shehab, M., Alshinwan, M., Mirjalili, S., & Abd Elaziz, M. (2020). Ant lion optimizer: A comprehensive survey of its variants and applications. *Archives of Computational Methods in Engineering*, 1–21.
- Abualigah, L., Yousri, D., Abd Elaziz, M., Ewees, A. A., Al-qaness, M. A., & Gandomi, A. H. (2021). Aquila optimizer: A novel meta-heuristic optimization algorithm. *Computers & Industrial Engineering*, 157, Article 107250.
- Abuwaiaida, S. F. A., Chan, H. Y., Alshdaifat, N. F. F., & Abualigah, L. (2021). A novel instance segmentation algorithm based on improved deep learning algorithm for multi-object images. *Jordanian Journal of Computers and Information Technology (JJCT)*, 7(01).
- Akhtar, S., Tai, K., & Ray, T. (2002). A socio-behavioural simulation model for engineering design optimization. *Engineering Optimization*, 34(4), 341–354.
- Allen, J., Davey, H. M., Broadhurst, D., Heald, J. K., Rowland, J. J., Oliver, S. G., et al. (2003). High-throughput classification of yeast mutants for functional genomics using metabolic footprinting. *Nature biotechnology*, 21(6), 692–696.
- Altabeeb, A. M., Mohsen, A. M., Abualigah, L., & Ghallab, A. (2021). Solving capacitated vehicle routing problem using cooperative firefly algorithm. *Applied Soft Computing*, 108, Article 107403.
- Arora, J. S. (2004). *Introduction to optimum design*. Elsevier.
- Atashpaz-Gargari, E., & Lucas, C. (2007). Imperialist competitive algorithm: an algorithm for optimization inspired by imperialistic competition. In *2007 IEEE congress on evolutionary computation* (pp. 4661–4667). Ieee.
- Awad, N., Ali, M., Liang, J., Qu, B., Suganthan, P., & Definitions, P. (2016). *Evaluation criteria for the CEC 2017 special session and competition on single objective real-parameter numerical optimization: Technical Report Tech. Rep*, Nanyang Technological University, Jordan University of Science and Technology and Zhengzhou University.
- Bartumeus, F., da Luz, M. G. E., Viswanathan, G. M., & Catalan, J. (2005). Animal search strategies: a quantitative random-walk analysis. *Ecology*, 86(11), 3078–3087.
- Baykasoglu, A., & Ozsoydan, F. B. (2015). Adaptive firefly algorithm with chaos for mechanical design optimization problems. *Applied Soft Computing*, 36, 152–164.
- Van den Bergh, F., & Engelbrecht, A. P. (2006). A study of particle swarm optimization particle trajectories. *Information Sciences*, 176(8), 937–971.
- Bhesdadiya, R., Trivedi, I. N., Jangir, P., & Jangir, N. (2018). Moth-flame optimizer method for solving constrained engineering optimization problems. In *Advances in computer and computational sciences* (pp. 61–68). Springer.
- Biswas, A., Mishra, K., Tiwari, S., & Misra, A. (2013). Physics-inspired optimization algorithms: a survey. *Journal of Optimization*, 2013.
- Chen, H., Xu, Y., Wang, M., & Zhao, X. (2019). A balanced whale optimization algorithm for constrained engineering design problems. *Applied Mathematical Modelling*, 71, 45–59.
- Cheng, M.-Y., & Prayogo, D. (2014). Symbiotic organisms search: a new metaheuristic optimization algorithm. *Computers and Structures*, 139, 98–112.
- Cheng, M.-Y., & Prayogo, D. (2017). A novel fuzzy adaptive teaching–learning-based optimization (FATLBO) for solving structural optimization problems. *Engineering with Computers*, 33(1), 55–69.
- Chickermane, H., & Gea, H. (1996). Structural optimization using a new local approximation method. *International Journal for Numerical Methods in Engineering*, 39(5), 829–846.
- Coello, C. A. C. (2000). Use of a self-adaptive penalty approach for engineering optimization problems. *Computers in Industry*, 41(2), 113–127.
- Deb, K. (1991). Optimal design of a welded beam via genetic algorithms. *American Institute of Aeronautics and Astronautics*, 29(11), 2013–2015.
- Deb, K., & Srinivasan, A. (2008). Innovization: Discovery of innovative design principles through multiobjective evolutionary optimization. In *Multibjective problem solving from nature* (pp. 243–262). Springer.
- Dinets, V. (2015). Apparent coordination and collaboration in cooperatively hunting crocodilians. *Ethology Ecology & Evolution*, 27(2), 244–250.
- Dinets, V., Brueggen, J., & Brueggen, J. (2015). Crocodilians use tools for hunting. *Ethology Ecology & Evolution*, 27(1), 74–78.
- Dorigo, M., Birattari, M., & Stutzle, T. (2006). Ant colony optimization. *IEEE Computational Intelligence Magazine*, 1(4), 28–39.
- Eberhart, R., & Kennedy, J. (1995). A new optimizer using particle swarm theory. In *MHS'95. Proceedings of the sixth international symposium on micro machine and human science* (pp. 39–43). Ieee.

- Eid, A., Kamel, S., & Abualigah, L. (2021). Marine predators algorithm for optimal allocation of active and reactive power resources in distribution networks. *Neural Computing and Applications*, 1–29.
- Elaziz, M. A., Oliva, D., & Xiong, S. (2017). An improved opposition-based sine cosine algorithm for global optimization. *Expert Systems with Applications*, 90, 484–500.
- Erol, O. K., & Eksin, I. (2006). A new optimization method: big bang-big crunch. *Advances in Engineering Software*, 37(2), 106–111.
- Eskandar, H., Sadollah, A., Bahreininejad, A., & Hamdi, M. (2012). Water cycle algorithm—A novel metaheuristic optimization method for solving constrained engineering optimization problems. *Computers and Structures*, 110, 151–166.
- Ewees, A. A., & Elaziz, M. A. (2020). Performance analysis of Chaotic Multi-Verses Harris Hawks Optimization: A case study on solving engineering problems. *Engineering Applications of Artificial Intelligence*, 88, Article 103370.
- Faramarzi, A., Heidarinejad, M., Mirjalili, S., & Gandomi, A. H. (2020). Marine predators algorithm: A nature-inspired metaheuristic. *Expert Systems with Applications*, Article 113377.
- Faramarzi, A., Heidarinejad, M., Stephens, B., & Mirjalili, S. (2020). Equilibrium optimizer: A novel optimization algorithm. *Knowledge-Based Systems*, 191, Article 105190.
- Fogel, L. J., Owens, A. J., & Walsh, M. J. (1966). Artificial intelligence through simulated evolution.
- Fonseca, C. M., & Fleming, P. J. (1995). An overview of evolutionary algorithms in multiobjective optimization. *Evolutionary Computation*, 3(1), 1–16.
- Gandomi, A. H. (2014). Interior search algorithm (ISA): a novel approach for global optimization. *ISA Transactions*, 53(4), 1168–1183.
- Gandomi, A. H., & Alavi, A. H. (2012). Krill herd: a new bio-inspired optimization algorithm. *Communications in Nonlinear Science and Numerical Simulation*, 17(12), 4831–4845.
- Gandomi, A. H., & Yang, X.-S. (2011). Benchmark problems in structural optimization. In *Computational optimization, methods and algorithms* (pp. 259–281). Springer.
- Gandomi, A. H., Yang, X.-S., & Alavi, A. H. (2013). Cuckoo search algorithm: a metaheuristic approach to solve structural optimization problems. *Engineering with Computers*, 29(1), 17–35.
- Gardiner, C. W., et al. (1985). *Handbook of stochastic methods*, Vol. 3. Berlin: Springer.
- Geem, Z. W., Kim, J. H., & Loganathan, G. V. (2001). A new heuristic optimization algorithm: harmony search. *Simulation*, 76(2), 60–68.
- Halvorsen, A. R., Helland, Å., Gromov, P., Wielenga, V. T., Talman, M.-L. M., Brunner, N., et al. (2017). Profiling of micro RNA s in tumor interstitial fluid of breast tumors—a novel resource to identify biomarkers for prognostic classification and detection of cancer. *Molecular Oncology*, 11(2), 220–234.
- Hansen, N., Müller, S. D., & Koumoutsakos, P. (2003). Reducing the time complexity of the derandomized evolution strategy with covariance matrix adaptation (CMA-ES). *Evolutionary Computation*, 11(1), 1–18.
- Hansen, N., & Ostermeier, A. (2001). Completely derandomized self-adaptation in evolution strategies. *Evolutionary Computation*, 9(2), 159–195.
- Hashim, F. A., Houssein, E. H., Mabrouk, M. S., Al-Atabay, W., & Mirjalili, S. (2019). Henry gas solubility optimization: A novel physics-based algorithm. *Future Generation Computer Systems*, 101, 646–667.
- Hassan, M. H., Kamel, S., Abualigah, L., & Eid, A. (2021). Development and application of slime mould algorithm for optimal economic emission dispatch. *Expert Systems with Applications*, Article 115205.
- Hayyolalam, V., & Kazem, A. A. P. (2020). Black widow optimization algorithm: A novel meta-heuristic approach for solving engineering optimization problems. *Engineering Applications of Artificial Intelligence*, 87, Article 103249.
- He, Q., & Wang, L. (2007a). An effective co-evolutionary particle swarm optimization for constrained engineering design problems. *Engineering Applications of Artificial Intelligence*, 20(1), 89–99.
- He, Q., & Wang, L. (2007b). A hybrid particle swarm optimization with a feasibility-based rule for constrained optimization. *Applied Mathematics and Computation*, 186(2), 1407–1422.
- Holland, J. H., et al. (1992). *Adaptation in natural and artificial systems: An introductory analysis with applications to biology, control, and artificial intelligence*. MIT Press.
- Horst, R., & Tuy, H. (2013). *Global optimization: Deterministic approaches*. Springer Science & Business Media.
- Huang, F.-z., Wang, L., & He, Q. (2007). An effective co-evolutionary differential evolution for constrained optimization. *Applied Mathematics and Computation*, 186(1), 340–356.
- Jiang, Y., Luo, Q., Wei, Y., Abualigah, L., et al. (2021). An efficient binary gradient-based optimizer for feature selection. *Mathematical Biosciences and Engineering*, 18(4).
- Kamboj, V. K., Nandi, A., Bhaduria, A., & Sehgal, S. (2020). An intensify Harris Hawks optimizer for numerical and engineering optimization problems. *Applied Soft Computing*, 89, Article 106018.
- Karaboga, D., & Akay, B. (2009). A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1), 108–132.
- Kaveh, A., & Farhoudi, N. (2013). A new optimization method: Dolphin echolocation. *Advances in Engineering Software*, 59, 53–70.
- Kaveh, A., & Khayatazad, M. (2012). A new meta-heuristic method: ray optimization. *Computers and Structures*, 112, 283–294.
- Kaveh, A., & Talatahari, S. (2010a). An improved ant colony optimization for constrained engineering design problems. *Engineering Computations*, 27(1), 155–182.
- Kaveh, A., & Talatahari, S. (2010b). A novel heuristic optimization method: charged system search. *Archives of Computational Methods in Engineering*, 213(3–4), 267–289.
- Kosorukoff, A. (2001). Human based genetic algorithm. In *2001 IEEE international conference on systems, man and cybernetics. e-systems and e-man for cybernetics in cyberspace (Cat. No. 01CH37236)*, Vol. 5 (pp. 3464–3469). IEEE.
- Kushlan, J. A., & Mazzotti, F. J. (1989). Population biology of the American crocodile. *Journal of Herpetology*, 7–21.
- Lee, K. S., & Geem, Z. W. (2005). A new meta-heuristic algorithm for continuous engineering optimization: harmony search theory and practice. *Computer Methods in Applied Mechanics and Engineering*, 194(36–38), 3902–3933.
- Liu, H., Cai, Z., & Wang, Y. (2010). Hybridizing particle swarm optimization with differential evolution for constrained numerical and engineering optimization. *Applied Soft Computing*, 10(2), 629–640.
- Lu, S., & Kim, H. M. (2010). A regularized inexact penalty decomposition algorithm for multidisciplinary design optimization problems with complementarity constraints. *Journal of Mechanical Design*, 132(4).
- Luenberger, D. G., Ye, Y., et al. (1984). *Linear and nonlinear programming*. Vol. 2. Springer.
- Mahdavi, M., Fesanghary, M., & Damangir, E. (2007). An improved harmony search algorithm for solving optimization problems. *Applied Mathematics and Computation*, 188(2), 1567–1579.
- Martin, L., Leblanc, R., & Toan, N. K. (1993). Tables for the Friedman rank test. *The Canadian Journal of Statistics*, 21(1), 39–43.
- Mezura-Montes, E., & Coello, C. A. C. (2008). An empirical study about the usefulness of evolution strategies to solve constrained optimization problems. *International Journal of General Systems*, 37(4), 443–473.
- Mezura-Montes, E., Coello, C. C., & Landa-Becerra, R. (2003). Engineering optimization using simple evolutionary algorithm. In *Proceedings 15th IEEE international conference on tools with artificial intelligence* (pp. 149–156). IEEE.
- Mirjalili, S. (2015a). The ant lion optimizer. *Advances in Engineering Software*, 83, 80–98.
- Mirjalili, S. (2015b). Moth-flame optimization algorithm: A novel nature-inspired heuristic paradigm. *Knowledge-Based Systems*, 89, 228–249.
- Mirjalili, S. (2016a). Dragonfly algorithm: a new meta-heuristic optimization technique for solving single-objective, discrete, and multi-objective problems. *Neural Computing and Applications*, 27(4), 1053–1073.
- Mirjalili, S. (2016b). SCA: a sine cosine algorithm for solving optimization problems. *Knowledge-Based Systems*, 96, 120–133.
- Mirjalili, S., Gandomi, A. H., Mirjalili, S. Z., Saremi, S., Faris, H., & Mirjalili, S. M. (2017). Salp Swarm Algorithm: A bio-inspired optimizer for engineering design problems. *Advances in Engineering Software*, 114, 163–191.
- Mirjalili, S., & Lewis, A. (2016). The whale optimization algorithm. *Advances in Engineering Software*, 95, 51–67.
- Mirjalili, S., Mirjalili, S. M., & Hatamlou, A. (2016). Multi-verse optimizer: a nature-inspired algorithm for global optimization. *Neural Computing and Applications*, 27(2), 495–513.
- Mirjalili, S., Mirjalili, S. M., & Lewis, A. (2014). Grey wolf optimizer. *Advances in Engineering Software*, 69, 46–61.
- Osborne, S. E., & Ellington, A. D. (1997). Nucleic acid selection and the challenge of combinatorial chemistry. *Chemical Reviews*, 97(2), 349–370.
- Parpinelli, R. S., & Lopes, H. S. (2011). New inspirations in swarm intelligence: a survey. *International Journal of Bio-Inspired Computation*, 3(1), 1–16.
- Platt, S. G., Rainwater, T. R., Finger, A. G., Thorbjarnarson, J. B., Anderson, T. A., & McMurry, S. T. (2006). Food habits, ontogenetic dietary partitioning and observations of foraging behaviour of Morelet's crocodile (*Crocodylus moreletii*) in northern Belize. *The Herpetological Journal*, 16(3), 281–290.
- Połap, D. (2020). An adaptive genetic algorithm as a supporting mechanism for microscopy image analysis in a cascade of convolution neural networks. *Applied Soft Computing*, 97, Article 106824.
- Połap, D., & Woźniak, M. (2021). Red fox optimization algorithm. *Expert Systems with Applications*, 166, Article 114107.
- Price, K., Awad, N., Ali, M., & Suganthan, P. (2018). *Problem definitions and evaluation criteria for the 100-digit challenge special session and competition on single objective numerical optimization: Technical Report*, Nanyang Technological University.
- Ragsdell, K., & Phillips, D. (1976). Optimal design of a class of welded structures using geometric programming.
- Rao, R. V., Savsani, V. J., & Vakharia, D. (2011). Teaching-learning-based optimization: a novel method for constrained mechanical design optimization problems. *Computer-Aided Design*, 43(3), 303–315.
- Rashedi, E., Nezamabadi-Pour, H., & Saryazdi, S. (2009). GSA: a gravitational search algorithm. *Information Sciences*, 179(13), 2232–2248.
- Ray, T., & Liew, K.-M. (2003). Society and civilization: An optimization algorithm based on the simulation of social behavior. *IEEE Transactions on Evolutionary Computation*, 7(4), 386–396.
- Ray, T., & Saini, P. (2001). Engineering design optimization using a swarm with an intelligent information sharing among individuals. *Engineering Optimization*, 33(6), 735–748.
- Sadollah, A., Bahreininejad, A., Eskandar, H., & Hamdi, M. (2013). Mine blast algorithm: A new population based algorithm for solving constrained engineering optimization problems. *Applied Soft Computing*, 13(5), 2592–2612.

- Safaldin, M., Otair, M., & Abualigah, L. (2021). Improved binary gray wolf optimizer and SVM for intrusion detection system in wireless sensor networks. *Journal of Ambient Intelligence and Humanized Computing*, 12(2), 1559–1576.
- Şahin, C. B., & Abualigah, L. (2021). A novel deep learning-based feature selection model for improving the static analysis of vulnerability detection. *Neural Computing and Applications*, 1–19.
- Samma, H., Mohamad-Saleh, J., Suandi, S. A., & Lahasan, B. (2019). Q-learning-based simulated annealing algorithm for constrained engineering design problems. *Neural Computing and Applications*, 1–15.
- Sandgren, E. (1990). Nonlinear integer and discrete programming in mechanical design optimization. *Journal of Mechanical Design*, 112(2), 223–229.
- Saremi, S., Mirjalili, S., & Lewis, A. (2017). Grasshopper optimisation algorithm: theory and application. *Advances in Engineering Software*, 105, 30–47.
- Saruhan, H., & Uygur, İ. (2003). Design optimization of mechanical systems using genetic algorithms. *Sakarya Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, 7(2), 77–84.
- Savsanı, P., & Savsanı, V. (2016). Passing vehicle search (PVS): A novel metaheuristic algorithm. *Applied Mathematical Modelling*, 40(5–6), 3951–3978.
- Sayed, G. I., Darwish, A., & Hassani, A. E. (2018). A new chaotic multi-verse optimization algorithm for solving engineering optimization problems. *Journal of Experimental & Theoretical Artificial Intelligence*, 30(2), 293–317.
- Shcherbacheva, A. (2019). Agent-based modelling for epidemiological applications.
- Siddall, J. N. (1972). *Analytical decision-making in engineering design*. Prentice Hall.
- Stephen, S., Christu, D., & Dalvi (2018). Design optimization of weight of speed reducer problem through matlab and simulation using ansys. *International Journal of Mechanical Engineering and Technology (IJMET)*, 9.
- Storn, R., & Price, K. (1997). Differential evolution—a simple and efficient heuristic for global optimization over continuous spaces. *Journal of Global Optimization*, 11(4), 341–359.
- Suganthan, P., Hansen, N., Liang, J., Deb, K., Chen, Y., Auger, A., et al. (May 2005). *Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization, Vol. 2005: Tech. Rep. Rep. No.*, Singapore, Kanpur, India: Nanyang Tech. Univ. and KanGAL, Kanpur Genetic Algorithms Lab, IIT.
- Tourassi, G. D., Frederick, E. D., Markey, M. K., & Floyd Jr, C. E. (2001). Application of the mutual information criterion for feature selection in computer-aided diagnosis. *Medical Physics*, 28(12), 2394–2402.
- Viswanathan, G. M., Buldyrev, S. V., Havlin, S., Da Luz, M., Raposo, E., & Stanley, H. E. (1999). Optimizing the success of random searches. *Nature*, 401(6756), 911–914.
- Wolpert, D. H., & Macready, W. G. (1997). No free lunch theorems for optimization. *IEEE Transactions on Evolutionary Computation*, 1(1), 67–82.
- Yang, X.-S., & Deb, S. (2009). Cuckoo search via Lévy flights. In *2009 world congress on nature & biologically inspired computing (NaBIC)* (pp. 210–214). IEEE.
- Yıldırım, A. E., & Karci, A. (2018). Application of three bar truss problem among engineering design optimization problems using artificial atom algorithm. In *2018 international conference on artificial intelligence and data processing (IDAP)* (pp. 1–5). IEEE.
- Youssi, D., Abd Elaziz, M., Abualigah, L., Oliva, D., Al-Qaness, M. A., & Ewees, A. A. (2021). COVID-19 X-ray images classification based on enhanced fractional-order cuckoo search optimizer using heavy-tailed distributions. *Applied Soft Computing*, 101, Article 107052.
- Youssi, D., Abd Elaziz, M., Oliva, D., Abualigah, L., Al-qaness, M. A., & Ewees, A. A. (2020). Reliable applied objective for identifying simple and detailed photovoltaic models using modern metaheuristics: Comparative study. *Energy Conversion and Management*, 223, Article 113279.
- Zhang, M., Luo, W., & Wang, X. (2008). Differential evolution with dynamic stochastic selection for constrained optimization. *Information Sciences*, 178(15), 3043–3074.
- Zhang, Y., Wang, S., Ji, G., & Phillips, P. (2014). Fruit classification using computer vision and feedforward neural network. *Journal of Food Engineering*, 143, 167–177.