



Yashvi M. Patel

Age : 21 Years

Sex : Female

UHID : 556



Sample Collected At:

125, Shiv complex, S G Road, Mumbai

Sample Collected By: Mr Suresh

Ref. By: **Dr. Hiren Shah**



Registered on: 02:31 PM 02 Dec, 2X

Collected on: 03:11 PM 02 Dec, 2X

Reported on: 04:35 PM 02 Dec, 2X

VITAMIN B12 (CYANOCOBALAMIN)

Investigation	Result	Reference Value	Unit
Sample Type	Serum (3 ml)	TAT : 2 hrs (Normal: 1 - 3 hrs)	
VITAMIN B12 (CYANOCOBALAMIN) CLIA	452.00 Normal	200.00 - 900.00	pg/mL

Comment:

Normal range: The normal range for vitamin B12 levels can vary slightly depending on the laboratory and the units used for measurement. However, in most cases, the normal range is between 200 and 900 picograms per milliliter (pg/mL) or between 148 and 664 picomoles per liter (pmol/L).

Low levels (Deficiency): If the vitamin B12 level is below the normal range, it indicates a deficiency. Low levels of vitamin B12 can lead to symptoms such as fatigue, weakness, tingling or numbness in the hands and feet, difficulty walking, memory problems, and mood changes. Causes of vitamin B12 deficiency can include inadequate dietary intake, malabsorption (such as in pernicious anemia or gastrointestinal disorders), certain medications, and other medical conditions.

High levels (Excess): While less common, high levels of vitamin B12 can also occur. Elevated levels of vitamin B12 are generally not considered harmful, as excess vitamin B12 is usually excreted in the urine. However, very high levels may indicate certain medical conditions such as liver disease, kidney failure, or leukemia.

Interpretation in context: It's essential to interpret vitamin B12 levels in the context of the individual's clinical presentation, medical history, and other laboratory findings. For example, low levels of vitamin B12 along with elevated levels of homocysteine and methylmalonic acid in the blood may suggest a true deficiency, whereas low levels of vitamin B12 with normal homocysteine and methylmalonic acid levels may indicate other causes or even a lab error.

Thanks for Reference

****End of Report****

Medical Lab Technician

(DMLT, BMLT)

(MD, Pathologist)

Dr. Vimal Shah

(MD, Pathologist)

