

**LPL - PRODUCTION TEST COLLECTION
 CENTRE
 SECTOR - 18, BLOCK-E ROHINI
 DELHI 110085**

Name	:	DUMMY			Collected	:	4/6/2021 11:18:00AM
Lab No.	:	DUMMYS215	Age: 25 Years	Gender: Male	Received	:	4/6/2021 11:22:21AM
					Reported	:	4/6/2021 2:23:40PM
A/c Status	:	P	Ref By :	DR. DUMMY DUMMY	Report Status	:	Final

Test Name	Results	Units	Bio. Ref. Interval
HEPATITIS B SURFACE ANTIGEN; HBsAg, QUANTITATIVE (CMIA)	22.00	IU/mL	<0.05

Interpretation

RESULT IN IU/mL	REMARKS	INTERPRETATION
<0.05	Non-Reactive	Indicates absence of Hepatitis B Surface Antigen.
>=0.05	Reactive	Indicates presence of Hepatitis B Surface Antigen.

Note

1. Reactive test result indicates presence of Hepatitis B Surface Antigen. It is used for monitoring HBsAg levels in the course of the disease but it cannot differentiate between the stages of Hepatitis B viral infection.
2. Non-Reactive test result indicates absence of Hepatitis B Surface Antigen.
3. False positive results may be observed in patients receiving mouse monoclonal antibodies, on heparin therapy, on biotin supplements for diagnosis or therapy, presence of heterophilic antibodies in serum or after HBV vaccination for transient period of time.
4. False negative reaction may be due to processing of sample collected early in the course of disease or presence of mutant forms of HBsAg.

Ritu

Dr Ritu Nayar
 MD, Microbiology
 Deputy HOD - Microbiology & Serology
 NRL - Dr Lal PathLabs Ltd

Shalabh Malik

Dr Shalabh Malik
 MD, Microbiology
 National Head - Microbiology & Serology
 NRL - Dr Lal PathLabs Ltd

-----End of report -----



LPL - PRODUCTION TEST COLLECTION
CENTRE
SECTOR - 18, BLOCK-E ROHINI
DELHI 110085

Name	:	DUMMY			Collected	:	4/6/2021 11:18:00AM
Lab No.	:	DUMMYS215	Age: 25 Years	Gender: Male	Received	:	4/6/2021 11:22:21AM
					Reported	:	4/6/2021 2:23:40PM
A/c Status	:	P	Ref By :	DR. DUMMY DUMMY	Report Status	:	Final

Test Name	Results	Units	Bio. Ref. Interval
IMPORTANT INSTRUCTIONS			
*Test results released pertain to the specimen submitted.*All test results are dependent on the quality of the sample received by the Laboratory. *Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.*Test results may show interlaboratory variations.*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).*Test results are not valid for medico legal purposes. *Contact customer care Tel No. +91-11-39885050 for all queries related to test results. (#) Sample drawn from outside source.			

