

Unit 1 :

1. Which of the following class in Bootstrap is used to provide a responsive fixed width container?

Ans : .container

2. Is Bootstrap 4 mobile-first?

Ans: True

3. How many columns are allowed in a bootstrap grid system?

Ans: 12

4. What are advantages of Bootstrap

Ans: All of the above

5. What is full form of CDN

Ans: Content Delivery Network

6. Which of the following class in bootstrap is used to create a big box for calling extra attention?

Ans: .jumbotron

7. The correct syntax of creating a standard navigation bar is –

Ans: `<nav class="navbar navbar-default">`

8. Which class in Bootstrap Grid System used for phones:

Ans: Xs

9. Which class in Bootstrap Grid System used for tablets:

Ans : Sm

10. Which class in Bootstrap Grid System used for desktops:

Ans : Md

11. Which class in Bootstrap Grid System used for larger desktops:

Ans: Lg

12. Which is default form layout in Bootstrap

Ans: Vertical form

13. _____ are used to provide additional information about something

Ans: .Labels

14. A _____ can also be called as slideshow or image slider

Ans: Carousel

15. A carousel can be created using:

Ans: All of the above

Unit 2:

1. Choose a true statement from the followings about GIT?

Ans: All of the above

2. A repository is a file structure where git stores all the project-based files.

Ans: True

3. How to initialize the local repository with git?

Ans: `$ git init`

4. How to check the status of your local repository since your last commit?

Ans: `$ git status`

5. Which command do you use to check the history of your repository?

Ans: `$ git log`

6. Git can be used for which project?

Ans: All of the above

7. Which of the following git command downloads your repository from GitHub to your computer?

Ans: git clone

8. What is the full form of GIT?

Ans: Global Information Tracker

9. Which of the following advantage of using GIT?

Ans: All of the above

10. What is the function of 'GIT PUSH' in GIT?

Ans: 'GIT PUSH' updates remote refs along with associated objects.

11. What is full form of VCS?

Ans: Version Control System

12. Git works on

Ans: All of above

13. Which of the following is git tool?

Ans: All of above

14. Who created Git?

Ans: Linus Torvalds

15. GIT comes from

Ans: 2005

Unit 3:

1. What is full form of CDN

A. Content Direct Network

B. Content Delivery Network

C. Content Delivery Node

D. Create Delivery Network

2. Which of the following class in bootstrap is used to create a big box for calling extra attention?

- A. .box
- B. .container
- C. .container-fluid
- D. .jumbotron

3. What are the advantages of Bootstrap

- A. Easy to use
- B. Responsive
- C. Mobile first
- D. All of the above

4. Which of the following statement is correct?

- A. Nodejs is Server Side Language.
- B. Nodejs is the Client Side Language.
- C. Nodejs is both Server Side and Client Side Language.
- D. None of the above.

5. Which of the following command is used to check the version of the installed node?

- A. Node
- B. Node -v
- C. Node --version
- D. None of above

6. Which of the following extension is used to save the Node.js files?

- A. .js
- B. .node
- C. .java
- D. .txt

7. Node.js is _____ by default.

- A. Synchronous
- B. Multi-threaded
- C. Asynchronous
- D. None of the above

8. What npm stands for?

- A. Node Package Manager
- B. Node Project Manager
- C. New Project Manager
- D. New Package Manager

9. HTML stands for _____

- A. HyperText Markup Language
- B. HyperText Machine Language
- C. HyperText Marking Language
- D. HighText Marking Language

10. What is the correct syntax of doctype in HTML5?

- A. </doctype html>
- B. <doctype html>
- C. <doctype html!>
- D. <!doctype html>

11. Which of the following is correct about Bootstrap?

- A. Bootstrap's responsive CSS adjusts to Desktops, Tablets, and Mobiles.
- B. Provides a clean and uniform solution for building an interface for developers.
- C. It contains beautiful and functional built-in components which are easy to customize.
- D. All of the above.

12. Which of the following is correct about Bootstrap?

- A. Bootstrap is a sleek, intuitive, and powerful, mobile-first front-end framework for faster and easier web development.
- B. It uses HTML, CSS, and Javascript.
- C. Bootstrap was developed by Mark Otto and Jacob Thornton at Twitter.
- D. All of the above.

13. What is the full form of NPM?

- A. Node Program Manager
- B. Node Performance Manager
- C. Node Package Manager
- D. None of above

14. What is the default scope in Node.js Application?

- A. Global
- B. Local
- C. Global Function
- D. Local to object

15. Node.js runs on _____

- A. Client
- B. Server
- C. Both, server and client
- D. None of the above

Unit 4:

1. Which of the following class in Bootstrap is used to provide a responsive fixed width container?

- A. .container-fixed
- B. .container-fluid
- C. .container
- D. All of the above

2. Bootstrap includes a responsive, mobile-first fluid grid system that appropriately scales up to _____ as the device or viewport size increases.

- A. 9 columns
- B. 10 columns
- C. 11 columns
- D. 12 columns

3. Which of the following is correct about the Bootstrap Grid System?

- A. Rows must be placed within a .container class for proper alignment and padding.
- B. Use rows to create horizontal groups of columns.
- C. Content should be placed within the columns, and only columns may be the immediate children of rows.
- D. All of the above.

4. Which of the following is correct about the Bootstrap Grid System?

A. Predefined grid classes like `.row` and `.col-xs-4` are available for quickly making grid layouts.

Fewer mixins can also be used for more semantic layouts.

B. Columns create gutters (gaps between column content) via padding. That padding is offset

in rows for the first and the last column via negative margin on `.rows`.

C. Grid columns are created by specifying the number of twelve available columns you wish to

span. For example, three equal columns would use three `.col-xs-4`.

D. All of the above.

5. Responsive variations also exist for `align-self`.

A. True

B. False

6. What are the features of bootstrap?

A. Mobile first approach

B. Easy to get started

C. Browser Support

D. All of the above

7. Bootstrap package includes?

A. Scaffolding

B. Components

C. JavaScript Plugins

D. All of the above

8. Which of these elements in HTML can be used for making a text bold?

A. `<a>`

B. `<pre>`

C. `<br>`

D. `<b>`

9. Which tag is used in HTML5 for the initialization of the document type?

A. `<Doctype HTML>`

B. `<!DOCTYPE html>`

C. `<Doctype>`

D. `<\Doctype html>`

10. Which of the following statements is/are correct about Bootstrap 4?

- A. It provides a free front - end framework
- B. It is a completely open - source product
- C. It gives the ability to create responsive designs
- D. All of the above

11. What does the following meta tag do?

`<META NAME="VIEWPORT" CONTENT="WIDTH=DEVICE-WIDTH, INITIAL-SCALE=1">`

- A. Tells the browser to look for media queries in the CSS file
- B. Makes the web page responsive automatically
- C. Prevents browsers from scaling desktop websites on mobile
- D. None of the above options are correct

12. Which of the following is not included in the framework?

- A. Forms
- B. Font Size
- C. Button Style
- D. Css

13. Bootstrap was first introduced in _____.

- A. Google
- B. Facebook
- C. Twitter
- D. Snapchat

14. Which is not a tool to build responsive websites?

- A. skeleton
- B. bookmarklets
- C. code editors
- D. web browsers

15. How many classes bootstrap 4 grid system has?

Ans: 5

Unit 5:

1. Which of the following bootstrap styles are used to add a dropdown to pills?

A. .nav, .nav-tab, .menu

B. .nav, .nav-pills, .dropdown-.menu

C. .nav, .nav-pills, .dropdown

D. .nav, .nav-pills

2. Which of the following bootstrap style is to be used if you want the. navbar fixed to the top of the page?

A. .navbar-top

B. .navbar-fixed

C. .navbar-fixed-top

D. None of the above

3. Which of the following is a navbar?

Ans: All of the above

4. Website navigation helps people to find the information they want to see very easily and effectively.

A. True

B. False

5. Good navigation makes the website look more attractive, effective, and good.

A. True

B. False

6. How do we write comments in HTML?

A. </.....>

B. <!.....>

C. </...../>

D. <.....!>

7. Choose the correct syntax for making a breadcrumb using bootstrap.

A. <nav aria-label="breadcrumb">

<ol class="breadcrumb">

<li class="breadcrumb-item active" aria-current="page">Home

```
</ol>
</nav>
B. <ol class="breadcrumb">
<li class="breadcrumb-item active" aria-current="page">Home</li>
</ol>
C. <ol class="nav">
<li>Home</li>
</ol>
D. <div class="card">
<div class="card-body">
HOME
</div>
</div>
```

8. Which of the following Bootstrap styles is used to create a vertical pills navigation?

- A. .nav, .nav-tabs
- B. .nav, .nav-pills, .nav-stacked
- C. .nav, .nav-tabs, .nav-justified
- D. .nav, .nav-pills

9. A standard navigation bar is created using _____.

- A. <nav class="navbar-black">
- B. <nav class="navbar navbar-default">
- C. <nav class="navbar navbar-inverse">
- D. <nav class="nav navbar">

10. Which of the following bootstrap style is to be used if you want the .navbar fixed to the top of the page?

- A. .navbar-top
- B. .navbar-fixed
- C. .navbar-fixed-top
- D. None of the above

11. Which of the following bootstrap style is to be used if you want to create a .navbar that scrolls with the page?

- A. .navbar-static-top
- B. .navbar-fixed
- C. .navbar-fixed-top

D. None of the above.

12. Which of the following bootstrap style is used to align .nav links, forms, buttons, or text to left or right in a .navbar?

A. .navbar-align

B. .navbar-left, .navbar-right

C. .alignment

D. None of the above.

13. A standard navigation tab is created with:

A. <ul class="navigation-tabs">

B. <ul class="nav nav-navbar">

C. <ul class="nav nav-tabs">

D. <ul class="nav tabs">

14. Which class is used to create a black navigation bar?

A. <nav class="navigationbar navbar-default">

B. <nav class="navbar navbar-dark">

C. <nav class="navbar navbar-black">

D. <nav class="navbar navbar-inverse">

15. Which of the following is the default layout of a bootstrap form?

A. .inline

B. .horizontal

C. .vertical

D. None of the above.

Unit 6:

1. The advantage of pages in paging is

A. no logical relation with program

B. no need of entire segment of task in physical memory

C. reduction of memory requirement for task

D. all of the mentioned

2. The size of the pages in the paging scheme is

A. Variable

B. Fixed

C. both variable and fixed

D. none

3. Bootstrap's grid system allows up to _____ columns across the page.

A. 12

B. 13

C. 14

D. 11

4. How many Container class are there in Bootstrap?

A. 1

B. 2

C. 3

D. 4

5. Which class is used for creating pagination?

A. Page

B. Pager

C. Pagination

D. Link-pagination

6. Bootstrap is a free front-end framework.

A. True

B. False

7. Documentation and examples for showing _____ to indicate a series of related content exists across multiple pages.

A. Pagination

B. Margin

C. Table

D. List

8. Use .disabled for links that appear un-clickable and .active to indicate the current page.

A. True

B. False

9. Add .pagination-lg or .pagination-sm for additional sizes large and small respectively.

A. True

B. False

10. _____ modifier class to make badges more rounded.

A. .badge-pill

B. .bag

C. .lable-lg

D. .badges

11. Which of the following is not part of the responsive heading?

A. <small>

B. <mark>

C.

D. <nav>

12. _____ is especially used for styling and formatting text elements.

A. Typography

B. Navigation

C. Pagination

D. Lists

13. Headings and responsive headings both are the features of typography.

A. True

B. False

14. The class _____ is used to display the labels.

A. .class

B. .lable

C. .nav

D. .heading

15. Pagination is a _____ of pages that are connected and have similar content.

A. Sequence

B. Matter

C. Class

D. Stack

Unit 7:

1. Which HTML tag is used to define a table?

A. <tb>

B. <tl>

C. <table>

D. <tab>

2. With the help of which tag, is a row defined in HTML?

A. <row>

B. <table-row>

C. <tablerow>

D. <tr>

3. _____ tag used for insert image.

A.

B. <isetrting>

C. <i>

D. <ins-image>

4. HTML is stand for _____

A. Hyper Text Markup Language

B. Holistick Technical Method Library

C. Hyper Tax Makes Line

D. None of the above

5. Images in Bootstrap are made responsive with _____.

A. .img-fluid

B. .img

C. .responsive-image

D. image

6. Which of the following class styles a table with borders surrounding every element and rounded corners around the entire table?

A. .table

B. .table-striped

C. .table-bordered

D. .table-hover

7. Which of the following bootstrap style of button represents a contextual button for informational alert messages?

A. .btn

B. .btn-primary

C. .btn-success

D. .btn-info

8. Which of the following bootstrap style of image gives the image rounded corners?

A. .img-rounded

B. .img-circle

C. .img-thumbnail

D. None of the above.

9. Which of the following class styles a table as a nice basic table with stripes on rows?

A. .table

B. .table-striped

C. .table-bordered

D. .table-hover

10. Which of the following class makes thumbnail image?

A. .img-tmbnail

B. .img-thumbnail-image

C. .img-thumb

D. .img-thumbnail

11. Which of the following bootstrap style helps to combine sets of into a for more complex components?

A. .btn-group

B. .btn-toolbar

C. .btn-group-lg

D. .btn-group-vertical

12. Which of the following bootstrap style of image makes the entire image round by adding border-radius:500px?

A. img-rounded

B. img-circle

C. img-thumbnail

D. None of the above

13. Bootstrap can add responsive images in your website.

A. True

B. False

14. Which of the following is not a bootstrap class for tables?

A. .table

B. table table-dark

C. table table-striped

D. table & table

15. _____ class used for insert thumbnail image in website.

A. img-thumbnail

B. img

C. t-img

D. none of above

Unit 8:

1. To insert the following icon in the webpage, which of the following class used?



A. glyphiconglyphicon-remove

B. icon-ok

C. glyphiconglyphicon-ok

D. glyphiconglyphicon-th

2. To insert the following icon in webpage, which of the following class used?



A. glyphiconglyphicon-download-alt

B. glyphicondownload-alt

C. download

D. None of above

3. To insert the following icon in a webpage, which of the following class used?



A. glyphiconicon-plane

B. glyphiconglyphicon-plane

- C. glyphiconglyphicon-aeroplane
- D. glyphiconglyphicon-flight

4. To insert the following icon in the webpage, which of the following class used?



- A. glyphiconglyphicon-floppy-disk
- B. glyphiconglyphicon-floppy-saved
- C. glyphiconglyphicon-floppy-save
- D. glyphiconglyphicon-floppy-open

5. _____ class indicates uppercase text.

- A. .uppercase-text
- B. .text-uppercase
- C. .text-big
- D. .text-large

6. Can we make a pre-element scrollable?

- A. Yes
- B. No

7. Bootstrap supports fonts awesome.

- A. True
- B. False

8. Bootstrap 4 h1 size is _____.

- A. 60px
- B. 45px
- C. 40px
- D. 25px

9. _____ is used to show highlighted text.

- A. <mark><\mark>
- B. <pre></pre>
- C. <u></u>
- D. <a>

10. Which of the following is not a form control?

- A. Textarea
- B. Dropdown
- C. Textbox
- D. Image slider

11. What is the default type of 'type' attribute of <input> element?

- A. Text
- B. Password
- C. Numerals
- D. Special Characters

12. week attribute defines _____

- A. week
- B. year
- C. week and year
- D. week, month and year

13. Which of the following is not used with password attribute?

- A. name
- B. size
- C. maxlength
- D. min

14. Which one of the following is a form element?

- A. text box.
- B. radio button.
- C. submit button.
- D. All of these

15. Which of the following tag is used for drop down list?

- A. <select>
- B. <text>
- C. <textarea>
- D. <dropdown>

Unit 9:

1. Which of the following bootstrap style is used to add standard links to .navbar?

A. .navbar-link

B. .link

C. .form-link

D. None of the above

2. Which of the following bootstrap style is used to align .nav links, forms, buttons, or text to left or right in a .navbar?

A. .navbar-align

B. .navbar-left, .navbar-right

C. .alignment

D. None of the above.

3. Which of the following bootstrap style is to be used if you want the .navbar fixed to the top of the page?

A. .navbar-top

B. .navbar-fixed

C. .navbar-fixed-top

D. None of the above.

4. Which of the following bootstrap styles are used to create tabbed navigation?

A - .nav, .nav-tabs

B - .nav, .nav-pills

C - .nav, .nav-pills, .nav-stacked

D - .nav, .nav-tabs, .nav-justified

5. Which of the following bootstrap styles are used to create a pills navigation?

A - .nav, .nav-tabs

B - .nav, .nav-pills

C - .nav, .nav-pills, .nav-stacked

D - .nav, .nav-tabs, .nav-justified

6. Which of the following bootstrap styles are used to create a vertical pills navigation?

A - .nav, .nav-tabs

B - .nav, .nav-pills

C - .nav, .nav-pills, .nav-stacked

D - .nav, .nav-tabs, .nav-justified

7. Which of the following bootstrap styles are used to create a justified tabs navigation?

A - .nav, .nav-tabs

B - .nav, .nav-pills

C - .nav, .nav-pills, .nav-stacked

D - .nav, .nav-tabs, .nav-justified

8. Which of the following bootstrap styles are used to create a disabled tab in tabs navigation?

A - .nav, .nav-tabs, .disabled

B - .nav, .nav-tabs

C - .nav, .nav-pills, .nav-disabled

D - .nav, .nav-pills

9. Which of the following bootstrap styles are used to add a dropdown to a tab?

A - .nav, .nav-tabs, .menu

B - .nav, .nav-tabs, dropdown-.menu

C - .nav, .nav-pills, .dropdown

D - .nav, .nav-pills

10. Which of the following bootstrap styles are used to add a dropdown to pills?

A - .nav, .nav-tab, .menu

B - .nav, .nav-pills, .dropdown-.menu

C - .nav, .nav-pills, .dropdown

D - .nav, .nav-pills

11. Which of the following bootstrap style is used to add a button to the .navbar?

A - .navbar-.btn

B - ..btn

C - .form-.btn

D - None of the above.

12. Which of the following bootstrap style is used to add text to the .navbar?

A - .navbar-text

B - .text

C - .form-text

D - None of the above.

13. Bootstrap pills and labels are the same.

True

False

14. Bootstrap does not support tabs.

True

False

15. Which of the following class is used to create a black navigation bar?

A. .navbar-default

B. .navbar-inverse

C. .navbar-black

D. .navbar-dark

Unit 10:

1. Which of the following plugin in Bootstrap is used to create a modal window?

A. popup

B. alert

C. modal

D. window

2. Which of the followings are part of content insertion in bootstrap 4?

A. Modal

B. Collapse

C. Accordion

D. All of above

3. _____ is applied during transitions.

- A. **.collapsing**
- B. .collapse
- C. .main
- D. None of above

4. A _____ is a web page element that displays in front of and deactivates all other page content.

- A. **Modal**
- B. Container
- C. Image
- D. Button

5. An _____ is a type of menu that displays a list of headers stacked on top of one another.

- A. Label
- B. Collapse
- C. Button
- D. **Accordion**

6. To properly achieve the accordion style, be sure to use _____ as a wrapper.

- A. **.accordion**
- B. .wrap
- C. .card
- D. .collapse

7. Which of the following is correct about Modal Plugin?

- A. You can toggle the modal plugin's hidden content via data attributes.
- B. You can toggle the modal plugin's hidden content via javascript.
- C. **Both of the above.**
- D. None of the above.

8. Bootstrap package includes?

- A. Scaffolding
- B. Components
- C. JavaScript Plugins

D. All of the above

9. Can we use collapse for contents in bootstrap?

A. True

B. False

10. Bootstrap _____ is used to show or hide content.

A. Button

B. Link

C. Modal

D. Collapse

11. _____ Indicates which group is open, while using collapse.

A. aria-expanded:

B. aria-controls:

C. All of above

D. None of above

12. The .accordion-flush class is used within the .accordion class to remove some default background colors, borders, and rounded corners.

A. True

B. False

13. Collapse can be multiply targeted.

A. Yes

B. No

14. A modal dialog is exclusive, so only one dialog at a time can be open.

A. True

B. False

15. Which of the following cannot be created using bootstrap?

A. Modal

B. Accordion

C. All of above

D. None of above

Unit 11:

1) Who developed the bootstrap?

- A. James Gosling
- B. Mark Jukervich
- C. Dennis Ritchie
- D. Mark Otto and Jacob Thornton

2) Is Bootstrap3 mobile-first?

- A. True
- B. False
- C. Can't say
- D. May be

3) Which of the following class in Bootstrap is used to provide a responsive fixed width container?

- A. .container-fixed
- B. .container-fluid
- C. .container
- D. All of the above

4) How many columns are allowed in a bootstrap grid system?

- A. 2
- B. 12
- C. 3
- D. 5

5) Which of the following class in bootstrap is used to create a big box for calling extra attention?

- A. .box
- B. .container
- C. .container-fluid
- D. .jumbotron

6) Appends the tooltip to a specific element

- A. Container
- B. Delay
- C. Template
- D. Title

7) Default title value if title attribute isn't present.

- A. Container
- B. Delay
- C. Template
- D. Title

8) _____ showing and hiding the tooltip (ms) - does not apply to manual trigger type

- A. Container
- B. Delay
- C. Template
- D. Title

9) It is used as Base HTML to use when creating the tooltip.

- A. Container
- B. Delay
- C. Template
- D. Title

10) This event fires immediately when the show instance method is called.

- A. show.bs.tooltip
- B. shown.bs.tooltip
- C. hide.bs.tooltip
- D. hidden.bs.tooltip

11) This event is fired when the tooltip has been made visible to the user (will wait for CSS transitions to complete)

- A. show.bs.tooltip
- B. shown.bs.tooltip
- C. hide.bs.tooltip
- D. hidden.bs.tooltip

12) This event is fired immediately when the hide instance method has been called

- A. show.bs.tooltip
- B. shown.bs.tooltip
- C. hide.bs.tooltip
- D. hidden.bs.tooltip

13) This event is fired when the tooltip has finished being hidden from the user (will wait for CSS transitions to complete).

- A. show.bs.tooltip
- B. shown.bs.tooltip
- C. hide.bs.tooltip
- D. hidden.bs.tooltip

14) This event is fired after the show.bs.tooltip event when the tooltip template has been added to the DOM.

- A. show.bs.tooltip
- B. shown.bs.tooltip
- C. hide.bs.tooltip
- D. inserted.bs.tooltip

15 Allow to specify which position Popper will use on fallback

- A. Fallback Placement
- B. Delay
- C. Template
- D. Title

Unit 12:

1. Which of the following is a single global function defined in the jQuery library?

- A. jQuery()
- B. \$()
- C. Queryanalysis()
- D. global()

2. Which of the following is a factory function?

- A. \$()
- B. jQuery()
- C. Queryanalysis()
- D. onclick()

3. Which of the following is a heavily overloaded function?

- A. jQuery()
- B. \$()
- C. script()
- D. Both jQuery() and \$()

4. Which jQuery method is used to hide selected elements?

- A. hidden()
- B. hide()
- C. visible(false)
- D. display(none)

5. Which built-in method returns the character at the specified index?

- A. characterAt()
- B. getCharAt()
- C. charAt()
- D. None of the above

6. Using _____ function, we can hold or release the execution of jQuery's ready event.

- A. jQuery.holdReady()
- B. jQuery.ready()
- C. jQuery.hold()
- D. jQuery.holdready()

7. Which of the following jQuery method checks the current selection against an expression?

- A. getIs(selector)
- B. is(selector)
- C. checkIs(selector)
- D. None of the above

8. Is jQuery a library for client scripting or server scripting?

- A. Server scripting
- B. Client scripting
- C. Both of these
- D. None

9. In which year jQuery developed?

- A. 2001

- B. 2004
- C. 2005
- D. 2006

10. Which of the following sign is used as a shortcut for jQuery?

- A. the % sign
- B. the & sign
- C. the \$ sign
- D. the @ sign

11. Which jQuery method is used to set one or more style properties to the selected element?

- A. The html() method
- B. The style() method
- C. The css() method
- D. All of the above

12. Which of the jQuery function prevents the code from running before the loading of the document finishes?

- A. \$(document).load()
- B. \$(document).unload()
- C. \$(document).ready()
- D. \$(document).trim()

13. JQuery is server side scripting.

- A. True
- B. False

14. With jQuery, look at the following selector: \$("div.intro"). What does it select?

- A. The first div element with class="intro"
- B. All div elements with class="intro"
- C. The first div element with id="intro"correct
- D. All div elements with id="intro"

15. Which of the following is correct?

- A. jQuery is a JavaScript Library
- B. jQuery is a JSON Library
- C. All of above
- D. None of above

Unit 13:

1. What are the most attractive features of SASS?

- A. It is more stable, powerful and fully compatible to CSS3
- B. It is time saving because it facilitates you to write CSS in less code
- C. It uses its own syntax
- D. All of these

2. Who is the inventor of SASS?

- A. James Gosling
- B. Guido van Rossum
- C. MiskoHevery
- D. Hampton Catlin

3. What are the key features for Sass include

- A. Full CSS3-compatible
- B. Language extensions such as nesting, variables, and mixins
- C. Many useful functions for manipulating colors and other values
- D. All of the above

4. What are the reasons behind using SASS?

- A. You can write codes easily and efficiently and they are easy to maintain
- B. It is a pre-processing language which provides its own syntax for CSS
- C. It is a superset of CSS which contains all the features of CSS and is an open source preprocessor, coded in Ruby
- D. All of the above

5. From the following what are the reasons behind using SASS?

- A. You can write codes easily and efficiently and they are easy to maintain
- B. It is a pre-processing language which provides its own syntax for CSS
- C. It is more stable and powerful CSS extension and style documents more clearly and structurally
- D. All of the above

6. What are the data types that SassScript supports?

- A. Numbers
- B. Strings of texts
- C. Colors
- D. All of these

7. What is the difference between Sass and SCSS?

A. Sass is a CSS pre-processor with syntax advancements and an extension of CSS3

B. Sass has two syntax

C. The first syntax is SCSS" and it uses the .scss extension

D. All of the above

8. How many ways SASS can be used?

A. It can be used as a command line tool

B. It can be used as a standalone Ruby module

C. It can be used as a plugin for any Rack-enabled framework

D. All the above mentioned

9. Which of the following are types of mixin arguments?

A. Keyword Arguments

B. variable Arguments

C. All of the above

D. None

10. What is the correct full form of SASS?

A. System Asymmetric Style Sheets

B. Symbolic Asymmetric Style Sheets

C. Systematic Awesome Style Sheets

D. Syntactically Awesome Style Sheets

11. Why is SASS called a superset of CSS?

A. SASS is called a superset of CSS because it is better than CSS.

B. SASS is called a superset of CSS because it is an open-source pre-processor written in the Ruby programming language.

C. SASS is called a superset of CSS because it contains all the features of CSS.

D. None of the Above

12. CSS stands for -

A. Cascade style sheets

B. Color and style sheets

C. Cascading style sheets

D. None of the above

13. Which of the following is the correct syntax for referring the external style sheet?

- A. <style src = example.css>
- B. <style src = "example.css" >
- C. <stylesheet> example.css </stylesheet>
- D. <link rel="stylesheet" type="text/css" href="example.css">

14. Which of the following directive is used to set the style rule to different media types?

- A. @media
- B. @import
- C. @extend
- D. @debug

15. What is the correct way to define a variable in SASS?

- A. \$primary-color: #888
- B. @primary-color: #888
- C. %primary-color: #888
- D. #primary-color: #888

Unit 14:

1. Streams give higher flow control. Is this True or False?

- A. True
- B. False

2. Which plug-in has optimizers and compressors?

- A. gulp-changed
- B. gulp-plumber
- C. gulp-imagemin
- D. gulp-watch

3. The different kinds of Streams include _____.

- A. readable, writable, divide, classic, transcend
- B. readable, writable, divide, correspond, transform
- C. readable, writable, duplex, classic, transform
- D. readable, writable, divide, check, transform

4. While installing gulp, the first installation step would be _____.

- A. `$npm install gulp g savedev`
- B. `$npm install gulp --save-dev`
- C. `$npm install gulp g`
- D. `$npm install gulp g --save-dev`

5. Streams which play vital role in gulp, has its origin from _____.

- A. Unix
- B. Node.js
- C. Gulpfile.js
- D. All the options

6. Between Grunt and Gulp, which is relatively fast?

- A. Both are of same speed
- B. Neither of the same
- C. Grunt
- D. Gulp

7. While installing gulp with `$npm install gulp --save-dev`, what does `--save-dev` represents?

- A. Missed out components of global installation will be taken here
- B. Installs Gulp as a development dependency and `package.json` updated
- C. Ensures CLI installation
- D. triggers dependency between project and cli

8. Streams are Asynchronous. Is this True or False?

- A. False
- B. True

9. Before installation of Gulp, installation of _____ acts as pre-requisite.

- A. Bower.js
- B. Broccoli.js
- C. Node.js
- D. Gulp.js

10. How many types of Streams are available?

- A. 5
- B. 4
- C. 6

D. 3

11. Which command in the CLI will trigger the 'default` task?

A. run default gulp

B. run gulp default

C. gulp

D. run gulp

12. In-memory caching is enabled with the help of which gulp plug-in?

A. gulp-sess

B. gulp-cached

C. gulp-cookie

D. gulp-tempcache

13. Which of the following command is used to start a REPL session?

A. \$ node

B. \$ node start

C. \$ node repl

D. \$ node console

14. Which of the following extension is used to save the Node.js files?

A. .js

B. .node

C. .java

D. .txt

15. All APIs of Node.JS are.

A. Asynchronous

B. Synchronous

C. Both of the above.

D. None of the above.