

Manage Endpoints

Learn to manage Severless Endpoints.

Create an Endpoint

You can create an Endpoint in the Web interface.

- 1. Navigate to Serverless Endpoints.
- 2. Select + New Endpoint and enter the following:
 - i. Endpoint Name.
 - ii. Select your GPUs.
 - iii. Configure your workers.
 - iv. Add a container image.
 - v. Select **Deploy**.

Delete an Endpoint

You can delete an Endpoint in the Web interface. Before an Endpoint can be deleted, all workers must be removed.

- 1. Navigate to Serverless Endpoints.
- 2. Select the Endpoint you'd like to remove.
- 3. Select **Edit Endpoint** and set **Max Workers** to 0.
- 4. Choose **Update** and then **Delete Endpoint**.

Edit an Endpoint

You can edit a running Endpoint in the Web interface after you've deployed it.



- 2. Select the Endpoint you'd like to edit.
- 3. Select Edit Endpoint and make your changes.
- 4. Choose **Update**.



You can force a configuration update by setting **Max Workers** to 0, selecting **Update**, then updating your max workers back to your needed value.

Edit this page

Previous « Send a request

Next Invoke a Job »

Docs

Overview

Tutorials

Al APIs

Community

Discord ☐

Contact us 🛂

More

Blog **☑**

GitHub **☑**



