```
import org.apache.log4j.Level;
import org.apache.log4j.Logger;
import org.apache.log4j.PropertyConfigurator;
import org.testng.annotations.BeforeTest;
import io.restassured.response.Response;
import io.restassured.specification.RequestSpecification;
public class TestBase {
      public static RequestSpecification httpReq;
      public static Response response;
      public Logger logger;
      @BeforeTest
      public void setUp() {
             logger = Logger.getLogger("LogDemo");
             PropertyConfigurator.configure("log4j.properties");
             logger.setLevel(Level.DEBUG);
      }
}
```

## CREATE A FILE WITH ".PROPERTIES" EXTENSION AND WRITE THESE CODES

```
log4j.rootLogger=ERROR,stdout
log4j.logger.com.endeca=INFO
log4j.logger.LogDemo=DEBUG, dest1
# Logger for crawl metrics
log4j.logger.com.endeca.itl.web.metrics=INFO

log4j.appender.stdout=org.apache.log4j.ConsoleAppender
log4j.appender.stdout.layout=org.apache.log4j.PatternLayout
log4j.appender.stdout.layout.ConversionPattern=%p\t%d{ISO8601}\t%r\t%c\t[%t]\t%m%n
```

## **ADD THESE DEPENDICIES**