

Project Executable Files

Date	14 JULY 2026
Team ID	
Project Name	Smart Lender – AI-Based Loan Approval Prediction System
Maximum Marks	3 Marks

Project Executable Files

This section requires submission of all executable and deployable files for your project. Ensure all files are properly organized, named, and uploaded to the specified submission platform. The evaluator must be able to run or deploy your solution using the provided files and instructions.

Step 1: Submission Checklist

S.No	Item	Submitted
1	Complete Source Code	Yes
2	README / Setup Guide	Yes
3	requirements.txt	Yes
4	Database Schema / SQLite Database	Yes
5	Environment Configuration (.env)	NA
6	Deployed Application URL	Yes
7	APK / Executable	NA
8	Dockerfile	NA
9	Test Files & Results (JMeter)	Yes
10	Demo Video	Yes

Step 2: File / Folder Structure

Provide an overview of your project's file and folder structure below:

SmartLender/

```
├──dataset/
├──model/
│   ├──loan_model.pkl
│   ├──scaler.pkl
│   └──preprocessed_data.pkl
│
├──static/
│   ├──css/
│   ├──js/
│   └──images/
│
├──templates/
│   ├──login.html
│   ├──register.html
│   ├──dashboard.html
│   ├──prediction.html
│   ├──analytics.html
│   └──model_info.html
│
├──app.py
├──database.py
├──preprocessing.py
├──train_model.py
├──analysis.py
├──users.db
├──requirements.txt
├──README.md
└──Procfile
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	https://smart-lender-tcjp.onrender.com/
Login Credentials (Demo)	Username: Create a new account using Register Page Password: User-defined during registration
Platform	Render
Repository Link	https://github.com/SatyaSaiGopal/smart-lender
Demo Video Link	Will be submitted separately.

Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

Pre-requisites

- Python 3.10 or above
- VS Code
- Git
- pip

Step 1: Clone the repository: git clone <https://github.com/SatyaSaiGopal/smart-lender>

Step 2: Move to project folder: cd SmartLender-AI

Step 3: Install dependencies: pip install -r requirements.txt

Step 4: Run database: python database.py

Step 5: Run application: python app.py

Step 6: Open browser: <http://127.0.0.1:5000> or <https://smart-lender-tcjp.onrender.com/>

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	Render free instance sleeps after inactivity	First request may take 30–50 seconds to wake up.
2	SQLite is suitable for small-scale applications	For production, migrate to PostgreSQL or MySQL.
3	Model trained on a limited dataset	Accuracy can improve with more diverse training data.