MAC-CLIP: Supplementary Material

BMVC 2026 Submission # 1242

Supplementary Material

This supplement provides the full per-dataset per-baseline numerical tables underlying the aggregate results of the main paper. Four tables are reported, namely Dice, IoU, Boundary F1, and Hausdorff Distance, each covering all fifteen datasets against the eleven baselines plus MAC-CLIP (Proposed).

Reading conventions: Best per row is in **bold** and second-best is underlined. The 'n/a' marker indicates that the metric could not be computed for that specific model-dataset combination. This occurs either due to catastrophic convergence failure (where the baseline predicts a degenerate, single-class mask, rendering distance metrics like Boundary F1 and Hausdorff Distance undefined), or due to architectural/memory incompatibilities of the official baseline implementations on specific dataset formats. Each table's bottom block reports the per-model mean over the datasets where that model successfully produced a valid prediction, namely an availability-aware mean rather than a fixed $/14$ normalisation, together with the number of datasets successfully evaluated in the row labelled "# datasets used". COph100 is excluded from every mean: every baseline memorises its compact validation pool and obtains Dice/IoU $= 1.000$, which renders the dataset uninformative; it is reported in the body of the tables for completeness with Dice and IoU of 1.000 and BF1/HD left 'n/a'.

Column Abbreviations: **U-Net** (U-Vanilla Net), **U++** (U-Net++), **DLv3** (DeepLabv3), **TrU** (TransUNet), **SwU** (SwinU), **MedT** (Medical Transformer), **F-CL** (Frozen CLIP), **F-Bio** (Frozen BiomedCLIP), **nnU** (nnUNet), **MSAM** (MedSAM), **SAMed** (SAMed), **Proposed** (MAC-CLIP).

© 2026. The copyright of this document resides with its authors.
It may be distributed unchanged freely in print or electronic forms.

Table 1: Full per-dataset Dice ↑. Best per row in **bold**, second-best underlined. *n/a* marks combinations where the metric was not produced as model has failed to train under the protocol.

Mod.	Dataset	U-Net	U++	DLv3	TrU	SwU	MedT	F-CL	F-Bio	nnU	MSAM	SAMed	Proposed
Endo.	Kvasir-SEG	0.638	0.621	0.887	0.887	**0.898**	0.479	0.454	0.752	0.671	0.745	0.832	0.874
Endo.	m2caiSeg	0.740	0.729	0.853	**0.868**	0.841	0.685	0.579	0.767	0.717	0.747	0.776	0.850
Endo.	BKAI-NeoPolyp	0.630	0.630	**0.732**	0.630	0.001	0.585	0.630	0.630	0.630	0.630	0.630	0.632
CXR	COVID-Lung	0.976	0.974	0.976	0.976	**0.977**	0.965	0.842	0.966	0.975	0.956	0.973	0.975
CXR	COVID-Inf.	0.624	0.603	0.849	0.883	**0.887**	0.537	0.202	0.749	0.751	0.707	0.874	0.868
XRay	ARC-Sten.	0.039	0.000	0.043	0.000	0.045	0.035	0.004	0.045	0.042	0.039	0.038	**0.428**
XRay	ARC-Synt.	0.086	0.085	0.093	0.086	0.075	0.077	0.085	0.097	0.072	0.100	0.099	**0.772**
XRay	BTXRD	0.292	0.246	*n/a*	*n/a*	*n/a*	0.157	0.118	0.373	0.265	0.335	0.408	**0.487**
US	BUSI	0.595	0.556	*n/a*	0.775	0.770	0.418	0.272	0.639	0.604	0.626	*n/a*	**0.776**
US	CT2US-Kid.	0.966	0.964	0.973	**0.974**	**0.974**	0.852	0.749	0.940	*n/a*	0.905	0.966	0.971
Fund.	PAPILA	0.880	0.878	0.931	0.934	0.918	0.834	0.633	0.880	0.931	0.854	0.883	**0.945**
Fund.	DRIVE	0.000	0.000	0.271	0.170	0.170	0.170	0.170	0.000	**0.438**	0.000	0.000	0.312
Fund.	COph100†	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**0.407**
Derm.	ISIC2018	0.841	0.375	0.894	0.898	0.880	0.352	0.697	0.856	0.829	0.821	0.860	**0.903**
Path.	MoNuSeg	0.588	**0.621**	0.223	0.336	0.250	0.291	0.174	0.376	*n/a*	0.000	*n/a*	0.343
Mean		0.564	0.520	0.644	0.647	0.591	0.459	0.401	0.576	0.577	0.533	0.612	**0.724**
# datasets used		$n=14$	$n=14$	$n=12$	$n=13$	$n=13$	$n=14$	$n=14$	$n=14$	$n=12$	$n=14$	$n=12$	$n=14$

Table 2: Full per-dataset IoU ↑. Best per row in **bold**, second-best underlined. *n/a* marks combinations where the metric was not produced as model has failed to train under the protocol.

Mod.	Dataset	U-Net	U++	DLv3	TrU	SwU	MedT	F-CL	F-Bio	nnU	MSAM	SAMed	Proposed
Endo.	Kvasir-SEG	0.514	0.498	0.824	0.821	**0.834**	0.351	0.324	0.642	0.549	0.637	0.741	0.803
Endo.	m2caiSeg	0.613	0.598	0.757	**0.791**	0.748	0.547	0.427	0.641	0.583	0.614	0.653	0.762
Endo.	BKAI-NeoPolyp	0.630	0.630	**0.699**	0.630	0.001	0.585	0.630	0.630	0.630	0.630	0.630	0.615
CXR	COVID-Lung	0.953	0.951	0.954	0.954	**0.955**	0.934	0.735	0.935	0.952	0.918	0.948	0.953
CXR	COVID-Inf.	0.562	0.542	0.795	0.832	**0.835**	0.476	0.134	0.689	0.696	0.645	0.819	0.816
XRay	ARC-Sten.	0.021	0.000	0.023	0.000	0.024	0.019	0.002	0.024	0.023	0.021	0.021	**0.297**
XRay	ARC-Synt.	0.046	0.045	0.050	0.046	0.040	0.041	0.045	0.052	0.038	0.054	0.053	**0.636**
XRay	BTXRD	0.213	0.174	*n/a*	*n/a*	*n/a*	0.101	0.074	0.276	0.187	0.247	0.311	**0.390**
US	BUSI	0.483	0.441	*n/a*	0.680	0.664	0.303	0.181	0.518	0.484	0.505	*n/a*	**0.685**
US	CT2US-Kid.	0.935	0.932	0.940	0.940	0.941	0.756	0.607	0.888	*n/a*	0.833	0.935	**0.943**
Fund.	PAPILA	0.792	0.791	0.873	0.877	0.851	0.735	0.479	0.790	0.873	0.755	0.794	**0.897**
Fund.	DRIVE	0.000	0.000	0.157	0.093	0.093	0.093	0.093	0.000	**0.281**	0.000	0.000	0.189
Fund.	COph100†	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**1.000**	**0.297**
Derm.	ISIC2018	0.754	0.316	0.823	0.825	0.799	0.287	0.571	0.766	0.740	0.719	0.770	**0.836**
Path.	MoNuSeg	0.433	**0.464**	0.132	0.211	0.151	0.189	0.098	0.240	*n/a*	0.000	*n/a*	0.224
Mean		0.496	0.456	0.586	0.592	0.533	0.386	0.314	0.507	0.503	0.470	0.556	**0.646**
# datasets used		$n=14$	$n=14$	$n=12$	$n=13$	$n=13$	$n=14$	$n=14$	$n=14$	$n=12$	$n=14$	$n=12$	$n=14$

Table 3: Full per-dataset BF1 ↑. Best per row in **bold**, second-best underlined. *n/a* marks combinations where the metric was not produced as model has failed to train under the protocol.

Mod.	Dataset	U-Net	U++	DLv3	TrU	SwU	MedT	F-CL	F-Bio	nnU	MSAM	SAMed	Proposed
Endo.	Kvasir-SEG	0.137	0.120	**0.448**	0.338	0.369	0.084	0.042	0.138	0.157	0.132	0.204	0.440
Endo.	m2caiSeg	0.192	0.169	0.236	0.271	0.248	0.146	0.070	0.119	0.158	0.109	0.123	**0.322**
Endo.	BKAI-NeoPolyp	**0.630**	**0.630**	0.593	**0.630**	0.002	0.585	**0.630**	**0.630**	**0.630**	**0.630**	**0.630**	0.022
CXR	COVID-Lung	0.832	0.820	0.830	0.834	**0.838**	0.770	0.228	0.719	0.826	0.636	0.796	0.727
CXR	COVID-Inf.	0.436	0.405	0.635	0.681	**0.691**	0.352	0.038	0.512	0.556	0.475	0.652	0.206
XRay	ARC-Sten.	0.031	0.000	0.031	0.000	0.033	0.030	0.011	0.035	0.033	0.027	0.029	**0.333**
XRay	ARC-Synt.	0.074	0.074	0.049	0.046	0.068	0.066	0.065	0.065	0.064	0.074	0.060	**0.624**
XRay	BTXRD	0.068	0.055	*n/a*	*n/a*	*n/a*	0.038	0.032	0.090	0.076	0.075	0.095	**0.183**
US	BUSI	0.144	0.113	*n/a*	0.204	0.159	0.095	0.037	0.134	0.125	0.132	*n/a*	**0.310**
US	CT2US-Kid.	0.677	0.669	0.705	0.722	**0.738**	0.364	0.099	0.421	*n/a*	0.303	0.614	0.632
Fund.	PAPILA	0.253	0.281	0.432	0.433	0.354	0.262	0.094	0.273	0.492	0.236	0.255	**0.568**
Fund.	DRIVE	0.006	0.000	0.095	0.000	0.000	0.000	0.000	0.000	**0.558**	0.000	0.000	0.086
Fund.	COph100†	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	**0.106**
Derm.	ISIC2018	0.193	0.228	0.222	0.210	0.179	0.191	0.085	0.162	0.195	0.130	0.159	**0.316**
Path.	MoNuSeg	0.429	**0.472**	0.016	0.247	0.402	0.280	0.221	0.203	*n/a*	0.000	*n/a*	0.171
Mean		0.293	0.288	**0.358**	0.355	0.313	0.233	0.118	0.250	0.322	0.211	0.301	**0.353**
# datasets used		$n=14$	$n=14$	$n=12$	$n=13$	$n=13$	$n=14$	$n=14$	$n=14$	$n=12$	$n=14$	$n=12$	$n=14$

Table 4: Full per-dataset HD ↓. Best per row in **bold**, second-best underlined. *n/a* marks combinations where the metric was not produced as model has failed to train under the protocol.

Mod.	Dataset	U-Net	U++	DLv3	TrU	SwU	MedT	F-CL	F-Bio	nnU	MSAM	SAMed	Proposed
Endo.	Kvasir-SEG	102.55	109.89	53.27	52.46	**51.30**	147.69	146.65	94.49	112.06	88.41	66.26	56.82
Endo.	m2caiSeg	83.54	91.13	70.86	**64.01**	78.52	101.35	118.95	113.36	93.73	91.48	91.12	78.61
Endo.	BKAI-NeoPolyp	37.00	37.00	**28.46**	37.00	165.27	43.27	37.00	37.00	37.00	37.00	37.00	93.51
CXR	COVID-Lung	9.23	10.27	8.36	8.03	**7.86**	22.38	62.49	13.95	9.01	18.16	9.42	8.13
CXR	COVID-Inf.	63.01	65.35	35.77	**31.80**	34.15	76.72	109.40	47.34	51.09	51.75	35.31	82.52
XRay	ARC-Sten.	150.41	100.00	134.89	103.17	146.77	163.57	274.32	136.39	123.53	130.95	135.02	**73.45**
XRay	ARC-Synt.	132.03	128.81	129.69	217.56	118	140	126.28	193.48	118.04	160.82	210.35	**50.69**
XRay	BTXRD	108.00	110.00	*n/a*	*n/a*	*n/a*	152.42	117.81	99.89	113.03	102.17	83.57	**58.28**
US	BUSI	96.40	119.00	*n/a*	65.50	43.90	189.00	183.18	193.12	82.61	81.70	*n/a*	**38.50**
US	CT2US-Kid.	17.20	19.10	9.09	**8.76**	8.89	92.20	80.19	32.15	*n/a*	47.75	10.66	9.32
Fund.	PAPILA	11.81	17.16	6.05	7.42	8.57	34.89	51.92	12.93	7.41	18.58	12.14	**5.52**
Fund.	DRIVE	290.05	100.00	**88.45**	92.42	92.42	92.42	92.42	100.00	92.42	100.00	100.00	133.64
Fund.	COph100†	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	**153.90**
Derm.	ISIC2018	41.61	68.80	24.57	22.46	30.51	72.4	88.74	83.96	49.19	55.98	41.10	**21.72**
Path.	MoNuSeg	57.09	**56.49**	88.28	90.70	84.40	99.20	90.70	91.07	*n/a*	100.00	*n/a*	156.01
Mean		85.71	73.78	**56.48**	61.64	66.96	101.96	112.86	89.22	74.09	77.48	69.33	61.91
# datasets used		$n=14$	$n=14$	$n=12$	$n=13$	$n=13$	$n=14$	$n=14$	$n=14$	$n=12$	$n=14$	$n=12$	$n=14$