
App Development Blueprint & User Flowchart

PlotTheirFuture.in • Technical Execution Flow: Public Discovery to Dynamic OTP Onboarding

DEV SPRINT ARCHITECTURE • V1.0

1.0 END-TO-END USER EXPERIENCE & AUTH FLOWCHART

Architectural state machine decoupling anonymous educational exploration from tokenized dynamic invitation onboarding.



2.0 DUAL-STATE INTERFACE SPECIFICATIONS

State A: Public Discovery (No Login)

Audience: Play Store / App Store downloads, organic web visitors, inquisitive wedding guests exploring before signing in.

- **Universal Hub Access:** *About Us*, *Why Gift a Square Foot*, and the *FAQ & Security Center* are completely un-gated.
- **Tenant Masking:** Active multi-weddings on the home screen display a 50% opacity greyscale state labeled *"Private Celebration • Invitation Required"*.
- **Zero Friction:** No sign-up wall to learn about RBI escrow security or tax exemption under Section 56(2)(x).

State B: Dynamic Authenticated Invitee

Audience: Guests who receive a personal invitation link via WhatsApp broadcast from the couple or key family members.

- **Dynamic OTP Login:** User inputs mobile number; backend validates number against the specific wedding's guest roster table.
- **Microsite Unlock:** The invited wedding card lights up in gold, granting direct access to ceremony schedules, maps, and video invites.
- **2 BHK Interactive Grid:** Guest can select 1, 5, or 10 SFT micro-units, complete instant UPI payments, and receive official tax receipts.

3.0 STATE MACHINE TRANSITIONS & ROUTE GUARD RULES

App Route / Screen	Access Permission	Rendered Component & Experience	Fallback / Guard Action
`/home` (Public Feed)	PUBLIC	Platform banner, 4-step explainer carousel, value comparison tool, greyed-out wedding feed.	Direct render; no auth challenge.
`/faq` & `/security`	PUBLIC	Complete searchable knowledge base (Escrow, RERA, Sec 56(2)(x) tax guidelines).	Direct render; no auth challenge.
`/auth/login`	PUBLIC	Phone number input with auto-formatting (+91) + 6-digit WhatsApp OTP verification field.	Redirects to target microsite upon token issuance.
`/w/:slug` (Microsite)	INVITEE AUTH	Couple video invite, itinerary (Haldi, Sangeet, Muhurtham, Reception), RSVP, 2 BHK Grid.	If unauthenticated or not on roster: Redirect to Login with `?target_slug`.
`/admin/:slug`	COUPLE / LEAD	Invitation dispatch console, ceremony filters, guest roster import, escrow payout audit.	403 Forbidden modal if user is not authorized.

4.0 TECHNICAL IMPLEMENTATION ROADMAP (DEV SPRINTS)

Sprint 1: Public Core & Knowledge Hub

- Build unauthenticated landing pages: *About Us*, *How It Works*, and *FAQ Hub*.
- Implement Value Comparison slider (Mixer Grinders vs. 1 Sq.Ft. Home Equity).
- Design the Greyed-Out Multi-Tenant feed displaying active campaigns with lock overlays.

Sprint 2: Dynamic OTP & Scoped Session Engine

- Integrate WhatsApp Business Cloud API & SMS Gateway for 6-digit OTP dispatch.
- Build auth state machine: verifies phone number against `tbl_invitations`.
- Issue scoped JWT tokens carrying authorized `accessible_weddings: [slug]`.

Sprint 3: Private Wedding Microsite & Itinerary

- Build dynamic wedding container loading couple video stream, poster, and itinerary.
- Implement ceremony filter: renders only ceremonies (Haldi, Sangeet, Muhurtham) tagged to guest.
- Implement 1-click RSVP module updating real-time headcount in admin telemetry.

Sprint 4: 2 BHK Floor Plan Grid & Escrow Checkout

- Render SVG architectural grid (1,200 SFT) mapped to room cells (Living, Bed, Balcony).
- Build Redis-backed 10-minute temporary cart lock to prevent tile collision.
- Integrate UPI payment gateway with instant Section 56(2)(x) PDF receipt generation.

5.0 CORE REST API CONTRACTS

Endpoint & Method	Auth Level	Request Payload / Query	Response & Functional Purpose
`POST /api/v1/auth/request-otp`	Public	`{ phone: "+919848012345", slug: "sanvi-santosh" }`	Dispatches 6-digit WhatsApp OTP; returns transient `session_hash`.
`POST /api/v1/auth/verify-otp`	Public	`{ phone: "+919848012345", otp: "482910" }`	Issues scoped Bearer JWT with accessible wedding claims.
`GET /api/v1/wedding/:slug`	Invitee JWT	Header: `Bearer <token>`	Returns couple video, RSVP status, tagged ceremonies, and SFT pricing.
`POST /api/v1/registry/lock-tile`	Invitee JWT	`{ slug, room: "balcony", units_sft: 5 }`	Applies 10-minute Redis lock; generates UPI payment intent QR/string.
`POST /api/v1/registry/confirm-escrow`	Webhook	`{ txn_id, bank_ref, status: "SUCCESS" }`	Permanent tile lock, triggers WhatsApp PDF tax receipt and stage LED push.

6.0 DATABASE SCHEMA LINKAGES (POSTGRESQL)

Table Name	Primary & Foreign Keys	Key Attributes & JSON Columns	Dev Security / Index Rule
`weddings`	`id` (UUID, PK)	`slug, bride_name, groom_name, target_sft, rate_sft`	Unique index on `slug`.
`invitations`	`id` (UUID, PK) FK: `wedding_id`	`phone_e164, guest_name, cohort, ceremonies_json`	Composite index: `(wedding_id, phone_e164)`.
`floor_plan_tiles`	`tile_id` (UUID, PK) FK: `wedding_id, donor_id`	`room_zone, sft_size, status (OPEN/HOLD/FUNDED)`	Indexed on `(wedding_id, status)`.