

Folder structure

D:\apache-tomcat-9.0.85\webapps\STUDENTAPP\

```
├── index.html           ← HTML form for student registration
├── success.jsp         ← Simple confirmation page
├── WEB-INF/
│   ├── web.xml         ← Servlet configuration
│   └── classes/
│       ├── com/
│       │   └── example/
│       │       └── StudentServlet.class ← Compiled servlet file
│       └── lib/
│           └── mysql-connector-j-8.0.33.jar ← JDBC driver for MySQL
```

web.xml Configuration File

```
<web-app xmlns="http://java.sun.com/xml/ns/javaee" version="3.0">
  <servlet>
    <servlet-name>StudentServlet</servlet-name>
    <servlet-class>com.example.StudentServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>StudentServlet</servlet-name>
    <url-pattern>/register</url-pattern>
  </servlet-mapping>
</web-app>
```

MySQL Database (Table Structure)

```
CREATE TABLE students (
  id INT AUTO_INCREMENT PRIMARY KEY,
  name VARCHAR(100),
  email VARCHAR(100),
  course VARCHAR(100)
);
```

The screenshot shows the MySQL Workbench interface for the 'students' table. The 'Table structure' tab is active, displaying a table with 4 columns: id, name, email, and course. The 'id' column is the primary key, auto-incrementing, and of type int(11). The other columns are varchar(100) with utf8mb4_general_ci collation. Below the table structure, there are options to check all, browse, change, drop, primary, unique, index, spatial, and fulltext. At the bottom, there is an 'Indexes' section showing a primary index on the 'id' column.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	name	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	email	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	course	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	id	1	A	No	

HTML Form Submission (Form Page) index.html


```
<!DOCTYPE html>
<html>
<head>
  <title>Student Registration</title>
  <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
  <div class="form-container">
    <h2>Student Registration Form</h2>
    <form action="register" method="post">
      <label>Name:</label>
      <input type="text" name="name" required>
      <label>Email:</label>
      <input type="email" name="email" required>
      <label>Course:</label>
      <input type="text" name="course" required>
      <input type="submit" value="Register">
    </form>
  </div>
</body>
</html>
```

Style.css

```
body {
  font-family: Arial, sans-serif;
  background: #f4f4f4;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}
.form-container {
  background: white;
  padding: 30px;
  border-radius: 10px;
  box-shadow: 0 0 15px rgba(0,0,0,0.2);
  width: 400px;
}
h2 {
  text-align: center;
}
label {
  display: block;
  margin-top: 15px;
}

input[type="text"],
input[type="email"] {
  width: 100%;
  padding: 8px;
  margin-top: 5px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

input[type="submit"] {
  margin-top: 20px;
  width: 100%;
  padding: 10px;
  background: #28a745;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}
```




StudentServlet.class

```
package com.example;
import java.io.IOException;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/register")
public class StudentServlet extends HttpServlet {
    public StudentServlet() {
    }
    protected void doPost(HttpServletRequest var1, HttpServletResponse var2) throws
ServletException, IOException {
        String var3 = var1.getParameter("name");
        String var4 = var1.getParameter("email");
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            Connection var5 =
DriverManager.getConnection("jdbc:mysql://localhost:3306/studentdb", "root", "");
            String var6 = "INSERT INTO students (name, email) VALUES (?, ?)";
            PreparedStatement var7 = var5.prepareStatement(var6);
            var7.setString(1, var3);
            var7.setString(2, var4);
            var7.executeUpdate();
            var5.close();
            var2.sendRedirect("success.jsp");
        } catch (Exception var8) {
            var8.printStackTrace();
            var2.getWriter().println("Database Error: " + var8.getMessage());
        }
    }
}
```

Database Connection (Success or Error Message) success.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<!DOCTYPE html>
<html>
<head>
    <title>Success</title>
</head>
<body>
    <h2>🎉 Registration Successful!</h2>
    <p>Thank you for registering.</p>
</body>
</html>
```



 **Registration Successful!**

Thank you for registering.