

WTPR7

Problem Statement

To understand the principles and methodologies of PHP web based applications development process.

Directory Structure

```
/WTPR7
├── /assets
│   ├── /css
│   │   └── style.css
│   └── /js
│       └── script.js
├── /includes
│   └── db.php
├── /config
│   └── config.php
└── /public
    ├── index.php
    ├── register.php
    └── users.php
```

db.php

```
<?php
require_once('../config/config.php');

$conn = new mysqli(DB_SERVER, DB_USERNAME, DB_PASSWORD, DB_DATABASE);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
?>
```

config.php

```
<?php
define('DB_SERVER', 'localhost');
define('DB_USERNAME', 'root');
define('DB_PASSWORD', '');
define('DB_DATABASE', 'wtpr7');
?>
```

script.js

```
console.log("JavaScript Loaded");
```

MySQL query

```
CREATE DATABASE wtpr7;
USE wtpr7;
CREATE TABLE users (
    id INT AUTO_INCREMENT PRIMARY KEY,
    name VARCHAR(100),
    email VARCHAR(100),
    password VARCHAR(255)
);
```

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Welcome to WTPR7</title>
  <link rel="stylesheet" href="../assets/css/style.css">
  <style>
    .welcome-box {
      background-color: #ffffff;
      padding: 40px;
      border-radius: 15px;
      text-align: center;
      box-shadow: 0 8px 16px rgba(0,0,0,0.1);
      max-width: 500px;
      margin: auto;
      margin-top: 100px;
    }
    .welcome-box h1 {
      font-size: 32px;
      color: #007BFF;
      margin-bottom: 20px;
    }
    .welcome-box p {
      font-size: 18px;
      color: #555;
      margin-bottom: 30px;
    }
    .btn-group a {
      display: inline-block;
      margin: 0 10px;
      padding: 12px 25px;
      background-color: #007BFF;
      color: white;
      border-radius: 8px;
      font-weight: bold;
      transition: background 0.3s;
    }
    .btn-group a:hover {
      background-color: #0056b3;
    }
    @media (max-width: 500px) {
      .btn-group a {
        display: block;
        margin: 10px auto;
        width: 80%;
      }
    }
  </style>
</head>
<body>
<div class="welcome-box">
  <h1>Welcome to WTPR7</h1>
  <p>This is a simple PHP-MySQL web application for user registration and
listing.</p>
  <div class="btn-group">
    <a href="register.php">Register User</a>
    <a href="users.php">View Users</a>
  </div>
</div>

</body>
</html>
```

register.php

```
<?php
require_once('../includes/db.php');
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $name = $_POST['name'] ?? '';
    $email = $_POST['email'] ?? '';
    $password = password_hash($_POST['password'], PASSWORD_DEFAULT);
    $sql = "INSERT INTO users (name, email, password) VALUES ('$name', '$email',
'$password')";
    if ($conn->query($sql) === TRUE) {
        $msg = "User registered successfully!";
    } else {
        $msg = "Error: " . $conn->error;
    }
}
?>
<!DOCTYPE html>
<html>
<head>
    <title>Register</title>
    <link rel="stylesheet" href="../assets/css/style.css">
</head>
<body>
    <h2>User Registration</h2>
    <?php if (!empty($msg)) echo "<p>$msg</p>"; ?>
    <form method="POST" action="">
        <input type="text" name="name" placeholder="Name" required><br><br>
        <input type="email" name="email" placeholder="Email" required><br><br>
        <input type="password" name="password" placeholder="Password"
required><br><br>
        <button type="submit">Register</button>
    </form>
</body>
</html>
```

users.php

```
<?php
require_once('../includes/db.php');
$result = $conn->query("SELECT id, name, email FROM users");
?>
<!DOCTYPE html>
<html>
<head>
    <title>User List</title>
    <link rel="stylesheet" href="../assets/css/style.css">
</head>
<body>
    <h2>Registered Users</h2>
    <table border="1" cellpadding="10">
        <tr>
            <th>ID</th><th>Name</th><th>Email</th>
        </tr>
        <?php while($row = $result->fetch_assoc()) : ?>
        <tr>
            <td><?= $row['id']; ?></td>
            <td><?= $row['name']; ?></td>
            <td><?= $row['email']; ?></td>
        </tr>
        <?php endwhile; ?>
    </table>
</body>
</html>
```

style.css

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
body {
  font-family: 'Segoe UI', Tahoma,
Geneva, Verdana, sans-serif;
  background: #f7f9fc;
  color: #333;
  padding: 30px;
  line-height: 1.6;
}
a {
  text-decoration: none;
  color: #007BFF;
}
a:hover {
  text-decoration: underline;
}
h1, h2 {
  margin-bottom: 20px;
}

/* Form Styles */
form {
  background: #fff;
  padding: 25px;
  border-radius: 10px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.1);
  max-width: 400px;
  margin: 20px auto;
}
input[type="text"],
input[type="email"],
input[type="password"],
button {
  width: 100%;
  padding: 12px;
  margin: 10px 0;
  border: 1px solid #ccc;
  border-radius: 8px;
  font-size: 16px;
}
input:focus,
button:focus {
  border-color: #007BFF;
  outline: none;
}
button {
  background-color: #007BFF;
  color: white;
  font-weight: bold;
  cursor: pointer;
  transition: background 0.3s ease;
}
button:hover {
  background-color: #0056b3;
}
```

```
/* Table Styles */
table {
  width: 100%;
  border-collapse: collapse;
  background-color: #fff;
  margin-top: 30px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.1);
}
th, td {
  padding: 15px;
  border-bottom: 1px solid #eee;
  text-align: left;
}
th {
  background-color: #007BFF;
  color: white;
}
tr:hover {
  background-color: #f1f1f1;
}

/* Container for main content */
.container {
  max-width: 900px;
  margin: auto;
}

/* Message styling */
p {
  margin-bottom: 20px;
  padding: 12px;
  border-radius: 6px;
}
p.success {
  background-color: #d4edda;
  color: #155724;
}
p.error {
  background-color: #f8d7da;
  color: #721c24;
}

/* Navigation Links */
.nav {
  text-align: center;
  margin-bottom: 30px;
}
.nav a {
  display: inline-block;
  margin: 0 10px;
  font-size: 18px;
}
```

