

Updated orders.json

Delay Radar — AI Intern Assignment 2 · Satyam Singh

Repository: github.com/SatyamSingh-Git/weather-delay-radar

Two runs are included. File A is the real run against the live OpenWeatherMap API and is the actual deliverable. On the day it was generated all three valid cities were clear or cloudy, so no order met the Rain / Snow / Extreme condition and nothing was marked Delayed — real weather does not take direction. File B is the identical pipeline over deterministic offline fixtures, included so the *Delayed* path and the generated customer messages are visible. Only fetch differs between them; classification, retry and error handling are the same code.

File A — live OpenWeatherMap run (data/orders.processed.json)

Observed 2026-09-11T17:56:02.000Z · produced by npm start

ORDER	CUSTOMER	CITY	STATUS	WEATHER	ERROR
1001	Alice Smith	New York	Pending	Clear, 26.3°C	
1002	Bob Jones	Mumbai	Pending	Clouds, 29.0°C	
1003	Charlie Green	London	Pending	Clouds, 20.4°C	
1004	InvalidCity123	InvalidCity123	Pending	—	CityNotFound

```
[
  {
    "order_id": "1001",
    "customer": "Alice Smith",
    "city": "New York",
    "status": "Pending",
    "weather": {
      "resolvedCity": "New York",
      "country": "US",
      "condition": "Clear",
      "description": "clear sky",
      "tempC": 26.3,
      "feelsLikeC": 26.3,
      "humidity": 44,
      "windMs": 4.12,
      "icon": "01d",
      "lat": 40.7143,
      "lon": -74.006,
      "observedAt": "2026-09-11T17:56:02.000Z"
    }
  },
  {
    "order_id": "1002",
    "customer": "Bob Jones",
    "city": "Mumbai",
    "status": "Pending",
    "weather": {
      "resolvedCity": "Mumbai",
      "country": "IN",
      "condition": "Clouds",
      "description": "overcast clouds",
      "tempC": 28.99,
```

```
    "feelsLikeC": 33.47,
    "humidity": 74,
    "windMs": 2.57,
    "icon": "04n",
    "lat": 19.0144,
    "lon": 72.8479,
    "observedAt": "2026-09-11T17:53:19.000Z"
  }
},
{
  "order_id": "1003",
  "customer": "Charlie Green",
  "city": "London",
  "status": "Pending",
  "weather": {
    "resolvedCity": "London",
    "country": "GB",
    "condition": "Clouds",
    "description": "scattered clouds",
    "tempC": 20.38,
    "feelsLikeC": 20.07,
    "humidity": 61,
    "windMs": 1.54,
    "icon": "03d",
    "lat": 51.5085,
    "lon": -0.1257,
    "observedAt": "2026-09-11T17:48:49.000Z"
  }
},
{
  "order_id": "1004",
  "customer": "InvalidCity123",
  "city": "InvalidCity123",
  "status": "Pending",
  "needs_review": true,
  "error": {
    "kind": "CityNotFound",
    "message": "HTTP 404: city not found",
    "attempts": 1
  }
}
]
```

File B — offline fixtures, showing the Delayed path (data/orders.delayed-example.json)

Produced by `npm run demo` · no API key required

ORDER	CUSTOMER	CITY	STATUS	WEATHER	ERROR
1001	Alice Smith	New York	Delayed	Rain, 14.2°C	
1002	Bob Jones	Mumbai	Pending	Clear, 31.4°C	
1003	Charlie Green	London	Delayed	Snow, -1.3°C	
1004	InvalidCity123	InvalidCity123	Pending	—	CityNotFound

```
[
  {
    "order_id": "1001",
```

```
"customer": "Alice Smith",
"city": "New York",
"status": "Delayed",
"weather": {
  "resolvedCity": "New York",
  "country": "US",
  "condition": "Rain",
  "description": "heavy intensity rain",
  "tempC": 14.2,
  "feelsLikeC": 12.8,
  "humidity": 87,
  "windMs": 6.7,
  "icon": "10d",
  "lat": 40.7143,
  "lon": -74.006,
  "observedAt": "2025-09-09T06:40:00.000Z"
},
"delay_reason": "Rain – heavy intensity rain",
"customer_message": "Hi Alice, your order to New York is delayed due to heavy rain. We appreciate
your patience!",
"message_source": "template"
},
{
  "order_id": "1002",
  "customer": "Bob Jones",
  "city": "Mumbai",
  "status": "Pending",
  "weather": {
    "resolvedCity": "Mumbai",
    "country": "IN",
    "condition": "Clear",
    "description": "clear sky",
    "tempC": 31.4,
    "feelsLikeC": 35.1,
    "humidity": 62,
    "windMs": 3.6,
    "icon": "01d",
    "lat": 19.0144,
    "lon": 72.8479,
    "observedAt": "2025-09-09T06:40:00.000Z"
  }
},
{
  "order_id": "1003",
  "customer": "Charlie Green",
  "city": "London",
  "status": "Delayed",
  "weather": {
    "resolvedCity": "London",
    "country": "GB",
    "condition": "Snow",
    "description": "light snow",
    "tempC": -1.3,
    "feelsLikeC": -5.8,
    "humidity": 91,
    "windMs": 4.1,
    "icon": "13d",
    "lat": 51.5085,
    "lon": -0.1257,
    "observedAt": "2025-09-09T06:40:00.000Z"
  },
  "delay_reason": "Snow – light snow",
```

```
    "customer_message": "Hi Charlie, your order to London is delayed due to light snow. We appreciate your patience!",
    "message_source": "template"
  },
  {
    "order_id": "1004",
    "customer": "InvalidCity123",
    "city": "InvalidCity123",
    "status": "Pending",
    "needs_review": true,
    "error": {
      "kind": "CityNotFound",
      "message": "HTTP 404: city not found",
      "attempts": 1
    }
  }
]
```

In both runs order 1004 (InvalidCity123) returns HTTP 404. It is logged, left Pending, tagged needs_review, and the run completes normally with exit code 0 — a missing city is a reported outcome, not a crash.