ALGONQUIN COLLEGE

CST8912 – Cloud Solution Architecture

Graded Lab Activity #9

Introduction:

Microsoft Azure includes tools to safeguard data according to your company's security and compliance needs.

Encryption at Rest is a common security requirement. In Azure, organizations can encrypt data at rest without the risk or cost of a custom key management solution. Organizations have the option of letting Azure completely manage Encryption at Rest. Additionally, organizations have various options to closely manage encryption or encryption keys.

Encryption is the secure encoding of data used to protect confidentiality of data. The Encryption at Rest designs in Azure use symmetric encryption to encrypt and decrypt large amounts of data quickly according to a simple conceptual model:

Task 1: Deploy an Azure SQL Database

Method1:

1. Configure Azure SQL database for Canada central region under your resource group cst8912-demo, choose single database under sql databases in sql deployment option

2. Enter the following values in create database page and keep other properties with their default settings

Subscription: Select your Azure subscription

Resource group: CST8912demo

Database name: db8912

Server: Select Create new and create a new server with a unique name in any Canada central location. Use SQL authentication and specify your name as the server admin login and a suitably complex password (remember the password - you'll need it later!)

Server : db8912demo

Username:db8912yourname

Password: dfguyt@234!

Want to use SQL elastic pool?: No

Workload environment: Development

Compute + storage: Leave unchanged







3. On the Create SQL Database page, select Next :Networking >, and on the Networking page, in the Network connectivity section, select Public endpoint.

Then select Yes for both options in the Firewall rules section to allow access to your database server from Azure services and your current client IP address.



4. Select Next: Security > and set the Enable Microsoft Defender for SQL option to Notnow.



5. Select Next: Additional Settings > and on the Additional settings tab, set the Use existing data option to Sample (this will create a sample database that you can explore later).



6. Select Review + Create, and then select Create to create your Azure SQL database.



Method 2:

1. In the Azure portal, in the Search resources, services, and docs text box at the top of the Azure portal page, type Deploy a custom template and press the Enter key.

2. On the **Custom deployment** blade, click the **Build your own template in the editor** option.
3. On the **Edit template** blade, click **Load file ,** locate the https://github.com/MicrosoftLearning/AZ500-AzureSecurityTechnologies/blob/master/Allfiles/Labs/11/azuredeploy.json file and click **Open**.
4. On the **Edit template** blade, click **Save**.



5. On the **Custom deployment** blade, ensure that the following settings are configured (leave any others with their default values):

Setting	Value
Subscription	Azure subscription
Resource group	CST8912
Location	**Canada Central**

6. Click **Review + Create** and then click **Create**.



Task 2: Configure Advanced Data Protection

1. On the SQL server blade, in the Security section, click Microsoft Defender for Cloud, select Enable Microsoft Defender for SQL.
2. On the SQL server blade, in the Security section, on the Microsoft Defender for Cloud page, in the Microsoft Defender for SQL: Enabled at the subscription-level (Configure) parameter, click (configure)



3. On the Server Settings blade, review the information about pricing and the trial period, VULNERABILITY ASSESSMENT SETTINGS and ADVANCED THREAT PROTECTION SETTINGS.
4. Back to Microsoft Defender for Cloud blade, review Recommendations and Security alerts.

Task 3: Configure Data Classification

In this task, you will explore and classify data in SQL database for GPDR and data protection compliance.

1. On the SQL server blade, in the Settings section, click SQL Databases.
2. On the SQL database blade, in the Security section, click Data Discovery & Classification.
3. On the Data Discovery & Classification blade, click the Classification tab.
4. Click the text message We have found 15 columns with classification recommendations displayed on blue bar at the top of the blade.



5. Review the listed columns and the recommended sensitivity label.
6. Enable the Select all checkbox and then click Accept Selected Recommendations.
7. Once you have completed your review click Save.
8. Back on the Data Discovery & Classification blade Overview tab, note that it has been updated to account for the latest classification information.



Task 4: Configure Auditing

In this task, you will first configure server level auditing and then configure database level auditing.

1. In the Azure portal, navigate back to the SQL Server blade.
2. On the SQL Server blade, in the Security section, click Auditing.
3. Set the Enable Azure SQL Auditing switch to ON to enable auditing
4. Select the Storage checkbox and entry boxes for Subscription and Storage Account will display (create new storage account if not selected)



5. Choose your Subscription from the dropdown list.
6. Click Storage account and choose Create new.
7. Back on the Auditing blade, under Advanced properties set Retention (days) to 5.



8. On the Auditing blade, click Save to save the auditing settings
9. On the server blade, in the Settings section, click SQL Databases.

10. On the SQL database blade, in the Security section, click Auditing.
    Note: This is database level auditing. Server-level auditing is already enabled.



11. On your SQL database Overview page in the Azure portal, select Query editor (preview) from the left menu. Try to sign in, you might fail on password, firewall rule for your IP address, everything gets audited. Try successful login as well, run query and you might find more details in audit logs



12. switch back to DB, Auditing and Click View Audit Logs.
13. On the Audit records blade, note that you can switch between Server audit and Database audit.



Task 5: Clean up resources created during this lab




Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
Home > Resource groups >
Resource groups
Create
Group by none
You are viewing a new version of Browse experience. Some features may be missing. Click here to access the old experience.
Name
CST8912
CST8912demo
DefaultResourceGroup-CCAN
DefaultResourceGroup-EUS
NetworkWatcherRG
CST8912
Resource group
Overview
Activity log
Access control (IAM)
Tags
Resource visualizer
Events
Settings
Deployments
Security
Deployment stacks
Policies
Properties
Locks
Cost Management
Monitoring
Insights (preview)
Alerts
Metrics
Diagnostic settings
Logs
Create
Manage view
Delete resource group
Refresh
Essentials
Subscription (move) : Azure for Students
Subscription ID : 63593e07-b1bc-4b20-8c26-b7fafac46e9f
Tags (edit) : Add tags
Resources
Recommendations (1)
Filter for any field...
Type equals all
Location equals all
Showing 0 to 0 of 0 records.
Show hidden types
Name
No resources
Delete a resource group
The following resource group and all its dependent resources will be permanently deleted.
Resource group to be deleted
CST8912
Delete confirmation
Deleting this resource group and its dependent resources is a permanent action and cannot be undone.
Delete
Go back
Enter resource group name to confirm deletion *
CST8912
Delete
Cancel