

HTML in Depth

Lists, links, iframes & forms — In-Class Discovery Worksheet

Name: _____ Section: _____ Date: _____

How to use this sheet: Keep **VS Code** and your **browser** open side by side. For every task, **attempt and write your answer *before* we discuss it.**

Part 1 — Order Out of Chaos

TRY THIS · VS CODE + LIVE SERVER

Create a new folder `4_HTML`. Inside it, create a new file named `index.html` and copy-paste some old HTML code into it. Now create one more page, `courses.html`, and write a list of courses on this page using HTML (e.g. name, city, ...). Open both pages one by one using **Live Server** and see the output.

Q1. What type of **lists** do you see in general? Try to think about different ways you can list items.

Concept — List types.

- **Unordered list** — `ul`, `li`
- **Ordered list** — `ol`, `li`
- **Descriptive / Definition list** — `dl`, `dt`, `dd`

Q2. What will be your reasoning behind using an **ordered** or **unordered** list?

Q3. When do you think the `<dl>` element will be useful?

Part 2 — The Captain's Hook

Q4. Can you **link** these two pages now? What things are required to link two pages?

TRY THIS · VS CODE

Create a new folder inside `4_HTML` named `Pages`. Inside the `Pages` folder, create `about.html` and write your basic info like name, city, and hobbies in it. Now link this file to `index.html`.

Note: The current folder structure looks like this:

```
1_HTML
...
2_HTML
...
3_HTML
...
4_HTML
  Pages
    about.html
    courses.html
    index.html
```

TRY THIS · HREF PATHS

In `index.html`, try linking to `about.html` first with

```
href="./Pages/about.html"
```

and then with

```
href="/4_HTML/Pages/about.html"
```

Q5. What did you understand from trying these two `href` values?

Concept — Types of links.

- **Relative link**
 - Root-relative path — `/4_HTML/Pages/about.html`
 - Current-directory relative path — `./Pages/about.html`
- **Absolute link** — exact web address, including the protocol — `https://www.google.com/`
- **Mail** — to send email — `mailto:support@yourwebsite.com`
- **Phone** — to start a call — `tel:+91991199119911`
- **Page jump** — scrolls to a specific section on the same page — `#footer` (you will get to know about `id` in the CSS section)

Q6. What are your observations about **relative** and **absolute** links?

Q7. How did you implement a **page jump**?

Q8. What behaviors have you seen in general when you click on a website link?

Concept — The `target` attribute. The `target` attribute tells the browser where to open the link you just clicked.

- `target="_self"` — the new page loads in the exact same tab or window
- `target="_blank"` — forces the browser to open the link in a brand new tab
- `target="_parent"`, `target="_top"` — used once you start embedding websites in an `iframe`

Q9. If you don't explicitly write the `target` attribute, what would be the default value assumed?

Q10. For normal websites, what difference do you see in `_blank` vs `_parent` vs `_top`?

Part 3 — The Visual Toolkit

Q11. How would you add an **image** in your webpage?

Q12. Can you change the **height** or **width** of an image?

Q13. What will happen if the image doesn't load for some reason?

Q14. Can one website show another website inside it? Have you seen that happening anywhere?

Q15. Have you heard of Google / Meta ads shown on a website? What are they?

Situation. You have made a very good website. Thousands of users have started visiting your website every day. Now, to earn money, you are thinking to show ads on it. **What would you do?**

Q16. If you add Google ads to your website, who will write the **logic** behind showing the ads?

Concept — The <iframe> tag. The <iframe> tag is used to embed another HTML document directly within the current page.

TRY THIS · IFRAME

Example 1:

```
<iframe src="https://www.flipkart.com" width="250" height="400"></iframe>
```

Example 2:

```
<iframe src="https://www.amazon.com/" width="250" height="400"></iframe>
```

Q17. Why do you think `flipkart.com` works but `amazon.com` doesn't work inside an `iframe`?

Q18. Try to embed a **YouTube video** in your page.

Q19. Try to embed a **Google Maps** location in your page.

Part 4 — Fill in the Blanks

Q20. How do you usually tell your information to any website?

Q21. What type of **inputs** have you seen? Name them according to you.

Concept — Forms. Forms are the primary method for gathering information from users on a webpage. General syntax:

```
<form>
  <input type="text" name="Name" placeholder="Enter your name">
  <input type="number" name="Age" placeholder="Enter your age" required>
  <input type="text" name="City" placeholder="Enter your city" value="Delhi">
  <input type="submit">
</form>
```

Note: we will discuss forms once again in depth in the JavaScript section.

Q22. Try using a `<button>` element instead of `<input type="submit">`. What changes?

Q23. How do you define **selectable options** in a form?

Q24. How do you generally see the **gender selection** option in forms? What input type would they be using?

Q25. Try implementing a **checkbox** now. Write your observation on `select`, `radio`, and `checkbox`.

CLASS WRAP-UP · GIT

Push all this code to GitHub and verify if everything works on the live link as well.

```
git add .  
git commit -m "HTML in depth"  
git push
```