

# MACHINE LEARNING

Q1 to Q12 have only one correct answer. Choose the correct option to answer your question.

1. Movie Recommendation systems are an example of:

- i) Classification
- ii) Clustering
- iii) Regression

Answer : a) 2 Only

2. Sentiment Analysis is an example of:

- i) Regression
- ii) Classification
- iii) Clustering
- iv) Reinforcement

Answer: d) 1,2 and 4

3. Can decision trees be used for performing clustering?

- a) True

4. Which of the following is the most appropriate strategy for data cleaning before performing clustering analysis, given less than desirable number of data points:

- i) Capping and flooring of variables
- ii) Removal of outliers

Answer: a) 1 only

5. What is the minimum no. of variables/ features required to perform clustering?
- b) 1
6. For two runs of K-Mean clustering is it expected to get the same clustering results?
- b) No
7. Is it possible that Assignment of observations to clusters does not change between successive iterations in K-Means?
- a) Yes
8. Which of the following can act as possible termination conditions in K-Means?
- i) For a fixed number of iterations.
  - ii) Assignment of observations to clusters does not change between iterations, except for cases with a bad local minimum.
  - iii) Centroids Do Not Change Between Successive Iterations.
  - iv) Terminate when RSS falls below a threshold.

Answer : d) All of the above

9. Which of the following can act as possible termination conditions in K-Means?
- i) K- Means clustering algorithm
  - ii) Agglomerative clustering algorithm
  - iii) Expectation-Maximization clustering algorithm
  - iv) Diverse clustering algorithm

Answer : d) 1 and 3

10. Which of the following algorithms is most sensitive to outliers?

a) K-means clustering algorithm

11. How can Clustering (Unsupervised Learning) be used to improve the accuracy of Linear Regression model (Supervised Learning):

i) Creating different models for different cluster groups.

ii) Creating an input feature for cluster ids as an ordinal variable.

iii) Creating an input feature for cluster centroids as a continuous variable.

iv) Creating an input feature for cluster size as a continuous variable.

Answer:

d) All of the above

12. What could be the possible reason(s) for producing two different dendrograms using agglomerative clustering algorithms for the same dataset?

d) All of the above

Q13 to Q15 are subjective answers type questions, Answers them in their own words briefly

13. Is K sensitive to outliers?

Yes, K-means is sensitive to outliers.

For e.g. Data set point are 1 2 3 7 8 80  
Now 80 is outlier.

$K=2$

$C1=1$   $C2=7$

After first iteration  $C1=2$   $C2=31.67$  .

As 80 data point which is outlier comes in cluster 2.

Cluster 2 centroid changes to accommodate 80 .

Therefore K means is sensitive to outliers

14. Why is K means better?

Because k-means is a great solution for pre-clustering, reducing the space into disjoint smaller sub-spaces where other clustering algorithms can be applied.

15. Is K means a deterministic algorithm?

**k-means** is a **non-deterministic algorithm**.

This **means** that running the **algorithm** several times on the same data, could give different results.