Open-ended training data: real chats, documents and code split between agents A and B; a frozen Qwen3-1.7B that sees both halves writes the answers to match

A real chat (WildChat, Portuguese) with the user turns dealt between A and B

user to A, turn 1
“E procurar o que quer que seja ‘néctar doce’” what does it mean by that? Explain please and make it a detailed breakdown

teacher’s answer to A
The phrase “E procurar o que quer que seja ‘néctar doce’” is a Portuguese expression that translates to “And seek what ever is ...

user to B, turn 2
"O que quer que seja" explain please, split it into fragments

teacher’s answer to B, the target for B
Certainly! Let's break down the phrase "O que quer que seja" (which is part of the full phrase: "E procurar o que quer que ...

Debugging: A holds the code, B the failing tests

A sees
def max_occurrences(nums): max_val = 0 result = nums[0] for i in nums: occu = nums.count(i) if occu >= max_val: max_val = occu result = i return result

B sees
ok: assert max_occurrences([1,2,3,1,2,3,12,4,2]) == 2 FAILED: assert max_occurrences([1,2,6,7,0,1,0,1,0]) == 1,0 Traceback ...

user to B
I need to figure out why the test is failing. The code seems to be finding the number with the highest occurrence, but the test ...

teacher’s answer, the target for B
You're encountering an AssertionError where the expected output is `1,0` but the function returns `2`. Let's break down what's happening in your code and why it's failing. ...

A holds a Russian article; B asks about it in English

A sees
«Сухой закон» 20-30 годов в фотографиях (19 фото) 16 января 1920 года в США был установлен «Сухой закон». Для этого пришлось внести изменения даже в Конституцию ...

user to B
I need to understand the context of the "Dry Law" and its impact on American society, particularly the rise of the mafia ...

teacher’s answer, the target for B
The "Dry Law" of 1920, also known as the "Prohibition Act", was a landmark moment in American history, marking the first time the U.S. government had outright banned the production, ...

Fill-in: each asks for one of the partner’s text chunks


A sees
[1] works on a very simple concept of format conversion. In other words you just have to fill in the value of Arabic numeral and it will show the same value in Roman numeral. You can ...

B sees
[1] ... [2] - Roman Numerals 1-1000 - Roman Numerals 1-2 [3] ... [4] simply find the significant difference between the Arabic ...


user to B
[1]

target for B: the real text of A’s chunk [1]
works on a very simple concept of format conversion. In other words you just have to fill in the value of Arabic numeral and it will show the same value in Roman numeral. You can convert ...

Episodes per family, 600 test episodes



User turns copying an earlier answer or request



Fill-in turns are fixed requests (“[2]”) and are left out of the right chart. User turns are real in chats; elsewhere the frozen Qwen3-1.7B writes them while playing a person who holds one half.