Ex.No: 1 Roll.No: 210701149

# PYTHON PROGRAM TO BUILD A SIMPLE NEURAL NETWORK WITH KERAS

### Aim:

To implement a simple neural network with keras using python language,

#### Procedure:

- 1. Import NumPy and necessary Keras modules for building the model.
- 2. Generate random dummy training data with 1000 samples and 10 features each.
- 3. Create random binary labels (0 or 1) for the training data.
- 4. Initialize a Sequential model for a simple feedforward neural network.
- 5. Add a Dense layer with 10 units and ReLU activation for the input.
- 6. Add another Dense layer with 1 unit and sigmoid activation for binary classification.
- 7. Compile the model using Adam optimizer and binary cross-entropy loss.
- 8. Train the model for 20 epochs with a batch size of 10 using the training data.
- 9. Generate random dummy test data with 100 samples and binary labels.
- 10. Evaluate the model on the test data and print the loss and accuracy values.

```
Code:
import numpy as np
from keras.models import Sequential
from keras.layers import Dense
# Generate some dummy data for training
x_{train_data} = np.random.random((1000, 10))
y_train_data = np.random.randint(2, size=(1000, 1))
# Building the model
model = Sequential()
model.add(Dense(10, activation='relu', input_dim=10))
model.add(Dense(1, activation='sigmoid'))
# Compiling the model
model.compile(optimizer='adam', loss='binary_crossentropy',
metrics=['accuracy'])
# Train the model
model.fit(x_train_data, y_train_data, epochs=20, batch_size=10)
# Generate some dummy test data
x_{test_data} = np.random.random((100, 10))
y_test_data = np.random.randint(2, size=(100, 1))
# Evaluating the model on the test data
loss, accuracy = model.evaluate(x_test_data, y_test_data)
print('Test model loss:', loss)
print('Test model accuracy:', accuracy)
```

## Output:

```
Epoch 1/20
100/100
                             1s 473us/step - accuracy: 0.5035 - loss: 0.7079
Epoch 2/20
100/100
                             0s 479us/step - accuracy: 0.5017 - loss: 0.7071
Epoch 3/20
100/100
                             0s 552us/step - accuracy: 0.5203 - loss: 0.6996
Epoch 4/20
100/100
                             0s 588us/step - accuracy: 0.5381 - loss: 0.6935
Epoch 5/20
                             Os 474us/step - accuracy: 0.5379 - loss: 0.6952
100/100
Epoch 6/20
                             0s 458us/step - accuracy: 0.5064 - loss: 0.6972
100/100
Epoch 7/20
100/100
                             Os 319us/step - accuracy: 0.5629 - loss: 0.6887
Epoch 8/20
100/100
                             0s 475us/step - accuracy: 0.5287 - loss: 0.6936
Epoch 9/20
100/100
                             0s 463us/step - accuracy: 0.5653 - loss: 0.6828
Epoch 10/20
100/100
                             0s 482us/step - accuracy: 0.5327 - loss: 0.6904
Epoch 11/20
                             0s 473us/step - accuracy: 0.5471 - loss: 0.6881
100/100
Epoch 12/20
                             0s 473us/step - accuracy: 0.5474 - loss: 0.6876
100/100
Epoch 13/20
100/100
                             0s 304us/step - accuracy: 0.5454 - loss: 0.6906
Epoch 14/20
100/100
                             0s 462us/step - accuracy: 0.5201 - loss: 0.6913
Epoch 15/20
100/100
                             0s 472us/step - accuracy: 0.5278 - loss: 0.6925
Epoch 16/20
100/100
                             Os 474us/step - accuracy: 0.5243 - loss: 0.6899
Epoch 17/20
                             0s 497us/step - accuracy: 0.5065 - loss: 0.6894
100/100
Epoch 18/20
100/100
                             Os 517us/step - accuracy: 0.5342 - loss: 0.6870
Epoch 19/20
100/100
                             0s 474us/step - accuracy: 0.5493 - loss: 0.6854
Epoch 20/20
                            0s 474us/step - accuracy: 0.5504 - loss: 0.6811
100/100
                         Os Os/step - accuracy: 0.4470 - loss: 0.7039
4/4 -
Test model loss: 0.7044538855552673
Test model accuracy: 0.4300000071525574
```

## Result:

Thus, to implement a simple neural networks using Keras in Python has been completed successfully.