PROTOCOL

NAD+ 500mg Protocol



01 Protocol

Master regulator of cellular energy production but also plays a vital role in DNA repair and longevity signaling. NAD+ production declines with age in human tissue, and by your mid-40s you have typically lost +50% of what you carried in your 20s.

This has been shown by extensive research to be one of the central mechanisms driving accelerated aging, metabolic dysfunction, neurodegeneration, and collapsing resilience.

02 Reconstitution

Vial: NAD+ 500mg

Add: 3mL bacteriostatic water

Storage: Refrigerate after mixing

Use a U100 insulin syringe (0.5mL or 1mL)

Protocol Options

*** Longevity / Maintenance**

Dose: 50mg

Draw: 30 units

Frequency: 3 times weekly (Mon/Wed/Fri)

Timing: Morning, ideally fasted

Cycle: 4–8 weeks or ongoing. WOMEN: 3 months on and one month off

One vial provides:

10 doses

Approximately 3 weeks at 3 injections/week

03 Recovery / Burnout / Low Energy Support

Dose: 100mg

Draw: 60 units

Frequency: 3 times weekly

Timing: Morning, preferably fasted

Cycle: 4–8 weeks

One vial provides:

5 doses

About 1.5 weeks at 3 injections/week

Administration

Subcutaneous injection.

Morning administration is preferred.

Wait ~30 minutes before eating if taken fasted.

Suggested Stacks

Energy + Mitochondrial Support

NAD+ 50–100mg

+

MOTS-c 10mg

5mg (50 units) Monday, Wednesday, Friday

Cycle 4–6 weeks

Longevity Stack

NAD+ 50mg 3× weekly

+

SS-31 5–10mg daily

4–8 week cycle

Performance & Recovery Stack

NAD+ 100mg three times weekly

MOTS-c 5mg three times weekly

CJC-1295/Ipamorelin before bed

Creatine 5g daily

Electrolytes and high protein intake

Example Weekly Schedule

03 Recovery / Burnout / Low Energy Support · continued

Day	Morning
Monday	NAD+ 50-100mg
Tuesday	—
Wednesday	NAD+ 50-100mg
Thursday	—
Friday	NAD+ 50-100mg
Saturday	—
Sunday	—

Key Benefits

Cellular energy production

Mitochondrial support

Mental clarity and focus

Healthy aging and longevity

Recovery from stress and burnout

Supports overall metabolic function

Educational purposes only. Individual dosing should always be personalized.

04 Source links

https://pubmed.ncbi.nlm.nih.gov/22848760/