
PROTOCOL

Selank & Semax



01 SELANK- A HUG IN A BOTTLE

Selank can help calm the brain and reduce anxiety, but it works differently from anti anxiety medications like benzodiazepines. Instead of directly activating GABA receptors, Selank helps your brain regulate its own calming systems. Because of this, it is not associated with the same type of dependence and withdrawal seen with benzodiazepines.

In simple terms, Selank may:

Help balance serotonin, which plays an important role in mood and emotional wellbeing.

Help your body's natural feel good and calming peptides called enkephalins stay active longer.

Influence inflammatory signals such as IL 6, potentially helping regulate inflammation that can affect the brain and mood.

Influence BDNF, a protein involved in learning, memory and the brain's ability to adapt and form new connections.

One of the most interesting effects involves enkephalins. These are natural peptides produced by your body that are involved in stress, mood and pain regulation. Selank appears to slow their breakdown, allowing their effects to last longer.

The simplest way to think about it: Selank may help your brain make better use of its own natural calming and mood regulating systems rather than simply sedating you.

Dose — 250-600 mcg SubQ Men: 1mg, 10 units on 1ml syringe; Women: 250-600mcg

Frequency — 2-3 days per week in the AM for men, and as needed or daily in the AM for women

Cycle — 8 weeks on, 8 weeks off for men; 4 weeks on, 4 weeks off for women

SELANK 5 mg

Add 0.5 mL bacteriostatic water

10 units = 1 mg on a U-100 insulin syringe

Take in the morning

2–3 days per week

8 weeks on / 8 weeks off

01 SELANK- A HUG IN A BOTTLE · continued

That means each 5 mg vial contains 5 × 1 mg doses, so at 2–3 doses per week, one vial lasts roughly 1.7–2.5 weeks.

02 How Semax Works

Semax is designed to support brain health, focus, mood, and mental performance.

It may work by:

Increasing BDNF, a protein that helps your brain build, repair, and strengthen connections.

Supporting dopamine, which is involved in motivation, focus, and drive.

Helping protect brain cells from oxidative stress and inflammation.

Supporting NGF, another protein involved in the growth and health of nerve cells.

Influencing serotonin pathways, which play a role in mood and emotional balance.

Think of BDNF as fertilizer for your brain. It helps your brain adapt, learn, recover, and create stronger connections.

Simply put: Semax may help support a healthier, more adaptable brain while promoting focus, mental clarity, motivation, and cognitive resilience.

Most mechanistic evidence for Semax comes from animal and laboratory research, so these effects should not be presented as proven clinical benefits in humans.

Dose — 250-600 mcg SubQ (Men:) 1mg, 10 units on 1ml syringe; (Women): 250-600mcg)

Frequency — Men: 2-3 days per week in the AM for men; as needed or daily in the AM for women

Cycle: 8 weeks on, 8 weeks off for men; 4 weeks on, 4 weeks off for women

Semax 10mg

Reconstitute with 1 mL bacteriostatic water

Dose: 1 mg = 10 units

Take in the morning

2–3 times per week

8 weeks on / 8 weeks off

For research purposes only. Not for human consumption. Disclaimer & Usage Guidance

This protocol is provided for educational and informational purposes only. All compounds

referenced are intended for research and therapeutic exploration and are not presented as medical advice, diagnosis, or treatment. Dosing guidelines are illustrative and based on commonly reported practices. Individual requirements may vary significantly. All peptides are highly individualised. Factors such as age, metabolism, mitochondrial health, lifestyle, and overall wellbeing play a significant role in determining response, benefits, and outcomes. Cycling peptides is commonly used

02 How Semax Works · continued

as a precautionary measure, although requirements may vary depending on the individual and protocol.