Cucumber Report

| Start : Jul 08, 4:54:00.402 pm	End : Jul 08, 4:54:24.086 pm	Duration : 23.684 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 4 FAILED - 4 SKIPPED - 0	PASSED - 32 FAILED - 4 SKIPPED - 1

Features: 3

Scenarios: 8

Steps: 37

Pass %: 33 %

Pass %: 50 %

Pass %: 86 %

#	Feature Name	T	P	F	S	Duration
1	Account Service Feature	2	0	2	0	6.722 s
2	Bank Login Page Feature	2	2	0	0	4.988 s
3	Products List Feature	4	2	2	0	11.961 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Account Service Feature	Verify user is on the Account Service Page	4	3	1	0	3.248 s
2	Account Service Feature	Verify Account Services Section	4	2	1	1	3.461 s
3	Bank Login Page Feature	Verify Login Page title	3	3	0	0	2.342 s
4	Bank Login Page Feature	Verify User is able to login with valid credentials	6	6	0	0	2.638 s
5	Products List Feature	User will get the list of all products	4	4	0	0	3.389 s
6	Products List Feature	User gets the list of all products	4	4	0	0	2.500 s
7	Products List Feature	User add product into the cart	6	5	1	0	3.223 s
8	Products List Feature	User verify products Menu button	6	5	1	0	2.836 s

(F)- Account Service Feature

FAILED	DURATION - 6.722 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 4:54:00.402 pm // 4:54:07.124 pm /		Pass - 0	2	Pass - 5	8
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

(S)- Verify user is on the Account Service Page

FAILED	DURATION - 3.248 s		Steps	
/ 4:54:00.404 pm // 4:54:03.652 pm /			Total - 4	
Account Service Feature			Pass - 3	4
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user will login to the bank portal using below credentials userName / password AutomationTest / Test123	PASSED	0.004 s
2	Given - Given user is on the Account Section Page	PASSED	0.004 s
3	When - When user gets the title of the page	PASSED	0.010 s
4	Then - Then title of page should be "ParaBank | Accounts Overview"	FAILED	0.004 s

	java.lang.AssertionError: Title of the Page is not same
	    at org.junit.Assert.fail(Assert.java:89)
	    at org.junit.Assert.assertTrue(Assert.java:42)
	    at stepDefs.BankLoginPageStepDef.titleOfPageShouldBe(BankLoginPageStepDef.java:42)
	    at ?.title of page should be "ParaBank | Accounts Overview"(file:///Users/saumya.singh/IdeaProjects/CucumberPOMSeries/src/resources/feature/AccountService.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER - appHooks.Hooks.failScenarioScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	Verify_user_is_on_the_Account_Service_Page		

#	Step / Hook Details	Status	Duration
	+		

(S)- Verify Account Services Section

FAILED	DURATION - 3.461 s
/ 4:54:03.663 pm // 4:54:07.124 pm /	
Account Service Feature	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given - Given user will login to the bank portal using below credentials 	userName	password
AutomationTest	Test123		PASSED	0.004 s
2	Given - Given user is on the Account Section Page	PASSED	0.008 s

3	Then - Then user gets the Account Services
	
	Open New Account
	Accounts Overview
	Transfer Funds
	Bill Pay
	Find Transactions
	Update Contact Info
	Request Loan
	Log Out
	
	java.lang.NullPointerException: Cannot invoke "pages.AccountServicePage.validateAccountService()" because "this.asp" is null
	    at stepDefs.AccountServiceStepDef.userGetsTheAccountServices(AccountServiceStepDef.java:36)
	    at ?.user gets the Account Services(file:///Users/saumya.singh/IdeaProjects/CucumberPOMSeries/src/resources/feature/AccountService.feature:15)
	* Not displayable characters are replaced by '?'.
		FAILED	0.007 s

4	And - And user gets the count of Account Services as 8	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - appHooks.Hooks.failScenarioScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	Verify_Account_Services_Section		
	+		

(F)- Bank Login Page Feature

PASSED	DURATION - 4.988 s		Scenarios		Steps	
			Total - 2		Total - 9	
/ 4:54:07.130 pm // 4:54:12.118 pm /			Pass - 2	2	Pass - 9	9
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- Verify Login Page title

PASSED	DURATION - 2.342 s		Steps	
/ 4:54:07.130 pm // 4:54:09.472 pm /			Total - 3	
			Pass - 3	3
Bank Login Page Feature			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user is on the login page	PASSED	0.008 s
2	When - When user gets the title of the page	PASSED	0.004 s
3	Then - Then title of page should be "Swag Labs"	PASSED	0.003 s

(S)- Verify User is able to login with valid credentials

PASSED	DURATION - 2.638 s		Steps	
			Total - 6	
/ 4:54:09.480 pm // 4:54:12.118 pm /			Pass - 6	**6**
			Fail - 0	
Bank Login Page Feature			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user is on the login page	PASSED	0.003 s
2	When - When user enters username as "standard_user"	PASSED	0.151 s
3	And - And user enters password as "secret_sauce"	PASSED	0.037 s
4	And - And user clicks on login button	PASSED	0.058 s
5	Then - Then user gets the title of the page	PASSED	0.004 s
6	And - And title of page should be "Swag Labs"	PASSED	0.000 s

(F)- Products List Feature

FAILED	DURATION - 11.961 s	Scenarios		Steps	
		Total - 4		Total - 20	
/ 4:54:12.125 pm // 4:54:24.086 pm /		Pass - 2	**4**	Pass - 18	**20**
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

(S)- User will get the list of all products

PASSED	DURATION - 3.389 s		Steps	
			Total - 4	
/ 4:54:12.125 pm // 4:54:15.514 pm /			Pass - 4	**4**
			Fail - 0	
Products List Feature			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given - Given user will login to the Swag Labs Login Page using below credentials userName | password standard_user | secret_sauce	PASSED	0.228 s
2	Given - Given user is on the Products page	PASSED	0.004 s
3	When - When user gets the count of all the products	PASSED	0.013 s
4	Then - Then the count of products should be 6	PASSED	0.002 s

(S)- User gets the list of all products

PASSED	DURATION - 2.500 s		Steps	
/ 4:54:15.519 pm // 4:54:18.019 pm /			Total - 4	
Products List Feature			Pass - 4	
			Fail - 0	
			Skip - 0	4

| #	Step / Hook Details	Status	Duration
1	Given - Given user will login to the Swag Labs Login Page using below credentials userName | password standard_user | secret_sauce	PASSED	0.212 s
2	Given - Given user is on the Products page	PASSED	0.010 s
3	When - When user gets the list of all products	PASSED	0.049 s
4	Then - Then product list should contain Sauce Labs Backpack Sauce Labs Bike Light Sauce Labs Bolt T-Shirt Sauce Labs Fleece Jacket Sauce Labs Onesie Test.allTheThings() T-Shirt (Red)	PASSED	0.002 s

(S)- User add product into the cart

FAILED	DURATION - 3.223 s
/ 4:54:18.022 pm // 4:54:21.245 pm /	
Products List Feature	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given - Given user will login to the Swag Labs Login Page using below credentials 	userName	password
standard_user	secret_sauce		PASSED	0.271 s
2	Given - Given user is on the Products page	PASSED	0.003 s
3	When - When user gets the list of all products	PASSED	0.051 s
4	And - And user click on "Sauce Labs Onesie" product	PASSED	0.084 s
5	And - And user click on Add to cart button	PASSED	0.030 s
6	Then - Then user verify the product should be available to cart	FAILED	0.024 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='cart_quantity']"}   (Session info: chrome=126.0.6478.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IN-IT11664', ip: '192.168.1.14', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.5', java. version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: /var/folders/jk/69d4wg6x7f7...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54425}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3a6ff6d52b028c7dc8d8240f60fc2ce *** Element info: {Using=xpath, value=//div[@class='cart_quantity']}
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at pages.AddToCartPage.getProductQuantity(AddToCartPage.java:17) at stepDefs.ProductsStepDef.userVerifyTheProductShouldBeAvailableToCart(ProductsStepDef.java:78) at ?.user verify the product should be available to cart(file:///Users/saumya.singh/IdeaProjects/CucumberPOMSeries/src/resources/feature/Products.feature:29) * Not displayable characters are replaced by '?'.		
	AFTER - appHooks.Hooks.failScenarioScreenshot(io.cucumber.java.Scenario) User_add_product_into_the_cart 	PASSED	0.219 s

(S)- User verify products Menu button

FAILED	DURATION - 2.836 s		Steps	
/ 4:54:21.250 pm // 4:54:24.086 pm /			Total - 6	
Products List Feature			Pass - 5	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user will login to the Swag Labs Login Page using below credentials userName / password standard_user / secret_sauce	PASSED	0.725 s
2	Given - Given user is on the Products page	PASSED	0.004 s
3	When - When user click the Menu btn	PASSED	0.001 s
4	And - And user gets the list of menu items	PASSED	0.001 s
5	Then - Then count of menu items should be 4	PASSED	0.000 s
6	And - And menu product list should be All Items	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	About Logout Reset App State		

	io.cumber.core.exception.CucumberException: Step [menu product list should be] is defined with 0 parameters at 'stepDefs.
	ProductsStepDef.menuProductListShouldBe()'. However, the gherkin step has 1 arguments: * Table: | All Items | | About |
	| Logout | | Reset App State | Step text: menu product list should be
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:104)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)
	  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)
	  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	  at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:234)
	  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
	  at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
	  at org.testng.junit.JUnit4TestRunner.start(JUnit4TestRunner.java:82)
	  at org.testng.junit.JUnit4TestRunner.run(JUnit4TestRunner.java:70)
	  at org.testng.TestRunner$1.run(TestRunner.java:570)
	  at org.testng.TestRunner.runJUnitWorkers(TestRunner.java:717)
	  at org.testng.TestRunner.privateRunJUnit(TestRunner.java:601)
	  at org.testng.TestRunner.run(TestRunner.java:502)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:112) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:99) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418)		
	AFTER - appHooks.Hooks.failScenarioScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	User_verify_products_Menu_button 		

(Step) AFTER - appHooks.Hooks.
failScenarioScreenshot(io.cucumber.java.
Scenario)

Swag Labs

Username

Password

Login

Accepted usernames are:

standard_user
locked_out_user
problem_user
performance_glitch_user
error_user
visual_user

Password for all users:

secret_sauce

(S) Verify user is on the Account Service Page

(F) Account Service Feature

(Step) AFTER - appHooks.Hooks.
failScenarioScreenshot(io.cucumber.java.
Scenario)

Swag Labs

Username

Password

Login

Accepted usernames are:

standard_user
locked_out_user
problem_user
performance_glitch_user
error_user
visual_user

Password for all users:

secret_sauce

(S) Verify Account Services Section

(F) Account Service Feature

(Step) AFTER - appHooks.Hooks.
failScenarioScreenshot(io.cucumber.java.
Scenario)

(S) User add product into the cart

(F) Products List Feature

(Step) AFTER - appHooks.Hooks.
failScenarioScreenshot(io.cucumber.java.
Scenario)

(S) User verify products Menu button

(F) Products List Feature