

Lab 8. Registry cluster, load balancing, API gateway

Part 1: Consul cluster

Create a consul cluster using the following docker compose file:

```
version: '3.8'

services:
  consul-server-1:
    image: hashicorp/consul:latest
    container_name: consul-server-1
    command: "agent -server -bootstrap-expect=3 -client=0.0.0.0 -ui -retry-join=consul-server-2 -retry-join=consul-server-3"
    ports:
      - "8500:8500" # UI and HTTP API
      - "8600:8600/udp" # DNS
    networks:
      - consul-net

  consul-server-2:
    image: hashicorp/consul:latest
    container_name: consul-server-2
    command: "agent -server -client=0.0.0.0 -ui -retry-join=consul-server-1 -retry-join=consul-server-3"
    ports:
      - "8501:8500" # UI and HTTP API (different host port to avoid conflict)
    networks:
      - consul-net

  consul-server-3:
    image: hashicorp/consul:latest
    container_name: consul-server-3
    command: "agent -server -client=0.0.0.0 -ui -retry-join=consul-server-1 -retry-join=consul-server-2"
    ports:
      - "8502:8500" # UI and HTTP API (different host port to avoid conflict)
    networks:
      - consul-net

networks:
  consul-net:
    driver: bridge
```

Check if the 3 consul agents are running

<input type="checkbox"/>	<input checked="" type="checkbox"/>	dockerconsul	-	-	11.31%	1 day ago			
<input type="checkbox"/>	<input checked="" type="checkbox"/>	consul-server-1: 746250df0e12	hashicorp/consu 8501:8500 ↗	-	1.74%	1 day ago			
<input type="checkbox"/>	<input checked="" type="checkbox"/>	consul-server-2: 5b17d854017b	hashicorp/consu 8500:8500 ↗	Show all ports (2)	7.63%	1 day ago			
<input type="checkbox"/>	<input checked="" type="checkbox"/>	consul-server-3: 855028781c48	hashicorp/consu 8502:8500 ↗	-	1.94%	1 day ago			

Modify the StockService so that it uses one of the Consul registries.

Start the StockService


Check if the StockService is registered in all Consul instances

Modify the ProductService so that it uses a different Consul instance.

Start the ProductService

Check if the ProductService is registered in all Consul instances

Check if everything works



Part 2: load balancing with ribbon

Copy and paste the StockService, and make sure the 2nd stockservice runs at a different port. Let the 2nd stockservice return a different number than the 1st stocksevice.

Then run both StockService applications and see in the Consul dashboard that we have 2 instances of StockService.

Then run the ProductService and see in the Consul dashboard if it is registered.


Then if you call the ProductService, it should load balance the call to the StockService.

Then stop one StockService. Check in the Consul dashboard if it is removed.

Now if you call the ProductService, it should call to the StockService that is still running.

Then start the stopped StockService again. Check in the Eureka dashboard if it registered again.

Now if you call the ProductService, it should load balance the call to the StockService again.



Part 3: API gateway

Write an API gateway in front of the ProductService and StockService so that the browser can call both services via the API gateway

What to hand in?

1. A zip file containing all services for part 1, 2 and 3